

PRESTRESS NOTES:

1. ALL PRETENSIONING ELEMENTS SHALL BE 0.6" ϕ , UNCOATED, SEVEN-WIRE, LOW RELAXATION STEEL STRANDS AND SHALL CONFORM TO AASHTO M 203.
2. THE TENSILE STRENGTH OF THE PRETENSIONING STRANDS SHALL BE 270 KSI.
3. THE INITIAL TENSION PER 0.6" ϕ STRAND SHALL BE 44 KIPS.
4. THE MINIMUM 28 DAY COMPRESSIVE STRENGTH SHALL BE 6500 PSI. (*See Note*)
5. NO PRESTRESS SHALL BE TRANSFERRED TO THE CONCRETE UNTIL IT HAS ATTAINED A COMPRESSIVE STRENGTH, AS SHOWN BY CYLINDER TEST, OF AT LEAST 4500 PSI. (*See Note*)
6. THE TOP OF ALL BEAMS SHALL BE GIVEN A RAKE FINISH ($\frac{1}{4}$ " AMPLITUDE) ACROSS THE WIDTH (PERPENDICULAR TO THE BEAM'S AXIS).
7. THE FABRICATOR IS FULLY RESPONSIBLE FOR THE DESIGN OF THE LIFTING DEVICES WHICH SHALL BE ADEQUATE FOR THE SAFETY FACTORS REQUIRED BY THE ERECTION PROCEDURE.

NOTE:

The Designer may increase the 28 day compressive strength of the concrete and/or the compressive strength at transfer if justified and feasible. See the prestressed concrete section of Part I of the Bridge Manual.



LRFD BRIDGE
MANUAL, PART II

PRESTRESS NOTES

PRECAST CONCRETE DECK BEAMS

DATE OF ISSUE
JUNE 2013

DRAWING NUMBER
4.1.7