



NOTES:

(See Dwg. No. 4.2.20 for Notes to be included on the Construction Drawings)

STAGE CONSTRUCTION DETAIL

SCALE: $1\frac{1}{2}" = 1'-0"$

NOTES:

1. The use of 6" (Min.) deck slab is required for the temporary concrete bridge barrier installation for staged construction. In these situations, the drilling into the top $\frac{1}{2}"$ of the precast beam will be allowed to provide for the required by the crash test $6\frac{1}{2}"$ embedment length for anchor bolts.
2. The thickness of the deck slab may need to be increased to accommodate roadway profile.



LRFD BRIDGE

MANUAL, PART II

STAGE CONSTRUCTION DETAIL

PRECAST CONCRETE BOX BEAMS

DATE OF ISSUE
JUNE 2013

DRAWING NUMBER

4.2.19