



DECK PANEL FABRICATION TOLERANCES

A	LENGTH (OVERALL)	$\pm \frac{1}{4}$ "
B	WIDTH (OVERALL)	$\pm \frac{1}{4}$ "
C	DEPTH (OVERALL)	$\pm \frac{1}{4}$ "
D	VARIATION FROM SPECIFIED PLAN END SQUARENESS OR SKEW	$\pm \frac{1}{4}$ "
E	LOCATION OF VERTICAL ADJUSTMENT ASSEMBLY	± 1 "
F	SWEEP OVER MEMBER LENGTH	$\pm \frac{3}{8}$ "
G	CAMBER VARIATION FROM DESIGN CAMBER	$\pm \frac{1}{4}$ "
H	LOCAL SMOOTHNESS OF ANY SURFACE	$\pm \frac{1}{4}$ " IN 10'
J	LOCATION OF BLOCKOUT FOR SHEAR CONNECTORS	$\pm \frac{1}{2}$ "
K	LOCATION OF POST-TENSIONING DUCT MEASURED FROM A WORKING LINE	$\pm \frac{3}{16}$ "
L	LOCATION OF POST-TENSIONING DUCT MEASURED FROM BOTTOM OF PANEL	$\pm \frac{3}{16}$ "

DECK PANEL ELEVATION ERECTION TOLERANCES

M	DEVIATION FROM SPECIFIED ELEVATION	$\pm \frac{1}{8}$ "
---	------------------------------------	---------------------