

Reported and Adjusted Performance Standards
Residential Gallons per Capita Day (RGPCD) & Unaccounted for Water (UAW)
2006 Public Water Supply Annual Statistical Report

NR = Not Reported; CEMU = Confidently Estimated Municipal Use

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
1004000	ADAMS FIRE DISTRICT	Adams	60	91	Calculation Error	36	35	No Reported CEMU
1005000	AGAWAM WATER DEPT	Agawam	80	80		3	3	No Reported CEMU
1008000	AMHERST DPW WATER DIVISION	Amherst	NR		Insufficient Data	12	15	Insufficient CEMU Documentation
1015000	ATHOL WATER DEPARTMENT	Athol	66	70	Population calculation	26	28	Not all reported CEMU accepted
1024000	BELCHERTOWN WATER DISTRICT	Belchertown	100	69	Calculation error	13	18	Insufficient CEMU Documentation
1029000	BERNARDSTON FIRE & WATER DISTRICT	Bernardston	100	60	Calculation error	40	40	Insufficient CEMU Documentation
1058000	CHESHIRE WATER DEPARTMENT	Cheshire	136	135		NR		Insufficient Data
1061000	CHICOPEE WATER DEPT (MWRA)	Chicopee	63	63		4	4	
1070000	DALTON FIRE DISTRICT	Dalton	77	77		0	0	
1074000	DEERFIELD FIRE DISTRICT	Deerfield	63	63		2	8	Not all reported CEMU accepted
1074001	SOUTH DEERFIELD WATER DISTRICT	Deerfield	69	69		5		Insufficient CEMU Documentation
1085000	EAST LONGMEADOW DPW WATER DEPT	East Longmeadow	90	90		4	7	Insufficient CEMU Documentation
1087000	EASTHAMPTON WATER DEPARTMENT	Easthampton	70	89	Population calculation	11	10	No Reported CEMU
1113000	GREAT BARRINGTON FIRE DISTRICT	Great Barrington	NR		Insufficient Data	10	24	Insufficient CEMU Documentation
1113003	HOUSATONIC WATER WORKS COMPANY	Great Barrington	127	136	Insufficient Data	NR	0	Did not report
1114000	GREENFIELD WATER DEPARTMENT	Greenfield	52	51		15	21	Insufficient CEMU Documentation
1117002	HADLEY WATER DEPARTMENT	Hadley	57	57		11	11	
1124001	GILBERTVILLE WATER DISTRICT	Hardwick	NR	62		NR	9	
1127000	HATFIELD WATER DEPARTMENT	Hatfield	89	89		15	17	Insufficient CEMU Documentation
1132000	HINSDALE WATER SYSTEM	Hinsdale	NR		Insufficient Data	NR		Did not report
1137000	HOLYOKE WATER WORKS	Holyoke	94	94		26	27	Insufficient CEMU Documentation
1143000	HUNTINGTON WATER DEPARTMENT	Huntington	110	110		NR		Insufficient CEMU Documentation
1148000	LANESBOROUGH VILLAGE WATER DISTRICT	Lanesborough	NR		Insufficient Data	NR		Insufficient CEMU Documentation
1150000	LEE WATER DEPARTMENT	Lee	103	103		13	15	Insufficient CEMU Documentation
1152000	LENOX WATER DEPARTMENT	Lenox	66	66		19	22	Insufficient CEMU Documentation
1159000	LONGMEADOW WATER DEPT	Longmeadow	100	100		28	28	

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
1191000	MONSON WATER & SEWER DEPARTMENT	Monson	63	63		13	17	Insufficient CEMU Documentation
1192000	TURNERS FALLS FIRE DISTRICT	Montague	96	93		18	17	Insufficient CEMU Documentation
1209000	NORTH ADAMS WATER DEPARTMENT	North Adams	52	84	Insufficient Data	3	34	Insufficient CEMU Documentation
1214000	NORTHAMPTON DPW	Northampton	55	55		6	6	
1217001	EAST NORTHFIELD WATER COMPANY	Northfield	60	53		5	5	
1223000	ORANGE WATER DEPARTMENT	Orange	66	66		16	11	Not all reported CEMU accepted
1227000	PALMER WATER DEPARTMENT	Palmer	79	79		19	19	
1227001	THORNDIKE FIRE & WATER DISTRICT	Palmer	NR		Insufficient Data	NR		Insufficient Data
1227002	BONDSVILLE FIRE AND WATER DISTRICT	Palmer	45	75	Wrong Methodology	18	23	Insufficient CEMU Documentation
1227003	THREE RIVERS FIRE DISTRICT	Palmer	61	61		12	22	Not all reported CEMU accepted
1236000	PITTSFIELD WATER DEPARTMENT	Pittsfield	84	84		NR	32	
1256000	RUSSELL WATER DEPARTMENT	Russell	47	47		44	37	Not all reported CEMU accepted
1267000	SHEFFIELD WATER COMPANY	Sheffield	57	57		28	30	Insufficient CEMU Documentation
1268000	SHELBURNE FALLS FIRE DISTRICT	Shelburne	NR	47	Did not report	9	14	Not all reported CEMU accepted
1275000	SOUTH HADLEY FD #1 (MWRA)	South Hadley	63	63		9	9	
1275001	SOUTH HADLEY FIRE DISTRICT 2	South Hadley	63	63		4	4	
1276000	SOUTHAMPTON WATER DEPARTMENT	Southampton	67	67		2	3	Insufficient CEMU Documentation
1279000	SOUTHWICK WATER DEPARTMENT	Southwick	95	101	Calculation Error	2	11	Insufficient CEMU Documentation
1281000	SPRINGFIELD WATER DEPARTMENT	Springfield	69	69		4	5	
1283003	STOCKBRIDGE WATER DEPARTMENT	Stockbridge	78	78		5	5	
1289000	SUNDERLAND WATER DISTRICT	Sunderland	95	95		3	3	
1309000	WARE WATER DEPARTMENT	Ware	100	78		17	25	Insufficient CEMU Documentation
1311000	WARREN WATER DISTRICT	Warren	60	60		1	8	Insufficient CEMU Documentation
1311001	WEST WARREN WATER DISTRICT	Warren	NR		Insufficient Data	NR		Insufficient Data
1325000	WEST SPRINGFIELD WATER DEPARTMENT	West Springfield	64	65		16	17	Insufficient CEMU Documentation
1329000	WESTFIELD WATER DEPARTMENT	Westfield	100	100		10	10	
1339000	WILBRAHAM WATER DEPARTMENT	Wilbraham	99	99		4	6	Insufficient CEMU Documentation
1340000	WILLIAMSBURG WATER DEPARTMENT	Williamsburg	187	84	Calculation error	4	3	Insufficient CEMU Documentation
1341000	WILLIAMSTOWN WATER DEPARTMENT	Williamstown	40	40		6	6	
2002000	ACTON WATER DISTRICT	Acton	65	65		7	10	Insufficient CEMU Documentation
2011000	ASHBURNHAM WATER DEPARTMENT	Ashburnham	50	50		4	36	Insufficient CEMU Documentation
2017000	AUBURN WATER DISTRICT	Auburn	85	86		5	5	
2019000	AYER DPW WATER DIVISION	Ayer	52	52		9	10	Not all reported CEMU accepted
2019001	DEVENS COMMERCE CENTER	Ayer	62	62		17	17	

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
2021000	BARRE WATER DEPARTMENT	Barre	70	73		10	13	Insufficient CEMU Documentation
2025000	BELLINGHAM DPW WATER & SEWER DIVISION	Bellingham	61	61		17	17	
2032000	BLACKSTONE WATER DEPARTMENT	Blackstone	NR	57	Did not report	NR		Insufficient Data
2039000	BOYLSTON WATER DISTRICT	Boylston	73	76	Calculation Error	14	20	Insufficient CEMU Documentation
2045000	BROOKFIELD WATER DEPARTMENT	Brookfield	60	60		5	5	
2064000	CLINTON WATER DEPARTMENT	Clinton	57	57		7	7	
2077000	DOUGLAS WATER DEPARTMENT	Douglas	64	70	Calculation Error	7	9	Insufficient CEMU Documentation
2080000	DUDLEY WATER DEPARTMENT	Dudley	58	58		8	8	
2084000	EAST BROOKFIELD WATER DEPARTMENT	East Brookfield	47	47		8	7	
2097000	FITCHBURG WATER DEPARTMENT	Fitchburg	64	64		29	34	Insufficient CEMU Documentation
2101000	FRANKLIN DPW WATER DIVISION	Franklin	64	66	Calculation Error	5	9	Insufficient CEMU Documentation
2103000	GARDNER WATER DEPARTMENT	Gardner	79	79		5	5	
2110000	GRAFTON WATER DISTRICT	Grafton	66	66		9	11	Insufficient CEMU Documentation
2110001	SOUTH GRAFTON WATER DISTRICT	Grafton	87	92	Calculation Error	13	14	Insufficient CEMU Documentation
2115000	GROTON WATER DEPARTMENT	Groton	63	58	Calculation Error	7	8	Not all reported CEMU accepted
2115001	WEST GROTON WATER DISTRICT	Groton	59	59		8	8	
2134000	HOLDEN WATER DEPARTMENT	Holden	61	61		17	18	Insufficient CEMU Documentation
2136000	HOLLISTON WATER DEPARTMENT	Holliston	54	55	Calculation Error	1	21	Insufficient CEMU Documentation
2138000	HOPEDALE WATER DEPARTMENT	Hopedale	62	63		6	9	Insufficient CEMU Documentation
2139000	HOPKINTON WATER DEPARTMENT	Hopkinton	61	61		15	22	Insufficient CEMU Documentation
2141000	HUDSON WATER DEPARTMENT	Hudson	80	84	Calculation Error	9	9	
2147000	LANCASTER WATER DEPARTMENT	Lancaster	62	62		18	18	
2151000	LEICESTER WATER SUPPLY DISTRICT	Leicester	60	60		9	9	
2151001	CHERRY VALLEY & ROCHDALE WATER DISTRICT	Leicester	58	77	Wrong Methodology	15	21	Not all reported CEMU accepted
2153000	LEOMINSTER DPW WATER DIVISION	Leominster	56	57		8	12	Insufficient CEMU Documentation
2158000	LITTLETON WATER DEPARTMENT	Littleton	69	69		19	19	
2162000	LUNENBURG WATER DISTRICT	Lunenburg	69	69		4	4	
2170000	MARLBOROUGH DPW WATER DIVISION	Marlborough	54	54		NR	25	Did not report
2174000	MAYNARD DEPARTMENT OF PUBLIC WORKS	Maynard	NR		Insufficient Data	NR		Insufficient Data
2175000	MEDFIELD WATER DEPARTMENT	Medfield	66	66		28	29	Insufficient CEMU Documentation
2177000	MEDWAY WATER DEPARTMENT	Medway	53	62		5	7	Not all reported CEMU accepted
2179000	MENDON WATER DEPARTMENT	Mendon	60	60		0	3	Not all reported CEMU accepted
2185000	MILFORD WATER COMPANY	Millford	65	65		13	16	Insufficient CEMU Documentation
2186000	AQUARION WATER COMPANY: MILLBURY	Millbury	72	72		6	8	Insufficient CEMU Documentation

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
2187000	MILLIS WATER DEPARTMENT	Millis	59	59		12	15	Insufficient CEMU Documentation
2208000	NORFOLK WATER DEPARTMENT	Norfolk	60	60		12	16	Insufficient CEMU Documentation
2212000	NORTH BROOKFIELD WATER DEPARTMENT	North Brookfield	69	69		31	31	
2215000	NORTHBOROUGH WATER & SEWER DEPT	Northborough	57	57		12	12	
2216000	WHITINSVILLE WATER COMPANY	Northbridge	83	82		9	9	
2216006	NORTHBRIDGE WATER DIVISION	Northbridge	70	70		11	11	
2226000	AQUARION WATER COMPANY: OXFORD	Oxford	61	61		21	30	Insufficient CEMU Documentation
2228000	PAXTON WATER DEPARTMENT	Paxton	57	57		21	27	Insufficient CEMU Documentation
2232000	PEPPERELL WATER DEPARTMENT	Pepperell	67	67		7	8	Not all reported CEMU accepted
2257000	RUTLAND WATER DEPARTMENT	Rutland	67	67		8	8	
2270000	SHIRLEY WATER DISTRICT	Shirley	59	83	Calculation Error	4	4	
2271000	SHREWSBURY WATER & SEWER DEPARTMENT	Shrewsbury	62	62		17	17	
2277000	SOUTHBOROUGH DPW WATER DIVISION	Southborough	60	60		19	31	Insufficient CEMU Documentation
2278000	SOUTHBRIDGE WATER DEPARTMENT	Southbridge	56	56		2	2	
2280000	SPENCER WATER DEPARTMENT	Spencer	50	50		11	11	
2282000	STERLING WATER WORKS	Sterling	63	63		1	6	Insufficient CEMU Documentation
2287000	STURBRIDGE WATER DEPARTMENT	Sturbridge	67	67		10	15	Insufficient CEMU Documentation
2290014	WILKINSONVILLE WATER DISTRICT	Sutton	60	61	Calculation Error	10	15	Insufficient CEMU Documentation
2294000	TEMPLETON WATER DEPARTMENT	Templeton	56	56		3	11	Insufficient CEMU Documentation
2299000	TOWNSEND WATER DEPARTMENT	Townsend	57	57		4	4	
2299001	WITCHES BROOK WATER COMPANY	Townsend	NR	62	Did not report	NR		Insufficient Data
2303000	UPTON DEPARTMENT OF PUBLIC WORKS	Upton	61	61		7	8	Not all reported CEMU accepted
2304000	UXBRIDGE WATER DEPARTMENT	Uxbridge	60	62	Population error	5	15	Not all reported CEMU accepted
2316000	WEBSTER DPW	Webster	59	63	Population error	7	6	
2321000	WEST BOYLSTON WATER DISTRICT	West Boylston	63	63		8	14	Not all reported CEMU accepted
2323000	WEST BROOKFIELD WATER DEPARTMENT	West Brookfield	70	70		9	11	Insufficient CEMU Documentation
2328000	WESTBOROUGH WATER DEPARTMENT	Westborough	71	71		4	5	Insufficient CEMU Documentation
2332000	WESTMINISTER WATER DEPARTMENT	Westminister	54	54		2	3	Insufficient CEMU Documentation
2343000	WINCHENDON WATER DEPARTMENT	Winchendon	127	127		36	36	
2348000	WORCESTER DPW	Worcester	61	69	Calculation Error	15	12	
3007000	AMESBURY WATER DEPARTMENT	Amesbury	68	68		9	10	Insufficient CEMU Documentation
3009000	ANDOVER WATER DEPARTMENT	Andover	66	79	Calculation Error	1	2	Not all reported CEMU accepted
3010000	ARLINGTON WATER DEPT. (MWRA)	Arlington	NR		Insufficient Data	NR		Insufficient Data
3014000	ASHLAND WATER & SEWER DEPARTMENT	Ashland	68	68		11	16	Insufficient CEMU Documentation

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
3023000	BEDFORD WATER DEPARTMENT	Bedford	70	73	Calculation Error	9	9	
3026000	BELMONT WATER DEPT. (MWRA)	Belmont	105	105		3	5	Insufficient CEMU Documentation
3030000	BEVERLY WATER DEPT	Beverly	57	57		7	10	Insufficient CEMU Documentation
3031000	BILLERICA WATER DEPARTMENT	Billerica	69	69		3	17	Insufficient CEMU Documentation
3035000	BOSTON WATER & SEWER COMMISSION (MWRA)	Boston	46	46		10	15	Not all reported CEMU accepted
3046000	BROOKLINE WATER & SEWER DIV. (MWRA)	Brookline	65	65		9	14	Not all reported CEMU accepted
3048000	BURLINGTON WATER DEPARTMENT	Burlington	54	54		17	22	Insufficient CEMU Documentation
3049000	CAMBRIDGE WATER DEPARTMENT	Cambridge	57	57		4	10	Not all reported CEMU accepted
3056000	CHELMSFORD WATER DISTRICT	Chelmsford	67	67		16	18	
3056001	EAST CHELMSFORD WATER DISTRICT	Chelmsford	70	75	Insufficient Data	3	6	Not all reported CEMU accepted
3056002	NORTH CHELMSFORD WATER DISTRICT	Chelmsford	59	59		7	7	
3057000	CHELSEA WATER DEPT. (MWRA)	Chelsea	49	49		5	6	Insufficient CEMU Documentation
3067000	CONCORD WATER DEPARTMENT	Concord	68	69		6	6	
3071000	DANVERS WATER DEPARTMENT	Danvers	56	56		9	9	
3073000	DEDHAM WESTWOOD WATER DISTRICT	Dedham	55	55		17	29	Insufficient CEMU Documentation
3078006	DOVER WATER COMPANY INC	Dover	83	83		2	8	Insufficient CEMU Documentation
3079000	DRACUT WATER SUPPLY DISTRICT	Dracut	64	64		5	6	Not all reported CEMU accepted
3092000	ESSEX DPW WATER DIVISION	Essex	58	58		12	15	Not all reported CEMU accepted
3093000	EVERETT WATER DEPT. (MWRA)	Everett	NR	90	Did not report	NR	22	Insufficient CEMU Documentation
3100000	FRAMINGHAM WATER DEPT. (MWRA)	Framingham	104	116	Insufficient Data	10	12	Insufficient CEMU Documentation
3105000	GEORGETOWN WATER DEPARTMENT	Georgetown	64	64		5	5	
3107000	GLOUCESTER DPW - WATER SUPPLY	Gloucester	81	81		27	28	Not all reported CEMU accepted
3116000	GROVELAND WATER DEPARTMENT	Groveland	62	62		3	3	
3119000	HAMILTON WATER DEPARTMENT	Hamilton	NR	56	Did not report	2	9	Insufficient CEMU Documentation
3128000	HAVERHILL DPW	Haverhill	86	86		3	3	
3144000	IPSWICH WATER DEPARTMENT	Ipswich	55	55		10	10	
3149000	LAWRENCE WATER WORKS	Lawrence	52	52		NR	10	
3155000	LEXINGTON WATER DEPT. (MWRA)	Lexington	122	122		8	8	
3157000	LINCOLN WATER DEPARTMENT	Lincoln	70	70		14	15	Not all reported CEMU accepted
3163000	LYNN WATER & SEWER COMMISSION	Lynn	56	56		18	28	Not all reported CEMU accepted
3164000	LYNNFIELD CENTER WATER DISTRICT	Lynnfield	69	68		10	14	Insufficient CEMU Documentation
3164001	LYNNFIELD WATER DIST. (MWRA)	Lynnfield	35	82	Population calculation	12	14	Insufficient CEMU Documentation
3165000	MALDEN DPW WATER DEPT. (MWRA)	Malden	81	81		11	35	Insufficient CEMU Documentation
3166000	MANCHESTER WATER DEPARTMENT	Manchester	95	95		1	1	

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
3168000	MARBLEHEAD WATER DEPT. (MWRA)	Marblehead	67	67		13	14	Insufficient CEMU Documentation
3176000	MEDFORD WATER DEPT. (MWRA)	Medford	94	94		21	21	
3178000	MELROSE WATER DEPT. (MWRA)	Melrose	NR		Insufficient Data	NR		Insufficient Data
3180000	MERRIMAC WATER DEPARTMENT	Merrimac	67	70	Calculation Error	6	6	
3181000	METHUEN WATER DEPARTMENT	Methuen	64	64		14	14	
3184000	MIDDLETON WATER DEPT.	Middleton	65	65		NR		Insufficient Data
3196000	NAHANT WATER DEPT. (MWRA)	Nahant	98	86	Population calculation	NR	4	Insufficient CEMU Documentation
3198000	NATICK DEPARTMENT OF PUBLIC WORKS	Natick	65	65		8	12	
3199000	NEEDHAM DEPARTMENT OF PUBLIC WORKS	Needham	66	66		1	1	
3205001	BYFIELD WATER DISTRICT	Newbury	45	62	Population calculation	5	11	Not all reported CEMU accepted
3206000	NEWBURYPORT WATER WORKS	Newburyport	60	60		12	9	
3207000	NEWTON WATER DEPT. (MWRA)	Newton	56	56		17	24	Insufficient CEMU Documentation
3210000	NORTH ANDOVER WATER DEPARTMENT	North Andover	57	57		14	15	Insufficient CEMU Documentation
3213000	NORTH READING WATER DEPARTMENT	North Reading	61	61		17	17	
3229000	PEABODY WATER DEPARTMENT	Peabody	66	66		15	29	Insufficient CEMU Documentation
3243000	QUINCY WATER DEPT. (MWRA)	Quincy	73	73		14	15	Not all reported CEMU accepted
3246000	READING DPW	Reading	51	52		5	9	Not all reported CEMU accepted
3248000	REVERE WATER DEPT. (MWRA)	Revere	52	52		12	23	Insufficient CEMU Documentation
3252000	ROCKPORT WATER TREATMENT PLANT	Rockport	59	59		NR		Insufficient Data
3254000	ROWLEY WATER DEPARTMENT	Rowley	59	56		NR		Insufficient Data
3258000	CITY OF SALEM DPW WATER DEPT	Salem	67	72		11	18	Insufficient CEMU Documentation
3259000	SALISBURY WATER COMPANY	Salisbury	62	62		21	32	Insufficient CEMU Documentation
3262000	SAUGUS WATER DEPT. (MWRA)	Saugus	NR		Insufficient Data	NR		Insufficient Data
3274000	SOMERVILLE WATER DEPT. (MWRA)	Somerville	NR		Insufficient Data	NR		Insufficient Data
3284000	STONEHAM WATER DEPT. (MWRA)	Stoneham	61	61		11	12	Not all reported CEMU accepted
3288000	SUDBURY WATER DISTRICT	Sudbury	77	77		7	7	
3291000	SWAMPSCOTT WATER DEPT. (MWRA)	Swamscott	109	109		6	6	
3295000	TEWKSBURY DPW WATER DEPT.	Tewksbury	49	49		24	23	
3298000	TOPSFIELD WATER DEPARTMENT	Topsfield	61	61		6	7	
3301000	TYNGSBORO WATER DISTRICT	Tyngsboro	65	66		2	4	Insufficient CEMU Documentation
3305000	WAKEFIELD WATER DEPARTMENT	Wakefield	64	64		7	9	Insufficient CEMU Documentation
3308000	WALTHAM WATER DEPT. (MWRA)	Waltham	NR		Insufficient Data	NR		Insufficient Data
3314000	WATERTOWN WATER DEPT. (MWRA)	Watertown	55	55		21	22	
3315000	WAYLAND WATER DEPARTMENT	Wayland	87	87		14	17	Insufficient CEMU Documentation

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
3317000	WELLESLEY WATER DEPARTMENT	Wellesley	75	75		18	18	
3320000	WENHAM WATER DEPARTMENT	Wenham	63	63		16	17	Insufficient CEMU Documentation
3324000	WEST NEWBURY WATER DEPARTMENT	West Newbury	62	62		15	15	
3330000	WESTFORD WATER DEPARTMENT	Westford	68	68		13	14	Not all reported CEMU accepted
3333000	WESTON WATER DEPT. (MWRA)	Weston	112	112		6	6	
3342000	WILMINGTON WATER & SEWER DEPARTMENT	Wilmington	53	53		2	2	
3344000	WINCHESTER WATER DEPARTMENT	Winchester	63	63		5	12	Insufficient CEMU Documentation
3346000	WINTHROP WATER DIVISION, (MWRA)	Winthrop	NR		Insufficient Data	NR		Insufficient Data
3347000	WOBURN DEPARTMENT PUBLIC WORKS	Woburn	98	98		0	9	
4001000	ABINGTON & ROCKLAND JT WATER WORKS	Abington	65	65		9	9	
4003000	ACUSHNET WATER DEPARTMENT	Acushnet	66	66		12	12	
4016000	ATTLEBORO WATER DEPARTMENT	Attleboro	75	75		13	29	Insufficient CEMU Documentation
4018000	AVON WATER DEPARTMENT	Avon	52	52		2	8	Insufficient CEMU Documentation
4020000	BARNSTABLE FIRE DISTRICT	Barnstable	31	96	Population calculation	10	10	
4020002	CENTERVILLE OSTERVILLE WATER DEPARTMENT	Barnstable	82	63	Population calculation	1	2	Insufficient CEMU Documentation
4020003	COTUIT FIRE DISTRICT WATER DEPARTMENT	Barnstable	75	79	Population calculation	13	21	Insufficient CEMU Documentation
4020004	HYANNIS WATER DEPARTMENT	Barnstable	93	86	Population calculation	2	3	Not all reported CEMU accepted
4036000	BOURNE WATER DISTRICT	Bourne	59	68	Population calculation	7	12	Insufficient CEMU Documentation
4036001	BUZZARDS BAY WATER DISTRICT	Bourne	60	60		9	10	
4036002	NORTH SAGAMORE WATER DISTRICT	Bourne	69	58	Population calculation	8		Insufficient Data
4040000	BRAINTREE WATER & SEWER DEPARTMENT	Braintree	60	60		15	19	Insufficient CEMU Documentation
4041000	BREWSTER WATER DEPARTMENT	Brewster	57	57		6	6	
4042000	BRIDGEWATER WATER DEPARTMENT	Bridgewater	58	66	Population calculation	10	20	Insufficient CEMU Documentation
4044000	BROCKTON DPW WATER DIVISION	Brockton	NR		Insufficient Data	NR		Insufficient Data
4050000	CANTON WATER DEPARTMENT	Canton	70	70		13	14	Insufficient CEMU Documentation
4055000	CHATHAM WATER DEPARTMENT	Chatham	NR	60	Did not report	10	10	
4065000	COHASSET WATER DEPARTMENT	Cohasset	71	67	Population calculation	7	7	
4072000	DARTMOUTH WATER DEPARTMENT	Dartmouth	72	72		13	13	
4075000	DENNIS WATER DISTRICT	Dennis	50	50		9	15	Insufficient CEMU Documentation
4076000	DIGHTON WATER DISTRICT	Dighton	55	56		18	26	Insufficient CEMU Documentation
4076002	NORTH DIGHTON FIRE DISTRICT	Dighton	NR		Insufficient Data	NR		Insufficient Data
4082000	DUXBURY WATER DEPARTMENT	Duxbury	81	82		7	7	
4083000	EAST BRIDGEWATER WATER DEPARTMENT	East Bridgewater	62	62		8	20	Insufficient CEMU Documentation
4088000	EASTON WATER DEPARTMENT	Easton	65	65		5	7	Insufficient CEMU Documentation

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
4089000	EDGARTOWN WATER DEPARTMENT	Edgartown	90	90		9	17	Insufficient CEMU Documentation
4094000	FAIRHAVEN WATER DEPARTMENT	Fairhaven	54	58		16	16	
4095000	FALL RIVER WATER DEPARTMENT	Fall River	86	86		6	8	Not all reported CEMU accepted
4096000	FALMOUTH WATER DEPARTMENT	Falmouth	NR	56		17	17	
4099000	FOXBOROUGH WATER DEPARTMENT	Foxborough	70	70		9	9	
4102035	FREETOWN WATER COMMISSION	Freetown	NR		Insufficient Data	NR		Insufficient Data
4118000	HALIFAX WATER DEPARTMENT	Halifax	51	52		8	14	Insufficient CEMU Documentation
4122000	HANOVER WATER DEPARTMENT	Hanover	60	64	Population calculation	20	23	Insufficient CEMU Documentation
4123000	HANSON WATER DEPARTMENT	Hanson	54	54		10	10	
4126000	HARWICH WATER DEPARTMENT	Harwich	64	68	Population calculation	2	3	Insufficient CEMU Documentation
4131000	AQUARION WATER COMPANY: HINGHAM	Hingham	56	70	Population calculation	10	13	Insufficient CEMU Documentation
4133000	HOLBROOK PUBLIC WORKS DEPT	Holbrook	46	46		5	22	Insufficient CEMU Documentation
4145000	KINGSTON WATER DEPARTMENT	Kingston	77	77		18	18	
4167000	MANSFIELD WATER DEPARTMENT	Mansfield	58	58		1	10	Not all reported CEMU accepted
4169000	MARION WATER DEPARTMENT	Marion	72	72		8	18	Insufficient CEMU Documentation
4171000	MARSHFIELD WATER & SEWER DEPARTMENT	Marshfield	63	63		7	11	Insufficient CEMU Documentation
4172039	MASHPEE WATER DISTRICT	Mashpee	49	47		6	10	Insufficient CEMU Documentation
4173000	MATTAPOISETT WATER & SEWER DEPT	Mattapoisett	54	54		7	8	Insufficient CEMU Documentation
4182000	MIDDLEBOROUGH WATER SUPPLY	Middleborough	64	68	Population calculation	12	12	
4197000	WANNACOMET WATER COMPANY	Nantucket	52	52		7	7	
4197001	SIASCONSET WATER DEPARTMENT	Nantucket	NR	84	Did not report	0		Insufficient Data
4201000	NEW BEDFORD WATER DEPARTMENT	New Bedford	59	59		0	14	Insufficient CEMU Documentation
4211000	NORTH ATTLEBORO WATER DEPARTMENT	North Attleboro	67	67		15	22	Insufficient CEMU Documentation
4218000	NORTON WATER DEPARTMENT	Norton	51	51		6	7	Insufficient CEMU Documentation
4219000	NORWELL WATER DEPARTMENT	Norwell	63	63		11	15	Insufficient CEMU Documentation
4220000	NORWOOD WATER DEPT. (MWRA)	Norwood	NR		Insufficient Data	16	17	Insufficient CEMU Documentation
4221000	OAK BLUFFS WATER DISTRICT	Oak Bluffs	17		Insufficient Data	7	7	
4224000	ORLEANS WATER DEPARTMENT	Orleans	51	73	Population calculation	4	9	Insufficient CEMU Documentation
4231000	PEMBROKE WATER DEPARTMENT	Pembroke	54	60	Population calculation	17	19	Not all reported CEMU accepted
4238000	PLAINVILLE WATER DEPARTMENT	Plainville	66	66		10	10	
4239000	PLYMOUTH DPW WATER DIVISION	Plymouth	80	80		15	19	Not all reported CEMU accepted
4239045	PLYMOUTH WATER CO	Plymouth	135	142	Population calculation	-2		Insufficient Data
4239055	PINE HILLS LLC	Plymouth	50	53	Population calculation	6	7	Not all reported CEMU accepted
4242000	PROVINCETOWN WATER DEPARTMENT	Provincetown	70	78	Population calculation	15	23	Not all reported CEMU accepted

PWS ID	PWS Name	Town/City	DEP		Comments	DEP		Comments
			Reported RGPCD	Adjusted RGPCD		Reported UAW (%)	Adjusted UAW (%)	
4244000	RANDOLPH WATER DEPARTMENT	Randolph	60	60		0	1	Insufficient CEMU Documentation
4245000	RAYNHAM CENTER WATER DISTRICT	Raynham	65	65		8	6	Insufficient CEMU Documentation
4245002	NORTH RAYNHAM WATER DISTRICT	Raynham	58	61	Population calculation	4	5	Not all reported CEMU accepted
4261000	SANDWICH WATER DISTRICT	Sandwich	68	68		8	8	
4264000	SCITUATE DPW WATER DIVISION	Scituate	62	62		10	21	Insufficient CEMU Documentation
4265000	SEEKONK WATER DISTRICT	Seekonk	79	79		3	4	Insufficient CEMU Documentation
4266000	SHARON WATER DEPARTMENT	Sharon	62	62		8	15	Not all reported CEMU accepted
4273000	SOMERSET WATER DEPARTMENT	Somerset	67	67		5	5	
4285000	STOUGHTON DPW WATER DIVISION	Stoughton	53	53		9	20	Insufficient CEMU Documentation
4292000	SWANSEA WATER DISTRICT	Swansea	54	53		6	9	Insufficient CEMU Documentation
4293000	TAUNTON WATER DEPARTMENT	Taunton	55	55		6	8	Insufficient CEMU Documentation
4296000	TISBURY WATER WORKS	Tisbury	77	77		8	9	Insufficient CEMU Documentation
4307000	WALPOLE WATER DEPARTMENT	Walpole	83	83		15	15	
4310000	WAREHAM FIRE DISTRICT	Wareham	61	64	Population calculation	14	14	
4310003	ONSET FIRE DISTRICT	Wareham	51	51	Population calculation	15	19	Insufficient CEMU Documentation
4322000	WEST BRIDGEWATER WATER DEPARTMENT	West Bridgewater	65	66		6	12	Insufficient CEMU Documentation
4336000	WEYMOUTH DEPARTMENT OF PUBLIC WORKS	Weymouth	55	55		11	20	Insufficient CEMU Documentation
4338000	WHITMAN WATER SYSTEM	Whitman	NR	55		NR	16	
4350000	WRENTHAM DPW WATER DIVISION	Wrentham	72	72		12	17	Insufficient CEMU Documentation
4350001	WRENTHAM DEVELOPMENTAL CENTER	Wrentham	71	69		0		Insufficient Data
4351000	YARMOUTH WATER DEPARTMENT	Yarmouth	75	75		7	7	