



# Department of Environmental Protection

Northeast Regional Office • 205B Lowell Street, Wilmington MA 01887 • 978-694-3200

DEVAL L. PATRICK  
Governor

RICHARD K. SULLIVAN JR.  
Secretary

TIMOTHY P. MURRAY  
Lieutenant Governor

KENNETH L. KIMMELL  
Commissioner

Date Stamped April 4, 2013

Mr. John Calvino  
Genzyme Corporation  
500 Soldiers Field Road  
Allston, MA 02134

Re: **BOSTON** – Metropolitan  
Boston/Northeast Region  
310 CMR 7.02(11) Approval Category:  
BWP AQ Emissions Notification  
25% Facility Emission Cap Approval  
**FINAL APPROVAL EMISSION  
RESTRICTION**

Dear Mr. Calvino:

Enclosed for your files is a copy of your facility's BWPAQ Emissions Notification Form as processed by the MassDEP. On February 6, 2013, you requested an emissions cap of 25% of all applicable thresholds (see Table 1 for these limits). Your facility's Annual Compliance Assurance fee is **\$1,435.00** (based on FY13 Annual Compliance Fees (ACF)) and your requested change in status will be reflected in your Fiscal Year (FY) 2014 statement and subsequent statements.

TABLE 1 – Annual Pollutant Emission Limits for 25% Emission Cap Compliance (tons per year) <sup>(1)</sup>						
VOC	NO <sub>x</sub>	SO <sub>x</sub>	CO	PM <sub>10</sub>	HAP single	HAP (combined total)
15	15	25	25	25	2.5	6.25

Note(1)- As stipulated in 310 CMR 7.02(11)(e)

Compliance with this facility wide emissions cap defers your facility's future applicability to any otherwise applicable major source requirements (e.g. the requirement to obtain an Operating Permit pursuant to 310 CMR 7.00:Appendix C).

As stated at 310 CMR 7.02(11)(b), operation under this facility wide emission cap does not relax or eliminate any emissions limitation(s), or recordkeeping requirement(s) established by regulation or previously issued source specific plan approval(s) or emission control plan(s). In addition, it does not eliminate the preconstruction plans review requirements of 310 CMR 7.02(1).

310 CMR 7.02(11) details specific record keeping and reporting requirements of an owner/operator electing to limit their facility's potential and actual emissions through this regulation. Compliance with these requirements is integral to your compliance with the emissions cap.

Furthermore, this approval does not negate the responsibility of the owner/operator to comply with requirements contained within 310 CMR 6.00-8.00 or any other applicable federal, state, or local regulations now or in the future. Nor does it imply compliance with any other applicable federal, state, or local regulation now or in the future.

Should you have any questions in regards to this action please contact Mr. Mun Wong at 978-694-3286.

Sincerely,

This final document copy is being provided to you electronically by the Department of Environmental Protection. A signed copy of this document is on file at the DEP office listed on the letterhead.

This final document copy is being provided to you electronically by the Department of Environmental Protection. A signed copy of this document is on file at the DEP office listed on the letterhead.

---

Mun S. Wong  
Environmental Engineer  
Bureau of Waste Prevention

---

James E. Belsky  
Permit Chief  
Bureau of Waste Prevention