



Commonwealth of Massachusetts
Executive Office of Energy & Environmental Affairs

Department of Environmental Protection

Central Regional Office • 627 Main Street, Worcester MA 01608 • 508-792-7650

DEVAL L. PATRICK
Governor

TIMOTHY P. MURRAY
Lieutenant Governor

RICHARD K. SULLIVAN JR.
Secretary

KENNETH L. KIMMELL
Commissioner

April 22, 2013

Mr. Joseph Jordan
City of Fitchburg
718 Main Street
Fitchburg, MA 01420

RE: Fitchburg
Transmittal No.: X253608
Application No.: CE-13-001
Class: *SM-25*
FMF No.: 215797
AIR QUALITY PLAN APPROVAL

Dear Mr. Jordan:

The Massachusetts Department of Environmental Protection (“MassDEP”), Bureau of Waste Prevention, has reviewed your Limited Plan Application (“Application”) listed above. This Application concerns the installation and operation of a gas-fired boiler at your wastewater treatment facility located at 101 Princeton Road in Fitchburg, Massachusetts (“Facility”).

This Application was submitted in accordance with 310 CMR 7.02 Plan Approval and Emission Limitations as contained in 310 CMR 7.00 “Air Pollution Control” regulations adopted by MassDEP pursuant to the authority granted by Massachusetts General Laws, Chapter 111, Section 142 A-N, Chapter 21C, Section 4 and 6, and Chapter 21E, Section 6. MassDEP’s review of your Application has been limited to air pollution control regulation compliance and does not relieve you of the obligation to comply with any other regulatory requirements.

MassDEP has determined that the Application is administratively and technically complete and that the Application is in conformance with the Air Pollution Control regulations and current air pollution control engineering practice, and hereby grants this **Plan Approval** for said Application, as submitted, subject to the conditions listed below.

Please review the entire Plan Approval, as it stipulates the conditions with which the Facility owner/operator (“Permittee”) must comply in order for the Facility to be operated in compliance with this Plan Approval.

1. DESCRIPTION OF FACILITY AND APPLICATION

The Permittee has operated the Facility since around 1975 to handle wastewater from nearby paper mills. When the Facility was constructed, the Permittee installed the following fuel burning equipment:

- Two H.B. Smith Model F4500-5-21 boilers rated at 11,600, 000 BTU per hour;
- Two H.B. Smith Model G2500L boilers rated at 1,600,000 BTU per hour; and
- One 400 kilowatt emergency generator.

Since 2008, one of the original F4500-5-21 boilers and one of the G2500L boilers have been out of service, and the Permittee has no intention of returning them to service. The Permittee has also discontinued wastewater treatment processes at the Facility, and the Facility is used as pump station to direct the wastewater to the Permittee’s East Fitchburg Wastewater Treatment Facility.

In 2012 it came to the attention of MassDEP that the still-operating H.B. Smith Model F4500-5-21 boiler had been installed without approval under 310 CMR 7.02. (The remaining operating Model G2500L boiler and the emergency generator are not required to obtain approval under 310 CMR 7.02.) Accordingly, on January 9, 2013, the Permittee submitted the present application Transmittal No. X253608 for the Model F4500-5-21 boiler.

2. EMISSION UNIT (EU) IDENTIFICATION

Each Emission Unit (EU) identified in Table 1 is subject to and regulated by this Plan Approval:

Table 1			
EU#	Description	Design Capacity	Pollution Control Device (PCD)
1	H.B. Smith Model No. G4500-S-21 Natural Gas Fired Boiler	11,600,000 BTU/hour	None

Table 1 Key:

EU# = Emission Unit Number
 PCD = Pollution Control Device
 BTU = British Thermal Units

3. APPLICABLE REQUIREMENTS

A. OPERATIONAL, PRODUCTION and EMISSION LIMITS

The Permittee is subject to, and shall not exceed the Operational, Production, and Emission Limits as contained in Table 2:

Table 2				
EU#	Operational / Production Limit	Air Contaminant	Emission Limit (Note 1)	
			TPY	TPM
1	50.8 million cubic feet of gas per year (consecutive 12-month period) 11.6 million cubic feet of gas per calendar month	PM10	0.05	0.004
		NO _x	2.47	0.21
		CO	2.07	0.17
		VOC	0.14	0.01
		SO ₂	0.01	0.0008

Table 2 Note:

Note 1: The emissions from the boiler shall be calculated using United States Environmental Protection Agency AP-42 emission factors as listed in Section 3 of the Application.

Table 2 Key:

- EU# = Emission Unit Number
- NO_x = Nitrogen Oxides
- CO = Carbon Monoxide
- SO₂ = Sulfur Dioxide
- PM10 = Particulate Matter less than or equal to 10 microns
- VOC = Volatile Organic Comounds
- TPM = tons per month
- TPY = tons per consecutive 12-month period

B. COMPLIANCE DEMONSTRATION

The Permittee is subject to, and shall comply with, the monitoring, testing, record keeping, and reporting requirements as contained in Tables 3, 4, and 5:

Table 3	
EU#	Monitoring and Testing Requirements
Facility-wide	<ol style="list-style-type: none"> 1. The Permittee shall monitor all operations to ensure sufficient information is available to comply with 310 CMR 7.12 Source Registration. 2. If and when MassDEP requires it, the Permittee shall conduct emission testing in accordance with USEPA Reference Test Methods and Regulation 310 CMR 7.13

Table 3 Key:
 EU# = Emission Unit Number

Table 4	
EU#	Record Keeping Requirements
Facility-wide	<p>1. The Permittee shall maintain adequate records on-site to demonstrate compliance with all operational, production, and emission limits contained in Table 2 above. Records shall also include the actual emissions of air contaminant(s) emitted for each calendar month and for each consecutive twelve-month period (current month plus prior eleven months). These records shall be compiled no later than the 15th day following each month. An electronic version of the MassDEP approved record keeping form, in Microsoft Excel format, can be downloaded at http://www.mass.gov/dep/air/approvals/aqforms.htm#report .</p>
	<p>2. The Permittee shall maintain records of monitoring and testing as required by Table 3.</p>
	<p>3. The Permittee shall maintain a copy of this Plan Approval, underlying Application and the most up-to-date SOMP for the EU(s) approved herein on-site.</p>
	<p>4. The Permittee shall maintain a record of routine maintenance activities performed on the approved EU(s), PCD(s) and monitoring equipment. The records shall include, at a minimum, the type or a description of the maintenance performed and the date and time the work was completed.</p>
	<p>5. The Permittee shall maintain a record of all malfunctions affecting air contaminant emission rates on the approved EU(s) and monitoring equipment. At a minimum, the records shall include: date and time the malfunction occurred; description of the malfunction; corrective actions taken; the date and time corrective actions were initiated and completed; and the date and time emission rates and monitoring equipment returned to compliant operation.</p>
	<p>6. The Permittee shall maintain records to ensure sufficient information is available to comply with 310 CMR 7.12 Source Registration.</p>
	<p>7. The Permittee shall maintain records required by this Plan Approval on-site for a minimum of five (5) years.</p>
	<p>8. The Permittee shall make records required by this Plan Approval available to MassDEP and USEPA personnel upon request.</p>

Table 4 Key:
 EU# = Emission Unit Number
 SOMP = Standard Operating and Maintenance Procedure
 USEPA = United States Environmental Protection Agency

Table 5	
EU#	Reporting Requirements
Facility-wide	1. The Permittee shall submit to MassDEP all information required by this Plan Approval over the signature of a “Responsible Official” as defined in 310 CMR 7.00 and shall include the Certification statement as provided in 310 CMR 7.01(2)(c).
	2. The Permittee shall notify the Central Regional Office of MassDEP, BWP Permit Chief by telephone: 508-767-2845, email: CERO.Air@massmail.state.ma.us or fax : 508-792-7621, as soon as possible, but no later than one (1) business day after discovery of an exceedance(s) of Table 2 requirements. A written report shall be submitted to Permit Chief at MassDEP within three (3) business days thereafter and shall include: identification of exceedance(s), duration of exceedance(s), reason for the exceedance(s), corrective actions taken, and action plan to prevent future exceedance(s).
	3. The Permittee shall report every three years to MassDEP, in accordance with 310 CMR 7.12, all information as required by the Source Registration/Emission Statement Form. The Permittee shall note therein any minor changes (under 310 CMR 7.02(2)(e), 7.03, 7.26, etc.), which did not require Plan Approval.
	4. The Permittee shall provide a copy to MassDEP of any record required to be maintained by this Plan Approval within 30 days from MassDEP’s request.
	5. The Permittee shall submit to MassDEP for approval a stack emission pretest protocol, at least 30 days prior to emission testing, for emission testing as defined in Table 3 Monitoring and Testing Requirements.
	6. The Permittee shall submit to MassDEP a final stack emission test results report, within 45 days after emission testing, for emission testing as defined in Table 3 Monitoring and Testing Requirements.

Table 5 Key:

EU# = Emission Unit Number

BWP = Bureau of Waste Prevention

4. SPECIAL TERMS AND CONDITIONS

The Permittee is subject to, and shall comply with, the following special terms and conditions:

- A. The Permittee is subject to and shall comply with the Special Terms and Conditions as contained in Table 6:

Table 6	
EU#	Special Terms and Conditions

Table 6	
EU#	Special Terms and Conditions
1	1. None

Table 6 Key:

EU# = Emission Unit Number

- B. The Permittee shall install and use an exhaust stack, as required in Table 7, on each of the Emission Units that is consistent with good air pollution control engineering practice and that discharges so as to not cause or contribute to a condition of air pollution. Each exhaust stack shall be configured to discharge the gases vertically and shall not be equipped with any part or device that restricts the vertical exhaust flow of the emitted gases, including but not limited to rain protection devices known as “shanty caps” and “egg beaters.”

- C. The Permittee shall install and utilize exhaust stacks with the following parameters, as contained in Table 7, for the Emission Units that are regulated by this Plan Approval:

Table 7				
EU#	Stack Height Above Ground (feet)	Stack Inside Exit Dimensions feet	Stack Gas Exit Velocity Range (feet per second)	Stack Gas Exit Temperature Range (°F)
1	50	3.6	3.36	400-410

Table 7 Key:

EU# = Emission Unit Number

°F = Degree Fahrenheit

5. GENERAL CONDITIONS

The Permittee is subject to, and shall comply with, the following general conditions:

- A. Pursuant to 310 CMR 7.01, 7.02, 7.09 and 7.10, should any nuisance condition(s), including but not limited to smoke, dust, odor or noise, occur as the result of the operation of the Facility, then the Permittee shall immediately take appropriate steps including shutdown, if necessary, to abate said nuisance condition(s).

- B. If asbestos remediation/removal will occur as a result of the approved construction, reconstruction, or alteration of this Facility, the Permittee shall ensure that all removal/remediation of asbestos shall be done in accordance with 310 CMR 7.15 in its entirety and 310 CMR 4.00.

- C. If construction or demolition of an industrial, commercial or institutional building will occur as a result of the approved construction, reconstruction, or alteration of this Facility, the Permittee shall ensure that said construction or demolition shall be done in accordance with 310 CMR 7.09(2) and 310 CMR 4.00.
- D. Pursuant to 310 CMR 7.01(2)(b) and 7.02(7)(b), the Permittee shall allow MassDEP and / or USEPA personnel access to the Facility, buildings, and all pertinent records for the purpose of making inspections and surveys, collecting samples, obtaining data, and reviewing records.
- E. This Plan Approval does not negate the responsibility of the Permittee to comply with any other applicable Federal, State, or local regulations now or in the future.
- F. Should there be any differences between the Application and this Plan Approval, the Plan Approval shall govern.
- G. Pursuant to 310 CMR 7.02(3)(k), MassDEP may revoke this Plan Approval if the construction work is not commenced within two years from the date of issuance of this Plan Approval, or if the construction work is suspended for one year or more.
- H. This Plan Approval may be suspended, modified, or revoked by MassDEP if MassDEP determines that any condition or part of this Plan Approval is being violated.
- I. This Plan Approval may be modified or amended when in the opinion of MassDEP such is necessary or appropriate to clarify the Plan Approval conditions or after consideration of a written request by the Permittee to amend the Plan Approval conditions.
- J. The Permittee shall conduct emission testing, if requested by MassDEP, in accordance with USEPA Reference Test Methods and regulation 310 CMR 7.13. If required, a pretest protocol report shall be submitted to MassDEP at least 30 days prior to emission testing and the final test results report shall be submitted within 45 days after emission testing.
- K. Pursuant to 310 CMR 7.01(3) and 7.02(3)(f), the Permittee shall comply with all conditions contained in this Plan Approval. Should there be any differences between provisions contained in the General Conditions and provisions contained elsewhere in the Plan Approval, the latter shall govern.

6. MASSACHUSETTS ENVIRONMENTAL POLICY ACT

MassDEP has determined that the filing of an Environmental Notification Form (ENF) with the Secretary of Energy & Environmental Affairs, for air quality control purposes, was not required

prior to this action by MassDEP. Notwithstanding this determination, the Massachusetts Environmental Policy Act (MEPA) and 301 CMR 11.00, Section 11.04, provide certain "Fail-Safe Provisions," which allow the Secretary to require the filing of an ENF and/or an Environmental Impact Report (EIR) at a later time.

7. APPEAL PROCESS

This Plan Approval is an action of MassDEP. If you are aggrieved by this action, you may request an adjudicatory hearing. A request for a hearing must be made in writing and postmarked within twenty-one (21) days of the date of issuance of this Plan Approval.

Under 310 CMR 1.01(6)(b), the request must state clearly and concisely the facts, which are the grounds for the request, and the relief sought. Additionally, the request must state why the Plan Approval is not consistent with applicable laws and regulations.

The hearing request along with a valid check payable to the Commonwealth of Massachusetts in the amount of one hundred dollars (\$100.00) must be mailed to:

Commonwealth of Massachusetts
Department of Environmental Protection
P.O. Box 4062
Boston, MA 02211

This request will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver as described below. The filing fee is not required if the appellant is a city or town (or municipal agency), county, or district of the Commonwealth of Massachusetts, or a municipal housing authority.

MassDEP may waive the adjudicatory hearing-filing fee for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file, together with the hearing request as provided above, an affidavit setting forth the facts believed to support the claim of undue financial hardship.

Enclosed is a stamped approved copy of the application submittal.

Should you have any questions concerning this Plan Approval, please contact Paul Dwiggin by telephone at (508)767-2760, or in writing at the letterhead address.

This final document copy is being provided to you electronically by the
Department of Environmental Protection. A signed copy of this document
is on file at the DEP office listed on the letterhead.

Roseanna E. Stanley

Acting Permit Chief
Bureau of Waste Prevention

Enclosure

ecc: Fitchburg Board of Health
Fitchburg Fire Department
MassDEP/Boston - Yi Tian
Tighe & Bond