



Commonwealth of Massachusetts
Executive Office of Energy & Environmental Affairs

Department of Environmental Protection

Southeast Regional Office • 20 Riverside Drive, Lakeville MA 02347 • 508-946-2700

DEVAL L. PATRICK
Governor

TIMOTHY P. MURRAY
Lieutenant Governor

RICHARD K. SULLIVAN JR.
Secretary

KENNETH L. KIMMELL
Commissioner

February 16, 2012

Peter Balkus, Director F&H Station III
Dominion Energy Brayton Point, LLC
5000 Dominion Boulevard
Glen Allen, Virginia 03060-6711

RE: PUBLIC COMMENT REVIEW PERIOD

Application for BWP AQ 25
310 CMR 7.29 Power Plant Emission Standards
**AMENDED EMISSION CONTROL PLAN
DRAFT APPROVAL**

Application Number: SE-12-003
Transmittal Number: X241755
Source Number: 1200061

AT: Dominion Energy Brayton Point, LLC
Brayton Point Station
1 Brayton Point Road
Somerset, Massachusetts 02726-0440

Dear Mr. Balkus:

Enclosed is a copy of the AMENDED EMISSION CONTROL PLAN DRAFT APPROVAL and PUBLIC NOTICE regarding Dominion Energy Brayton Point, LLC, Somerset, Massachusetts. The Department of Environmental Protection, Bureau of Waste Prevention, has reviewed your application identified as Emission Control Plan Amendment, Transmittal No. X241755 (Application No. SE-12-003), and proposes to issue an AMENDED EMISSION CONTROL PLAN FINAL APPROVAL for your facility. The issuance of the AMENDED EMISSION CONTROL PLAN FINAL APPROVAL is subject to the public review process.

Please have the enclosed PUBLIC NOTICE published, as a Legal Notice once at your expense, in a newspaper of general circulation in the municipality where the project is proposed. It is the applicant's responsibility to forward proof of publication to the attention of John K. Winkler, Chief, Permit Section, Bureau of Waste Prevention, at the address shown on this letterhead.

The mandatory thirty (30) day public comment period will commence with the date of publication of the PUBLIC NOTICE. It is in the applicant's interest to publish this PUBLIC NOTICE upon receipt and forward proof of publication to the Department as soon as possible to avoid delays in processing your application.

Should you have any questions concerning this matter, please contact the undersigned at the Southeast Regional Office at (508) 946-2779.

Very truly yours,

This final document copy is being provided to you electronically by the Department of Environmental Protection. A signed copy of this document is on file at the DEP office listed on the letterhead.

John K. Winkler, Chief
Permit Section
Bureau of Waste Prevention

Enclosures: Public Notice
Amended ECP Draft Approval

ecc (w/enclosures):

Pamela Faggert, Dominion Resources Services, Inc.
Cathy Taylor, Dominion Resources Services, Inc.
Meredith Simas, Dominion Resources Services, Inc.
Elizabeth Willoughby, Dominion Energy Resources Services, Inc.
Kenneth Roller, Dominion Energy Resources Services, Inc.
Somerset Board of Selectmen
Marilyn Levenson, MassDEP-Boston
Nancy Seidman, MassDEP-Boston
Glenn Keith, MassDEP-Boston
Eileen Hiney, MassDEP-Boston
Yi Tian, MassDEP-Boston
William Lamkin, MassDEP-NERO
David Johnston, MassDEP-SERO
Laurel Carlson, MassDEP-SERO
Charlie Kitson, MassDEP-SERO
Laura Black, MassDEP-SERO

PUBLIC NOTICE

MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION

BUREAU OF WASTE PREVENTION

Southeast Region

20 Riverside Drive, Lakeville, MA 02347

TEL 508-946-2700

Pursuant to Regulation 310 CMR 7.29(6)(h), notice is given of the following application for Amended Emission Control Plan Approval and the action the Department proposes to take:

CITY/TOWN OF: Somerset

PROJECT NAME: Emission Control Plan approval amendment on use of 310 CMR 7.29 Sulfur Dioxide (SO₂) Early Reduction Credits (ERC's) and Federal Acid Rain allowances.

APPLICANT: Dominion Energy Brayton Point, LLC

LOCATION: 1 Brayton Point Road, Somerset

PURPOSE: To accept a permit restriction to not allow the use of 310 CMR 7.29 Sulfur Dioxide (SO₂) Early Reduction Credits (ERC's) or Federal Acid Rain allowances for compliance with 310 CMR 7.29 after June 1, 2014, in support of the Massachusetts Regional Haze State Implementation Plan (SIP).

TRANSMITTAL NO.: X241755

PROPOSED ACTION: AMENDED EMISSION CONTROL PLAN FINAL APPROVAL

The above application and Amended Emission Control Plan Draft Approval are available for inspection at the above address. This information is available in alternate format by calling the DEP ADA Coordinator at (617) 556-1057. Comments on the proposed action must be received at the above address within 30 days of this PUBLIC NOTICE.

John K. Winkler, Chief
Permit Section
Bureau of Waste Prevention