

# Abington

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	8.58	10	116	Male	6.58	4	NC*
Female	3.50	3	NC*	Female	5.42	2	NC*
Total	12.09	13	108	Total	12.00	6	50
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.08	0	NC*	Male	1.80	3	NC*
Female	2.64	0	NC*	Female	1.74	8	459 ~+
Total	5.71	0	NC*	Total	3.55	11	310 ~+
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.44	0	NC*	Male	7.41	10	135
Female	60.24	56	93	Female	7.00	0	NC*
Total	60.68	56	92	Total	14.41	10	69
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.33	3	NC*	Male	5.82	6	103
				Female	2.96	6	203
				Total	8.78	12	137
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	21.77	26	119	Female	6.99	7	100
Female	23.05	29	126				
Total	44.82	55	123				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.30	0	NC*	Male	3.92	1	NC*
Female	1.09	1	NC*	Female	4.46	5	112
Total	4.38	1	NC*	Total	8.38	6	72
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.46	0	NC*	Male	57.59	57	99
Female	1.26	1	NC*				
Total	2.72	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	5.53	9	163	Male	3.78	1	NC*
Female	3.55	6	169	Female	2.50	4	NC*
Total	9.08	15	165	Total	6.28	5	80
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.01	3	NC*	Male	2.32	3	NC*
Female	0.79	2	NC*				
Total	3.80	5	131				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.55	8	176	Male	1.36	0	NC*
Female	3.88	2	NC*	Female	4.06	7	173
Total	8.43	10	119	Total	5.42	7	129
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.38	1	NC*	Female	11.36	15	132
Female	0.99	1	NC*				
Total	3.37	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	28.25	30	106	Male	185.04	185	100
Female	25.06	26	104	Female	189.64	203	107
Total	53.31	56	105	Total	374.68	388	104

Note: Explanation of all symbols is on page 361

# Acton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	10.37	9	87	Male	8.66	4	NC*
Female	3.54	2	NC*	Female	6.74	5	74
Total	13.91	11	79	Total	15.40	9	58
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	4.04	2	NC*	Male	2.27	0	NC*
Female	3.13	2	NC*	Female	1.91	1	NC*
Total	7.18	4	NC*	Total	4.18	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.56	1	NC*	Male	9.45	12	127
Female	75.96	100	132 ~+	Female	7.73	4	NC*
Total	76.51	101	132 ~+	Total	17.19	16	93
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	4.34	4	NC*	Male	7.95	2	NC*
				Female	3.49	4	NC*
				Total	11.44	6	52
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	26.74	32	120	Female	8.71	7	80
Female	22.83	14	61				
Total	49.56	46	93				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.33	5	116	Male	4.94	4	NC*
Female	1.10	3	NC*	Female	4.44	2	NC*
Total	5.42	8	148	Total	9.38	6	64
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.90	3	NC*	Male	75.45	67	89
Female	1.55	1	NC*				
Total	3.44	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.26	6	83	Male	4.67	4	NC*
Female	4.19	2	NC*	Female	2.44	3	NC*
Total	11.45	8	70	Total	7.11	7	98
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.06	1	NC*	Male	2.94	1	NC*
Female	1.00	0	NC*				
Total	5.06	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.71	5	88	Male	1.86	5	270
Female	4.31	4	NC*	Female	5.37	6	112
Total	10.02	9	90	Total	7.23	11	152
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.16	3	NC*	Female	14.54	10	69
Female	1.02	1	NC*				
Total	4.17	4	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	35.74	13	36 ^-	Male	236.94	192	81 ~-
Female	28.77	17	59 #-	Female	221.55	206	93
Total	64.51	30	47 ^-	Total	458.49	398	87 ~-

Note: Explanation of all symbols is on page 361

# Acushnet

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.97	10	125	Male	5.80	5	86
Female	2.79	4	NC*	Female	4.28	2	NC*
Total	10.76	14	130	Total	10.08	7	69
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.56	3	NC*	Male	1.67	3	NC*
Female	2.03	1	NC*	Female	1.43	2	NC*
Total	4.59	4	NC*	Total	3.10	5	162
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.40	0	NC*	Male	6.50	2	NC*
Female	50.23	40	80	Female	5.59	6	107
Total	50.63	40	79	Total	12.09	8	66
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.56	1	NC*	Male	5.25	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	20.13	25	124	Female	5.73	4	NC*
Female	18.11	14	77				
Total	38.24	39	102	<b><u>Pancreas</u></b>			
<b><u>Esophagus</u></b>				<b><u>Prostate</u></b>			
Male	3.05	5	164	Male	53.79	47	87
Female	0.86	1	NC*				
Total	3.91	6	153	<b><u>Stomach</u></b>			
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Testis</u></b>			
Male	1.08	1	NC*	Male	1.60	0	NC*
Female	0.88	1	NC*				
Total	1.96	2	NC*	<b><u>Thyroid</u></b>			
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	5.00	6	120	Female	9.74	7	72
Female	2.95	3	NC*				
Total	7.95	9	113	<b><u>All Sites / Types</u></b>			
<b><u>Larynx</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.77	5	180	Male	168.81	168	100
Female	0.70	0	NC*	Female	154.48	121	78 ~-
Total	3.47	5	144	Total	323.29	289	89
<b><u>Leukemia</u></b>							
Male	3.93	4	NC*				
Female	2.98	0	NC*				
Total	6.91	4	NC*				
<b><u>Liver and Intrahepatic Bile Ducts</u></b>							
Male	2.16	1	NC*				
Female	0.79	1	NC*				
Total	2.95	2	NC*				
<b><u>Lung and Bronchus</u></b>							
Male	26.21	30	114				
Female	21.17	15	71				
Total	47.38	45	95				

Note: Explanation of all symbols is on page 361

# Adams

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.57	9	119	Male	4.80	3	NC*
Female	3.28	0	NC*	Female	3.93	5	127
Total	10.85	9	83	Total	8.73	8	92
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.05	1	NC*	Male	1.49	0	NC*
Female	1.96	0	NC*	Female	1.55	2	NC*
Total	4.02	1	NC*	Total	3.04	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.35	0	NC*	Male	5.61	8	143
Female	46.00	39	85	Female	5.97	4	NC*
Total	46.36	39	84	Total	11.59	12	104
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.17	5	230	Male	4.14	7	169
				Female	2.42	4	NC*
				Total	6.57	11	168
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	18.66	26	139	Female	5.31	6	113
Female	21.72	24	111				
Total	40.38	50	124				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.57	4	NC*	Male	3.25	4	NC*
Female	1.02	1	NC*	Female	4.22	3	NC*
Total	3.59	5	139	Total	7.48	7	94
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.82	0	NC*	Male	45.18	34	75
Female	0.78	2	NC*				
Total	1.60	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.19	7	167	Male	3.23	2	NC*
Female	2.92	0	NC*	Female	2.36	2	NC*
Total	7.11	7	98	Total	5.59	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.23	3	NC*	Male	1.19	1	NC*
Female	0.64	1	NC*				
Total	2.87	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.48	5	144	Male	0.83	0	NC*
Female	3.17	5	158	Female	2.44	2	NC*
Total	6.65	10	150	Total	3.27	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.78	3	NC*	Female	8.78	10	114
Female	0.91	1	NC*				
Total	2.69	4	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	23.14	17	73	Male	146.43	141	96
Female	21.70	16	74	Female	155.45	140	90
Total	44.84	33	74	Total	301.88	281	93

Note: Explanation of all symbols is on page 361

# Agawam

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	19.99	18	90	Male	14.17	13	92
Female	8.01	5	62	Female	11.54	8	69
Total	28.00	23	82	Total	25.71	21	82
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	6.33	8	126	Male	4.10	3	NC*
Female	5.53	7	127	Female	3.94	5	127
Total	11.86	15	127	Total	8.03	8	100
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.98	1	NC*	Male	16.13	12	74
Female	131.21	131	100	Female	15.47	11	71
Total	132.20	132	100	Total	31.60	23	73
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	6.89	8	116	Male	12.53	17	136
				Female	6.53	7	107
				Total	19.06	24	126
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	50.15	50	100	Female	15.15	13	86
Female	52.48	67	128				
Total	102.62	117	114				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	7.35	9	122	Male	8.93	6	67
Female	2.48	5	202	Female	10.20	12	118
Total	9.83	14	142	Total	19.13	18	94
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.78	5	180	Male	128.84	110	85
Female	2.50	3	NC*				
Total	5.27	8	152				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	12.11	12	99	Male	8.72	11	126
Female	7.84	11	140	Female	5.74	6	105
Total	19.96	23	115	Total	14.45	17	118
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	6.59	4	NC*	Male	4.24	3	NC*
Female	1.76	1	NC*				
Total	8.35	5	60				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	9.87	6	61	Male	2.73	2	NC*
Female	8.42	7	83	Female	8.18	9	110
Total	18.29	13	71	Total	10.91	11	101
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	5.20	6	115	Female	24.92	22	88
Female	2.24	0	NC*				
Total	7.44	6	81				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	63.93	71	111	Male	412.74	388	94
Female	56.14	49	87	Female	417.95	416	100
Total	120.07	120	100	Total	830.70	804	97

Note: Explanation of all symbols is on page 361

# Alford

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.58	0	NC*	Male	0.34	1	NC*
Female	0.14	0	NC*	Female	0.18	0	NC*
Total	0.72	0	NC*	Total	0.51	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.13	0	NC*	Male	0.11	0	NC*
Female	0.09	0	NC*	Female	0.07	0	NC*
Total	0.22	0	NC*	Total	0.18	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.02	0	NC*	Male	0.40	1	NC*
Female	2.27	1	NC*	Female	0.26	0	NC*
Total	2.29	1	NC*	Total	0.65	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.10	0	NC*	Male	0.30	0	NC*
				Female	0.11	1	NC*
				Total	0.42	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	1.42	1	NC*	Female	0.25	1	NC*
Female	0.90	1	NC*				
Total	2.32	2	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.19	0	NC*	Male	0.25	0	NC*
Female	0.04	0	NC*	Female	0.17	0	NC*
Total	0.23	0	NC*	Total	0.42	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.04	0	NC*	Male	3.24	2	NC*
Female	0.03	0	NC*				
Total	0.07	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.30	0	NC*	Male	0.26	0	NC*
Female	0.13	0	NC*	Female	0.09	0	NC*
Total	0.43	0	NC*	Total	0.35	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.16	0	NC*	Male	0.03	0	NC*
Female	0.03	0	NC*				
Total	0.19	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.25	0	NC*	Male	0.05	0	NC*
Female	0.14	0	NC*	Female	0.11	0	NC*
Total	0.38	0	NC*	Total	0.15	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.13	0	NC*	Female	0.45	0	NC*
Female	0.04	0	NC*				
Total	0.17	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	1.66	3	NC*	Male	10.58	9	85
Female	0.99	0	NC*	Female	7.09	4	NC*
Total	2.65	3	NC*	Total	17.67	13	74

Note: Explanation of all symbols is on page 361

# Amesbury

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.79	9	115	Male	6.22	10	161
Female	3.34	2	NC*	Female	5.33	4	NC*
Total	11.14	11	99	Total	11.55	14	121
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.98	0	NC*	Male	1.65	1	NC*
Female	2.59	1	NC*	Female	1.66	5	302
Total	5.57	1	NC*	Total	3.31	6	181
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.40	0	NC*	Male	6.98	7	100
Female	57.86	54	93	Female	6.72	7	104
Total	58.26	54	93	Total	13.69	14	102
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.33	8	240 #+	Male	5.51	7	127
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	19.85	26	131	Female	6.78	3	NC*
Female	21.82	29	133	<b><u>Pancreas</u></b>			
Total	41.67	55	132	Male	3.60	5	139
<b><u>Esophagus</u></b>				Female	4.24	9	212
Male	3.05	4	NC*	Total	7.84	14	179
Female	1.03	2	NC*	<b><u>Prostate</u></b>			
Total	4.08	6	147	Male	52.67	62	118
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Stomach</u></b>			
Male	1.47	2	NC*	Male	3.48	6	172
Female	1.30	1	NC*	Female	2.41	4	NC*
Total	2.77	3	NC*	Total	5.90	10	170
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Testis</u></b>			
Male	5.16	8	155	Male	2.37	1	NC*
Female	3.41	6	176	<b><u>Thyroid</u></b>			
Total	8.56	14	163	Male	1.34	2	NC*
<b><u>Larynx</u></b>				Female	4.11	3	NC*
Male	2.80	0	NC*	Total	5.45	5	92
Female	0.75	1	NC*	<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Total	3.55	1	NC*	Female	10.81	18	166
<b><u>Leukemia</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.31	6	139	Male	170.82	200	117 #+
Female	3.80	4	NC*	Female	181.99	211	116 #+
Total	8.11	10	123	Total	352.81	411	116 ~+
<b><u>Liver and Intrahepatic Bile Ducts</u></b>							
Male	2.22	2	NC*				
Female	0.94	1	NC*				
Total	3.17	3	NC*				
<b><u>Lung and Bronchus</u></b>							
Male	25.69	31	121				
Female	23.69	33	139				
Total	49.38	64	130				

Note: Explanation of all symbols is on page 361

# Amherst

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	10.84	5	46	Male	10.88	5	46
Female	4.27	2	NC*	Female	10.16	9	89
Total	15.11	7	46 #-	Total	21.04	14	67
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	5.89	3	NC*	Male	2.34	0	NC*
Female	4.93	2	NC*	Female	2.19	5	228
Total	10.82	5	46	Total	4.53	5	110
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.61	0	NC*	Male	12.41	4	NC*
Female	92.56	73	79 #-	Female	10.31	8	78
Total	93.17	73	78 #-	Total	22.71	12	53 #-
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	7.30	1	NC*	Male	8.53	3	NC*
				Female	4.23	3	NC*
				Total	12.76	6	47
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	28.25	25	88	Female	11.42	10	88
Female	28.03	24	86				
Total	56.29	49	87				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.27	3	NC*	Male	5.12	6	117
Female	1.31	1	NC*	Female	5.32	3	NC*
Total	5.58	4	NC*	Total	10.43	9	86
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	4.01	2	NC*	Male	70.04	83	118
Female	3.31	4	NC*				
Total	7.32	6	82				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.95	4	NC*	Male	5.03	1	NC*
Female	5.07	3	NC*	Female	3.15	1	NC*
Total	13.02	7	54	Total	8.18	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.98	1	NC*	Male	7.85	3	NC*
Female	1.04	0	NC*				
Total	5.02	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	7.60	6	79	Male	3.00	1	NC*
Female	6.27	4	NC*	Female	9.95	3	NC*
Total	13.87	10	72	Total	12.94	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.38	2	NC*	Female	16.00	17	106
Female	1.26	3	NC*				
Total	4.64	5	108				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	35.81	20	56 ~-	Male	256.86	195	76 ^-
Female	31.74	20	63 #-	Female	279.01	210	75 ^-
Total	67.55	40	59 ^-	Total	535.87	405	76 ^-

Note: Explanation of all symbols is on page 361

# Andover

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	19.26	21	109	Male	15.14	18	119
Female	6.87	5	73	Female	11.69	12	103
Total	26.13	26	100	Total	26.82	30	112
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	6.90	6	87	Male	4.18	4	NC*
Female	5.53	2	NC*	Female	3.63	2	NC*
Total	12.43	8	64	Total	7.81	6	77
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	1.02	4	NC*	Male	16.60	16	96
Female	136.30	135	99	Female	14.39	14	97
Total	137.32	139	101	Total	30.99	30	97
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	7.22	6	83	Male	14.00	11	79
				Female	6.42	6	94
				Total	20.41	17	83
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	49.24	39	79	Female	15.49	13	84
Female	44.72	45	101				
Total	93.96	84	89				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	7.84	5	64	Male	9.02	9	100
Female	2.13	3	NC*	Female	8.70	9	103
Total	9.98	8	80	Total	17.72	18	102
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.95	6	203	Male	138.17	124	90
Female	2.47	5	202				
Total	5.42	11	203 #+				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	13.02	11	84	Male	8.52	4	NC*
Female	7.71	7	91	Female	4.72	6	127
Total	20.73	18	87	Total	13.24	10	76
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	7.31	3	NC*	Male	4.23	7	165
Female	1.84	1	NC*				
Total	9.15	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	10.11	6	59	Male	3.04	1	NC*
Female	7.85	6	76	Female	8.68	14	161
Total	17.95	12	67	Total	11.71	15	128
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	5.66	1	NC*	Female	26.40	27	102
Female	1.96	2	NC*				
Total	7.61	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	65.86	38	58 ^-	Male	428.66	345	80 ^-
Female	54.39	43	79	Female	406.36	384	94
Total	120.25	81	67 ^-	Total	835.02	729	87 ^-

Note: Explanation of all symbols is on page 361

# Aquinnah (Gay Head)

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.26	1	NC*	Male	0.16	0	NC*
Female	0.09	0	NC*	Female	0.10	0	NC*
Total	0.35	1	NC*	Total	0.26	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.07	0	NC*	Male	0.05	0	NC*
Female	0.05	0	NC*	Female	0.04	0	NC*
Total	0.12	0	NC*	Total	0.09	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.01	0	NC*	Male	0.18	0	NC*
Female	1.24	0	NC*	Female	0.15	0	NC*
Total	1.25	0	NC*	Total	0.34	0	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.06	0	NC*	Male	0.14	0	NC*
				Female	0.06	1	NC*
				Total	0.20	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	0.64	1	NC*	Female	0.14	0	NC*
Female	0.57	0	NC*				
Total	1.21	1	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.09	0	NC*	Male	0.11	0	NC*
Female	0.03	0	NC*	Female	0.11	0	NC*
Total	0.12	0	NC*	Total	0.22	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.02	0	NC*	Male	1.57	0	NC*
Female	0.02	0	NC*				
Total	0.04	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.14	0	NC*	Male	0.11	0	NC*
Female	0.08	0	NC*	Female	0.06	0	NC*
Total	0.22	0	NC*	Total	0.17	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.08	0	NC*	Male	0.02	0	NC*
Female	0.02	0	NC*				
Total	0.09	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.12	2	NC*	Male	0.02	0	NC*
Female	0.08	0	NC*	Female	0.06	0	NC*
Total	0.20	2	NC*	Total	0.09	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.06	0	NC*	Female	0.24	0	NC*
Female	0.02	0	NC*				
Total	0.08	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	0.80	1	NC*	Male	4.98	6	120
Female	0.55	0	NC*	Female	4.11	1	NC*
Total	1.35	1	NC*	Total	9.09	7	77

Note: Explanation of all symbols is on page 361

# Arlington

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	30.24	21	69	Male	20.62	25	121
Female	14.22	14	98	Female	18.67	21	112
Total	44.46	35	79	Total	39.30	46	117
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	9.12	13	143	Male	6.07	4	NC*
Female	8.97	14	156	Female	6.78	7	103
Total	18.09	27	149	Total	12.85	11	86
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	1.46	1	NC*	Male	23.78	28	118
Female	210.82	225	107	Female	26.46	26	98
Total	212.29	226	106	Total	50.24	54	107
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	10.87	10	92	Male	17.91	25	140
				Female	10.85	10	92
				Total	28.76	35	122
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	75.60	75	99	Female	24.50	18	73
Female	93.60	85	91				
Total	169.20	160	95				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	10.81	8	74	Male	13.30	9	68
Female	4.40	4	NC*	Female	18.21	16	88
Total	15.20	12	79	Total	31.50	25	79
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	4.07	3	NC*	Male	191.17	173	90
Female	4.01	4	NC*				
Total	8.08	7	87				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	17.58	24	137	Male	13.06	11	84
Female	13.05	17	130	Female	10.31	4	NC*
Total	30.63	41	134	Total	23.36	15	64
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	9.54	7	73	Male	6.47	9	139
Female	2.85	2	NC*				
Total	12.39	9	73				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	14.45	15	104	Male	3.94	2	NC*
Female	14.15	16	113	Female	12.73	18	141
Total	28.60	31	108	Total	16.67	20	120
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	7.55	5	66	Female	39.71	37	93
Female	3.94	6	152				
Total	11.49	11	96				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	95.73	92	96	Male	612.98	588	96
Female	94.80	73	77 #	Female	697.51	671	96
Total	190.53	165	87	Total	1310.49	1259	96

Note: Explanation of all symbols is on page 361

# Ashburnham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.16	3	NC*	Male	2.71	2	NC*
Female	1.05	0	NC*	Female	1.99	3	NC*
Total	4.21	3	NC*	Total	4.70	5	106
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.27	0	NC*	Male	0.70	0	NC*
Female	0.94	2	NC*	Female	0.56	0	NC*
Total	2.21	2	NC*	Total	1.26	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.17	0	NC*	Male	2.94	0	NC*
Female	21.93	17	78	Female	2.29	3	NC*
Total	22.10	17	77	Total	5.23	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.29	0	NC*	Male	2.49	1	NC*
				Female	1.01	0	NC*
				Total	3.50	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	8.14	6	74	Female	2.53	1	NC*
Female	6.81	9	132				
Total	14.95	15	100				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.33	3	NC*	Male	1.52	3	NC*
Female	0.32	0	NC*	Female	1.32	3	NC*
Total	1.66	3	NC*	Total	2.83	6	212
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.60	0	NC*	Male	22.95	15	65
Female	0.48	1	NC*				
Total	1.08	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.27	1	NC*	Male	1.43	2	NC*
Female	1.22	1	NC*	Female	0.73	1	NC*
Total	3.48	2	NC*	Total	2.16	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.26	2	NC*	Male	0.92	0	NC*
Female	0.28	0	NC*				
Total	1.54	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.79	2	NC*	Male	0.58	1	NC*
Female	1.29	3	NC*	Female	1.62	0	NC*
Total	3.07	5	163	Total	2.20	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.98	2	NC*	Female	4.15	1	NC*
Female	0.30	0	NC*				
Total	1.28	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	10.89	6	55	Male	72.70	53	73 #-
Female	8.31	8	96	Female	64.73	56	87
Total	19.20	14	73	Total	137.43	109	79 #-

Note: Explanation of all symbols is on page 361

# Ashby

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.65	4	NC*	Male	1.27	0	NC*
Female	0.55	1	NC*	Female	0.90	0	NC*
Total	2.20	5	227	Total	2.17	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.59	3	NC*	Male	0.35	0	NC*
Female	0.44	0	NC*	Female	0.28	0	NC*
Total	1.03	3	NC*	Total	0.64	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.09	0	NC*	Male	1.41	2	NC*
Female	10.33	8	77	Female	1.14	1	NC*
Total	10.42	8	77	Total	2.55	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.56	0	NC*	Male	1.17	3	NC*
				Female	0.50	1	NC*
				Total	1.66	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	4.22	3	NC*	Female	1.19	1	NC*
Female	3.56	3	NC*				
Total	7.77	6	77				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.66	0	NC*	Male	0.77	0	NC*
Female	0.17	0	NC*	Female	0.70	0	NC*
Total	0.83	0	NC*	Total	1.47	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.25	0	NC*	Male	11.73	11	94
Female	0.20	2	NC*				
Total	0.46	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.09	3	NC*	Male	0.73	0	NC*
Female	0.60	0	NC*	Female	0.38	0	NC*
Total	1.69	3	NC*	Total	1.11	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.61	0	NC*	Male	0.37	1	NC*
Female	0.14	0	NC*				
Total	0.75	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.86	0	NC*	Male	0.26	2	NC*
Female	0.63	2	NC*	Female	0.68	0	NC*
Total	1.49	2	NC*	Total	0.93	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.47	0	NC*	Female	1.99	0	NC*
Female	0.16	0	NC*				
Total	0.63	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	5.60	4	NC*	Male	36.42	37	102
Female	4.27	6	140	Female	31.53	28	89
Total	9.88	10	101	Total	67.96	65	96

Note: Explanation of all symbols is on page 361

# Ashfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.35	2	NC*	Male	0.96	3	NC*
Female	0.39	0	NC*	Female	0.66	0	NC*
Total	1.73	2	NC*	Total	1.63	3	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.42	0	NC*	Male	0.28	0	NC*
Female	0.31	1	NC*	Female	0.20	1	NC*
Total	0.74	1	NC*	Total	0.48	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.07	0	NC*	Male	1.08	1	NC*
Female	7.63	10	131	Female	0.81	0	NC*
Total	7.70	10	130	Total	1.90	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.41	0	NC*	Male	0.87	0	NC*
				Female	0.36	0	NC*
				Total	1.23	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	3.37	5	148	Female	0.87	2	NC*
Female	2.53	5	197				
Total	5.90	10	169				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.50	0	NC*	Male	0.61	2	NC*
Female	0.12	1	NC*	Female	0.49	1	NC*
Total	0.62	1	NC*	Total	1.10	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.17	0	NC*	Male	8.64	8	93
Female	0.14	0	NC*				
Total	0.32	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.83	3	NC*	Male	0.59	0	NC*
Female	0.43	1	NC*	Female	0.27	0	NC*
Total	1.26	4	NC*	Total	0.86	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.45	1	NC*	Male	0.24	0	NC*
Female	0.10	1	NC*				
Total	0.55	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.67	0	NC*	Male	0.18	0	NC*
Female	0.45	0	NC*	Female	0.50	0	NC*
Total	1.11	0	NC*	Total	0.68	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.36	0	NC*	Female	1.47	1	NC*
Female	0.11	0	NC*				
Total	0.47	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.27	5	117	Male	27.72	32	115
Female	3.03	2	NC*	Female	22.85	26	114
Total	7.30	7	96	Total	50.58	58	115

Note: Explanation of all symbols is on page 361

# Ashland

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.17	4	NC*	Male	5.79	6	104
Female	2.65	1	NC*	Female	4.71	6	127
Total	9.82	5	51	Total	10.50	12	114
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.72	3	NC*	Male	1.53	2	NC*
Female	2.25	4	NC*	Female	1.38	2	NC*
Total	4.97	7	141	Total	2.91	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.38	0	NC*	Male	6.44	8	124
Female	51.56	48	93	Female	5.66	0	NC*
Total	51.93	48	92	Total	12.09	8	66
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.02	4	NC*	Male	5.15	9	175
				Female	2.44	0	NC*
				Total	7.59	9	119
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	18.33	19	104	Female	6.00	9	150
Female	17.24	25	145				
Total	35.57	44	124				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.85	5	175	Male	3.34	4	NC*
Female	0.82	0	NC*	Female	3.36	4	NC*
Total	3.67	5	136	Total	6.69	8	120
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.33	0	NC*	Male	49.57	38	77
Female	1.15	0	NC*				
Total	2.48	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.81	4	NC*	Male	3.20	6	188
Female	2.95	5	170	Female	1.84	2	NC*
Total	7.76	9	116	Total	5.04	8	159
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.64	1	NC*	Male	2.17	3	NC*
Female	0.68	1	NC*				
Total	3.32	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.91	3	NC*	Male	1.24	0	NC*
Female	3.11	1	NC*	Female	3.77	2	NC*
Total	7.02	4	NC*	Total	5.01	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.08	1	NC*	Female	9.74	6	62
Female	0.76	1	NC*				
Total	2.84	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	24.02	20	83	Male	158.98	144	91
Female	20.51	14	68	Female	156.19	144	92
Total	44.53	34	76	Total	315.17	288	91

Note: Explanation of all symbols is on page 361

# Athol

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	8.05	11	137	Male	5.34	4	NC*
Female	3.25	2	NC*	Female	4.28	4	NC*
Total	11.30	13	115	Total	9.62	8	83
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.41	2	NC*	Male	1.59	3	NC*
Female	2.15	0	NC*	Female	1.56	2	NC*
Total	4.55	2	NC*	Total	3.15	5	159
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.38	0	NC*	Male	6.22	5	80
Female	48.83	35	72 #-	Female	6.13	4	NC*
Total	49.21	35	71 #-	Total	12.35	9	73
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.48	2	NC*	Male	4.65	6	129
				Female	2.51	3	NC*
				Total	7.16	9	126
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	19.99	24	120	Female	5.67	5	88
Female	21.38	26	122				
Total	41.37	50	121				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.81	2	NC*	Male	3.51	1	NC*
Female	1.00	0	NC*	Female	4.16	3	NC*
Total	3.81	2	NC*	Total	7.68	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.03	0	NC*	Male	49.13	44	90
Female	0.94	0	NC*				
Total	1.97	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.58	4	NC*	Male	3.50	6	172
Female	3.04	5	165	Female	2.33	2	NC*
Total	7.62	9	118	Total	5.82	8	137
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.45	2	NC*	Male	1.55	2	NC*
Female	0.67	0	NC*				
Total	3.12	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.90	5	128	Male	0.99	6	607 ~+
Female	3.33	3	NC*	Female	2.90	1	NC*
Total	7.23	8	111	Total	3.89	7	180
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.96	3	NC*	Female	9.27	10	108
Female	0.91	0	NC*				
Total	2.86	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	24.78	26	105	Male	159.60	165	103
Female	22.10	18	81	Female	161.18	144	89
Total	46.88	44	94	Total	320.78	309	96

Note: Explanation of all symbols is on page 361

# Attleboro

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	22.06	13	59	Male	16.64	22	132
Female	8.73	11	126	Female	13.57	20	147
Total	30.79	24	78	Total	30.21	42	139 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	7.89	10	127	Male	4.59	8	174
Female	6.68	3	NC*	Female	4.33	4	NC*
Total	14.56	13	89	Total	8.92	12	135
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	1.12	1	NC*	Male	18.91	14	74
Female	148.77	140	94	Female	17.57	21	119
Total	149.89	141	94	Total	36.48	35	96
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	8.39	9	107	Male	14.52	20	138
<b><u>Colon / Rectum</u></b>				Female	7.33	14	191 #+
Male	55.81	49	88	Total	21.85	34	156 #+
Female	57.13	62	109	<b><u>Ovary</u></b>			
Total	112.94	111	98	Female	17.42	15	86
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	8.32	5	60	Male	9.98	6	60
Female	2.70	4	NC*	Female	11.12	19	171 #+
Total	11.02	9	82	Total	21.11	25	118
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.80	9	237 #+	Male	145.72	126	86
Female	3.28	3	NC*	<b><u>Stomach</u></b>			
Total	7.08	12	170	Male	9.67	6	62
<b><u>Kidney &amp; Renal Pelvis</u></b>				Female	6.20	5	81
Male	13.94	13	93	Total	15.86	11	69
Female	8.88	9	101	<b><u>Testis</u></b>			
Total	22.83	22	96	Male	6.14	6	98
<b><u>Larynx</u></b>				<b><u>Thyroid</u></b>			
Male	7.54	13	172	Male	3.46	7	203
Female	1.98	2	NC*	Female	10.31	13	126
Total	9.52	15	158	Total	13.77	20	145
<b><u>Leukemia</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	11.73	11	94	Female	27.98	32	114
Female	9.72	8	82	<b><u>All Sites / Types</u></b>			
Total	21.44	19	89	Male	471.01	475	101
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				Female	471.50	503	107
Male	6.00	6	100	Total	942.51	978	104
Female	2.46	6	243				
Total	8.46	12	142				
<b><u>Lung and Bronchus</u></b>							
Male	72.03	85	118				
Female	62.78	63	100				
Total	134.81	148	110				

Note: Explanation of all symbols is on page 361

# Auburn

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	12.10	13	107	Male	8.25	7	85
Female	4.53	8	177	Female	6.20	2	NC*
Total	16.63	21	126	Total	14.45	9	62
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.64	2	NC*	Male	2.46	2	NC*
Female	3.04	1	NC*	Female	2.24	1	NC*
Total	6.68	3	NC*	Total	4.70	3	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.59	0	NC*	Male	9.45	9	95
Female	72.80	72	99	Female	8.70	13	149
Total	73.40	72	98	Total	18.15	22	121
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.58	3	NC*	Male	7.28	5	69
				Female	3.66	2	NC*
				Total	10.94	7	64
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	30.24	28	93	Female	8.36	8	96
Female	29.63	24	81				
Total	59.87	52	87				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.38	6	137	Male	5.35	4	NC*
Female	1.40	0	NC*	Female	5.80	9	155
Total	5.78	6	104	Total	11.15	13	117
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.52	1	NC*	Male	77.36	77	100
Female	1.27	3	NC*				
Total	2.79	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.14	10	140	Male	5.21	4	NC*
Female	4.45	7	157	Female	3.18	4	NC*
Total	11.59	17	147	Total	8.40	8	95
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.89	5	128	Male	2.25	2	NC*
Female	1.02	0	NC*				
Total	4.91	5	102				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.80	5	86	Male	1.52	2	NC*
Female	4.64	5	108	Female	4.15	7	169
Total	10.44	10	96	Total	5.68	9	159
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.07	2	NC*	Female	14.06	17	121
Female	1.27	0	NC*				
Total	4.33	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	38.58	35	91	Male	246.14	236	96
Female	32.45	30	92	Female	233.53	228	98
Total	71.03	65	92	Total	479.67	464	97

Note: Explanation of all symbols is on page 361

# Avon

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.16	4	NC*	Male	2.18	2	NC*
Female	1.22	2	NC*	Female	1.75	2	NC*
Total	4.38	6	137	Total	3.93	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.98	1	NC*	Male	0.64	3	NC*
Female	0.85	1	NC*	Female	0.61	0	NC*
Total	1.83	2	NC*	Total	1.25	3	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.15	0	NC*	Male	2.50	3	NC*
Female	20.16	22	109	Female	2.41	3	NC*
Total	20.31	22	108	Total	4.91	6	122
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.04	3	NC*	Male	1.92	0	NC*
				Female	1.01	0	NC*
				Total	2.92	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.93	14	177	Female	2.34	3	NC*
Female	7.92	4	NC*				
Total	15.84	18	114				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.15	1	NC*	Male	1.40	1	NC*
Female	0.38	0	NC*	Female	1.57	1	NC*
Total	1.53	1	NC*	Total	2.97	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.43	0	NC*	Male	20.52	19	93
Female	0.38	0	NC*				
Total	0.81	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.87	1	NC*	Male	1.36	2	NC*
Female	1.24	3	NC*	Female	0.84	0	NC*
Total	3.11	4	NC*	Total	2.20	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.03	1	NC*	Male	0.66	1	NC*
Female	0.29	1	NC*				
Total	1.31	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.53	1	NC*	Male	0.42	1	NC*
Female	1.25	1	NC*	Female	1.23	1	NC*
Total	2.78	2	NC*	Total	1.65	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.81	0	NC*	Female	3.89	4	NC*
Female	0.34	0	NC*				
Total	1.15	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	10.17	12	118	Male	65.01	71	109
Female	9.06	20	221 ~+	Female	64.34	76	118
Total	19.23	32	166 ~+	Total	129.35	147	114

Note: Explanation of all symbols is on page 361

# Ayer

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.21	7	316 #+	Male	1.73	2	NC*
Female	1.11	1	NC*	Female	1.62	1	NC*
Total	3.32	8	241 #+	Total	3.35	3	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.89	0	NC*	Male	0.46	0	NC*
Female	0.83	1	NC*	Female	0.54	1	NC*
Total	1.72	1	NC*	Total	0.99	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.12	0	NC*	Male	2.01	6	299 #+
Female	17.35	26	150	Female	2.19	2	NC*
Total	17.47	26	149	Total	4.20	8	191
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.99	0	NC*	Male	1.43	4	NC*
				Female	0.88	2	NC*
				Total	2.32	6	259
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	5.60	15	268 ~+	Female	2.06	6	291 #+
Female	7.29	10	137				
Total	12.90	25	194 ~+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.81	3	NC*	Male	0.99	1	NC*
Female	0.34	0	NC*	Female	1.42	5	352 #+
Total	1.16	3	NC*	Total	2.41	6	249
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.48	0	NC*	Male	14.13	23	163 #+
Female	0.42	0	NC*				
Total	0.89	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.41	5	354 #+	Male	0.96	1	NC*
Female	1.08	1	NC*	Female	0.80	3	NC*
Total	2.49	6	241	Total	1.76	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.74	2	NC*	Male	0.83	0	NC*
Female	0.23	1	NC*				
Total	0.97	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.28	3	NC*	Male	0.39	0	NC*
Female	1.23	4	NC*	Female	1.22	1	NC*
Total	2.52	7	278 #+	Total	1.61	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.60	0	NC*	Female	3.23	5	155
Female	0.31	0	NC*				
Total	0.91	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	7.19	16	223 ~+	Male	47.58	97	204 ^+
Female	7.63	21	275 ^+	Female	57.09	95	166 ^+
Total	14.82	37	250 ^+	Total	104.67	192	183 ^+

Note: Explanation of all symbols is on page 361

# Barnstable

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	46.23	56	121	Male	27.68	51	184 ^+
Female	16.17	21	130	Female	19.84	28	141
Total	62.41	77	123	Total	47.52	79	166 ^+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	11.69	16	137	Male	8.92	7	78
Female	9.88	7	71	Female	7.71	5	65
Total	21.57	23	107	Total	16.62	12	72
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	2.09	3	NC*	Male	32.94	31	94
Female	233.09	240	103	Female	29.66	19	64
Total	235.18	243	103	Total	62.60	50	80
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	11.03	6	54	Male	23.68	21	89
				Female	12.15	16	132
				Total	35.83	37	103
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	113.17	79	70 ^-	Female	26.86	22	82
Female	106.53	86	81 #-				
Total	219.70	165	75 ^-				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	15.12	18	119	Male	19.55	24	123
Female	5.01	9	180	Female	20.78	30	144
Total	20.13	27	134	Total	40.32	54	134 #+
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	4.43	4	NC*	Male	265.79	340	128 ^+
Female	3.96	5	126				
Total	8.38	9	107				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	24.35	21	86	Male	19.65	19	97
Female	14.69	8	54	Female	11.59	7	60
Total	39.04	29	74	Total	31.24	26	83
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	12.87	10	78	Male	6.24	7	112
Female	3.25	6	185				
Total	16.11	16	99				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	20.59	23	112	Male	4.51	6	133
Female	15.85	21	133	Female	12.46	7	56
Total	36.44	44	121	Total	16.97	13	77
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	10.33	11	106				
Female	4.48	2	NC*	Female	44.66	45	101
Total	14.81	13	88				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	137.79	119	86	Male	866.79	909	105
Female	108.53	123	113	Female	778.37	756	97
Total	246.32	242	98	Total	1645.16	1665	101

Note: Explanation of all symbols is on page 361

# Barre

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.29	0	NC*	Male	2.36	3	NC*
Female	1.21	0	NC*	Female	1.77	1	NC*
Total	4.50	0	NC*	Total	4.14	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.08	0	NC*	Male	0.68	0	NC*
Female	0.88	0	NC*	Female	0.60	2	NC*
Total	1.96	0	NC*	Total	1.27	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.16	0	NC*	Male	2.70	3	NC*
Female	19.97	19	95	Female	2.38	1	NC*
Total	20.13	19	94	Total	5.07	4	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.06	3	NC*	Male	2.06	1	NC*
				Female	0.99	2	NC*
				Total	3.06	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	8.22	7	85	Female	2.31	3	NC*
Female	8.00	7	88				
Total	16.22	14	86				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.20	0	NC*	Male	1.46	0	NC*
Female	0.38	0	NC*	Female	1.54	2	NC*
Total	1.57	0	NC*	Total	3.01	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.48	0	NC*	Male	20.80	15	72
Female	0.40	0	NC*				
Total	0.88	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.02	5	248	Male	1.43	0	NC*
Female	1.19	2	NC*	Female	0.86	0	NC*
Total	3.21	7	218	Total	2.29	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.08	2	NC*	Male	0.74	0	NC*
Female	0.27	0	NC*				
Total	1.34	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.68	4	NC*	Male	0.46	0	NC*
Female	1.32	1	NC*	Female	1.28	1	NC*
Total	2.99	5	167	Total	1.74	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.86	0	NC*	Female	3.78	0	NC*
Female	0.34	0	NC*				
Total	1.20	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	10.45	9	86	Male	67.73	51	75 #-
Female	8.54	12	141	Female	63.79	58	91
Total	18.99	21	111	Total	131.52	109	83 #-

Note: Explanation of all symbols is on page 361

# Becket

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.27	0	NC*	Male	0.91	1	NC*
Female	0.35	0	NC*	Female	0.55	0	NC*
Total	1.61	0	NC*	Total	1.46	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.41	0	NC*	Male	0.26	0	NC*
Female	0.27	2	NC*	Female	0.18	0	NC*
Total	0.68	2	NC*	Total	0.44	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.06	0	NC*	Male	1.03	0	NC*
Female	6.40	7	109	Female	0.72	1	NC*
Total	6.47	7	108	Total	1.74	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.34	0	NC*	Male	0.81	1	NC*
				Female	0.31	0	NC*
				Total	1.12	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	3.18	2	NC*	Female	0.74	0	NC*
Female	2.24	3	NC*				
Total	5.42	5	92				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.47	1	NC*	Male	0.57	0	NC*
Female	0.11	0	NC*	Female	0.44	0	NC*
Total	0.58	1	NC*	Total	1.01	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.18	0	NC*	Male	8.21	2	NC*
Female	0.12	0	NC*				
Total	0.30	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.78	0	NC*	Male	0.55	1	NC*
Female	0.38	0	NC*	Female	0.24	0	NC*
Total	1.16	0	NC*	Total	0.79	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.42	0	NC*	Male	0.26	0	NC*
Female	0.09	0	NC*				
Total	0.51	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.63	0	NC*	Male	0.17	0	NC*
Female	0.39	1	NC*	Female	0.41	0	NC*
Total	1.02	1	NC*	Total	0.58	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.33	0	NC*	Female	1.24	1	NC*
Female	0.10	0	NC*				
Total	0.43	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.07	0	NC*	Male	26.29	8	30 ^-
Female	2.70	0	NC*	Female	19.66	15	76
Total	6.77	0	NC*	Total	45.95	23	50 ^-

Note: Explanation of all symbols is on page 361

# Bedford

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	10.43	12	115	Male	6.86	11	160
Female	2.64	2	NC*	Female	3.86	9	233 #+
Total	13.07	14	107	Total	10.73	20	186 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.04	3	NC*	Male	2.09	3	NC*
Female	1.91	4	NC*	Female	1.31	1	NC*
Total	4.95	7	141	Total	3.40	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.50	0	NC*	Male	7.95	15	189 #+
Female	44.22	73	165 ^+	Female	5.17	5	97
Total	44.72	73	163 ^+	Total	13.13	20	152
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.30	2	NC*	Male	6.01	6	100
				Female	2.19	5	228
				Total	8.20	11	134
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	26.00	16	62 #-	Female	5.12	11	215 #+
Female	17.14	24	140				
Total	43.14	40	93				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.70	4	NC*	Male	4.56	5	110
Female	0.81	1	NC*	Female	3.36	4	NC*
Total	4.51	5	111	Total	7.92	9	114
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.25	1	NC*	Male	66.01	63	95
Female	0.86	0	NC*				
Total	2.11	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	5.97	5	84	Male	4.46	4	NC*
Female	2.66	7	263 #+	Female	1.87	2	NC*
Total	8.63	12	139	Total	6.33	6	95
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.25	2	NC*	Male	1.86	1	NC*
Female	0.61	1	NC*				
Total	3.86	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.92	5	102	Male	1.24	1	NC*
Female	2.87	4	NC*	Female	2.75	7	255 #+
Total	7.79	9	115	Total	3.99	8	200
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.56	0	NC*	Female	8.47	19	224 ~+
Female	0.74	2	NC*				
Total	3.30	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	33.05	29	88	Male	209.44	201	96
Female	18.99	28	147	Female	140.01	226	161 ^+
Total	52.04	57	110	Total	349.45	427	122 ^+

Note: Explanation of all symbols is on page 361

# Belchertown

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	6.68	5	75	Male	5.31	6	113
Female	2.34	4	NC*	Female	4.14	3	NC*
Total	9.02	9	100	Total	9.45	9	95
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.48	3	NC*	Male	1.43	2	NC*
Female	1.98	2	NC*	Female	1.21	1	NC*
Total	4.46	5	112	Total	2.64	3	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.35	0	NC*	Male	5.91	6	101
Female	45.16	33	73	Female	4.95	4	NC*
Total	45.51	33	73	Total	10.87	10	92
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.65	1	NC*	Male	4.73	2	NC*
				Female	2.14	4	NC*
				Total	6.87	6	87
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	16.96	14	83	Female	5.25	5	95
Female	15.33	13	85				
Total	32.29	27	84				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.61	1	NC*	Male	3.09	0	NC*
Female	0.73	0	NC*	Female	2.96	0	NC*
Total	3.34	1	NC*	Total	6.05	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.17	0	NC*	Male	44.97	34	76
Female	1.01	1	NC*				
Total	2.18	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.45	2	NC*	Male	2.97	1	NC*
Female	2.56	1	NC*	Female	1.65	2	NC*
Total	7.01	3	NC*	Total	4.62	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.41	1	NC*	Male	1.84	0	NC*
Female	0.58	1	NC*				
Total	2.99	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.63	0	NC*	Male	1.11	1	NC*
Female	2.78	2	NC*	Female	3.31	3	NC*
Total	6.41	2	NC*	Total	4.41	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.91	2	NC*	Female	8.49	7	82
Female	0.67	0	NC*				
Total	2.58	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	22.02	17	77	Male	145.58	105	72 ^-
Female	17.70	20	113	Female	137.07	119	87
Total	39.72	37	93	Total	282.65	224	79 ^-

Note: Explanation of all symbols is on page 361

# Bellingham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.94	5	63	Male	6.48	4	NC*
Female	2.90	2	NC*	Female	5.15	8	155
Total	10.84	7	65	Total	11.64	12	103
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.09	4	NC*	Male	1.72	1	NC*
Female	2.49	3	NC*	Female	1.52	0	NC*
Total	5.58	7	125	Total	3.24	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.43	0	NC*	Male	7.17	9	125
Female	56.94	48	84	Female	6.23	5	80
Total	57.37	48	84	Total	13.40	14	105
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.29	3	NC*	Male	5.84	2	NC*
				Female	2.69	0	NC*
				Total	8.53	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	20.41	24	118	Female	6.62	2	NC*
Female	18.75	17	91				
Total	39.15	41	105				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.24	1	NC*	Male	3.72	5	134
Female	0.89	0	NC*	Female	3.67	5	136
Total	4.13	1	NC*	Total	7.40	10	135
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.48	2	NC*	Male	56.98	54	95
Female	1.25	1	NC*				
Total	2.73	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	5.44	5	92	Male	3.52	1	NC*
Female	3.28	1	NC*	Female	2.00	0	NC*
Total	8.72	6	69	Total	5.51	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.02	2	NC*	Male	2.35	2	NC*
Female	0.77	0	NC*				
Total	3.78	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.39	3	NC*	Male	1.39	0	NC*
Female	3.43	1	NC*	Female	4.10	3	NC*
Total	7.82	4	NC*	Total	5.49	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.36	2	NC*	Female	10.83	9	83
Female	0.83	0	NC*				
Total	3.19	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	27.31	23	84	Male	179.69	162	90
Female	22.86	16	70	Female	172.03	137	80 ~-
Total	50.17	39	78	Total	351.73	299	85 ~-

Note: Explanation of all symbols is on page 361

# Belmont

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	19.30	13	67	Male	12.78	13	102
Female	8.01	6	75	Female	10.89	17	156
Total	27.31	19	70	Total	23.67	30	127
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	5.57	5	90	Male	3.82	4	NC*
Female	5.18	6	116	Female	3.84	2	NC*
Total	10.75	11	102	Total	7.66	6	78
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.90	2	NC*	Male	14.83	9	61
Female	122.94	129	105	Female	14.98	18	120
Total	123.85	131	106	Total	29.81	27	91
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	6.41	3	NC*	Male	11.14	11	99
				Female	6.24	5	80
				Total	17.38	16	92
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	47.95	47	98	Female	14.22	19	134
Female	52.79	45	85				
Total	100.74	92	91				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	6.74	6	89	Male	8.43	14	166
Female	2.48	2	NC*	Female	10.21	5	49
Total	9.22	8	87	Total	18.64	19	102
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.39	5	209	Male	118.13	131	111
Female	2.33	2	NC*				
Total	4.72	7	148				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	10.93	7	64	Male	8.38	4	NC*
Female	7.44	3	NC*	Female	5.85	3	NC*
Total	18.37	10	54	Total	14.23	7	49
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	5.89	2	NC*	Male	3.67	7	191
Female	1.62	2	NC*				
Total	7.51	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	9.07	8	88	Male	2.36	5	212
Female	8.17	14	171	Female	7.54	9	119
Total	17.24	22	128	Total	9.90	14	141
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.68	4	NC*	Female	23.12	21	91
Female	2.22	3	NC*				
Total	6.91	7	101				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	59.51	24	40 ^-	Male	382.12	335	88 #-
Female	53.35	45	84	Female	400.49	381	95
Total	112.86	69	61 ^-	Total	782.61	716	91 #-

Note: Explanation of all symbols is on page 361

# Berkley

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.40	3	NC*	Male	2.12	1	NC*
Female	0.75	0	NC*	Female	1.64	1	NC*
Total	3.15	3	NC*	Total	3.76	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.04	0	NC*	Male	0.54	0	NC*
Female	0.78	0	NC*	Female	0.41	0	NC*
Total	1.83	0	NC*	Total	0.95	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.13	0	NC*	Male	2.31	1	NC*
Female	17.35	14	81	Female	1.76	4	NC*
Total	17.48	14	80	Total	4.07	5	123
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.10	0	NC*	Male	1.94	0	NC*
				Female	0.78	1	NC*
				Total	2.73	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	6.23	5	80	Female	2.03	1	NC*
Female	4.85	1	NC*				
Total	11.08	6	54				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.03	2	NC*	Male	1.16	1	NC*
Female	0.23	1	NC*	Female	0.94	3	NC*
Total	1.26	3	NC*	Total	2.10	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.51	0	NC*	Male	17.85	13	73
Female	0.43	0	NC*				
Total	0.94	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.76	3	NC*	Male	1.09	2	NC*
Female	0.94	0	NC*	Female	0.52	0	NC*
Total	2.70	3	NC*	Total	1.62	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.98	0	NC*	Male	0.80	1	NC*
Female	0.22	0	NC*				
Total	1.20	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.43	1	NC*	Male	0.47	0	NC*
Female	1.03	0	NC*	Female	1.42	0	NC*
Total	2.46	1	NC*	Total	1.90	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.77	0	NC*	Female	3.25	3	NC*
Female	0.22	0	NC*				
Total	0.99	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	8.40	5	60	Male	56.54	39	69 #-
Female	6.26	3	NC*	Female	50.16	36	72 #-
Total	14.65	8	55	Total	106.70	75	70 ~-

Note: Explanation of all symbols is on page 361

# Berlin

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.72	2	NC*	Male	1.23	0	NC*
Female	0.55	1	NC*	Female	0.84	2	NC*
Total	2.28	3	NC*	Total	2.07	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.55	0	NC*	Male	0.35	0	NC*
Female	0.41	0	NC*	Female	0.28	0	NC*
Total	0.95	0	NC*	Total	0.63	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.08	0	NC*	Male	1.38	0	NC*
Female	9.66	10	103	Female	1.10	1	NC*
Total	9.75	10	103	Total	2.49	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.51	1	NC*	Male	1.12	2	NC*
				Female	0.47	0	NC*
				Total	1.59	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	4.34	6	138	Female	1.12	1	NC*
Female	3.58	4	NC*				
Total	7.92	10	126				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.65	1	NC*	Male	0.78	0	NC*
Female	0.17	0	NC*	Female	0.71	0	NC*
Total	0.82	1	NC*	Total	1.48	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.23	1	NC*	Male	11.46	12	105
Female	0.18	0	NC*				
Total	0.41	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.06	0	NC*	Male	0.76	0	NC*
Female	0.58	0	NC*	Female	0.39	0	NC*
Total	1.63	0	NC*	Total	1.15	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.59	1	NC*	Male	0.32	0	NC*
Female	0.13	0	NC*				
Total	0.72	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.84	0	NC*	Male	0.23	0	NC*
Female	0.60	0	NC*	Female	0.60	2	NC*
Total	1.45	0	NC*	Total	0.84	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.46	0	NC*	Female	1.86	1	NC*
Female	0.16	1	NC*				
Total	0.61	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	5.57	5	90	Male	36.04	33	92
Female	4.11	4	NC*	Female	30.13	28	93
Total	9.68	9	93	Total	66.17	61	92

Note: Explanation of all symbols is on page 361

# Bernardston

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.65	1	NC*	Male	1.12	1	NC*
Female	0.56	3	NC*	Female	0.80	3	NC*
Total	2.21	4	NC*	Total	1.92	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.49	1	NC*	Male	0.33	0	NC*
Female	0.38	0	NC*	Female	0.28	0	NC*
Total	0.87	1	NC*	Total	0.61	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.08	0	NC*	Male	1.28	3	NC*
Female	9.30	7	75	Female	1.08	1	NC*
Total	9.38	7	75	Total	2.36	4	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.47	0	NC*	Male	0.99	1	NC*
				Female	0.46	0	NC*
				Total	1.45	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	4.10	2	NC*	Female	1.06	0	NC*
Female	3.69	6	162				
Total	7.80	8	103				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.59	0	NC*	Male	0.73	0	NC*
Female	0.17	0	NC*	Female	0.72	0	NC*
Total	0.77	0	NC*	Total	1.45	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.20	0	NC*	Male	10.31	9	87
Female	0.16	0	NC*				
Total	0.36	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.97	3	NC*	Male	0.71	0	NC*
Female	0.55	0	NC*	Female	0.40	0	NC*
Total	1.52	3	NC*	Total	1.12	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.52	0	NC*	Male	0.28	0	NC*
Female	0.13	0	NC*				
Total	0.65	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.79	0	NC*	Male	0.20	0	NC*
Female	0.59	0	NC*	Female	0.54	2	NC*
Total	1.38	0	NC*	Total	0.74	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.42	1	NC*	Female	1.78	3	NC*
Female	0.16	0	NC*				
Total	0.57	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	5.17	3	NC*	Male	33.15	25	75
Female	3.96	1	NC*	Female	29.42	29	99
Total	9.14	4	NC*	Total	62.57	54	86

Note: Explanation of all symbols is on page 361

# Beverly

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	26.34	32	122	Male	18.79	25	133
Female	10.55	11	104	Female	15.35	25	163 #+
Total	36.89	43	117	Total	34.14	50	146 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	8.51	16	188 #+	Male	5.42	8	148
Female	7.49	4	NC*	Female	5.20	3	NC*
Total	16.00	20	125	Total	10.61	11	104
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	1.32	0	NC*	Male	21.40	22	103
Female	172.80	189	109	Female	20.66	22	106
Total	174.12	189	109	Total	42.05	44	105
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	9.23	9	98	Male	16.51	10	61
				Female	8.62	12	139
				Total	25.14	22	88
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	66.28	69	104	Female	20.08	15	75
Female	69.08	71	103				
Total	135.36	140	103				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	9.76	5	51	Male	11.77	10	85
Female	3.26	2	NC*	Female	13.47	15	111
Total	13.02	7	54	Total	25.24	25	99
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.80	4	NC*	Male	172.72	163	94
Female	3.46	1	NC*				
Total	7.26	5	69				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	16.05	22	137	Male	11.40	8	70
Female	10.44	9	86	Female	7.48	5	67
Total	26.49	31	117	Total	18.88	13	69
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	8.76	5	57	Male	5.94	8	135
Female	2.34	4	NC*				
Total	11.11	9	81				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	13.10	12	92	Male	3.67	3	NC*
Female	11.19	9	80	Female	11.07	5	45
Total	24.29	21	86	Total	14.74	8	54
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	6.91	4	NC*	Female	32.78	26	79
Female	2.96	3	NC*				
Total	9.87	7	71				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	85.54	78	91	Male	549.76	541	98
Female	74.95	91	121	Female	552.95	576	104
Total	160.48	169	105	Total	1102.71	1117	101

Note: Explanation of all symbols is on page 361

# Billerica

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	16.57	15	91	Male	14.67	14	95
Female	5.81	5	86	Female	11.39	12	105
Total	22.38	20	89	Total	26.06	26	100
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	7.15	4	NC*	Male	3.66	4	NC*
Female	5.43	6	111	Female	3.08	7	227
Total	12.58	10	80	Total	6.74	11	163
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.91	0	NC*	Male	16.14	20	124
Female	122.50	141	115	Female	12.91	11	85
Total	123.41	141	114	Total	29.06	31	107
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	7.50	7	93	Male	12.97	15	116
<b><u>Colon / Rectum</u></b>				Female	5.66	7	124
Male	42.88	58	135 #+	Total	18.63	22	118
Female	37.79	45	119	<b><u>Ovary</u></b>			
Total	80.67	103	128 #+	Female	14.27	17	119
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	6.89	9	131	Male	7.91	7	89
Female	1.80	1	NC*	Female	7.30	5	68
Total	8.68	10	115	Total	15.21	12	79
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.78	5	132	Male	118.30	141	119 #+
Female	2.89	2	NC*	<b><u>Stomach</u></b>			
Total	6.67	7	105	Male	7.52	4	NC*
<b><u>Kidney &amp; Renal Pelvis</u></b>				Female	4.05	3	NC*
Male	11.91	12	101	Total	11.57	7	61
Female	6.80	7	103	<b><u>Testis</u></b>			
Total	18.71	19	102	Male	6.40	5	78
<b><u>Larynx</u></b>				<b><u>Thyroid</u></b>			
Male	6.49	5	77	Male	3.38	2	NC*
Female	1.57	3	NC*	Female	9.52	15	157
Total	8.05	8	99	Total	12.90	17	132
<b><u>Leukemia</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	9.81	8	82	Female	22.99	22	96
Female	7.33	9	123	<b><u>All Sites / Types</u></b>			
Total	17.14	17	99	Male	384.52	442	115 ~+
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				Female	362.52	405	112 #+
Male	5.15	4	NC*	Total	747.04	847	113 ^+
Female	1.68	4	NC*				
Total	6.83	8	117				
<b><u>Lung and Bronchus</u></b>							
Male	56.94	77	135 #+				
Female	46.13	57	124				
Total	103.06	134	130 ~+				

Note: Explanation of all symbols is on page 361

# Blackstone

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.57	2	NC*	Male	3.62	1	NC*
Female	1.75	1	NC*	Female	2.95	1	NC*
Total	6.32	3	NC*	Total	6.57	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.72	0	NC*	Male	0.96	2	NC*
Female	1.43	1	NC*	Female	0.89	0	NC*
Total	3.16	1	NC*	Total	1.85	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.23	0	NC*	Male	4.09	3	NC*
Female	31.96	34	106	Female	3.64	6	165
Total	32.19	34	106	Total	7.73	9	116
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.87	3	NC*	Male	3.16	2	NC*
				Female	1.54	0	NC*
				Total	4.70	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	11.59	12	104	Female	3.73	6	161
Female	11.54	11	95				
Total	23.12	23	99				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.75	0	NC*	Male	2.09	1	NC*
Female	0.54	1	NC*	Female	2.23	4	NC*
Total	2.29	1	NC*	Total	4.32	5	116
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.87	1	NC*	Male	29.93	18	60 #-
Female	0.73	0	NC*				
Total	1.60	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.98	2	NC*	Male	2.04	5	245
Female	1.85	0	NC*	Female	1.24	2	NC*
Total	4.83	2	NC*	Total	3.28	7	213
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.59	2	NC*	Male	1.45	1	NC*
Female	0.41	1	NC*				
Total	2.01	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.51	6	239	Male	0.78	1	NC*
Female	2.03	1	NC*	Female	2.32	1	NC*
Total	4.55	7	154	Total	3.11	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.28	1	NC*	Female	5.99	2	NC*
Female	0.50	0	NC*				
Total	1.78	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	14.78	18	122	Male	98.65	87	88
Female	12.92	10	77	Female	99.10	91	92
Total	27.71	28	101	Total	197.75	178	90

Note: Explanation of all symbols is on page 361

# Blandford

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.86	1	NC*	Male	0.65	0	NC*
Female	0.23	0	NC*	Female	0.41	0	NC*
Total	1.09	1	NC*	Total	1.06	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.29	0	NC*	Male	0.19	0	NC*
Female	0.19	0	NC*	Female	0.13	1	NC*
Total	0.48	0	NC*	Total	0.31	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.04	0	NC*	Male	0.72	1	NC*
Female	4.81	2	NC*	Female	0.50	0	NC*
Total	4.86	2	NC*	Total	1.22	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.26	0	NC*	Male	0.61	0	NC*
				Female	0.22	0	NC*
				Total	0.83	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.19	1	NC*	Female	0.55	0	NC*
Female	1.49	2	NC*				
Total	3.68	3	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.35	0	NC*	Male	0.40	0	NC*
Female	0.07	0	NC*	Female	0.29	1	NC*
Total	0.42	0	NC*	Total	0.69	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.11	0	NC*	Male	6.10	4	NC*
Female	0.09	1	NC*				
Total	0.20	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.57	0	NC*	Male	0.38	0	NC*
Female	0.27	0	NC*	Female	0.15	1	NC*
Total	0.84	0	NC*	Total	0.53	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.32	0	NC*	Male	0.15	1	NC*
Female	0.07	0	NC*				
Total	0.39	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.43	0	NC*	Male	0.12	0	NC*
Female	0.27	1	NC*	Female	0.31	0	NC*
Total	0.70	1	NC*	Total	0.44	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.25	0	NC*	Female	0.94	1	NC*
Female	0.07	0	NC*				
Total	0.31	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	2.91	1	NC*	Male	18.80	12	64
Female	1.94	1	NC*	Female	14.17	12	85
Total	4.85	2	NC*	Total	32.97	24	73

Note: Explanation of all symbols is on page 361

# Bolton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.32	0	NC*	Male	2.04	1	NC*
Female	0.68	0	NC*	Female	1.40	2	NC*
Total	3.01	0	NC*	Total	3.45	3	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.93	1	NC*	Male	0.53	0	NC*
Female	0.65	0	NC*	Female	0.39	1	NC*
Total	1.58	1	NC*	Total	0.92	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.13	0	NC*	Male	2.17	0	NC*
Female	16.64	16	96	Female	1.55	0	NC*
Total	16.77	16	95	Total	3.72	0	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.89	1	NC*	Male	1.95	2	NC*
				Female	0.74	0	NC*
				Total	2.69	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	6.02	2	NC*	Female	1.86	5	269
Female	4.42	6	136				
Total	10.44	8	77				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.02	0	NC*	Male	1.14	1	NC*
Female	0.21	0	NC*	Female	0.85	0	NC*
Total	1.24	0	NC*	Total	1.99	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.40	0	NC*	Male	17.63	12	68
Female	0.29	0	NC*				
Total	0.69	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.74	0	NC*	Male	1.07	2	NC*
Female	0.88	1	NC*	Female	0.46	0	NC*
Total	2.62	1	NC*	Total	1.53	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.98	1	NC*	Male	0.56	0	NC*
Female	0.22	0	NC*				
Total	1.20	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.31	0	NC*	Male	0.43	1	NC*
Female	0.88	0	NC*	Female	1.09	1	NC*
Total	2.19	0	NC*	Total	1.52	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.76	0	NC*	Female	3.25	6	184
Female	0.20	0	NC*				
Total	0.96	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	8.18	9	110	Male	54.65	33	60 ~-
Female	5.99	7	117	Female	46.45	47	101
Total	14.17	16	113	Total	101.10	80	79 #-

Note: Explanation of all symbols is on page 361

# Boston

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	262.42	204	78 ^-	Male	205.10	188	92
Female	112.67	101	90	Female	186.59	155	83 #-
Total	375.09	305	81 ^-	Total	391.69	343	88 #-
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	98.16	88	90	Male	53.46	59	110
Female	88.71	68	77 #-	Female	54.79	57	104
Total	186.87	156	83 #-	Total	108.24	116	107
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	13.18	15	114	Male	236.39	270	114 #+
Female	1899.53	1773	93 ~-	Female	229.46	244	106
Total	1912.71	1788	93 ~-	Total	465.85	514	110 #+
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	121.24	155	128 ~+	Male	168.69	223	132 ^+
				Female	93.40	126	135 ~+
				Total	262.09	349	133 ^+
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	662.57	697	105	Female	227.07	214	94
Female	741.76	839	113 ^+				
Total	1404.33	1536	109 ^+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	94.90	109	115	Male	117.33	127	108
Female	34.72	38	109	Female	143.10	146	102
Total	129.62	147	113	Total	260.43	273	105
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	55.69	48	86	Male	1620.74	1947	120 ^+
Female	49.92	52	104				
Total	105.61	100	95				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	163.01	182	112	Male	116.35	189	162 ^+
Female	112.18	122	109	Female	82.18	114	139 ~+
Total	275.18	304	110	Total	198.53	303	153 ^+
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	84.80	128	151 ^+	Male	102.07	84	82
Female	23.77	37	156 #+				
Total	108.58	165	152 ^+				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	143.27	142	99	Male	46.50	44	95
Female	126.78	114	90	Female	154.26	159	103
Total	270.05	256	95	Total	200.76	203	101
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	69.44	120	173 ^+	Female	343.78	348	101
Female	31.80	47	148 #+				
Total	101.24	167	165 ^+				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	826.73	945	114 ^+	Male	5529.06	6328	114 ^+
Female	774.83	857	111 ~+	Female	6081.53	6279	103 #+
Total	1601.56	1802	113 ^+	Total	11610.59	12607	109 ^+

Note: Explanation of all symbols is on page 361

# Bourne

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	13.34	15	112	Male	8.72	13	149
Female	4.51	8	177	Female	6.13	11	179
Total	17.85	23	129	Total	14.85	24	162 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.92	5	128	Male	2.65	2	NC*
Female	3.06	1	NC*	Female	2.20	4	NC*
Total	6.98	6	86	Total	4.85	6	124
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.64	0	NC*	Male	10.18	6	59
Female	70.49	79	112	Female	8.66	12	139
Total	71.13	79	111	Total	18.84	18	96
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.57	4	NC*	Male	7.54	7	93
				Female	3.58	5	140
				Total	11.12	12	108
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	33.17	42	127	Female	8.17	6	73
Female	29.60	41	139				
Total	62.77	83	132 #+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.66	14	301 ^+	Male	5.79	3	NC*
Female	1.40	0	NC*	Female	5.79	5	86
Total	6.05	14	231 ~+	Total	11.58	8	69
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.66	1	NC*	Male	82.94	110	133 ~+
Female	1.33	3	NC*				
Total	2.99	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.55	8	106	Male	5.69	7	123
Female	4.35	5	115	Female	3.19	4	NC*
Total	11.90	13	109	Total	8.88	11	124
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.07	4	NC*	Male	2.53	0	NC*
Female	0.98	0	NC*				
Total	5.05	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	6.36	9	142	Male	1.59	2	NC*
Female	4.67	4	NC*	Female	4.19	7	167
Total	11.03	13	118	Total	5.78	9	156
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.23	8	247 #+	Female	13.48	20	148
Female	1.26	2	NC*				
Total	4.50	10	222 #+				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	41.87	41	98	Male	265.75	310	117 ~+
Female	31.68	50	158 ~+	Female	229.38	294	128 ^+
Total	73.55	91	124	Total	495.13	604	122 ^+

Note: Explanation of all symbols is on page 361

# Boxborough

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.70	0	NC*	Male	1.71	1	NC*
Female	0.52	1	NC*	Female	1.31	1	NC*
Total	2.22	1	NC*	Total	3.02	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.84	0	NC*	Male	0.39	1	NC*
Female	0.59	1	NC*	Female	0.30	0	NC*
Total	1.43	1	NC*	Total	0.69	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.10	0	NC*	Male	1.83	3	NC*
Female	13.67	19	139	Female	1.29	0	NC*
Total	13.77	19	138	Total	3.12	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.92	0	NC*	Male	1.53	0	NC*
				Female	0.59	1	NC*
				Total	2.12	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	4.47	7	157	Female	1.59	2	NC*
Female	3.32	2	NC*				
Total	7.79	9	116				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.76	0	NC*	Male	0.85	0	NC*
Female	0.16	0	NC*	Female	0.64	1	NC*
Total	0.92	0	NC*	Total	1.49	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.46	0	NC*	Male	12.75	10	78
Female	0.35	0	NC*				
Total	0.81	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.36	0	NC*	Male	0.80	0	NC*
Female	0.71	0	NC*	Female	0.36	0	NC*
Total	2.06	0	NC*	Total	1.16	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.74	0	NC*	Male	0.79	0	NC*
Female	0.17	0	NC*				
Total	0.91	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.09	0	NC*	Male	0.41	2	NC*
Female	0.75	0	NC*	Female	1.20	3	NC*
Total	1.84	0	NC*	Total	1.61	5	310 #+
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.59	0	NC*	Female	2.54	2	NC*
Female	0.15	0	NC*				
Total	0.74	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	6.02	3	NC*	Male	41.93	30	72
Female	4.56	2	NC*	Female	37.97	36	95
Total	10.57	5	47	Total	79.89	66	83

Note: Explanation of all symbols is on page 361

# Boxford

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	5.11	2	NC*	Male	4.30	7	163
Female	1.60	0	NC*	Female	3.04	4	NC*
Total	6.71	2	NC*	Total	7.35	11	150
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.96	2	NC*	Male	1.15	0	NC*
Female	1.42	1	NC*	Female	0.89	0	NC*
Total	3.37	3	NC*	Total	2.04	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.28	0	NC*	Male	4.61	4	NC*
Female	36.36	35	96	Female	3.51	1	NC*
Total	36.64	35	96	Total	8.12	5	62
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.90	1	NC*	Male	4.10	4	NC*
				Female	1.65	2	NC*
				Total	5.75	6	104
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	13.21	9	68	Female	4.08	4	NC*
Female	10.33	6	58				
Total	23.54	15	64				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.21	0	NC*	Male	2.48	0	NC*
Female	0.50	0	NC*	Female	2.01	2	NC*
Total	2.71	0	NC*	Total	4.49	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.82	1	NC*	Male	38.68	28	72
Female	0.62	0	NC*				
Total	1.44	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	3.70	1	NC*	Male	2.31	0	NC*
Female	1.97	2	NC*	Female	1.08	1	NC*
Total	5.67	3	NC*	Total	3.40	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.11	1	NC*	Male	1.13	2	NC*
Female	0.49	0	NC*				
Total	2.60	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.77	2	NC*	Male	0.88	0	NC*
Female	1.97	1	NC*	Female	2.29	3	NC*
Total	4.74	3	NC*	Total	3.17	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.61	2	NC*	Female	7.13	6	84
Female	0.46	1	NC*				
Total	2.08	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	17.97	6	33 ~	Male	118.56	73	62 ^-
Female	13.64	10	73	Female	103.50	85	82
Total	31.61	16	51 ~	Total	222.06	158	71 ^-

Note: Explanation of all symbols is on page 361

# Boylston

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.42	1	NC*	Male	1.85	3	NC*
Female	0.79	0	NC*	Female	1.30	0	NC*
Total	3.21	1	NC*	Total	3.15	3	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.84	2	NC*	Male	0.51	0	NC*
Female	0.62	0	NC*	Female	0.41	0	NC*
Total	1.46	2	NC*	Total	0.92	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.12	0	NC*	Male	2.06	1	NC*
Female	14.94	20	134	Female	1.63	1	NC*
Total	15.06	20	133	Total	3.69	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.80	0	NC*	Male	1.67	0	NC*
				Female	0.71	0	NC*
				Total	2.39	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	6.14	5	81	Female	1.71	1	NC*
Female	5.14	8	156				
Total	11.28	13	115				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.95	2	NC*	Male	1.11	1	NC*
Female	0.24	0	NC*	Female	1.00	1	NC*
Total	1.19	2	NC*	Total	2.12	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.37	0	NC*	Male	16.59	20	121
Female	0.28	0	NC*				
Total	0.66	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.58	2	NC*	Male	1.07	0	NC*
Female	0.86	1	NC*	Female	0.55	0	NC*
Total	2.44	3	NC*	Total	1.61	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.87	3	NC*	Male	0.56	1	NC*
Female	0.20	0	NC*				
Total	1.07	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.25	0	NC*	Male	0.37	0	NC*
Female	0.88	2	NC*	Female	0.97	4	NC*
Total	2.13	2	NC*	Total	1.34	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.68	0	NC*	Female	2.88	7	243
Female	0.22	0	NC*				
Total	0.91	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	8.04	4	NC*	Male	52.42	47	90
Female	6.10	5	82	Female	45.33	51	113
Total	14.14	9	64	Total	97.75	98	100

Note: Explanation of all symbols is on page 361

# Braintree

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	25.37	31	122	Male	17.24	27	157 #+
Female	10.06	12	119	Female	13.83	25	181 ~+
Total	35.43	43	121	Total	31.07	52	167 ^+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	7.67	3	NC*	Male	5.13	5	98
Female	6.71	7	104	Female	4.92	3	NC*
Total	14.38	10	70	Total	10.05	8	80
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	1.24	0	NC*	Male	19.84	15	76
Female	159.21	169	106	Female	19.24	21	109
Total	160.45	169	105	Total	39.08	36	92
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	8.09	10	124	Male	15.08	13	86
				Female	8.03	9	112
				Total	23.11	22	95
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	63.47	78	123	Female	18.41	17	92
Female	65.67	84	128 #+				
Total	129.14	162	125 ~+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	9.14	14	153	Male	11.17	14	125
Female	3.10	4	NC*	Female	12.86	11	86
Total	12.24	18	147	Total	24.04	25	104
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.30	3	NC*	Male	162.41	164	101
Female	2.93	6	204				
Total	6.24	9	144				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	14.85	17	114	Male	10.90	12	110
Female	9.75	4	NC*	Female	7.13	5	70
Total	24.60	21	85	Total	18.03	17	94
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	8.09	8	99	Male	5.08	5	98
Female	2.21	1	NC*				
Total	10.30	9	87				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	12.17	8	66	Male	3.24	2	NC*
Female	10.28	16	156	Female	9.48	6	63
Total	22.45	24	107	Total	12.72	8	63
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	6.39	11	172	Female	30.46	35	115
Female	2.80	0	NC*				
Total	9.19	11	120				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	81.07	94	116	Male	516.64	551	107
Female	70.79	84	119	Female	513.92	565	110 #+
Total	151.86	178	117 #+	Total	1030.56	1116	108 ~+

Note: Explanation of all symbols is on page 361

# Brewster

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.71	12	102	Male	6.85	13	190 #+
Female	3.44	3	NC*	Female	4.37	9	206
Total	15.15	15	99	Total	11.22	22	196 ~+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.83	0	NC*	Male	2.26	2	NC*
Female	2.18	2	NC*	Female	1.69	0	NC*
Total	5.01	2	NC*	Total	3.95	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.53	2	NC*	Male	8.13	5	61
Female	52.72	87	165 ^+	Female	6.51	5	77
Total	53.25	89	167 ^+	Total	14.64	10	68
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.43	2	NC*	Male	5.95	8	135
				Female	2.70	1	NC*
				Total	8.65	9	104
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	28.64	22	77	Female	6.04	9	149
Female	22.53	8	36 ^-				
Total	51.17	30	59 ~-				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.85	1	NC*	Male	4.95	4	NC*
Female	1.07	4	NC*	Female	4.44	5	113
Total	4.91	5	102	Total	9.38	9	96
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.96	0	NC*	Male	68.09	83	122
Female	0.84	0	NC*				
Total	1.80	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	6.13	5	82	Male	4.95	4	NC*
Female	3.31	3	NC*	Female	2.39	1	NC*
Total	9.44	8	85	Total	7.34	5	68
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.28	3	NC*	Male	1.20	0	NC*
Female	0.76	0	NC*				
Total	4.04	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.08	8	157	Male	1.05	1	NC*
Female	3.38	1	NC*	Female	2.74	1	NC*
Total	8.46	9	106	Total	3.79	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.61	1	NC*	Female	10.29	8	78
Female	0.96	1	NC*				
Total	3.57	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	35.11	27	77	Male	218.84	213	97
Female	24.68	30	122	Female	172.17	193	112
Total	59.78	57	95	Total	391.00	406	104

Note: Explanation of all symbols is on page 361

# Bridgewater

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.40	12	105	Male	10.62	10	94
Female	3.77	4	NC*	Female	7.04	8	114
Total	15.18	16	105	Total	17.65	18	102
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	5.07	5	99	Male	2.55	3	NC*
Female	3.38	4	NC*	Female	1.95	3	NC*
Total	8.46	9	106	Total	4.50	6	133
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.64	0	NC*	Male	11.58	8	69
Female	74.91	88	117	Female	8.15	10	123
Total	75.55	88	116	Total	19.74	18	91
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	4.60	8	174	Male	9.28	3	NC*
				Female	3.52	1	NC*
				Total	12.80	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	29.64	24	81	Female	8.77	11	125
Female	24.65	14	57 #-				
Total	54.29	38	70 #-				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.80	5	104	Male	5.51	1	NC*
Female	1.17	1	NC*	Female	4.75	9	189
Total	5.97	6	100	Total	10.26	10	97
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.85	1	NC*	Male	81.23	80	98
Female	1.81	1	NC*				
Total	4.66	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	8.43	12	142	Male	5.25	3	NC*
Female	4.22	7	166	Female	2.68	2	NC*
Total	12.65	19	150	Total	7.93	5	63
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.56	4	NC*	Male	5.06	7	138
Female	0.95	0	NC*				
Total	5.51	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	6.82	5	73	Male	2.54	2	NC*
Female	4.68	5	107	Female	5.83	9	154
Total	11.50	10	87	Total	8.37	11	131
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.63	5	138	Female	13.95	13	93
Female	1.08	1	NC*				
Total	4.72	6	127				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	39.20	37	94	Male	268.37	239	89
Female	28.63	22	77	Female	226.06	233	103
Total	67.83	59	87	Total	494.43	472	95

Note: Explanation of all symbols is on page 361

# Brimfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.24	3	NC*	Male	1.64	0	NC*
Female	0.76	3	NC*	Female	1.18	3	NC*
Total	3.01	6	200	Total	2.82	3	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.74	0	NC*	Male	0.46	0	NC*
Female	0.56	0	NC*	Female	0.39	0	NC*
Total	1.30	0	NC*	Total	0.85	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.11	0	NC*	Male	1.84	1	NC*
Female	13.69	16	117	Female	1.51	2	NC*
Total	13.80	16	116	Total	3.35	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.71	1	NC*	Male	1.51	2	NC*
				Female	0.66	0	NC*
				Total	2.17	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	5.66	3	NC*	Female	1.56	0	NC*
Female	4.96	5	101				
Total	10.62	8	75				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.86	0	NC*	Male	1.03	1	NC*
Female	0.24	0	NC*	Female	0.96	1	NC*
Total	1.09	0	NC*	Total	1.99	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.31	0	NC*	Male	14.90	8	54
Female	0.25	0	NC*				
Total	0.56	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.40	1	NC*	Male	1.00	1	NC*
Female	0.79	2	NC*	Female	0.54	1	NC*
Total	2.20	3	NC*	Total	1.55	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.78	0	NC*	Male	0.44	0	NC*
Female	0.18	0	NC*				
Total	0.96	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.13	3	NC*	Male	0.32	0	NC*
Female	0.85	2	NC*	Female	0.84	1	NC*
Total	1.98	5	252	Total	1.16	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.61	0	NC*	Female	2.63	2	NC*
Female	0.21	1	NC*				
Total	0.82	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	7.21	7	97	Male	47.25	34	72
Female	5.57	7	126	Female	42.05	53	126
Total	12.78	14	110	Total	89.30	87	97

Note: Explanation of all symbols is on page 361

# Brockton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	53.39	71	133 #+	Male	37.69	38	101
Female	22.08	22	100	Female	32.05	31	97
Total	75.46	93	123	Total	69.73	69	99
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	17.66	18	102	Male	10.78	10	93
Female	15.85	13	82	Female	10.71	14	131
Total	33.50	31	93	Total	21.48	24	112
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	2.60	0	NC*	Male	43.57	46	106
Female	352.78	292	83 ^-	Female	42.83	35	82
Total	355.38	292	82 ^-	Total	86.40	81	94
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	19.38	31	160 #+	Male	32.63	45	138 #+
				Female	17.74	17	96
				Total	50.36	62	123
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	133.73	131	98	Female	41.28	29	70
Female	144.97	118	81 #-				
Total	278.70	249	89				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	19.23	28	146	Male	23.65	26	110
Female	6.82	12	176	Female	28.13	23	82
Total	26.05	40	154 #+	Total	51.78	49	95
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	8.22	10	122	Male	336.67	344	102
Female	7.57	5	66				
Total	15.79	15	95				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	31.80	18	57 #-	Male	23.27	23	99
Female	21.34	16	75	Female	15.98	21	131
Total	53.14	34	64 ~-	Total	39.24	44	112
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	17.06	19	111	Male	13.07	16	122
Female	4.66	5	107				
Total	21.71	24	111				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	27.29	30	110	Male	7.49	3	NC*
Female	23.99	20	83	Female	23.49	25	106
Total	51.28	50	98	Total	30.98	28	90
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	13.64	17	125	Female	66.08	58	88
Female	6.18	7	113				
Total	19.82	24	121				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	168.63	215	127 ^+	Male	1095.86	1218	111 ^+
Female	151.18	177	117 #+	Female	1140.84	1044	92 ~-
Total	319.81	392	123 ^+	Total	2236.70	2262	101

Note: Explanation of all symbols is on page 361

# Brookfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.05	4	NC*	Male	1.46	1	NC*
Female	0.86	2	NC*	Female	1.18	0	NC*
Total	2.91	6	206	Total	2.64	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.66	1	NC*	Male	0.42	0	NC*
Female	0.59	1	NC*	Female	0.42	0	NC*
Total	1.26	2	NC*	Total	0.84	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.10	0	NC*	Male	1.66	3	NC*
Female	13.49	18	133	Female	1.66	3	NC*
Total	13.60	18	132	Total	3.32	6	181
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.69	1	NC*	Male	1.28	1	NC*
				Female	0.68	1	NC*
				Total	1.96	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	5.12	4	NC*	Female	1.57	1	NC*
Female	5.67	4	NC*				
Total	10.79	8	74				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.75	4	NC*	Male	0.91	1	NC*
Female	0.27	0	NC*	Female	1.10	2	NC*
Total	1.02	4	NC*	Total	2.01	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.29	0	NC*	Male	13.09	11	84
Female	0.26	0	NC*				
Total	0.55	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.25	1	NC*	Male	0.88	3	NC*
Female	0.83	1	NC*	Female	0.61	0	NC*
Total	2.08	2	NC*	Total	1.49	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.67	2	NC*	Male	0.44	0	NC*
Female	0.18	0	NC*				
Total	0.86	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.03	1	NC*	Male	0.28	0	NC*
Female	0.90	2	NC*	Female	0.82	3	NC*
Total	1.94	3	NC*	Total	1.10	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.54	0	NC*	Female	2.57	1	NC*
Female	0.24	1	NC*				
Total	0.78	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	6.56	8	122	Male	42.24	47	111
Female	6.02	6	100	Female	43.92	49	112
Total	12.59	14	111	Total	86.16	96	111

Note: Explanation of all symbols is on page 361

# Brookline

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	35.89	33	92	Male	25.84	30	116
Female	17.19	12	70	Female	25.45	31	122
Total	53.08	45	85	Total	51.28	61	119
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	11.50	12	104	Male	7.24	5	69
Female	11.60	11	95	Female	8.23	8	97
Total	23.10	23	100	Total	15.47	13	84
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	1.73	3	NC*	Male	29.57	41	139
Female	273.65	272	99	Female	32.66	31	95
Total	275.39	275	100	Total	62.23	72	116
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	15.73	9	57	Male	22.33	21	94
				Female	13.66	16	117
				Total	35.98	37	103
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	89.94	88	98	Female	31.96	29	91
Female	113.36	106	94				
Total	203.30	194	95				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	12.95	9	70	Male	15.97	13	81
Female	5.32	0	NC*	Female	21.78	20	92
Total	18.27	9	49 #	Total	37.76	33	87
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	5.57	4	NC*	Male	223.82	224	100
Female	5.87	8	136				
Total	11.44	12	105				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	21.45	22	103	Male	15.84	13	82
Female	16.08	11	68	Female	12.83	13	101
Total	37.53	33	88	Total	28.67	26	91
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	11.50	10	87	Male	9.31	5	54
Female	3.43	1	NC*				
Total	14.93	11	74				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	17.76	22	124	Male	5.23	13	249 ~+
Female	18.02	14	78	Female	19.14	32	167 ~+
Total	35.79	36	101	Total	24.37	45	185 ^+
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	9.19	6	65	Female	50.26	60	119
Female	4.77	6	126				
Total	13.96	12	86				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	112.19	65	58 ^-	Male	734.43	689	94
Female	112.31	78	69 ^-	Female	880.55	815	93 #-
Total	224.50	143	64 ^-	Total	1614.98	1504	93 ~-

Note: Explanation of all symbols is on page 361

# Buckland

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.33	1	NC*	Male	0.95	0	NC*
Female	0.45	0	NC*	Female	0.68	1	NC*
Total	1.78	1	NC*	Total	1.64	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.43	0	NC*	Male	0.28	0	NC*
Female	0.33	0	NC*	Female	0.23	1	NC*
Total	0.76	0	NC*	Total	0.50	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.07	0	NC*	Male	1.08	1	NC*
Female	7.85	9	115	Female	0.89	0	NC*
Total	7.92	9	114	Total	1.97	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.41	0	NC*	Male	0.85	1	NC*
				Female	0.38	0	NC*
				Total	1.23	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	3.34	4	NC*	Female	0.90	0	NC*
Female	2.96	3	NC*				
Total	6.30	7	111				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.50	0	NC*	Male	0.60	0	NC*
Female	0.14	0	NC*	Female	0.57	0	NC*
Total	0.63	0	NC*	Total	1.17	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.18	0	NC*	Male	8.66	3	NC*
Female	0.15	0	NC*				
Total	0.33	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.82	0	NC*	Male	0.58	0	NC*
Female	0.46	0	NC*	Female	0.32	0	NC*
Total	1.28	0	NC*	Total	0.90	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.45	1	NC*	Male	0.27	1	NC*
Female	0.10	0	NC*				
Total	0.55	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.66	1	NC*	Male	0.18	0	NC*
Female	0.49	0	NC*	Female	0.49	0	NC*
Total	1.16	1	NC*	Total	0.67	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.35	0	NC*	Female	1.50	1	NC*
Female	0.13	0	NC*				
Total	0.48	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.28	2	NC*	Male	27.67	19	69
Female	3.26	3	NC*	Female	24.45	22	90
Total	7.54	5	66	Total	52.12	41	79

Note: Explanation of all symbols is on page 361

# Burlington

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	13.66	14	102	Male	10.96	16	146
Female	4.79	5	104	Female	8.68	14	161
Total	18.45	19	103	Total	19.64	30	153 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	5.15	4	NC*	Male	2.93	2	NC*
Female	4.06	3	NC*	Female	2.53	2	NC*
Total	9.21	7	76	Total	5.45	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin(s) Lymphoma</u></b>			
Male	0.73	1	NC*	Male	12.15	12	99
Female	95.98	102	106	Female	10.34	11	106
Total	96.70	103	107	Total	22.49	23	102
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	5.58	6	108	Male	9.83	9	92
				Female	4.50	6	133
				Total	14.34	15	105
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	35.23	37	105	Female	11.17	5	45
Female	30.62	29	95				
Total	65.85	66	100				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	5.56	4	NC*	Male	6.38	6	94
Female	1.47	2	NC*	Female	6.06	6	99
Total	7.03	6	85	Total	12.44	12	96
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.51	3	NC*	Male	99.44	116	117
Female	2.08	1	NC*				
Total	4.59	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	9.16	11	120	Male	6.02	10	166
Female	5.51	1	NC*	Female	3.28	8	244 #+
Total	14.67	12	82	Total	9.30	18	194 #+
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	5.15	5	97	Male	4.13	5	121
Female	1.31	3	NC*				
Total	6.46	8	124				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	7.28	11	151	Male	2.38	4	NC*
Female	5.54	5	90	Female	6.95	9	129
Total	12.82	16	125	Total	9.33	13	139
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.99	3	NC*	Female	18.31	13	71
Female	1.36	1	NC*				
Total	5.36	4	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	47.40	46	97	Male	309.44	340	110
Female	38.50	28	73	Female	287.49	275	96
Total	85.90	74	86	Total	596.93	615	103

Note: Explanation of all symbols is on page 361