FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 311.00 LIQ. PETROLEUM GAS EQUIP.
NO. OF BALANCES 31 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1961

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	56.36	9.66	37.707	.214087692E+12	5.	18.442
L	0.5	50.61	9.13	40.736	.239507027E+12	7.	20.867
L	1.0	45.99	8.48	44.600	.277271354E+12	9.	28.347
L	1.5	42.80	8.05	48.922	.308049401E+12	12.	30.765
L	2.0	40.37	7.50	53.823	.355223268E+12	16.	35.968
L	3.0	37.05	6.86	63.642	.424724974E+12	19.	45.949
L	4.0	34.65	6.42	75.809	.483905282E+12	22.	55.882
L	5.0	33.63	6.10	86.669	.537073594E+12	24.	64.534
SC		59.23	10.67	33.342	.175310029E+12	1.	33.342
S	-.5	50.33	9.87	37.226	.204715025E+12	3.	39.240
S	0.0	44.23	8.92	42.587	.250671391E+12	8.	44.653
S	0.5	41.29	8.43	46.537	.280777785E+12	10.	47.838
S	1.0	38.91	7.87	51.385	.322012566E+12	13.	51.018
S	1.5	37.45	7.52	55.716	.353273828E+12	15.	52.996
S	2.0	36.22	7.11	60.676	.394477316E+12	18.	55.925
S	3.0	34.84	6.60	70.024	.457925816E+12	20.	61.276
S	4.0	33.84	6.19	82.756	.521320399E+12	23.	70.320
S	5.0	33.13	5.96	94.798	.561494984E+12	26.	80.568
S	6.0	32.48	5.87	99.820	.579309114E+12	27.	92.141
R	0.5	50.98	10.33	35.259	.186921975E+12	2.	38.545
R	1.0	44.54	9.76	39.039	.209440643E+12	4.	44.119
R	1.5	40.85	9.14	43.663	.238952433E+12	6.	48.105
R	2.0	38.13	8.41	49.707	.282087744E+12	11.	55.992
R	2.5	36.44	7.87	56.383	.322318382E+12	14.	58.593
R	3.0	35.18	7.30	63.891	.374991013E+12	17.	66.832
R	4.0	34.03	6.59	77.938	.460095721E+12	21.	76.869
R	5.0	33.29	6.06	93.549	.543441807E+12	25.	86.611

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	15
40-49	7
50-59	5
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 40.62 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 320.00 OTHER EQUIPMENT
NO. OF BALANCES 27 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1974

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	16.21	2.43	83.121	.123178153E+12	2.	43.017
L	0.5	15.69	2.34	86.742	.133094335E+12	5.	45.169
L	1.0	15.21	2.25	90.246	.143895924E+12	8.	57.518
L	1.5	14.88	2.16	92.915	.155342582E+12	11.	59.360
L	2.0	14.58	2.08	95.302	.167529469E+12	14.	66.823
L	3.0	14.26	1.96	98.728	.189499197E+12	18.	80.113
L	4.0	14.06	1.86	99.975	.210679507E+12	21.	92.364
L	5.0	13.93	1.79	100.000	.226526128E+12	24.	100.000 *
SC		15.68	2.53	84.522	.113750070E+12	1.	84.522
S	-.5	15.31	2.38	90.125	.127776308E+12	4.	86.544
S	0.0	14.94	2.25	95.303	.143210092E+12	7.	88.690
S	0.5	14.72	2.17	97.579	.154487965E+12	10.	90.018
S	1.0	14.52	2.09	99.272	.166454506E+12	12.	91.719
S	1.5	14.38	2.03	99.703	.176673275E+12	15.	92.583
S	2.0	14.26	1.97	99.973	.187392378E+12	17.	95.303
S	3.0	14.13	1.88	100.000	.204866082E+12	20.	100.000 *
S	4.0	14.02	1.81	100.000	.222489358E+12	23.	100.000 *
S	5.0	13.90	1.76	100.000	.234893852E+12	26.	100.000 *
S	6.0	13.75	1.73	100.000	.243327762E+12	27.	100.000 *
R	0.5	15.36	2.40	90.935	.125852839E+12	3.	85.845
R	1.0	15.01	2.28	96.842	.139759816E+12	6.	87.841
R	1.5	14.79	2.18	98.732	.152881057E+12	9.	89.148
R	2.0	14.59	2.08	99.982	.166965971E+12	13.	98.183
R	2.5	14.47	2.01	99.997	.179650320E+12	16.	99.006
R	3.0	14.36	1.94	100.000	.193021163E+12	19.	100.000 *
R	4.0	14.23	1.85	100.000	.213047346E+12	22.	100.000 *
R	5.0	14.08	1.77	100.000	.231004284E+12	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	27
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 14.64 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 367.00 MAINS
NO. OF BALANCES 30 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	150.73	97.84	43.665	.203890962E+12	8.	21.038
L	0.5	128.47	98.75	50.934	.200112844E+12	7.	25.080
L	1.0	110.51	102.58	60.222	.185467672E+12	1.	35.986
L	1.5	99.81	100.70	69.265	.192460897E+12	2.	40.243
L	2.0	91.29	100.54	77.829	.193062378E+12	4.	48.526
L	3.0	82.41	93.26	89.533	.224411996E+12	12.	63.026
L	4.0	77.25	87.63	98.231	.254164867E+12	19.	76.468
L	5.0	75.11	82.89	99.905	.284072843E+12	23.	88.149
SC		183.43	91.42	32.846	.233534411E+12	15.	32.846
S	-.5	139.16	93.98	42.008	.220949715E+12	11.	43.296
S	0.0	109.61	99.75	56.892	.196137318E+12	5.	54.969
S	0.5	98.75	99.50	67.270	.197142472E+12	6.	61.012
S	1.0	89.87	100.60	78.820	.192846963E+12	3.	67.378
S	1.5	85.40	97.13	86.844	.206865962E+12	9.	70.902
S	2.0	81.54	94.74	93.581	.217440046E+12	10.	75.782
S	3.0	77.77	86.68	99.053	.259764189E+12	20.	83.751
S	4.0	75.47	80.30	99.993	.302630153E+12	27.	96.187
S	5.0	74.26	82.64	100.000	.285739935E+12	25.	100.000 *
S	6.0	73.43	90.17	100.000	.240017535E+12	17.	100.000 *
R	0.5	149.75	91.54	36.938	.232905893E+12	13.	40.033
R	1.0	121.80	91.42	46.318	.233497158E+12	14.	49.220
R	1.5	105.04	90.24	60.062	.239637267E+12	16.	57.074
R	2.0	92.63	89.14	77.759	.245618976E+12	18.	70.315
R	2.5	86.17	86.09	90.356	.263303837E+12	21.	75.590
R	3.0	80.95	84.85	98.240	.271077294E+12	22.	88.605
R	4.0	76.46	82.59	100.000	.286098526E+12	26.	100.000 *
R	5.0	74.37	82.77	100.000	.284873269E+12	24.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	8
GREATER THAN 80	19

0MEAN VALUE OF BEST FITTING LIVES IS 99.68 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 367.00 MAINS
NO. OF BALANCES 20 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	156.48	242.96	41.908	.330865864E+11	8.	20.265
L	0.5	132.73	244.60	49.029	.326425729E+11	5.	24.274
L	1.0	113.66	247.88	58.295	.317854163E+11	2.	34.989
L	1.5	102.61	244.32	67.228	.327174008E+11	6.	39.146
L	2.0	93.46	239.10	76.159	.341625094E+11	10.	47.404
L	3.0	84.30	229.93	88.195	.369406105E+11	19.	61.615
L	4.0	78.94	231.17	97.632	.365448341E+11	17.	74.823
L	5.0	76.75	226.91	99.828	.379307730E+11	21.	86.262
SC		192.76	231.87	31.257	.363246786E+11	15.	31.257
S	-.5	144.97	237.26	39.955	.346934432E+11	11.	41.561
S	0.0	112.83	245.52	54.718	.323989934E+11	3.	53.398
S	0.5	101.39	244.99	64.869	.325404050E+11	4.	59.425
S	1.0	91.93	244.16	76.593	.327597802E+11	7.	65.865
S	1.5	87.32	239.54	84.837	.340378233E+11	9.	69.349
S	2.0	83.32	234.45	92.039	.355305594E+11	12.	74.169
S	3.0	79.53	223.16	98.512	.392182819E+11	25.	81.899
S	4.0	77.25	214.80	99.979	.423292645E+11	27.	93.966
S	5.0	75.83	228.75	100.000	.373220523E+11	20.	100.000 *
S	6.0	74.68	255.55	100.000	.299057233E+11	1.	100.000 *
R	0.5	156.78	232.42	34.917	.361555275E+11	14.	38.238
R	1.0	126.57	232.76	43.611	.360486240E+11	13.	47.367
R	1.5	108.48	231.35	56.653	.364889521E+11	16.	55.263
R	2.0	95.07	230.37	74.497	.368002724E+11	18.	68.510
R	2.5	88.26	225.24	88.002	.384973320E+11	22.	73.797
R	3.0	82.84	223.53	97.164	.390858278E+11	24.	86.587
R	4.0	78.31	217.59	100.000	.412500214E+11	26.	100.000 *
R	5.0	76.15	224.24	100.000	.388410881E+11	23.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	7
GREATER THAN 80	20

0MEAN VALUE OF BEST FITTING LIVES IS102.71 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 367.00 MAINS
NO. OF BALANCES 10 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	156.98	420.90	41.759	.862621864E+10	9.	20.200
L	0.5	133.06	414.25	48.887	.890524627E+10	10.	24.214
L	1.0	113.59	395.22	58.339	.978381172E+10	16.	35.011
L	1.5	102.52	388.14	67.291	.101436631E+11	19.	39.179
L	2.0	93.21	365.97	76.347	.114099862E+11	26.	47.528
L	3.0	84.20	362.42	88.267	.116345156E+11	27.	61.689
L	4.0	79.00	389.54	97.609	.100711138E+11	18.	74.769
L	5.0	76.93	408.20	99.817	.917132005E+10	13.	86.068
SC		194.89	430.28	30.915	.825406456E+10	2.	30.915
S	-.5	145.77	426.35	39.686	.840698031E+10	8.	41.332
S	0.0	112.99	411.58	54.617	.902116637E+10	12.	53.324
S	0.5	101.46	404.09	64.807	.935862256E+10	14.	59.385
S	1.0	91.83	386.80	76.703	.102143548E+11	20.	65.938
S	1.5	87.26	383.04	84.901	.104158648E+11	21.	69.397
S	2.0	83.22	370.43	92.130	.111366014E+11	24.	74.258
S	3.0	79.56	368.88	98.503	.112308354E+11	25.	81.874
S	4.0	77.47	395.78	99.976	.975595155E+10	15.	93.705
S	5.0	76.07	430.91	100.000	.822990577E+10	1.	100.000 *
S	6.0	74.77	370.82	100.000	.111135921E+11	23.	100.000 *
R	0.5	158.07	429.83	34.571	.827139607E+10	4.	37.927
R	1.0	127.54	429.74	43.088	.827474870E+10	5.	47.004
R	1.5	109.16	430.17	56.009	.825850014E+10	3.	54.919
R	2.0	95.49	427.67	73.937	.835505011E+10	6.	68.208
R	2.5	88.63	427.66	87.564	.835545854E+10	7.	73.487
R	3.0	83.09	413.94	97.000	.891850015E+10	11.	86.321
R	4.0	78.42	376.59	100.000	.107755231E+11	22.	100.000 *
R	5.0	76.28	391.50	100.000	.997048488E+10	17.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	7
GREATER THAN 80	20

0MEAN VALUE OF BEST FITTING LIVES IS103.02 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 367.00 MAINS
NO. OF BALANCES 5 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	156.59	1414.67	41.875	.495395458E+09	20.	20.251
L	0.5	132.58	1554.55	49.095	.410252863E+09	18.	24.301
L	1.0	112.98	1923.36	58.709	.268005861E+09	13.	35.201
L	1.5	101.94	2126.40	67.712	.219268005E+09	10.	39.402
L	2.0	92.54	2499.51	76.866	.158691347E+09	5.	47.872
L	3.0	83.61	2627.91	88.690	.143562788E+09	2.	62.124
L	4.0	78.66	2378.24	97.739	.175288096E+09	7.	75.091
L	5.0	76.75	1817.29	99.828	.300204824E+09	14.	86.269
SC		194.97	1143.99	30.902	.757563508E+09	26.	30.902
S	-.5	145.59	1270.97	39.745	.613748348E+09	23.	41.383
S	0.0	112.55	1617.84	54.902	.378784224E+09	16.	53.530
S	0.5	101.03	1795.61	65.187	.307495416E+09	15.	59.634
S	1.0	91.35	2035.22	77.222	.239354406E+09	11.	66.286
S	1.5	86.79	2305.04	85.393	.186598431E+09	8.	69.768
S	2.0	82.71	2586.24	92.582	.148226829E+09	3.	74.713
S	3.0	79.06	2634.45	98.672	.142851352E+09	1.	82.385
S	4.0	77.11	2514.76	99.981	.156773137E+09	4.	94.135
S	5.0	76.00	1522.27	100.000	.427839189E+09	19.	100.000 *
S	6.0	74.91	690.47	100.000	.207955007E+10	27.	100.000 *
R	0.5	158.08	1162.81	34.568	.733235095E+09	25.	37.924
R	1.0	127.48	1213.07	43.121	.673739081E+09	24.	47.027
R	1.5	109.07	1273.72	56.093	.611108602E+09	22.	54.964
R	2.0	95.34	1413.89	74.140	.495944974E+09	21.	68.318
R	2.5	88.46	1574.96	87.767	.399690950E+09	17.	73.631
R	3.0	82.82	1973.81	97.174	.254479117E+09	12.	86.603
R	4.0	77.95	2410.62	100.000	.170611331E+09	6.	100.000 *
R	5.0	76.00	2219.63	100.000	.201235171E+09	9.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	8
GREATER THAN 80	19

0MEAN VALUE OF BEST FITTING LIVES IS102.70 YEARS

FGE Gas CO. NO. 1
PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000
ACCOUNT 369.00 M & R STATION EQUIPMENT LOCATION 0 TOTAL ACCOUNT
NO. OF BALANCES 30 BAL. INTERVAL 1 ADDS/SURV TO 1915

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	23.15	8.58	99.998	.757313680E+11	16.	97.190
L	0.5	21.41	8.57	100.000	.758379382E+11	18.	100.000 *
L	1.0	19.97	8.56	100.000	.761271497E+11	23.	100.000 *
L	1.5	18.94	8.57	100.000	.759541594E+11	22.	100.000 *
L	2.0	18.07	8.56	100.000	.761351819E+11	24.	100.000 *
L	3.0	16.92	8.60	100.000	.754419411E+11	14.	100.000 *
L	4.0	16.17	8.71	100.000	.733968435E+11	9.	100.000 *
L	5.0	15.86	8.77	100.000	.724896133E+11	7.	100.000 *
SC		23.29	8.55	100.000	.763267829E+11	27.	100.000 *
S	-.5	21.07	8.57	100.000	.759518868E+11	21.	100.000 *
S	0.0	19.41	8.57	100.000	.759246608E+11	20.	100.000 *
S	0.5	18.49	8.57	100.000	.758782881E+11	19.	100.000 *
S	1.0	17.73	8.57	100.000	.758065506E+11	17.	100.000 *
S	1.5	17.22	8.62	100.000	.750969283E+11	13.	100.000 *
S	2.0	16.76	8.65	100.000	.744431601E+11	11.	100.000 *
S	3.0	16.22	8.77	100.000	.724082933E+11	6.	100.000 *
S	4.0	15.94	8.85	100.000	.711432974E+11	4.	100.000 *
S	5.0	15.83	8.78	100.000	.722256777E+11	5.	100.000 *
S	6.0	15.79	8.66	100.000	.743726429E+11	10.	100.000 *
R	0.5	21.18	8.55	100.000	.762888186E+11	25.	100.000 *
R	1.0	19.50	8.55	100.000	.763086585E+11	26.	100.000 *
R	1.5	18.41	8.59	100.000	.756065464E+11	15.	100.000 *
R	2.0	17.54	8.65	100.000	.745340419E+11	12.	100.000 *
R	2.5	16.99	8.76	100.000	.725857895E+11	8.	100.000 *
R	3.0	16.52	8.87	100.000	.708740284E+11	2.	100.000 *
R	4.0	16.12	8.97	100.000	.692386286E+11	1.	100.000 *
R	5.0	15.89	8.85	100.000	.711166714E+11	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	20
20-29	7
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 18.16 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 369.00 M & R STATION EQUIPMENT LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 20 BAL. INTERVAL 1 ADDS/SURV TO 1915

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	23.06	9.58	99.999	.746602807E+11	16.	97.555
L	0.5	21.34	9.56	100.000	.748413665E+11	17.	100.000 *
L	1.0	19.92	9.54	100.000	.752229957E+11	26.	100.000 *
L	1.5	18.89	9.55	100.000	.750632705E+11	22.	100.000 *
L	2.0	18.04	9.54	100.000	.752755880E+11	27.	100.000 *
L	3.0	16.89	9.59	100.000	.745141919E+11	15.	100.000 *
L	4.0	16.14	9.73	100.000	.723469832E+11	9.	100.000 *
L	5.0	15.83	9.80	100.000	.713523652E+11	6.	100.000 *
SC		23.18	9.55	100.000	.750761438E+11	23.	100.000 *
S	-.5	21.04	9.56	100.000	.748449531E+11	18.	100.000 *
S	0.0	19.35	9.56	100.000	.749498698E+11	21.	100.000 *
S	0.5	18.45	9.56	100.000	.749194905E+11	20.	100.000 *
S	1.0	17.69	9.56	100.000	.748764142E+11	19.	100.000 *
S	1.5	17.18	9.61	100.000	.741401142E+11	13.	100.000 *
S	2.0	16.73	9.65	100.000	.734715947E+11	12.	100.000 *
S	3.0	16.20	9.79	100.000	.713661117E+11	7.	100.000 *
S	4.0	15.91	9.89	100.000	.700248111E+11	4.	100.000 *
S	5.0	15.80	9.81	100.000	.710707983E+11	5.	100.000 *
S	6.0	15.76	9.67	100.000	.731700714E+11	10.	100.000 *
R	0.5	21.10	9.55	100.000	.750995565E+11	24.	100.000 *
R	1.0	19.43	9.54	100.000	.751465176E+11	25.	100.000 *
R	1.5	18.36	9.59	100.000	.744411054E+11	14.	100.000 *
R	2.0	17.49	9.66	100.000	.733869199E+11	11.	100.000 *
R	2.5	16.95	9.79	100.000	.714357840E+11	8.	100.000 *
R	3.0	16.49	9.91	100.000	.697504938E+11	2.	100.000 *
R	4.0	16.09	10.02	100.000	.681405100E+11	1.	100.000 *
R	5.0	15.88	9.89	100.000	.699925487E+11	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	21
20-29	6
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 18.12 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 369.00 M & R STATION EQUIPMENT
NO. OF BALANCES 10 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1915

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	21.48	12.30	100.000	.396206019E+11	3.	100.000 *
L	0.5	20.02	12.08	100.000	.410736014E+11	6.	100.000 *
L	1.0	18.81	11.83	100.000	.428776171E+11	9.	100.000 *
L	1.5	17.94	11.68	100.000	.439740800E+11	14.	100.000 *
L	2.0	17.19	11.49	100.000	.454106088E+11	23.	100.000 *
L	3.0	16.16	11.38	100.000	.463353269E+11	27.	100.000 *
L	4.0	15.43	11.45	100.000	.457672547E+11	25.	100.000 *
L	5.0	15.10	11.54	100.000	.449981612E+11	19.	100.000 *
SC		21.36	12.59	100.000	.378155089E+11	1.	100.000 *
S	-.5	19.63	12.29	100.000	.397033183E+11	4.	100.000 *
S	0.0	18.27	11.95	100.000	.419996731E+11	7.	100.000 *
S	0.5	17.54	11.75	100.000	.434470088E+11	12.	100.000 *
S	1.0	16.90	11.54	100.000	.449948984E+11	18.	100.000 *
S	1.5	16.45	11.49	100.000	.454245876E+11	24.	100.000 *
S	2.0	16.05	11.43	100.000	.458650774E+11	26.	100.000 *
S	3.0	15.55	11.50	100.000	.453187408E+11	21.	100.000 *
S	4.0	15.20	11.55	100.000	.449148957E+11	17.	100.000 *
S	5.0	14.94	11.52	100.000	.451961690E+11	20.	100.000 *
S	6.0	14.79	11.61	100.000	.445237094E+11	16.	100.000 *
R	0.5	19.68	12.38	100.000	.391316016E+11	2.	100.000 *
R	1.0	18.32	12.12	100.000	.408038051E+11	5.	100.000 *
R	1.5	17.46	11.93	100.000	.421412938E+11	8.	100.000 *
R	2.0	16.73	11.77	100.000	.433024468E+11	10.	100.000 *
R	2.5	16.26	11.77	100.000	.433059019E+11	11.	100.000 *
R	3.0	15.84	11.75	100.000	.434664906E+11	13.	100.000 *
R	4.0	15.41	11.67	100.000	.440693421E+11	15.	100.000 *
R	5.0	15.02	11.50	100.000	.453370261E+11	22.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	22
20-29	5
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 17.17 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 380.00 SERVICES
NO. OF BALANCES 30 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1881

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	99.44	47.81	65.646	.217909321E+12	24.	31.624
L	0.5	83.62	49.56	77.241	.202792340E+12	22.	38.211
L	1.0	70.69	52.33	88.713	.181928391E+12	19.	55.791
L	1.5	63.22	55.58	95.177	.161291930E+12	16.	63.008
L	2.0	56.53	61.01	98.925	.133832144E+12	13.	77.723
L	3.0	49.38	73.33	100.000	.926462635E+11	9.	100.000 *
L	4.0	45.30	90.44	100.000	.609061686E+11	6.	100.000 *
L	5.0	43.27	109.90	100.000	.412468315E+11	4.	100.000 *
SC		123.47	46.30	48.392	.232369038E+12	27.	48.392
S	-.5	92.54	47.60	67.194	.219913438E+12	25.	64.566
S	0.0	71.46	50.11	91.251	.198403842E+12	20.	83.609
S	0.5	63.74	52.90	98.998	.178036219E+12	18.	93.746
S	1.0	57.05	57.28	100.000	.151816988E+12	15.	100.000 *
S	1.5	53.42	61.95	100.000	.129795755E+12	12.	100.000 *
S	2.0	49.96	68.60	100.000	.105863358E+12	10.	100.000 *
S	3.0	46.16	83.01	100.000	.723003735E+11	8.	100.000 *
S	4.0	43.55	103.15	100.000	.468216755E+11	5.	100.000 *
S	5.0	42.60	121.61	100.000	.336872037E+11	2.	100.000 *
S	6.0	42.15	137.01	100.000	.265372472E+11	1.	100.000 *
R	0.5	100.65	46.74	60.436	.228007766E+12	26.	59.072
R	1.0	81.56	47.86	82.186	.217462420E+12	23.	72.893
R	1.5	69.81	50.02	97.229	.199069717E+12	21.	85.169
R	2.0	60.46	54.32	100.000	.168830767E+12	17.	100.000 *
R	2.5	55.01	59.30	100.000	.141655856E+12	14.	100.000 *
R	3.0	50.19	67.39	100.000	.109682297E+12	11.	100.000 *
R	4.0	45.35	86.96	100.000	.658792277E+11	7.	100.000 *
R	5.0	42.83	113.87	100.000	.384202976E+11	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	9
50-59	6
60-69	3
70-79	3
GREATER THAN 80	6

0MEAN VALUE OF BEST FITTING LIVES IS 63.09 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 380.00 SERVICES
NO. OF BALANCES 20 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1881

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	103.55	87.15	63.294	.741589522E+11	26.	30.370
L	0.5	86.81	90.02	74.930	.695151362E+11	22.	36.808
L	1.0	72.93	93.66	87.040	.642142266E+11	19.	54.075
L	1.5	65.08	99.61	94.135	.567738931E+11	17.	61.204
L	2.0	57.96	109.00	98.542	.474069492E+11	14.	75.805
L	3.0	50.47	133.32	100.000	.316911550E+11	9.	100.000 *
L	4.0	46.21	169.51	100.000	.196034754E+11	7.	100.000 *
L	5.0	44.04	204.38	100.000	.134856804E+11	4.	100.000 *
SC		130.34	86.82	45.841	.747228609E+11	27.	45.841
S	-.5	96.86	88.09	63.860	.725924917E+11	24.	61.690
S	0.0	74.07	90.17	88.512	.692830400E+11	21.	80.671
S	0.5	65.74	95.00	97.963	.624116164E+11	18.	90.883
S	1.0	58.61	102.04	100.000	.541022782E+11	15.	100.000 *
S	1.5	54.79	111.67	100.000	.451706935E+11	12.	100.000 *
S	2.0	51.11	124.87	100.000	.361238207E+11	11.	100.000 *
S	3.0	47.13	158.46	100.000	.224331552E+11	8.	100.000 *
S	4.0	44.38	201.55	100.000	.138664333E+11	5.	100.000 *
S	5.0	43.27	219.19	100.000	.117240890E+11	2.	100.000 *
S	6.0	42.69	223.05	100.000	.113220794E+11	1.	100.000 *
R	0.5	105.90	87.42	56.656	.736985573E+11	25.	56.138
R	1.0	85.28	89.12	77.784	.709272930E+11	23.	69.717
R	1.5	72.66	93.03	95.246	.650913366E+11	20.	81.823
R	2.0	62.59	100.92	100.000	.553040459E+11	16.	100.000 *
R	2.5	56.74	111.13	100.000	.456120921E+11	13.	100.000 *
R	3.0	51.57	128.46	100.000	.341338426E+11	10.	100.000 *
R	4.0	46.60	177.92	100.000	.177933438E+11	6.	100.000 *
R	5.0	43.75	215.85	100.000	.120899679E+11	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	8
50-59	7
60-69	3
70-79	3
GREATER THAN 80	6

0MEAN VALUE OF BEST FITTING LIVES IS 65.23 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 380.00 SERVICES
NO. OF BALANCES 10 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1881

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	109.48	186.51	60.090	.139522240E+11	24.	28.724
L	0.5	91.12	189.59	71.881	.135028761E+11	22.	35.066
L	1.0	75.91	191.22	84.766	.132734239E+11	21.	51.956
L	1.5	67.46	200.47	92.694	.120765498E+11	17.	59.051
L	2.0	59.69	212.30	97.985	.107682507E+11	14.	73.601
L	3.0	51.70	238.94	99.999	.850149201E+10	10.	99.626
L	4.0	46.90	277.21	100.000	.631580881E+10	7.	100.000 *
L	5.0	44.54	316.42	100.000	.484764909E+10	3.	100.000 *
SC		140.00	182.50	42.678	.145731611E+11	27.	42.678
S	-.5	102.66	185.51	59.768	.141032934E+11	25.	58.204
S	0.0	77.46	191.28	84.887	.132647377E+11	20.	77.135
S	0.5	68.37	197.21	96.213	.124802399E+11	18.	87.397
S	1.0	60.56	203.88	99.995	.116759622E+11	16.	99.150
S	1.5	56.41	216.97	100.000	.103096552E+11	13.	100.000 *
S	2.0	52.38	230.36	100.000	.914650403E+10	11.	100.000 *
S	3.0	47.98	271.57	100.000	.658123721E+10	8.	100.000 *
S	4.0	45.06	306.93	100.000	.515212408E+10	4.	100.000 *
S	5.0	43.67	321.07	100.000	.470829339E+10	2.	100.000 *
S	6.0	43.09	372.39	100.000	.349991243E+10	1.	100.000 *
R	0.5	113.23	183.59	52.014	.143992518E+11	26.	52.504
R	1.0	90.49	186.77	71.835	.139133198E+11	23.	65.701
R	1.5	76.30	193.76	92.034	.129275961E+11	19.	77.919
R	2.0	65.14	207.49	99.997	.112738673E+11	15.	99.157
R	2.5	58.81	225.26	100.000	.956550747E+10	12.	100.000 *
R	3.0	53.12	252.65	100.000	.760339119E+10	9.	100.000 *
R	4.0	47.38	292.54	100.000	.567119161E+10	6.	100.000 *
R	5.0	44.15	296.13	100.000	.553456591E+10	5.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	8
50-59	5
60-69	5
70-79	3
GREATER THAN 80	6

0MEAN VALUE OF BEST FITTING LIVES IS 67.89 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 380.00 SERVICES
NO. OF BALANCES 5 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1881

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	114.50	310.92	57.559	.360905656E+10	23.	27.466
L	0.5	94.97	315.02	69.245	.351564472E+10	22.	33.644
L	1.0	78.65	318.04	82.637	.344914092E+10	20.	50.147
L	1.5	69.47	330.42	91.387	.319553660E+10	17.	57.341
L	2.0	61.20	345.46	97.420	.292340418E+10	14.	71.785
L	3.0	52.75	372.43	99.997	.251527303E+10	10.	97.641
L	4.0	47.66	411.65	100.000	.205887316E+10	7.	100.000 *
L	5.0	45.19	466.81	100.000	.160105579E+10	3.	100.000 *
SC		148.44	298.39	40.251	.391845014E+10	27.	40.251
S	-.5	107.80	305.25	56.472	.374427977E+10	25.	55.425
S	0.0	80.24	320.12	81.941	.340449754E+10	19.	74.463
S	0.5	70.54	327.70	94.490	.324877707E+10	18.	84.701
S	1.0	62.22	336.50	99.917	.308122852E+10	15.	96.513
S	1.5	57.80	350.61	100.000	.283811150E+10	13.	100.000 *
S	2.0	53.51	362.84	100.000	.265005693E+10	11.	100.000 *
S	3.0	48.80	404.47	100.000	.213255351E+10	8.	100.000 *
S	4.0	45.69	442.98	100.000	.177796348E+10	4.	100.000 *
S	5.0	44.29	472.54	100.000	.156241653E+10	2.	100.000 *
S	6.0	43.77	591.32	100.000	.997784844E+09	1.	100.000 *
R	0.5	119.61	300.32	48.493	.386814215E+10	26.	49.704
R	1.0	94.86	305.49	67.159	.373830448E+10	24.	62.671
R	1.5	79.33	315.22	88.920	.351116649E+10	21.	74.943
R	2.0	67.22	334.63	99.880	.311568230E+10	16.	96.090
R	2.5	60.42	357.69	100.000	.272692868E+10	12.	100.000 *
R	3.0	54.30	391.64	100.000	.227456262E+10	9.	100.000 *
R	4.0	48.11	426.73	100.000	.191593696E+10	6.	100.000 *
R	5.0	44.79	436.91	100.000	.182770541E+10	5.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	8
50-59	4
60-69	5
70-79	3
GREATER THAN 80	7

0MEAN VALUE OF BEST FITTING LIVES IS 70.23 YEARS

FGE Gas
PROPERTY CLASSIFICATION - GAS
ACCOUNT 381.00 METERS
NO. OF BALANCES 30 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	48.46	33.54	98.062	.256952758E+11	26.	65.433
L	0.5	45.16	37.36	99.450	.207163845E+11	23.	71.340
L	1.0	42.19	40.95	99.989	.172356830E+11	14.	94.256
L	1.5	40.18	43.16	100.000	.155189585E+11	7.	99.955
L	2.0	38.28	43.13	100.000	.155373641E+11	8.	100.000 *
L	3.0	35.96	40.98	100.000	.172146753E+11	13.	100.000 *
L	4.0	34.40	39.46	100.000	.185676263E+11	20.	100.000 *
L	5.0	33.73	39.83	100.000	.182239113E+11	18.	100.000 *
SC		49.67	30.06	100.000	.320017207E+11	27.	100.000 *
S	-.5	45.57	35.07	100.000	.234983841E+11	24.	100.000 *
S	0.0	41.98	40.26	100.000	.178360792E+11	16.	100.000 *
S	0.5	40.14	43.24	100.000	.154633525E+11	6.	100.000 *
S	1.0	38.34	43.46	100.000	.153047404E+11	5.	100.000 *
S	1.5	37.20	42.37	100.000	.160999402E+11	9.	100.000 *
S	2.0	36.02	40.34	100.000	.177674164E+11	15.	100.000 *
S	3.0	34.64	38.56	100.000	.194422213E+11	22.	100.000 *
S	4.0	33.77	39.02	100.000	.189851514E+11	21.	100.000 *
S	5.0	33.36	41.18	100.000	.170469793E+11	11.	100.000 *
S	6.0	33.37	43.47	100.000	.152993324E+11	4.	100.000 *
R	0.5	46.31	34.06	100.000	.249199327E+11	25.	100.000 *
R	1.0	43.33	39.59	100.000	.184392199E+11	19.	100.000 *
R	1.5	41.14	44.21	100.000	.147900547E+11	2.	100.000 *
R	2.0	39.04	45.20	100.000	.141464183E+11	1.	100.000 *
R	2.5	37.52	43.48	100.000	.152917402E+11	3.	100.000 *
R	3.0	35.96	40.99	100.000	.172010064E+11	12.	100.000 *
R	4.0	34.27	40.25	100.000	.178399730E+11	17.	100.000 *
R	5.0	33.52	41.54	100.000	.167533686E+11	10.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	16
40-49	10
50-59	1
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 39.02 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 381.00 METERS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 20 BAL. INTERVAL 1 ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	49.21	38.96	97.804	.209332188E+11	26.	64.436
L	0.5	45.64	41.90	99.381	.180940432E+11	23.	70.599
L	1.0	42.42	44.29	99.987	.161962002E+11	21.	93.748
L	1.5	40.23	45.94	100.000	.150515480E+11	15.	99.851
L	2.0	38.13	46.14	100.000	.149249419E+11	12.	100.000 *
L	3.0	35.60	45.50	100.000	.153476094E+11	18.	100.000 *
L	4.0	33.92	45.78	100.000	.151599437E+11	16.	100.000 *
L	5.0	33.30	46.68	100.000	.145796889E+11	8.	100.000 *
SC		50.73	37.49	100.000	.226064529E+11	27.	100.000 *
S	-.5	46.25	41.28	100.000	.186393094E+11	24.	100.000 *
S	0.0	42.29	44.24	100.000	.162327473E+11	22.	100.000 *
S	0.5	40.24	46.26	100.000	.148469362E+11	11.	100.000 *
S	1.0	38.21	46.42	100.000	.147429868E+11	10.	100.000 *
S	1.5	36.92	46.10	100.000	.149455197E+11	13.	100.000 *
S	2.0	35.60	45.28	100.000	.154914592E+11	19.	100.000 *
S	3.0	34.13	45.00	100.000	.156895217E+11	20.	100.000 *
S	4.0	33.31	46.07	100.000	.149670876E+11	14.	100.000 *
S	5.0	33.13	48.51	100.000	.135003473E+11	3.	100.000 *
S	6.0	33.15	51.01	100.000	.122113466E+11	1.	100.000 *
R	0.5	47.17	41.17	100.000	.187455607E+11	25.	100.000 *
R	1.0	43.89	45.57	100.000	.152988444E+11	17.	100.000 *
R	1.5	41.41	48.29	100.000	.136216867E+11	4.	100.000 *
R	2.0	38.98	48.21	100.000	.136679603E+11	5.	100.000 *
R	2.5	37.23	47.27	100.000	.142153178E+11	7.	100.000 *
R	3.0	35.51	46.57	100.000	.146497372E+11	9.	100.000 *
R	4.0	33.79	48.13	100.000	.137147235E+11	6.	100.000 *
R	5.0	33.12	49.63	100.000	.128962945E+11	2.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	16
40-49	10
50-59	1
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 39.02 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 381.00 METERS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 10 BAL. INTERVAL 1 ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	50.10	40.01	97.473	.170121972E+11	26.	63.289
L	0.5	46.11	42.46	99.307	.151058577E+11	24.	69.881
L	1.0	42.50	45.17	99.986	.133474717E+11	21.	93.573
L	1.5	40.00	48.44	100.000	.116061880E+11	19.	100.000 *
L	2.0	37.62	52.04	100.000	.100540949E+11	16.	100.000 *
L	3.0	34.69	60.71	100.000	.738806143E+10	9.	100.000 *
L	4.0	32.72	71.97	100.000	.525756724E+10	7.	100.000 *
L	5.0	31.81	84.92	100.000	.377627445E+10	4.	100.000 *
SC		52.19	39.94	100.000	.170706602E+11	27.	100.000 *
S	-.5	47.02	42.27	100.000	.152437545E+11	25.	100.000 *
S	0.0	42.43	44.88	100.000	.135180394E+11	22.	100.000 *
S	0.5	40.04	48.46	100.000	.115976331E+11	18.	100.000 *
S	1.0	37.68	52.05	100.000	.100510122E+11	15.	100.000 *
S	1.5	36.27	55.28	100.000	.891185858E+10	13.	100.000 *
S	2.0	34.82	58.87	100.000	.785688279E+10	11.	100.000 *
S	3.0	33.17	66.09	100.000	.623378260E+10	8.	100.000 *
S	4.0	32.01	78.99	100.000	.436469625E+10	5.	100.000 *
S	5.0	31.44	96.67	100.000	.291409527E+10	2.	100.000 *
S	6.0	31.07	111.74	100.000	.218105414E+10	1.	100.000 *
R	0.5	48.07	42.50	100.000	.150731635E+11	23.	100.000 *
R	1.0	44.27	46.22	100.000	.127471666E+11	20.	100.000 *
R	1.5	41.37	50.15	100.000	.108273656E+11	17.	100.000 *
R	2.0	38.56	53.68	100.000	.945080437E+10	14.	100.000 *
R	2.5	36.62	56.19	100.000	.862575633E+10	12.	100.000 *
R	3.0	34.81	59.77	100.000	.762295633E+10	10.	100.000 *
R	4.0	32.84	72.68	100.000	.515506188E+10	6.	100.000 *
R	5.0	31.58	96.66	100.000	.291424489E+10	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	16
40-49	9
50-59	2
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 38.59 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 381.00 METERS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 5 BAL. INTERVAL 1 ADDS/SURV TO 1880

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	53.92	86.83	95.800	.207885245E+10	27.	58.808
L	0.5	49.28	90.07	98.644	.193187824E+10	25.	65.385
L	1.0	45.14	92.96	99.911	.181371826E+10	23.	88.102
L	1.5	42.37	97.85	99.993	.163672808E+10	20.	94.796
L	2.0	39.67	102.74	100.000	.148471201E+10	17.	100.000 *
L	3.0	36.25	115.62	100.000	.117234382E+10	10.	100.000 *
L	4.0	34.08	131.02	100.000	.912987676E+09	7.	100.000 *
L	5.0	32.82	144.45	100.000	.751138702E+09	4.	100.000 *
SC		56.40	89.98	100.000	.193586106E+10	26.	100.000 *
S	-.5	50.34	91.79	100.000	.186032285E+10	24.	100.000 *
S	0.0	45.24	93.01	100.000	.181149125E+10	22.	100.000 *
S	0.5	42.50	98.38	100.000	.161927745E+10	19.	100.000 *
S	1.0	39.82	102.99	100.000	.147753447E+10	16.	100.000 *
S	1.5	38.11	108.19	100.000	.133898190E+10	14.	100.000 *
S	2.0	36.46	113.45	100.000	.121757169E+10	11.	100.000 *
S	3.0	34.61	123.89	100.000	.102111178E+10	8.	100.000 *
S	4.0	33.24	139.05	100.000	.810594855E+09	5.	100.000 *
S	5.0	32.28	153.76	100.000	.662860019E+09	3.	100.000 *
S	6.0	31.57	160.30	100.000	.609885560E+09	1.	100.000 *
R	0.5	51.63	93.76	100.000	.178263398E+10	21.	100.000 *
R	1.0	47.30	98.83	100.000	.160465739E+10	18.	100.000 *
R	1.5	44.00	104.66	100.000	.143088489E+10	15.	100.000 *
R	2.0	40.76	109.19	100.000	.131453616E+10	13.	100.000 *
R	2.5	38.55	112.10	100.000	.124709591E+10	12.	100.000 *
R	3.0	36.54	116.01	100.000	.116447225E+10	9.	100.000 *
R	4.0	34.38	133.03	100.000	.885615679E+09	6.	100.000 *
R	5.0	32.62	156.93	100.000	.636412612E+09	2.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	13
40-49	10
50-59	4
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 40.74 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 382.00 METER INSTALLATIONS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 30 BAL. INTERVAL 1 ADDS/SURV TO 1902

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	122.91	77.02	43.781	.268020050E+10	27.	21.089
L	0.5	97.50	78.35	55.392	.259048714E+10	25.	27.014
L	1.0	75.46	80.57	72.682	.244929288E+10	18.	43.080
L	1.5	64.33	83.09	85.220	.230322608E+10	15.	51.037
L	2.0	54.22	88.84	95.285	.201446669E+10	13.	66.793
L	3.0	44.85	105.69	99.981	.142359720E+10	9.	94.669
L	4.0	39.50	129.46	100.000	.948794526E+09	6.	100.000 *
L	5.0	36.82	150.53	100.000	.701739344E+09	4.	100.000 *
SC		182.54	78.90	26.980	.255412037E+10	23.	26.980
S	-.5	121.43	78.63	38.773	.257171270E+10	24.	40.558
S	0.0	79.59	77.19	66.282	.266850481E+10	26.	61.879
S	0.5	66.83	79.30	84.262	.252854366E+10	20.	73.690
S	1.0	56.03	82.77	98.263	.232105479E+10	16.	88.346
S	1.5	50.75	88.85	99.982	.201414226E+10	12.	97.529
S	2.0	45.89	98.43	100.000	.164132213E+10	10.	100.000 *
S	3.0	40.69	121.34	100.000	.108003109E+10	8.	100.000 *
S	4.0	37.30	147.10	100.000	.734808091E+09	5.	100.000 *
S	5.0	35.79	157.28	100.000	.642767835E+09	2.	100.000 *
S	6.0	35.14	157.96	100.000	.637232587E+09	1.	100.000 *
R	0.5	143.07	78.94	30.582	.255138842E+10	22.	34.252
R	1.0	106.94	79.04	41.410	.254505490E+10	21.	45.824
R	1.5	83.31	79.71	63.354	.250282735E+10	19.	58.825
R	2.0	64.54	82.03	93.972	.236288203E+10	17.	82.492
R	2.5	55.08	87.02	99.961	.210002608E+10	14.	96.664
R	3.0	47.18	98.19	100.000	.164914596E+10	11.	100.000 *
R	4.0	40.19	127.62	100.000	.976263480E+09	7.	100.000 *
R	5.0	36.37	153.31	100.000	.676521102E+09	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	6
40-49	5
50-59	4
60-69	3
70-79	1
GREATER THAN 80	8

0MEAN VALUE OF BEST FITTING LIVES IS 69.05 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 382.00 METER INSTALLATIONS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 20 BAL. INTERVAL 1 ADDS/SURV TO 1902

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	124.84	102.67	43.042	.186181614E+10	26.	20.763
L	0.5	99.04	103.78	54.434	.182190663E+10	24.	26.592
L	1.0	76.42	104.75	71.814	.178845218E+10	23.	42.538
L	1.5	65.09	106.70	84.522	.172372257E+10	20.	50.441
L	2.0	54.72	111.29	94.960	.158441369E+10	14.	66.182
L	3.0	45.14	127.74	99.974	.120256617E+10	9.	94.057
L	4.0	39.65	150.79	100.000	.863114137E+09	7.	100.000 *
L	5.0	36.88	170.89	100.000	.672003456E+09	4.	100.000 *
SC		186.75	107.79	26.372	.168891473E+10	16.	26.372
S	-.5	123.73	106.26	37.888	.173795272E+10	21.	39.804
S	0.0	80.67	101.19	65.175	.191665442E+10	27.	61.050
S	0.5	67.68	102.84	83.196	.185546241E+10	25.	72.771
S	1.0	56.59	104.97	97.911	.178094256E+10	22.	87.467
S	1.5	51.24	111.44	99.959	.158028623E+10	13.	96.601
S	2.0	46.24	120.70	100.000	.134702391E+10	11.	100.000 *
S	3.0	40.90	143.62	100.000	.951347989E+09	8.	100.000 *
S	4.0	37.38	168.09	100.000	.694524307E+09	5.	100.000 *
S	5.0	35.81	177.54	100.000	.622588323E+09	2.	100.000 *
S	6.0	35.14	178.17	100.000	.618213056E+09	1.	100.000 *
R	0.5	146.04	107.64	29.845	.169373456E+10	17.	33.555
R	1.0	109.13	107.23	40.122	.170654006E+10	19.	44.904
R	1.5	84.86	107.38	61.333	.170179531E+10	18.	57.749
R	2.0	65.54	108.67	92.817	.166176339E+10	15.	81.234
R	2.5	55.87	113.37	99.902	.152682162E+10	12.	95.294
R	3.0	47.71	123.66	100.000	.128332788E+10	10.	100.000 *
R	4.0	40.40	151.38	100.000	.856379659E+09	6.	100.000 *
R	5.0	36.56	173.90	100.000	.648934541E+09	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	5
40-49	6
50-59	4
60-69	3
70-79	1
GREATER THAN 80	8

0MEAN VALUE OF BEST FITTING LIVES IS 70.00 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 382.00 METER INSTALLATIONS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 10 BAL. INTERVAL 1 ADDS/SURV TO 1902

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	133.40	327.03	39.994	.164910094E+09	9.	19.431
L	0.5	105.16	325.84	50.852	.166112778E+09	10.	25.045
L	1.0	80.37	318.75	68.327	.173590954E+09	13.	40.447
L	1.5	68.01	317.22	81.819	.175267129E+09	16.	48.280
L	2.0	56.71	313.01	93.572	.180015740E+09	22.	63.855
L	3.0	46.37	314.71	99.927	.178066566E+09	20.	91.553
L	4.0	40.46	316.31	100.000	.176270172E+09	17.	100.000 *
L	5.0	37.49	315.87	100.000	.176763148E+09	18.	100.000 *
SC		203.54	334.10	24.197	.158004185E+09	1.	24.197
S	-.5	133.33	331.80	34.545	.160197949E+09	4.	36.939
S	0.0	85.34	320.39	60.653	.171810178E+09	12.	57.708
S	0.5	70.98	317.41	79.016	.175049559E+09	15.	69.386
S	1.0	59.00	308.59	96.070	.185207810E+09	26.	83.890
S	1.5	53.27	312.21	99.737	.180928375E+09	23.	92.920
S	2.0	47.65	310.16	100.000	.183333477E+09	25.	100.000 *
S	3.0	41.84	314.57	100.000	.178231030E+09	21.	100.000 *
S	4.0	38.00	314.85	100.000	.177907447E+09	19.	100.000 *
S	5.0	36.38	312.04	100.000	.181126732E+09	24.	100.000 *
S	6.0	35.72	305.27	100.000	.189258312E+09	27.	100.000 *
R	0.5	158.99	333.76	27.016	.158326977E+09	2.	30.823
R	1.0	117.82	332.83	35.653	.159205655E+09	3.	41.593
R	1.5	90.84	331.77	54.189	.160229590E+09	5.	53.946
R	2.0	69.38	329.28	87.694	.162665594E+09	7.	76.737
R	2.5	58.63	329.43	99.429	.162508233E+09	6.	90.817
R	3.0	49.62	328.43	100.000	.163504603E+09	8.	100.000 *
R	4.0	41.33	321.10	100.000	.171059286E+09	11.	100.000 *
R	5.0	37.12	317.64	100.000	.174801822E+09	14.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	5
40-49	5
50-59	5
60-69	2
70-79	1
GREATER THAN 80	9

0MEAN VALUE OF BEST FITTING LIVES IS 73.95 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 383.00 HOUSE REGULATORS LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 29 BAL. INTERVAL 1 ADDS/SURV TO 1940

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	217.99	62.51	11.766	.139321298E+08	7.	7.303
L	0.5	168.59	61.34	12.989	.144690256E+08	8.	9.595
L	1.0	125.70	56.82	16.983	.168630852E+08	11.	15.885
L	1.5	104.47	53.86	19.774	.187670384E+08	13.	19.304
L	2.0	85.73	48.40	27.028	.232375583E+08	17.	25.944
L	3.0	68.27	43.48	41.055	.288034010E+08	19.	38.195
L	4.0	58.90	40.07	59.188	.339162497E+08	22.	50.354
L	5.0	54.96	36.60	76.881	.406474047E+08	25.	60.484
SC		335.63	71.66	9.013	.106006887E+08	1.	9.013
S	-.5	217.71	68.00	10.268	.117729077E+08	4.	13.895
S	0.0	136.44	57.58	14.376	.164226982E+08	10.	22.171
S	0.5	111.17	55.24	16.782	.178388993E+08	12.	27.210
S	1.0	89.77	50.15	22.264	.216454746E+08	15.	33.868
S	1.5	79.33	48.45	26.394	.231955284E+08	16.	38.325
S	2.0	69.88	45.07	34.357	.268023659E+08	18.	44.396
S	3.0	60.73	41.35	49.412	.318426292E+08	21.	53.850
S	4.0	55.70	37.57	68.546	.385646826E+08	23.	65.429
S	5.0	53.56	35.14	86.133	.440888914E+08	26.	76.322
S	6.0	52.32	33.89	98.118	.474067177E+08	27.	87.595
R	0.5	261.07	71.09	9.248	.107713708E+08	2.	11.529
R	1.0	192.18	69.57	9.849	.112474014E+08	3.	15.662
R	1.5	145.26	67.65	10.835	.118944892E+08	5.	20.721
R	2.0	106.31	62.72	13.853	.138410564E+08	6.	30.760
R	2.5	86.11	58.27	17.915	.160316316E+08	9.	37.979
R	3.0	71.00	50.81	26.911	.210903559E+08	14.	50.720
R	4.0	59.10	42.75	49.559	.297852174E+08	20.	67.799
R	5.0	54.02	36.72	81.466	.403720649E+08	24.	81.751

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	0
40-49	0
50-59	7
60-69	2
70-79	3
GREATER THAN 80	15

0MEAN VALUE OF BEST FITTING LIVES IS115.63 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 386.00 OTHER PROPERTY ON CUST. PREM LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 30 BAL. INTERVAL 1 ADDS/SURV TO 1936

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	8.82	17.04	100.000	.261241113E+12	4.	100.000 *
L	0.5	8.76	19.64	100.000	.196643578E+12	2.	100.000 *
L	1.0	8.70	20.05	100.000	.188764492E+12	1.	100.000 *
L	1.5	8.66	18.81	100.000	.214493402E+12	3.	100.000 *
L	2.0	8.62	16.11	100.000	.292362910E+12	5.	100.000 *
L	3.0	8.52	11.30	100.000	.594443234E+12	16.	100.000 *
L	4.0	8.44	8.42	100.000	.106961131E+13	21.	100.000 *
L	5.0	8.37	7.15	100.000	.148435975E+13	24.	100.000 *
SC		8.67	12.60	100.000	.477826408E+12	13.	100.000 *
S	-.5	8.63	14.51	100.000	.360578018E+12	7.	100.000 *
S	0.0	8.61	15.14	100.000	.331181325E+12	6.	100.000 *
S	0.5	8.58	14.51	100.000	.360599581E+12	8.	100.000 *
S	1.0	8.56	13.18	100.000	.437128927E+12	11.	100.000 *
S	1.5	8.54	11.85	100.000	.540294018E+12	14.	100.000 *
S	2.0	8.48	10.56	100.000	.680281963E+12	17.	100.000 *
S	3.0	8.44	8.78	100.000	.985089457E+12	20.	100.000 *
S	4.0	8.38	7.38	100.000	.139169754E+13	23.	100.000 *
S	5.0	8.42	6.58	100.000	.175395478E+13	26.	100.000 *
S	6.0	8.33	6.13	100.000	.202219298E+13	27.	100.000 *
R	0.5	8.61	13.92	100.000	.391805250E+12	9.	100.000 *
R	1.0	8.58	13.57	100.000	.412359810E+12	10.	100.000 *
R	1.5	8.56	12.79	100.000	.464184503E+12	12.	100.000 *
R	2.0	8.53	11.44	100.000	.579894223E+12	15.	100.000 *
R	2.5	8.51	10.32	100.000	.712590435E+12	18.	100.000 *
R	3.0	8.44	9.21	100.000	.894311134E+12	19.	100.000 *
R	4.0	8.40	7.83	100.000	.123915739E+13	22.	100.000 *
R	5.0	8.43	6.77	100.000	.165436635E+13	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	27
10-19	0
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 8.54 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 386.00 OTHER PROPERTY ON CUST. PREM LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 20 BAL. INTERVAL 1 ADDS/SURV TO 1936

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	8.80	20.50	100.000	.202315622E+12	4.	100.000 *
L	0.5	8.74	23.51	100.000	.153851444E+12	1.	100.000 *
L	1.0	8.68	23.11	100.000	.159135366E+12	2.	100.000 *
L	1.5	8.64	20.91	100.000	.194501358E+12	3.	100.000 *
L	2.0	8.60	17.43	100.000	.279815435E+12	5.	100.000 *
L	3.0	8.52	12.01	100.000	.589290425E+12	16.	100.000 *
L	4.0	8.44	8.93	100.000	.106491867E+13	21.	100.000 *
L	5.0	8.38	7.59	100.000	.147719984E+13	24.	100.000 *
SC		8.63	14.39	100.000	.410362685E+12	11.	100.000 *
S	-.5	8.61	16.38	100.000	.316989623E+12	7.	100.000 *
S	0.0	8.60	16.70	100.000	.304753194E+12	6.	100.000 *
S	0.5	8.56	15.76	100.000	.342331420E+12	8.	100.000 *
S	1.0	8.53	14.14	100.000	.425118777E+12	12.	100.000 *
S	1.5	8.51	12.64	100.000	.531883931E+12	14.	100.000 *
S	2.0	8.48	11.23	100.000	.674538860E+12	17.	100.000 *
S	3.0	8.44	9.31	100.000	.980497298E+12	20.	100.000 *
S	4.0	8.39	7.83	100.000	.138521725E+13	23.	100.000 *
S	5.0	8.43	6.98	100.000	.174422302E+13	26.	100.000 *
S	6.0	8.33	6.50	100.000	.201038550E+13	27.	100.000 *
R	0.5	8.60	15.66	100.000	.346602780E+12	9.	100.000 *
R	1.0	8.57	14.89	100.000	.383550794E+12	10.	100.000 *
R	1.5	8.55	13.82	100.000	.445159353E+12	13.	100.000 *
R	2.0	8.49	12.24	100.000	.567596688E+12	15.	100.000 *
R	2.5	8.50	10.99	100.000	.704038568E+12	18.	100.000 *
R	3.0	8.44	9.78	100.000	.887929261E+12	19.	100.000 *
R	4.0	8.40	8.30	100.000	.123284854E+13	22.	100.000 *
R	5.0	8.44	7.19	100.000	.164534899E+13	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	27
10-19	0
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 8.53 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 386.00 OTHER PROPERTY ON CUST. PREM LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 10 BAL. INTERVAL 1 ADDS/SURV TO 1936

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	8.75	19.45	100.000	.933993455E+11	16.	100.000 *
L	0.5	8.78	19.17	100.000	.961514145E+11	17.	100.000 *
L	1.0	8.82	18.75	100.000	.100460774E+12	18.	100.000 *
L	1.5	8.88	20.44	100.000	.845772653E+11	15.	100.000 *
L	2.0	8.94	22.24	100.000	.714211967E+11	12.	100.000 *
L	3.0	9.07	27.84	100.000	.455717311E+11	9.	100.000 *
L	4.0	9.24	34.82	100.000	.291378765E+11	6.	100.000 *
L	5.0	9.37	40.65	100.000	.213782272E+11	4.	100.000 *
SC		8.70	11.84	100.000	.252162727E+12	27.	100.000 *
S	-.5	8.77	13.22	100.000	.202076640E+12	26.	100.000 *
S	0.0	8.83	14.69	100.000	.163803009E+12	23.	100.000 *
S	0.5	8.90	16.40	100.000	.131419674E+12	21.	100.000 *
S	1.0	8.97	18.19	100.000	.106771356E+12	19.	100.000 *
S	1.5	9.03	20.63	100.000	.829960132E+11	14.	100.000 *
S	2.0	9.10	23.15	100.000	.658968540E+11	11.	100.000 *
S	3.0	9.22	29.26	100.000	.412681221E+11	8.	100.000 *
S	4.0	9.35	37.41	100.000	.252430328E+11	5.	100.000 *
S	5.0	9.45	43.78	100.000	.184330723E+11	3.	100.000 *
S	6.0	9.51	46.01	100.000	.166927840E+11	1.	100.000 *
R	0.5	8.78	13.27	100.000	.200490018E+12	25.	100.000 *
R	1.0	8.85	14.43	100.000	.169697324E+12	24.	100.000 *
R	1.5	8.94	16.32	100.000	.132570175E+12	22.	100.000 *
R	2.0	9.02	18.14	100.000	.107332503E+12	20.	100.000 *
R	2.5	9.10	21.25	100.000	.782355387E+11	13.	100.000 *
R	3.0	9.19	24.45	100.000	.590971408E+11	10.	100.000 *
R	4.0	9.32	33.00	100.000	.324522556E+11	7.	100.000 *
R	5.0	9.44	43.98	100.000	.182649764E+11	2.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	26
10-19	1
20-29	0
30-39	0
40-49	0
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 9.05 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 391.00 OFFICE FURNITURE & EQUIP. LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 30 BAL. INTERVAL 1 ADDS/SURV TO 1950

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	36.88	7.03	73.268	.835343784E+09	17.	36.034
L	0.5	32.14	7.01	82.834	.839409331E+09	19.	42.010
L	1.0	28.52	6.97	91.003	.850809810E+09	24.	58.436
L	1.5	25.82	7.00	96.254	.842998890E+09	20.	65.199
L	2.0	23.40	7.08	99.186	.822551399E+09	14.	79.343
L	3.0	20.38	7.41	100.000	.752521758E+09	9.	100.000 *
L	4.0	18.05	7.82	100.000	.674635928E+09	6.	100.000 *
L	5.0	16.51	8.47	100.000	.575479098E+09	4.	100.000 *
SC		40.16	7.20	62.868	.796011361E+09	10.	62.868
S	-.5	33.14	7.10	80.019	.819281994E+09	13.	76.182
S	0.0	28.29	6.93	95.683	.859304923E+09	25.	89.240
S	0.5	25.82	6.91	99.848	.863328927E+09	26.	97.783
S	1.0	23.78	6.90	100.000	.866928200E+09	27.	100.000 *
S	1.5	22.31	6.98	100.000	.847325783E+09	22.	100.000 *
S	2.0	20.97	7.10	100.000	.818930796E+09	12.	100.000 *
S	3.0	18.92	7.52	100.000	.730462589E+09	8.	100.000 *
S	4.0	17.14	8.24	100.000	.608282516E+09	5.	100.000 *
S	5.0	15.90	8.84	100.000	.528635266E+09	2.	100.000 *
S	6.0	15.14	9.20	100.000	.488010418E+09	1.	100.000 *
R	0.5	34.18	7.16	78.436	.806113144E+09	11.	73.507
R	1.0	29.44	7.08	95.243	.822629585E+09	15.	85.341
R	1.5	26.40	7.03	99.763	.836312635E+09	18.	95.182
R	2.0	23.92	6.98	100.000	.848063434E+09	23.	100.000 *
R	2.5	22.22	6.98	100.000	.846810087E+09	21.	100.000 *
R	3.0	20.52	7.06	100.000	.827883810E+09	16.	100.000 *
R	4.0	17.93	7.58	100.000	.719143076E+09	7.	100.000 *
R	5.0	16.41	8.51	100.000	.570082772E+09	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	8
20-29	14
30-39	4
40-49	1
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 24.23 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - GAS DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 391.00 OFFICE FURNITURE & EQUIP. LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 26 BAL. INTERVAL 1 ADDS/SURV TO 1950

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	36.88	7.31	73.264	.835253820E+09	17.	36.031
L	0.5	32.14	7.29	82.829	.839299193E+09	19.	42.006
L	1.0	28.52	7.24	90.998	.850656709E+09	24.	58.429
L	1.5	25.82	7.28	96.251	.842813583E+09	20.	65.191
L	2.0	23.40	7.37	99.184	.822319693E+09	14.	79.333
L	3.0	20.38	7.70	100.000	.752281712E+09	9.	100.000 *
L	4.0	18.05	8.13	100.000	.674441484E+09	6.	100.000 *
L	5.0	16.51	8.81	100.000	.575360118E+09	4.	100.000 *
SC		40.16	7.49	62.870	.795931477E+09	10.	62.870
S	-.5	33.15	7.38	80.015	.819199845E+09	13.	76.178
S	0.0	28.30	7.21	95.676	.859165509E+09	25.	89.230
S	0.5	25.83	7.19	99.847	.863149477E+09	26.	97.771
S	1.0	23.78	7.17	100.000	.866690782E+09	27.	100.000 *
S	1.5	22.32	7.26	100.000	.847061494E+09	22.	100.000 *
S	2.0	20.97	7.38	100.000	.818642257E+09	12.	100.000 *
S	3.0	18.93	7.82	100.000	.730206854E+09	8.	100.000 *
S	4.0	17.14	8.56	100.000	.608123007E+09	5.	100.000 *
S	5.0	15.90	9.19	100.000	.528551320E+09	2.	100.000 *
S	6.0	15.14	9.56	100.000	.487961942E+09	1.	100.000 *
R	0.5	34.18	7.44	78.435	.806035113E+09	11.	73.506
R	1.0	29.44	7.36	95.240	.822540201E+09	15.	85.336
R	1.5	26.40	7.30	99.762	.836192160E+09	18.	95.175
R	2.0	23.93	7.25	100.000	.847883610E+09	23.	100.000 *
R	2.5	22.23	7.26	100.000	.846580705E+09	21.	100.000 *
R	3.0	20.52	7.34	100.000	.827622853E+09	16.	100.000 *
R	4.0	17.93	7.88	100.000	.718956788E+09	7.	100.000 *
R	5.0	16.41	8.85	100.000	.569974798E+09	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	8
20-29	14
30-39	4
40-49	1
50-59	0
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 24.24 YEARS

FGE Gas CO. NO. 1
PROPERTY CLASSIFICATION - ELECTRIC DATA IN DOLLARS AS OF 12/31/2000
ACCOUNT 394.00 TOOLS, SHOP & GARAGE EQUIP. LOCATION 0 TOTAL ACCOUNT
NO. OF BALANCES 30 BAL. INTERVAL 1 ADDS/SURV TO 1946

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	96.33	52.72	29.364	.150472494E+08	9.	14.888
L	0.5	79.43	52.99	34.406	.148995747E+08	8.	18.345
L	1.0	66.18	52.69	42.063	.150697015E+08	10.	27.178
L	1.5	58.04	52.33	50.233	.152723765E+08	12.	31.301
L	2.0	51.57	51.44	60.454	.158067452E+08	16.	38.853
L	3.0	44.69	50.03	76.776	.167147435E+08	19.	52.567
L	4.0	40.58	48.01	91.411	.181455729E+08	22.	65.842
L	5.0	38.60	45.77	98.442	.199649858E+08	24.	77.577
SC		125.70	55.41	21.678	.136238343E+08	1.	21.678
S	-.5	90.23	54.56	26.883	.140527072E+08	5.	30.202
S	0.0	66.62	51.77	37.461	.156054635E+08	14.	40.906
S	0.5	58.18	51.91	44.940	.155213779E+08	13.	46.838
S	1.0	51.64	51.39	55.011	.158400802E+08	17.	53.030
S	1.5	47.87	51.50	64.267	.157732858E+08	15.	57.209
S	2.0	44.80	50.84	74.341	.161829595E+08	18.	62.380
S	3.0	41.31	49.11	90.036	.173408070E+08	21.	71.318
S	4.0	38.91	46.55	99.108	.193068685E+08	23.	84.387
S	5.0	37.81	44.73	99.997	.209078182E+08	26.	97.390
S	6.0	37.22	43.76	100.000	.218414784E+08	27.	100.000 *
R	0.5	100.37	55.33	23.224	.136643464E+08	2.	27.014
R	1.0	78.09	55.11	27.267	.137727088E+08	3.	34.722
R	1.5	63.85	55.03	34.522	.138142320E+08	4.	42.463
R	2.0	53.21	54.52	48.485	.140742451E+08	6.	55.364
R	2.5	47.74	54.08	63.967	.143013900E+08	7.	61.714
R	3.0	43.60	52.48	81.637	.151899883E+08	11.	74.399
R	4.0	40.19	49.30	98.203	.172073722E+08	20.	89.801
R	5.0	38.19	45.56	100.000	.201500952E+08	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	5
40-49	8
50-59	5
60-69	3
70-79	2
GREATER THAN 80	4

0MEAN VALUE OF BEST FITTING LIVES IS 58.55 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - ELECTRIC DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 394.00 TOOLS, SHOP & GARAGE EQUIP. LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 26 BAL. INTERVAL 1 ADDS/SURV TO 1946

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	96.90	56.69	29.155	.136034798E+08	17.	14.800
L	0.5	79.82	57.32	34.178	.133087082E+08	14.	18.255
L	1.0	66.42	57.67	41.847	.131461337E+08	10.	27.079
L	1.5	58.21	57.71	50.009	.131280375E+08	9.	31.210
L	2.0	51.68	57.47	60.270	.132392296E+08	12.	38.769
L	3.0	44.75	56.69	76.664	.136040453E+08	18.	52.498
L	4.0	40.60	54.66	91.370	.146337164E+08	22.	65.802
L	5.0	38.61	52.03	98.436	.161508905E+08	24.	77.558
SC		126.71	59.16	21.506	.124921697E+08	4.	21.506
S	-.5	90.78	58.55	26.679	.127527219E+08	8.	30.019
S	0.0	66.92	56.10	37.208	.138924206E+08	19.	40.720
S	0.5	58.39	56.73	44.668	.135866721E+08	16.	46.668
S	1.0	51.79	56.88	54.743	.135158836E+08	15.	52.881
S	1.5	47.98	57.51	64.020	.132178803E+08	11.	57.084
S	2.0	44.88	57.41	74.138	.132665140E+08	13.	62.276
S	3.0	41.34	55.95	89.947	.139650020E+08	21.	71.255
S	4.0	38.92	53.02	99.103	.155551696E+08	23.	84.364
S	5.0	37.82	50.71	99.997	.170042104E+08	26.	97.380
S	6.0	37.22	49.40	100.000	.179136294E+08	27.	100.000 *
R	0.5	101.10	59.16	23.034	.124939747E+08	5.	26.819
R	1.0	78.59	59.12	27.020	.125082314E+08	6.	34.503
R	1.5	64.16	59.38	34.213	.124005564E+08	3.	42.258
R	2.0	53.38	59.53	48.154	.123374537E+08	2.	55.193
R	2.5	47.84	59.76	63.637	.122424882E+08	1.	61.577
R	3.0	43.67	58.85	81.422	.126224210E+08	7.	74.293
R	4.0	40.22	56.04	98.165	.139205735E+08	20.	89.734
R	5.0	38.20	51.72	100.000	.163453186E+08	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	5
40-49	8
50-59	5
60-69	3
70-79	1
GREATER THAN 80	5

0MEAN VALUE OF BEST FITTING LIVES IS 58.77 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - ELECTRIC DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 395.00 LABORATORY EQUIPMENT LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 30 BAL. INTERVAL 1 ADDS/SURV TO 1919

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	49.47	29.62	83.525	.133690589E+08	25.	43.353
L	0.5	43.61	30.67	91.446	.124676288E+08	23.	49.970
L	1.0	38.85	31.84	97.111	.115738265E+08	20.	69.227
L	1.5	35.59	33.48	99.249	.104669332E+08	17.	76.341
L	2.0	32.78	34.94	99.958	.961046784E+07	16.	91.408
L	3.0	29.29	38.34	100.000	.798119846E+07	10.	100.000 *
L	4.0	26.97	40.97	100.000	.698816343E+07	7.	100.000 *
L	5.0	25.60	43.98	100.000	.606499310E+07	4.	100.000 *
SC		54.80	28.33	74.365	.146182447E+08	27.	74.365
S	-.5	45.24	29.64	93.162	.133474945E+08	24.	90.083
S	0.0	38.44	31.65	100.000	.117132132E+08	21.	100.000 *
S	0.5	35.36	33.45	100.000	.104846424E+08	18.	100.000 *
S	1.0	32.73	35.21	100.000	.946302930E+07	15.	100.000 *
S	1.5	31.01	36.55	100.000	.878172057E+07	13.	100.000 *
S	2.0	29.48	37.55	100.000	.832030848E+07	11.	100.000 *
S	3.0	27.54	39.62	100.000	.747153164E+07	8.	100.000 *
S	4.0	25.93	43.30	100.000	.625530499E+07	5.	100.000 *
S	5.0	24.95	47.20	100.000	.526467252E+07	1.	100.000 *
S	6.0	24.62	46.98	100.000	.531348020E+07	2.	100.000 *
R	0.5	47.04	29.10	91.236	.138484050E+08	26.	86.203
R	1.0	40.78	30.78	99.993	.123830971E+08	22.	99.423
R	1.5	36.77	33.14	100.000	.106805229E+08	19.	100.000 *
R	2.0	33.27	35.65	100.000	.922952643E+07	14.	100.000 *
R	2.5	31.13	37.39	100.000	.839215190E+07	12.	100.000 *
R	3.0	29.10	39.02	100.000	.770429572E+07	9.	100.000 *
R	4.0	26.88	41.62	100.000	.677036853E+07	6.	100.000 *
R	5.0	25.29	44.92	100.000	.581442948E+07	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	11
30-39	10
40-49	5
50-59	1
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 34.17 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - ELECTRIC DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 395.00 LABORATORY EQUIPMENT LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 26 BAL. INTERVAL 1 ADDS/SURV TO 1919

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	49.51	31.09	83.485	.133316761E+08	25.	43.320
L	0.5	43.63	32.18	91.430	.124484966E+08	23.	49.950
L	1.0	38.85	33.39	97.112	.115626794E+08	20.	69.230
L	1.5	35.57	35.13	99.253	.104462351E+08	17.	76.375
L	2.0	32.75	36.72	99.959	.955826162E+07	16.	91.481
L	3.0	29.25	40.54	100.000	.784058738E+07	10.	100.000 *
L	4.0	26.93	43.66	100.000	.676008879E+07	7.	100.000 *
L	5.0	25.56	47.20	100.000	.578443479E+07	4.	100.000 *
SC		54.87	29.78	74.260	.145282533E+08	27.	74.260
S	-.5	45.35	31.13	92.978	.133007958E+08	24.	89.860
S	0.0	38.44	33.19	100.000	.117001116E+08	21.	100.000 *
S	0.5	35.35	35.09	100.000	.104689037E+08	18.	100.000 *
S	1.0	32.70	36.99	100.000	.941715561E+07	15.	100.000 *
S	1.5	30.98	38.50	100.000	.869529646E+07	13.	100.000 *
S	2.0	29.44	39.69	100.000	.818190583E+07	11.	100.000 *
S	3.0	27.50	42.14	100.000	.725808928E+07	8.	100.000 *
S	4.0	25.89	46.43	100.000	.597977640E+07	5.	100.000 *
S	5.0	24.90	51.00	100.000	.495512841E+07	1.	100.000 *
S	6.0	24.56	50.73	100.000	.500873254E+07	2.	100.000 *
R	0.5	47.18	30.58	91.020	.137794800E+08	26.	85.945
R	1.0	40.87	32.31	99.987	.123492451E+08	22.	99.210
R	1.5	36.77	34.76	100.000	.106675042E+08	19.	100.000 *
R	2.0	33.24	37.44	100.000	.919424785E+07	14.	100.000 *
R	2.5	31.09	39.40	100.000	.830416589E+07	12.	100.000 *
R	3.0	29.06	41.32	100.000	.754967102E+07	9.	100.000 *
R	4.0	26.84	44.39	100.000	.654159603E+07	6.	100.000 *
R	5.0	25.25	48.26	100.000	.553359080E+07	3.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	11
30-39	10
40-49	4
50-59	2
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 34.16 YEARS

FGE Gas
PROPERTY CLASSIFICATION - ELECTRIC
ACCOUNT 398.00 MISCELLANEOUS EQUIPMENT
NO. OF BALANCES 30 BAL. INTERVAL 1

CO. NO. 1
DATA IN DOLLARS AS OF 12/31/2000
LOCATION 0 TOTAL ACCOUNT
ADDS/SURV TO 1935

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	49.52	17.29	71.249	.224019285E+09	4.	34.805
L	0.5	45.54	16.45	77.634	.247409202E+09	6.	38.458
L	1.0	42.41	15.42	83.626	.281619921E+09	9.	50.969
L	1.5	40.07	14.68	88.859	.310897021E+09	11.	54.482
L	2.0	38.19	13.86	93.041	.348408666E+09	15.	63.056
L	3.0	35.53	12.92	98.577	.401194463E+09	19.	79.465
L	4.0	33.75	12.23	99.992	.447437466E+09	22.	95.136
L	5.0	32.84	11.78	100.000	.482321169E+09	24.	100.000 *
SC		49.42	18.52	66.271	.195272011E+09	1.	66.271
S	-.5	44.39	17.36	77.476	.222145803E+09	3.	73.784
S	0.0	40.89	15.82	87.937	.267431931E+09	7.	80.088
S	0.5	38.97	14.96	94.021	.299166520E+09	10.	84.041
S	1.0	37.39	14.06	98.141	.338673235E+09	13.	88.029
S	1.5	36.26	13.56	99.465	.364331284E+09	16.	90.768
S	2.0	35.27	13.04	99.972	.393803712E+09	18.	95.244
S	3.0	34.01	12.48	100.000	.429871867E+09	20.	100.000 *
S	4.0	33.07	12.00	100.000	.465107395E+09	23.	100.000 *
S	5.0	32.45	11.53	100.000	.503606891E+09	26.	100.000 *
S	6.0	31.90	11.00	100.000	.553600779E+09	27.	100.000 *
R	0.5	44.37	17.83	78.368	.210750208E+09	2.	73.448
R	1.0	40.68	16.76	90.717	.238451655E+09	5.	80.109
R	1.5	38.48	15.73	96.983	.270529282E+09	8.	84.681
R	2.0	36.74	14.67	99.900	.311197916E+09	12.	96.356
R	2.5	35.61	13.94	99.999	.344652489E+09	14.	99.413
R	3.0	34.65	13.19	100.000	.385126007E+09	17.	100.000 *
R	4.0	33.63	12.26	100.000	.445546181E+09	21.	100.000 *
R	5.0	32.81	11.58	100.000	.499452057E+09	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	18
40-49	8
50-59	1
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 38.11 YEARS

FGE Gas CO. NO. 1

PROPERTY CLASSIFICATION - ELECTRIC DATA IN DOLLARS AS OF 12/31/2000

ACCOUNT 398.00 MISCELLANEOUS EQUIPMENT LOCATION 0 TOTAL ACCOUNT

NO. OF BALANCES 26 BAL. INTERVAL 1 ADDS/SURV TO 1935

TYPE	SUBTYPE	LIFE	CINDEX	RINDEX	SIGMA	RANK	CYCLE INDEX
L	0.0	49.51	16.92	71.271	.223694250E+09	4.	34.818
L	0.5	45.56	16.10	77.612	.247047508E+09	6.	38.443
L	1.0	42.45	15.11	83.567	.280570631E+09	9.	50.919
L	1.5	40.13	14.40	88.788	.308847699E+09	12.	54.408
L	2.0	38.25	13.63	92.970	.344734581E+09	15.	62.951
L	3.0	35.60	12.73	98.540	.395039005E+09	19.	79.312
L	4.0	33.82	12.07	99.991	.439903846E+09	22.	94.931
L	5.0	32.91	11.61	100.000	.475114939E+09	24.	100.000 *
SC		49.33	18.17	66.388	.194040185E+09	1.	66.388
S	-.5	44.37	17.00	77.501	.221801687E+09	3.	73.808
S	0.0	40.92	15.50	87.877	.266739111E+09	7.	80.027
S	0.5	39.02	14.67	93.948	.297507071E+09	10.	83.942
S	1.0	37.45	13.82	98.086	.335385970E+09	13.	87.892
S	1.5	36.33	13.35	99.440	.359649787E+09	16.	90.607
S	2.0	35.34	12.86	99.968	.387406987E+09	18.	95.056
S	3.0	34.09	12.33	100.000	.421629925E+09	20.	100.000 *
S	4.0	33.14	11.84	100.000	.456800188E+09	23.	100.000 *
S	5.0	32.52	11.35	100.000	.496936763E+09	26.	100.000 *
S	6.0	31.96	10.80	100.000	.548888857E+09	27.	100.000 *
R	0.5	44.34	17.46	78.424	.210228547E+09	2.	73.497
R	1.0	40.69	16.40	90.697	.238105060E+09	5.	80.089
R	1.5	38.51	15.42	96.947	.269528304E+09	8.	84.611
R	2.0	36.79	14.41	99.892	.308676932E+09	11.	96.229
R	2.5	35.67	13.72	99.998	.340458105E+09	14.	99.249
R	3.0	34.72	13.00	100.000	.378860186E+09	17.	100.000 *
R	4.0	33.71	12.11	100.000	.437143263E+09	21.	100.000 *
R	5.0	32.89	11.41	100.000	.492063757E+09	25.	100.000 *

RANGE OF LIVES	FREQUENCY
0-9	0
10-19	0
20-29	0
30-39	18
40-49	8
50-59	1
60-69	0
70-79	0
GREATER THAN 80	0

0MEAN VALUE OF BEST FITTING LIVES IS 38.15 YEARS