

780 CMR: MASSACHUSETTS AMENDMENTS TO THE *INTERNATIONAL BUILDING CODE 2021*

CHAPTER 5: GENERAL BUILDING HEIGHTS AND AREAS

501.1 Add two notes, as follows:

Note 1. Site plans are required to comply with 527 CMR 1.00.

Note 2. Refer to 101.4 regarding M.G.L. pertaining to automatic fire sprinkler requirements and minimum construction type requirements.

503.1.4 Add the following sentence to end of section.

The occupied roof shall comply with the applicable provisions for the occupancy as required by this code.

503.1.4 Delete Exception Number 2.

507.8.1.1.1 Change *International Fire Code* to 527 CMR 1.00.

507.8.1.1.2 Change *International Fire Code* to 527 CMR 1.00.

507.8.1.1.3 Change *International Fire Code* to 527 CMR 1.00.

507.12 Add the phrase , and emergency voice communication system in accordance with Section 907, after Section 903.3.1.1.

Replace 508.4.1 as follows:

508.4.1 Occupancy classification. Separated occupancies shall be individually classified in accordance with Section 302.1. Each separated space shall comply with this code based on the occupancy classification of that portion of the building. The most restrictive provisions of Chapter 9 that apply to the separate occupancies shall apply to the building.

[F] 508.5.7 Change Section 903.2.8 to Chapter 9 at end of section.

509.4.2.1 Delete in its entirety.