

Safe Drinking Water Information System (SDWIS)
2017 Annual Compliance Report

State Summary

Annual Compliance Report Summary - M&R Not Grouped

Report Date: 06/25/2018 01:24:44

Report Filters: Submission Year is 2018 and Quarter is 1 and EPA Region is National and Primacy Agency in (MA) and Annual Compliance Report Date >= 01/01/2017 and Annual Compliance Report Date <= 12/31/2017 and Violation Codes not included in report (72, 76, 4A, 4B, 4C)

Epa Region	Primacy Agency Code	Violation Category	Rule Group	Rule Name	# of Viols	# of Resolved Viols	# of PWS in Viols
01	MA	Maximum Contaminant Level Violation	Disinfectants and Disinfection Byproducts Rule	Stage 2 Disinfectants and Disinfection Byproducts Rule	2	0	1
01	MA	Maximum Contaminant Level Violation	Sum		2	0	1
01	MA	Monitoring and Reporting	Chemicals	Arsenic	1	0	1
01	MA	Monitoring and Reporting	Chemicals	Inorganic Chemicals	11	0	1
01	MA	Monitoring and Reporting	Chemicals	Lead and Copper Rule	112	15	71
01	MA	Monitoring and Reporting	Chemicals	Nitrates	34	4	24
01	MA	Monitoring and Reporting	Chemicals	Radionuclides	26	0	3
01	MA	Monitoring and Reporting	Chemicals	Volatile Organic Chemicals	168	0	8
01	MA	Monitoring and Reporting	Disinfectants and Disinfection Byproducts Rule	Stage 1 Disinfectants and Disinfection Byproducts Rule	1	0	1
01	MA	Monitoring and Reporting	Disinfectants and Disinfection Byproducts Rule	Stage 2 Disinfectants and Disinfection Byproducts Rule	12	0	7
01	MA	Monitoring and Reporting	Microbials	Ground Water Rule	51	8	38
01	MA	Monitoring and Reporting	Microbials	Surface Water Treatment Rule	2	2	2
01	MA	Monitoring and Reporting	Microbials	Total Coliform Rule	50	18	23
01	MA	Monitoring and Reporting	Sum		468	47	179
01	MA	Other Violation	Microbials	Ground Water Rule	8	1	7
01	MA	Other Violation	Microbials	Long Term 2 Enhanced Surface Water Treatment Rule	1	0	1
01	MA	Other Violation	Microbials	Total Coliform Rule	5	5	4
01	MA	Other Violation	Other	Consumer Confidence Rule	32	15	29
01	MA	Other Violation	Other	Public Notice Rule	4	0	4
01	MA	Other Violation	Sum		50	21	45
01	MA	Treatment Technique Violation	Chemicals	Lead and Copper Rule	3	0	2
01	MA	Treatment Technique Violation	Disinfectants and Disinfection Byproducts Rule	Stage 1 Disinfectants and Disinfection Byproducts Rule	8	1	7
01	MA	Treatment Technique Violation	Microbials	Ground Water Rule	1	1	1
01	MA	Treatment Technique Violation	Microbials	Surface Water Treatment Rule	4	2	3
01	MA	Treatment Technique Violation	Sum		16	4	13

Safe Drinking Water Information System (SDWIS)
2017 Annual Compliance Report

Detail by Rule

EPA Region	Primacy Agency Code	Rule Name	Violation Code	Violation Type Description	# of Violations	# of Resolved Violations	# of PWS in Violation
1	MA	Arsenic	3	Monitoring, Regular	1	0	1
1	MA	Consumer Confidence Rule	71	Consumer Confidence Report Complete Failure to Report	32	15	29
1	MA	Ground Water Rule	5	Notification, State	7	1	6
1	MA	Ground Water Rule	31	Monitoring of Treatment (SWTR-Unfilt/GWR)	1	1	1
1	MA	Ground Water Rule	34	Monitoring, Source Water (GWR)	50	7	37
1	MA	Ground Water Rule	41	Treatment Technique (SWTR and GWR)	1	1	1
1	MA	Ground Water Rule	73	Failure to Notify Other PWS	1	0	1
1	MA	Inorganic Chemicals	3	Monitoring, Regular	11	0	1
1	MA	Lead and Copper Rule	51	Initial Tap Sampling for Pb and Cu	4	0	4
1	MA	Lead and Copper Rule	52	Follow-up Or Routine LCR Tap M/R	69	5	57
1	MA	Lead and Copper Rule	53	Water Quality Parameter M/R	31	7	14
1	MA	Lead and Copper Rule	56	Initial, Follow-up, or Routine Source Water M/R	3	2	3
1	MA	Lead and Copper Rule	57	OCCT/SOWT Study/Recommendation	1	0	1
1	MA	Lead and Copper Rule	65	Public Education	2	0	1
1	MA	Lead and Copper Rule	66	Lead Consumer Notice	5	1	5
1	MA	Long Term 2 Enhanced Surface Water Treatment Rule	20	Failure to Consult with State	1	0	1
1	MA	Nitrates	3	Monitoring, Regular	34	4	24
1	MA	Public Notice Rule	75	Public Notification Violation for NPDWR Violation	4	0	4
1	MA	Radionuclides	3	Monitoring, Regular	26	0	3
1	MA	Stage 1 Disinfectants and Disinfection Byproducts Rule	12	Treatment Technique No Certif. Operator	8	1	7
1	MA	Stage 1 Disinfectants and Disinfection Byproducts Rule	27	Monitoring and Reporting (DBP)	1	0	1
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	2	Maximum Contaminant Level Violation, Average	2	0	1
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	27	Monitoring and Reporting (DBP)	11	0	6
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	35	Failure Submit IDSE/Subpart V Plan Rpt	1	0	1
1	MA	Surface Water Treatment Rule	36	Monitoring of Treatment (SWTR-Filter)	2	2	2
1	MA	Surface Water Treatment Rule	41	Treatment Technique (SWTR and GWR)	3	2	2
1	MA	Surface Water Treatment Rule	42	Failure to Filter (SWTR)	1	0	1
1	MA	Total Coliform Rule	5	Notification, State	5	5	4
1	MA	Total Coliform Rule	23	Monitoring, Routine Major (TCR)	45	13	20
1	MA	Total Coliform Rule	24	Monitoring, Routine Minor (TCR)	3	3	1
1	MA	Total Coliform Rule	25	Monitoring, Repeat Major (TCR)	1	1	1
1	MA	Total Coliform Rule	26	Monitoring, Repeat Minor (TCR)	1	1	1
1	MA	Volatile Organic Chemicals	3	Monitoring, Regular	168	0	8

Safe Drinking Water Information System (SDWIS)
2017 Annual Compliance Report

Detail by Chemical

Epa Region	Primacy Agency Code	Rule Family	Violation Category	Contaminant Code	Contaminant	# of Violations	# of Resolved Violations	# of PWS in Violation
1	MA	Consumer Confidence Rule	Other Violation	7000	Consumer Confidence Rule	32	15	29
1	MA	Groundwater Rule	Monitoring and Reporting	3014	E. COLI	49	7	36
1	MA	Groundwater Rule	Treatment Technique Violation	700	Groundwater Rule	1	1	1
1	MA	Groundwater Rule	Other Violation	700	Groundwater Rule	8	1	7
1	MA	Groundwater Rule	Monitoring and Reporting	700	Groundwater Rule	1	1	1
1	MA	Groundwater Rule	Monitoring and Reporting	3002	ENTEROCOCCI	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1085	Thallium, Total	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1010	Barium	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1074	Antimony, Total	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1045	Selenium	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1005	Arsenic	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1075	Beryllium, Total	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1015	Cadmium	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1020	Chromium	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1024	CYANIDE	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1025	Fluoride	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1035	Mercury	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1036	Nickel	1	0	1
1	MA	Inorganic Chemicals	Monitoring and Reporting	1040	Nitrate	25	2	23
1	MA	Inorganic Chemicals	Monitoring and Reporting	1041	Nitrite	9	2	9
1	MA	Lead and Copper Rule	Treatment Technique Violation	5000	Lead and Copper Rule	3	0	2
1	MA	Lead and Copper Rule	Monitoring and Reporting	5000	Lead and Copper Rule	112	15	71
1	MA	Public Notice Rule	Other Violation	7500	Public Notice	4	0	4
1	MA	Radionuclides	Monitoring and Reporting	4030	Radium-228	1	0	1
1	MA	Radionuclides	Monitoring and Reporting	4020	Radium-226	1	0	1
1	MA	Radionuclides	Monitoring and Reporting	4000	Gross Alpha, Excl. Radon and U	1	0	1
1	MA	Radionuclides	Monitoring and Reporting	4006	Combined Uranium	23	0	1
1	MA	Stage 1 Disinfectants and Disinfection Byproducts Rule	Monitoring and Reporting	999	Chlorine	1	0	1
1	MA	Stage 1 Disinfectants and Disinfection Byproducts Rule	Treatment Technique Violation	400	Stage 1 Disinfectants and Disinfection Byproducts Rule	8	1	7
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	Maximum Contaminant Level Violation	2456	Total Haloacetic Acids (HAA5)	1	0	1
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	Maximum Contaminant Level Violation	2950	TTHM	1	0	1
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	Monitoring and Reporting	2950	TTHM	6	0	6
1	MA	Stage 2 Disinfectants and Disinfection Byproducts Rule	Monitoring and Reporting	2456	Total Haloacetic Acids (HAA5)	6	0	6
1	MA	Surface Water Treatment Rules	Other Violation	800	Long Term 2 Enhanced Surface Water Treatment Rule	1	0	1
1	MA	Surface Water Treatment Rules	Treatment Technique Violation	200	Surface Water Treatment Rule	4	2	3
1	MA	Surface Water Treatment Rules	Monitoring and Reporting	200	Surface Water Treatment Rule	2	2	2
1	MA	Total Coliform Rules	Monitoring and Reporting	3100	Coliform (TCR)	50	18	23
1	MA	Total Coliform Rules	Other Violation	3100	Coliform (TCR)	5	5	4
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2980	1,2-Dichloroethane	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2981	1,1,1-Trichloroethane	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2982	Carbon tetrachloride	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2983	1,2-Dichloropropane	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2984	Trichloroethylene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2985	1,1,2-Trichloroethane	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2987	Tetrachloroethylene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2989	CHLOROBENZENE	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2990	Benzene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2991	Toluene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2992	Ethylbenzene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2996	Styrene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2964	DICHLOROMETHANE	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2955	Xylenes, Total	8	0	8

Epa Region	Primacy Agency Code	Rule Family	Violation Category	Contaminant Code	Contaminant	# of Violations	# of Resolved Violations	# of PWS in Violation
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2380	cis-1,2-Dichloroethylene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2979	trans-1,2-Dichloroethylene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2977	1,1-Dichloroethylene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2976	Vinyl chloride	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2378	1,2,4-Trichlorobenzene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2968	o-Dichlorobenzene	8	0	8
1	MA	Volatile Organic Chemicals	Monitoring and Reporting	2969	p-Dichlorobenzene	8	0	8

Safe Drinking Water Information System (SDWIS)
2017 Annual Compliance Report

Detail by PWS

EPA Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator
1	MA	MA100800	AMHERST DPW WATER DIVISION	CWS	SW	37819	Local government	586 SOUTH PLEASANT ST	Hampshire	7000	Consumer Confidence Rule	Other	16	7/1/2015		SFL	8/4/2015			43	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA100808	KERN CENTER	NTNCWS		35	Private	893 WEST STREET	Hampshire	200	Surface Water Treatment Rule	TT	1	7/1/2017	7/31/2017	SFL	10/1/2017	8/31/2017		1	R	8/31/2017	41	Treatment Technique (SWTR and GWR)	
1	MA	MA100808	KERN CENTER	NTNCWS		35	Private	893 WEST STREET	Hampshire	200	Surface Water Treatment Rule	TT	2	8/1/2017	8/31/2017	SOX	8/31/2017	8/31/2017		2	R	8/31/2017	41	Treatment Technique (SWTR and GWR)	
1	MA	MA100808	KERN CENTER	NTNCWS		35	Private	893 WEST STREET	Hampshire	200	Surface Water Treatment Rule	TT	2	8/1/2017	8/31/2017	SOX	8/31/2017	8/31/2017		2	R	8/31/2017	41	Treatment Technique (SWTR and GWR)	
1	MA	MA101301	SANDERSON ACADEMY	NTNCWS	GW	170	Local government	808 CAPE ST	Franklin	5000	Lead and Copper Rule	MR	3	6/1/2014		SFL	11/18/2014			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA101301	SANDERSON ACADEMY	NTNCWS	GW	170	Local government	808 CAPE ST	Franklin	5000	Lead and Copper Rule	MR	4	6/1/2014		SFL	11/18/2014			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA101301	SANDERSON ACADEMY	NTNCWS	GW	170	Local government	808 CAPE ST	Franklin	5000	Lead and Copper Rule	MR	5	6/1/2014		SFL	11/18/2014			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA101301	SANDERSON ACADEMY	NTNCWS	GW	170	Local government	808 CAPE ST	Franklin	5000	Lead and Copper Rule	MR	6	6/1/2014		SFL	11/18/2014			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA102204	PAPA BOBS	TNCWS	GW	80	Private	ATTN TAMMY SCOTT	Berkshire	700	Groundwater Rule	Other	5	2/1/2013		SFL	3/25/2013			15	0		5	Notification, State	
1	MA	MA102201	BERKSHIRE BERRIES	TNCWS	GW	25	Private	C/O DAVID GRAVES	Berkshire	7500	Public Notice	Other	4	9/24/2012		SFJ	11/19/2012			5	0		75	Public Notification Violation for NPDRW Violation	
1	MA	MA102200	BECKET MOTEL INC	TNCWS	GW	25	Private	29 CHESTER ROAD	Berkshire	3100	Coliform (TCR)	MR	1	3/1/2017	3/31/2017	SOX	5/4/2017	5/4/2017		5	R	5/4/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA102206	JACOBS PILLOW DANCE FESTIVAL	NTNCWS	GW	750	Private	ATTN OPERATIONS MANAGER	Berkshire	3014.E. COLI		MR	11	11/2/2012		SFL	3/18/2013			6	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	7000	Consumer Confidence Rule	Other	11	7/1/2013		SFM	3/11/2014			33	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	7000	Consumer Confidence Rule	Other	11	7/1/2013		SFL	12/12/2013			32	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	7000	Consumer Confidence Rule	Other	11	7/1/2013		SFJ	9/5/2013			30	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	5000	Lead and Copper Rule	MR	41	6/1/2015		SFL	12/23/2015			48	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	5000	Lead and Copper Rule	MR	47	11/1/2015		SFL	3/14/2016			52	0		53	Water Quality Parameter M/R	
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	5000	Lead and Copper Rule	MR	48	11/1/2015		SFL	3/14/2016			52	0		53	Water Quality Parameter M/R	
1	MA	MA102401	SPORTS HAVEN MOBILE HOME PARK	CWS	GW	107	Private	PO BOX 437	Hampshire	5000	Lead and Copper Rule	MR	49	11/1/2015		SFL	3/14/2016			52	0		53	Water Quality Parameter M/R	
1	MA	MA102402	PINE VALLEY PLANTATION	CWS	GW	600	Private	281 CHALUNCEY WALKER ST	Hampshire	5000	Lead and Copper Rule	MR	6	6/1/2015		SFL	12/23/2015			19	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA102415	WASHINGTON ACRES	CWS	GW	30	Private	C/O SLIGO REALTY CO, L.L.C.	Hampshire	5000	Lead and Copper Rule	MR	4	10/1/2005		SFL	1/30/2006			2	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA102416	VILLAGE GREENE CONDO ASSN	CWS	GW	29	Private	P.O. BOX 998	Hampshire	7000	Consumer Confidence Rule	Other	25	7/1/2017		SFL	8/16/2017			25	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA102416	VILLAGE GREENE CONDO ASSN	CWS	GW	29	Private	P.O. BOX 998	Hampshire	3014.E. COLI		MR	19	7/1/2015		SFL	3/14/2016			19	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA102416	VILLAGE GREENE CONDO ASSN	CWS	GW	29	Private	P.O. BOX 998	Hampshire	3014.E. COLI		MR	20	7/1/2015		SFL	3/14/2016			19	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA102416	VILLAGE GREENE CONDO ASSN	CWS	GW	29	Private	P.O. BOX 998	Hampshire	3014.E. COLI		MR	22	11/3/2015		SFL	3/14/2016			19	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA102416	VILLAGE GREENE CONDO ASSN	CWS	GW	29	Private	P.O. BOX 998	Hampshire	5000	Lead and Copper Rule	MR	14	1/1/2011		SFJ	2/19/2014			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA104700	MOHAWK TRAIL REGIONAL HIGH SCHOOL	NTNCWS	GW	650	Local government	26 ASHFIELD ROAD	Franklin	5000	Lead and Copper Rule	MR	24	6/1/2015		SFL	12/23/2015			10	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA105300	WOODLAND MHP LLC	CWS	GW	36	Private	P.O. BOX 2033	Franklin	7000	Consumer Confidence Rule	Other	2	7/1/2013		SFL	12/12/2013			13	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105300	WOODLAND MHP LLC	CWS	GW	36	Private	P.O. BOX 2033	Franklin	7000	Consumer Confidence Rule	Other	2	7/1/2013		SFL	9/4/2013			13	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105300	WOODLAND MHP LLC	CWS	GW	36	Private	P.O. BOX 2033	Franklin	7000	Consumer Confidence Rule	Other	8	7/1/2017		SOX	9/8/2017	9/8/2017		16	R	9/8/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105300	WOODLAND MHP LLC	CWS	GW	36	Private	P.O. BOX 2033	Franklin	7000	Consumer Confidence Rule	Other	8	7/1/2017		SFL	8/16/2017	9/8/2017		17	R	9/8/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105800	CHESTER WATER DEPT	CWS	SW	1407	Local government	80 CHURCH ST	Berkshire	7000	Consumer Confidence Rule	Other	3	7/1/2017		SOX	8/31/2017	8/31/2017		27	R	8/31/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105800	CHESTER WATER DEPT	CWS	SW	1407	Local government	80 CHURCH ST	Berkshire	7000	Consumer Confidence Rule	Other	3	7/1/2017		SFL	8/31/2017	8/31/2017		28	R	8/31/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105802	PINE VALLEY MOBILE HOME PARK	CWS	GW	180	Private	C/O MORGAN MANAGEMENT	Berkshire	5000	Lead and Copper Rule	MR	1	6/1/2015		SFL	12/23/2015			5	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA105900	CHESTER WATER DEPT	CWS	SW	750	Local government	15 MIDDLEFIELD RD, TOWN HALL	Hampden	7000	Consumer Confidence Rule	Other	29	7/1/2017		SOX	8/24/2017	8/24/2017		64	R	8/24/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA105900	CHESTER WATER DEPT	CWS	SW	750	Local government	15 MIDDLEFIELD RD, TOWN HALL	Hampden	7000	Consumer Confidence Rule	Other	29	7/1/2017		SFL	8/16/2017	8/24/2017		65	R	8/24/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA106006	HILLTOWN COMMUNITY DEVELOPMENT CORP	NTNCWS	GW	45	Private	MAIN ROAD	Hampshire	5000	Lead and Copper Rule	TT	4	1/1/2006		SFL	2/9/2006			1	0		57	DCCT/SOW Study/Recommendation	
1	MA	MA106100	CHESTER WATER DEPT (OWRA)	CWS	SWP	55144	Local government	515 BASTON DRIVE	Franklin	5000	Lead and Copper Rule	Other	1	6/1/2015		SFL	12/23/2015			1	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA106303	BRIGGSVILLE WATER DISTRICT	CWS	GW	180	Local government	47 CROSS RD	Berkshire	3014.E. COLI		MR	3	6/24/2013		SFL	7/12/2013			13	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA106303	BRIGGSVILLE WATER DISTRICT	CWS	GW	180	Local government	47 CROSS RD	Berkshire	400	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	4	4/21/2016		SFL	8/17/2016			15	0		12	Treatment Technique No Certif. Operator	
1	MA	MA106601	GRISWOLDVILLE WATER DISTRICT	CWS	GW	125	Private	GRISWOLDVILLE WATER DISTRICT	Franklin	3014.E. COLI		MR	44	4/1/2016		SFL	8/17/2016			0	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA106605	PINE HILL ORCHARDS	TNCWS	GW	30	Private	248 GREENFIELD ROAD	Franklin	7500	Public Notice	Other	7	9/3/2012		SFL	12/17/2012			4	0		75	Public Notification Violation for NPDRW Violation	
1	MA	MA106605	PINE HILL ORCHARDS	TNCWS	GW	30	Private	248 GREENFIELD ROAD	Franklin	7500	Public Notice	Other	7	9/3/2012		SFJ	11/21/2012			3	0		75	Public Notification Violation for NPDRW Violation	
1	MA	MA106607	FOUNDRY BROOK ASSOCIATION	CWS	GW	28	Private	P.O. BOX 181	Franklin	3100	Coliform (TCR)	MR	2	3/1/2017	3/31/2017	SOX	6/5/2017	6/5/2017		7	R	6/5/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA106607	FOUNDRY BROOK ASSOCIATION	CWS	GW	28	Private	P.O. BOX 181	Franklin	3100	Coliform (TCR)	MR	2	3/1/2017	3/31/2017	SFL	4/26/2017	6/5/2017		6	R	6/5/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA106607	FOUNDRY BROOK ASSOCIATION	CWS	GW	28	Private	P.O. BOX 181	Franklin	3100	Coliform (TCR)	MR	3	4/1/2017	4/30/2017	SOX	6/5/2017	6/5/2017		9	R	6/5/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA106607	FOUNDRY BROOK ASSOCIATION	CWS	GW	28	Private	P.O. BOX 181	Franklin	3100	Coliform (TCR)	MR	3	4/1/2017	4/30/2017	SFL	6/16/2016	6/5/2017		8	R	6/5/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA1074001	SOUTH DEERFIELD WATER SUPPLY DISTRICT	CWS	SW	3800	Local government	P.O. BOX 51	Franklin	400	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	25	8/18/2015		SFL	6/16/2016			42	0		12	Treatment Technique No Certif. Operator	
1	MA	MA1074007	PAN AM SOUTHERN RAILROAD	CWS	SWP	140	Private	38 RAILROAD YARD RD	Franklin	7/1/2013	7000	Consumer Confidence Rule	Other	1	7/1/2013		SFO	9/17/2014		8	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1074007	PAN AM SOUTHERN RAILROAD	CWS	SWP	140	Private	38 RAILROAD YARD RD	Franklin	7000	Consumer Confidence Rule	Other	1	7/1/2013		SFJ	9/4/2013			7	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1074007	PAN AM SOUTHERN RAILROAD	CWS	SWP	140	Private	38 RAILROAD YARD RD	Franklin	7000	Consumer Confidence Rule														

EPA Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served Count	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator	
1	MA	MA1113003	HOUSTONIC WATER WORKS	CWS	SW	1391	Private	80 MAPLE AVE STE 1	Berkshire	800	Long Term 2 Enhanced Surface Water Treatment Rule	Other	39	4/1/2015		SFO	5/9/2016			33	0		20	Failure to Consult with State		
1	MA	MA1113016	MONUMENT MTN REGIONAL HS	CWS	GW	1700	Local government	ATTN STEVE SOULE	Berkshire	5000	Lead and Copper Rule	MR	30	6/1/2015		SFL	12/23/2015				26	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1113017	BARO COLLEGE AT SIMONS ROCK	CWS	GW	500	Private	ATTN GERARD NESEL	Berkshire	700	Groundwater Rule	Other	10	2/1/2015		SFL	3/13/2015				14	0		5	Notification, State	
1	MA	MA1113017	BARO COLLEGE AT SIMONS ROCK	CWS	GW	500	Private	ATTN GERARD NESEL	Berkshire	700	Groundwater Rule	Other	9	9/10/2014		SFL	3/13/2015				14	0		5	Notification, State	
1	MA	MA1113027	THORNEWOOD INN	NTNCWS	GW	38	Private	ROUTE 7 - 453 STOCKBRIDGE ROAD	Berkshire	3100	Coliform (TCR)	Other	2	5/1/2017	5/31/2017	SFL	6/23/2017	6/30/2017			8	0	6/10/2017	5	Notification, State	
1	MA	MA1113027	THORNEWOOD INN	NTNCWS	GW	38	Private	ROUTE 7 - 453 STOCKBRIDGE ROAD	Berkshire	3100	Coliform (TCR)	Other	2	5/1/2017	6/10/2017	SOX	6/10/2017	6/10/2017			9	0	6/10/2017	5	Notification, State	
1	MA	MA1113027	THORNEWOOD INN	NTNCWS	GW	38	Private	ROUTE 7 - 453 STOCKBRIDGE ROAD	Berkshire	3100	Coliform (TCR)	Other	3	6/1/2017	6/30/2017	SFL	7/25/2017	7/7/2017			10	0	7/7/2017	5	Notification, State	
1	MA	MA1113027	THORNEWOOD INN	NTNCWS	GW	38	Private	ROUTE 7 - 453 STOCKBRIDGE ROAD	Berkshire	3100	Coliform (TCR)	Other	3	6/1/2017	6/30/2017	SOX	7/7/2017	7/7/2017			11	0	7/7/2017	5	Notification, State	
1	MA	MA1117002	HADLEY DPW WATER DIVISION	CWS	GW	5063	Local government	P.O. BOX 406	Hampshire	3002	ENTEROCOCC	MR	10	1/1/2013		SFL	11/20/2015				14	0		52	Follow-up Or Routine LCR Tap M/R	Y
1	MA	MA1117002	HADLEY DPW WATER DIVISION	CWS	GW	5063	Local government	P.O. BOX 406	Hampshire	3002	ENTEROCOCC	MR	10	1/1/2013		SFI	2/25/2013				21	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA1120001	WINGATE AT HAMPDEN	CWS	GW	100	Private	34 MAIN ST	Hampden	5000	Lead and Copper Rule	MR	2	10/1/2005		SFL	12/28/2005				10	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1120033	REDKER SOFTWARE	NTNCWS	GW	65	Private	2 WILBRAHAM ROAD	Hampden	3100	Coliform (TCR)	Other	7	6/1/2017	6/30/2017	SFL	7/25/2017	7/10/2017			7	0	7/10/2017	5	Notification, State	
1	MA	MA1120033	REDKER SOFTWARE	NTNCWS	GW	65	Private	2 WILBRAHAM ROAD	Hampden	3100	Coliform (TCR)	Other	7	6/1/2017	6/30/2017	SOX	7/10/2017	7/10/2017			8	0	7/10/2017	5	Notification, State	
1	MA	MA1121004	JIMINY PEAK RESORT	CWS	GW	1000	Private	37 COREY RD	Berkshire	5000	Lead and Copper Rule	MR	5	6/2/2015		SFL	12/28/2015				18	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1121010	VACATION VILLAGE IN THE BERKSHIRES	NTNCWS	GW	400	Private	C/O CA SERVICES CORPORATION	Berkshire	5000	Lead and Copper Rule	MR	52	6/1/2014		SFL	3/21/2016				17	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1121010	VACATION VILLAGE IN THE BERKSHIRES	NTNCWS	GW	400	Private	C/O CA SERVICES CORPORATION	Berkshire	5000	Lead and Copper Rule	MR	52	6/1/2014		SFL	3/6/2015				10	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1121010	VACATION VILLAGE IN THE BERKSHIRES	NTNCWS	GW	400	Private	C/O CA SERVICES CORPORATION	Berkshire	5000	Lead and Copper Rule	MR	54	6/1/2015		SFL	3/21/2016				17	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1121010	VACATION VILLAGE IN THE BERKSHIRES	NTNCWS	GW	400	Private	C/O CA SERVICES CORPORATION	Berkshire	5000	Lead and Copper Rule	MR	54	6/1/2015		SFL	3/21/2016				17	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1121015	OKA VALLEY FARM	NTNCWS	GW	25	Private	3014 E. COLI	Berkshire	3014	E. COLI	MR	5	8/1/2011		SFL	11/15/2011				6	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA1121015	OKA VALLEY FARM	NTNCWS	GW	25	Private	3014 E. COLI	Berkshire	3014	E. COLI	MR	5	8/1/2011		SFI	9/21/2011				5	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA1124001	GILBERTVILLE WATER DISTRICT	CWS	GW	1000	Local government	PO BOX 117	Worcester	7000	Consumer Confidence Rule	Other	4	7/1/2015		SFL	8/4/2015				27	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1124002	WHEELBRIGHT WATER DISTRICT	CWS	GW	300	Local government	C/O DONALD DUNBAR	Worcester	7000	Consumer Confidence Rule	Other	4	7/1/2015		SFL	8/4/2015				15	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1127000	HATFIELD WATER DEPT	CWS	GW	3411	Local government	59 MAIN ST	Hampshire	5000	Lead and Copper Rule	MR	62	6/2/2015		SFL	3/8/2016				26	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1127000	HATFIELD WATER DEPT	CWS	SW	3411	Local government	59 MAIN ST	Hampshire	5000	Lead and Copper Rule	MR	62	6/1/2015		SFL	12/28/2015				25	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1132006	CAMP TACONIC	NTNCWS	GW	200	Private	C/O JILL & LOREN KLEINMAN	Berkshire	3014	E. COLI	MR	1	6/1/2013		SFL	10/28/2013				4	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA1132006	CAMP TACONIC	NTNCWS	GW	200	Private	C/O JILL & LOREN KLEINMAN	Berkshire	3014	E. COLI	MR	1	6/1/2013		SFI	8/1/2013				3	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA1132008	ASHMERE WATER SERVICE	CWS	GW	66	Private	P.O. BOX 843	Berkshire	7000	Consumer Confidence Rule	Other	8	7/1/2013		SFL	12/21/2013				50	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1132008	ASHMERE WATER SERVICE	CWS	GW	66	Private	P.O. BOX 843	Berkshire	7000	Consumer Confidence Rule	Other	8	7/1/2013		SFI	9/4/2013				51	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1132009	BISSEVILLE ESTATE	CWS	GW	74	Private	1109 WASHINGTON RD	Berkshire	7000	Consumer Confidence Rule	Other	22	7/1/2010		SFL	8/11/2010				43	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1135014	DIANES VILLA NOVA	NTNCWS	GW	40	Private	3-5 BRIMFIELD ROAD	Hampden	3100	Coliform (TCR)	MR	2	4/1/2017	4/30/2017	SOX	6/7/2017	6/7/2017			6	0	6/7/2017	26	Monitoring, Repeat Minor (TCR)	
1	MA	MA1135014	DIANES VILLA NOVA	NTNCWS	GW	40	Private	3-5 BRIMFIELD ROAD	Hampden	3100	Coliform (TCR)	MR	2	4/1/2017	4/30/2017	SFL	5/17/2017	6/7/2017			5	0	6/7/2017	26	Monitoring, Repeat Minor (TCR)	
1	MA	MA1143003	GATEWAY REGIONAL SCHOOL	NTNCWS	GW	727	Local government	LITTLEVILLE RD	Hampshire	5000	Lead and Copper Rule	MR	4	6/1/2016		SFL	7/2/2016	7/3/2016			28	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1143003	GATEWAY REGIONAL SCHOOL	NTNCWS	GW	727	Local government	LITTLEVILLE RD	Hampshire	5000	Lead and Copper Rule	MR	4	6/1/2016		SFL	12/7/2016	7/3/2017			26	0	7/3/2017	52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1143011	KNIGHTVILLE DAM WATER SYSTEM	NTNCWS	GW	100	Federal government	49 KNIGHTVILLE DAM RD	Hampshire	3014	E. COLI	MR	4	8/1/2010		SFL	11/8/2010				11	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA1143011	KNIGHTVILLE DAM WATER SYSTEM	NTNCWS	GW	100	Federal government	49 KNIGHTVILLE DAM RD	Hampshire	3014	E. COLI	MR	4	8/1/2010		SFL	8/23/2010				10	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA1148000	LAMESBOROUGH FIRE WATER DISTRICT	CWS	SWP	2324	Local government	P.O. BOX 1504	Berkshire	7000	Consumer Confidence Rule	Other	8	7/1/2015		SFL	8/4/2015				19	0		71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA1150000	LEE WATER DEPT	CWS	SW	5135	Local government	32 MAIN STREET	Berkshire	5000	Lead and Copper Rule	MR	4	6/1/2015		SFL	12/31/2015				36	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1150000	LEE WATER DEPT	CWS	SW	5135	Local government	32 MAIN STREET	Berkshire	5000	Lead and Copper Rule	MR	4	6/1/2015		SFL	10/30/2015				35	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1156001	PEARL RHODES ELEM SCHOOL	NTNCWS	GW	55	Local government	7 BRATTLEBORO ROAD	Franklin	5000	Lead and Copper Rule	MR	7	6/1/2015		SFL	10/30/2015				31	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1159000	LONGMEADOW WATER DEPT	CWS	SWP	14552	Local government	31 PONDISE ROAD	Hampden	5000	Lead and Copper Rule	MR	9	6/1/2015		SFL	3/6/2016				29	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA120005	THE SPRINGS INN AND RESORT	CWS	GW	25	Private	P.O. BOX 917	Berkshire	5000	Groundwater Rule	Other	8	4/1/2015		SFL	3/28/2016				41	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1203000	MILL RIVER WATER TAKERS	CWS	GW	60	Private	P.O. BOX 15	Berkshire	5000	Lead and Copper Rule	MR	61	6/1/2015		SFL	3/28/2016				49	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1203000	MILL RIVER WATER TAKERS	CWS	GW	60	Private	P.O. BOX 15	Berkshire	5000	Lead and Copper Rule	MR	61	6/1/2015		SFL	1/6/2016				38	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1209000	NORTH ADAMS WATER DEPT	CWS	SW	13000	Local government	10 MAIN ST CITY HALL	Berkshire	400	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	123	3/20/2017		SFL	5/1/2017				71	0		12	Treatment Technique No Certif. Operator	
1	MA	MA1209011	HISTORIC VALLEY CAMPGROUND	NTNCWS	GW	200	Local government	PO BOX 237	Berkshire	3014	E. COLI	MR	11	4/1/2017		SFL	6/21/2017	6/5/2017			6	0	6/5/2017	34	Monitoring, Source Water (GWR)	Y
1	MA	MA1209011	HISTORIC VALLEY CAMPGROUND	NTNCWS	GW	200	Local government	10 MAIN ST, CITY HALL	Berkshire	3014	E. COLI	MR	11	4/1/2017		SOX	6/5/2017	6/5/2017			20	0	6/5/2017	34	Monitoring, Source Water (GWR)	Y
1	MA	MA1214000	NORTHAMPTON WATER DEPT	CWS	SW	28720	Local government	125 LOCUST STREET	Hampshire	5000	Lead and Copper Rule	MR	25	6/1/2015		SFL	2/11/2016				42	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA1217001	EAST NORTHFIELD WATER CO	CWS	SW	726	Private	ONE LAMPLIGHTER WAY	Franklin	2950	THM	MR	35	4/1/2017	6/30/2017	SFL	10/30/2017				28	0		27	Monitoring and Reporting (DBP)	N
1	MA	MA1217001	EAST NORTHFIELD WATER CO	CWS	SW	726	Private	ONE LAMPLIGHTER WAY	Franklin	2455	Total Haloacetic Acids (HAA5)	MR	34	4/1/2017	6/30/2017	SFL	10/30/2017				28	0		27	Monitoring and Reporting (DBP)	N
1	MA	MA1225009	CAMP OVERFLOW	NTNCWS	GW	160	Private	ATTN CRAIG MORTON	Berkshire	301																

Epa Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served Count	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator
1	MA	MA128302	THE STOCKBRIDGE SPORTSMAN CLUB INC	TNCWS	GW	25	Private	P.O. BOX 6	Berkshire	3014.E. COLI		MR	9	1/1/2013		SFJ	1/27/2014			10	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA128302	THE STOCKBRIDGE SPORTSMAN CLUB INC	TNCWS	GW	25	Private	P.O. BOX 6	Berkshire	3014.E. COLI		MR	9	1/1/2013		SFL	5/21/2013			5	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA128902	POND RIDGE CONDO ASSN	CWS	GW	88	Private	C/O ROBERT GREEN	Franklin	3014.E. COLI		MR	37	8/1/2015		SFL	11/18/2015			61	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA128902	POND RIDGE CONDO ASSN	CWS	GW	88	Private	C/O ROBERT GREEN	Franklin	3014.E. COLI		MR	37	8/1/2015		SFL	9/25/2015			58	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA128902	POND RIDGE CONDO ASSN	CWS	GW	88	Private	C/O ROBERT GREEN	Franklin	3014.E. COLI		MR	40	9/1/2015		SFL	11/18/2015			61	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA128902	POND RIDGE CONDO ASSN	CWS	GW	88	Private	C/O ROBERT GREEN	Franklin	5000 Lead and Copper Rule		MR	41	6/1/2015		SFL	3/29/2016			52	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA128902	POND RIDGE CONDO ASSN	CWS	GW	88	Private	C/O ROBERT GREEN	Franklin	5000 Lead and Copper Rule		MR	41	6/1/2015		SFL	10/20/2015			60	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA130606	SILVER MEADOW	CWS	GW	28	Private	C/O HAP INC	Hampden	5000 Lead and Copper Rule		MR	5	4/1/2016		SFL	10/28/2016			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA130900	WARE WATER DEPT	CWS	GW	7582	Local government	4 1/2 CHURCH ST	Hampshire	3014.E. COLI		MR	29	7/1/2015		SFL	7/1/2015			34	0		34	Monitoring, Source Water (GWR)	Y
1	MA	MA130900	WARE WATER DEPT	CWS	GW	7582	Local government	4 1/2 CHURCH ST	Hampshire	700 Groundwater Rule		Other	30	7/1/2015		SFL	9/21/2015			42	0		5	Notification, State	
1	MA	MA130909	HAMPSHIRE EAST PROPERTIES LLC	TNCWS	GW	25	Private	40 SOUTH MAIN STREET	Hampshire	5000 Lead and Copper Rule		MR	7	7/1/2009		SFL	10/21/2009			8	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA131210	WAGON WHEEL CAMPING AREA	TNCWS	GW	120	Private	809 WENDELL RD	Franklin	3014.E. COLI		MR	3	7/1/2013		SFL	9/23/2013			5	0		34	Monitoring, Source Water (GWR)	N
1	MA	MA131212	WARWICK COMMUNITY SCHOOL	TNCWS	GW	100	Local government	100 WINCHESTER ROAD	Franklin	5000 Lead and Copper Rule		MR	11	6/1/2015		SFL	3/10/2016			17	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA131212	WARWICK COMMUNITY SCHOOL	TNCWS	GW	100	Local government	41 WINCHESTER ROAD	Franklin	5000 Lead and Copper Rule		MR	11	6/1/2015		SFL	10/30/2015			16	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA131212	WARWICK COMMUNITY SCHOOL	TNCWS	GW	100	Local government	41 WINCHESTER ROAD	Franklin	5000 Lead and Copper Rule		MR	9	7/1/2010		SFL	6/23/2011			13	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA132600	WEST STOCKBRIDGE WATER DEPT	CWS	GW	535	Local government	P.O. BOX 525	Berkshire	5000 Lead and Copper Rule		MR	1	6/1/2016		SFL	11/18/2016			60	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA133101	HANGING MOUNTAIN FARM	TNCWS	GW	25	Private	DBA HANGING MOUNTAIN FARM	Hampshire	3100 Coliform (TCR)		MR	2	2/1/2017	2/28/2017	SOX	5/10/2017	5/10/2017		5	0	5/10/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA133701	WHATLEY WATER DEPARTMENT	CWS	GW	1500	Local government	4 SANDY LANE	Franklin	3100 Coliform (TCR)		MR	5	1/1/2017	1/31/2017	SFL	5/1/2017	2/13/2017		15	0	2/13/2017	24	Monitoring, Routine Minor (TCR)	
1	MA	MA133701	WHATLEY WATER DEPARTMENT	CWS	GW	1500	Local government	4 SANDY LANE	Franklin	3100 Coliform (TCR)		MR	5	1/1/2017	1/31/2017	SOX	2/13/2017	2/13/2017		16	0	2/13/2017	24	Monitoring, Routine Minor (TCR)	
1	MA	MA133701	WHATLEY WATER DEPARTMENT	CWS	GW	1500	Local government	4 SANDY LANE	Franklin	3100 Coliform (TCR)		MR	6	3/1/2017	3/31/2017	SOX	6/5/2017	6/5/2017		17	0	6/5/2017	24	Monitoring, Routine Minor (TCR)	
1	MA	MA133701	WHATLEY WATER DEPARTMENT	CWS	GW	1500	Local government	4 SANDY LANE	Franklin	3100 Coliform (TCR)		MR	7	4/1/2017	4/30/2017	SOX	8/5/2017	6/5/2017		17	0	6/5/2017	24	Monitoring, Routine Minor (TCR)	
1	MA	MA133701	WHATLEY WATER DEPARTMENT	CWS	GW	1500	Local government	4 SANDY LANE	Franklin	3100 Coliform (TCR)		MR	7	4/1/2017	4/30/2017	SFL	5/1/2017	6/5/2017		15	0	6/5/2017	24	Monitoring, Routine Minor (TCR)	
1	MA	MA133701	WHATLEY WATER DEPARTMENT	CWS	GW	1500	Local government	4 SANDY LANE	Franklin	5000 Lead and Copper Rule		MR	3	6/1/2015		SFL	3/2/2016			10	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA134000	WILLIAMSBURG WATER DEPT	CWS	GW	1580	Local government	141 MAIN ST	Hampshire	5000 Lead and Copper Rule		MR	6	1/1/2008		SFL	12/1/2008			35	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA134100	WILLIAMSBURG WATER DEPT	CWS	GW	7343	Local government	675 LEAD AND COPPER RD	Berkshire	5000 Lead and Copper Rule		MR	4	6/1/2015		SFL	3/23/2016			22	0		52	Follow-up Or Routine LCR Tap M/R	
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2981 1,1,1-Trichloroethane		MR	13	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2985 1,1,2-Dichloroethane		MR	28	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2977 1,1-Dichloroethylene		MR	10	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2378 1,2,4-Trichlorobenzene		MR	30	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2980 1,2-Dichloroethane		MR	11	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2983 1,2-Dichloropropane		MR	19	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2990 Benzene		MR	8	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2989 CHLOROBENZENE		MR	15	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2982 Carbon tetrachloride		MR	9	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2984 DICHLOROMETHANE		MR	26	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2992 Ethylbenzene		MR	20	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	1040 Nitrate		MR	5	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	1041 Nitrite		MR	6	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2996 Styrene		MR	21	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2987 Tetrachloroethylene		MR	22	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2991 Toluene		MR	23	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2984 Trichloroethylene		MR	12	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2976 Vinyl chloride		MR	14	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2955 Xylenes, Total		MR	25	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2380 cis-1,2-Dichloroethylene		MR	18	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2968 o-Dichlorobenzene		MR	16	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2969 p-Dichlorobenzene		MR	24	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134103	THE TACONIC RESTAURANT	TNCWS	GW	75	Private	1161 COLD SPRING RD	Berkshire	2979 trans-1,2-Dichloroethylene		MR	17	10/1/2017	12/31/2017	SFL	2/14/2018			12	0		3	Monitoring, Regular	Y
1	MA	MA134104	1896 HOUSE RESTAURANT	TNCWS	GU	34	Private	ROUTE 7	Berkshire	7500 Public Notice		Other	10	2/1/2016		SFL	4/27/2016			13	0		75	Public Notification Violation for NPDRW Violation	
1	MA	MA134104	1896 HOUSE RESTAURANT	TNCWS	GU	34	Private	ROUTE 7	Berkshire	200 Surface Water Treatment Rule		TT	1	4/1/2005		SFL	1/23/2006			3	0		42	Failure to Filter (SWTR)	
1	MA	MA2011000	ASHBURNHAM WATER DEPARTMENT	CWS	SW	3680	Local government	C/O ASHBURNHAM WATER DEPARTMENT	Worcester	999 Chlorine		MR	21	1/1/2017	3/31/2017	SFL	6/13/2017			69	0		27	Monitoring and Reporting (DBP)	Y
1	MA	MA2011001	CAMP WELLS L2BIC	TNCWS	GW	125	Private	3200 COLLINS (TCR)	Worcester	3100 Coliform (TCR)		MR	10	8/1/2017		SFL	12/20/2017			58	0		34	Monitoring, Source Water (GWR)	
1	MA	MA2017000	AUBURN WATER DISTRICT	CWS	SWP	11763	Local government	P.O. BOX 187	Worcester	5000 Lead and Copper Rule		MR	44	6/1/2016		SFL	12/20/2017			59	0		53	Water Quality Parameter M/R	
1	MA	MA2017000	AUBURN WATER DISTRICT	CWS	SWP	11763	Local government	P.O. BOX 187	Worcester	5000 Lead and Copper Rule		MR	45	6/1/2016		SFL	12/20/2017			59	0		53	Water Quality Parameter M/R	
1	MA	MA2017000	AUBURN WATER DISTRICT	CWS	SWP	11763	Local government	P.O. BOX 187	Worcester	5000 Lead and Copper Rule		MR	46	1/1/2017		SFL	12/20/2017			59	0		53	Water Quality Parameter M/R	
1	MA	MA2017000	AUBURN WATER DISTRICT	CWS	SWP	11763	Local government	P.O. BOX 187	Worcester	5000 Lead and Copper Rule		MR	47	7/1/2017		SFL	12/20/2017			59	0		53	Water Quality Parameter M/R	
1	MA	MA2017000	AUBURN WATER DISTRICT	CWS	SWP	11763	Local government	P.O. BOX 187	Worcester	5000 Lead and Copper Rule		MR	48												

Epa Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served Count	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator	
1	MA	MA037019	BOXBORO EXECUTIVE CENTER	NTNCWS	GW	60	Private	ATTN: STEPHEN GOLD, TRUSTEE	Middlesex	5000	Lead and Copper Rule	MR	9	1/1/2016		SFL	10/13/2016	6/16/2017		39	6/16/2017	53	Water Quality Parameter M/R			
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2981	1,1,1-Trichloroethane	MR	99V0044	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2985	1,1,1,2-Trichloroethane	MR	99V0048	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2977	1,1-Dichloroethylene	MR	99V0040	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2378	1,2,4-Trichlorobenzene	MR	99V0012	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2980	1,2-Dichloroethane	MR	99V0043	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2983	1,2-Dichloropropane	MR	99V0046	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2990	Benzene	MR	99V0053	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2989	CHLOROBENZENE	MR	99V0052	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2982	Carbon tetrachloride	MR	99V0045	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	3100	Coliform (TCR)	MR	98V0354	1/1/1998	3/31/1998	SFL	9/30/1998	2/5/2018	2/5/2018	4			23	Monitoring, Routine Major (TCR)		
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	3100	Coliform (TCR)	MR	98V0355	4/1/1998	6/30/1998	SFL	9/30/1998	2/5/2018	2/5/2018	4			23	Monitoring, Routine Major (TCR)		
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2955	Xylenes, Total	MR	99V0031	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	5			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2964	DICHLOROMETHANE	MR	99V0033	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2992	Ethylbenzene	MR	99V0055	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	1040	Nitrate	MR	99V0002	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2996	Styrene	MR	99V0058	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2987	Tetrachloroethylene	MR	99V0050	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2991	Toluene	MR	99V0054	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2984	Trichloroethylene	MR	99V0047	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2976	Vinyl chloride	MR	99V0039	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2955	Xylenes, Total	MR	99V0031	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2380	cis-1,2-Dichloroethylene	MR	99V0013	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2968	o-Dichlorobenzene	MR	99V0037	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2969	p-Dichlorobenzene	MR	99V0038	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA037027	61 STOW RD. BLDG./THE MARKETPLACE	NTNCWS	GW	25	Private	P.O. BOX 985	Middlesex	2979	trans-1,2-Dichloroethylene	MR	99V0042	4/1/1999	6/30/1999	SFL	8/31/1999	2/5/2018	2/5/2018	6			3	Monitoring, Regular	N	
1	MA	MA025403	OVERLOOK LIFE CARE COMMUNITY	CWS	GW	835	Private	7000 Consumer Confidence Rule	Worcester	7000	Consumer Confidence Rule	Other	1	7/1/2017		SOX	9/15/2017	9/15/2017			71	9/15/2017	71	Consumer Confidence Report Complete Failure to Report		
1	MA	MA025403	OVERLOOK LIFE CARE COMMUNITY	CWS	GW	835	Private	88 MASONIC HOME RD	Worcester	7000	Consumer Confidence Rule	Other	1	7/1/2017		SFL	8/16/2017	9/15/2017			23	9/15/2017	71	Consumer Confidence Report Complete Failure to Report		
1	MA	MA025408	CHARLTON COMMUNITY INTEREST INC.	TCNCS	GW	25	Public/Private	10 MAIN ST	Worcester	3014	E. COLI	MR	29	9/1/2015			12/1/2015				30			34	Monitoring, Source Water (GWR)	N
1	MA	MA025408	CHARLTON COMMUNITY INTEREST INC.	TCNCS	GW	25	Public/Private	10 MAIN ST	Worcester	3014	E. COLI	MR	31	11/1/2015			3/1/2016				32			34	Monitoring, Source Water (GWR)	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2981	1,1,1-Trichloroethane	MR	20	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2985	1,1,2-Trichloroethane	MR	35	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2977	1,1-Dichloroethylene	MR	17	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2378	1,2,4-Trichlorobenzene	MR	37	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2980	1,2-Dichloroethane	MR	18	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2983	1,2-Dichloropropane	MR	26	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2990	Benzene	MR	15	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2989	CHLOROBENZENE	MR	22	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2982	Carbon tetrachloride	MR	16	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2964	DICHLOROMETHANE	MR	33	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	3014 E. COLI	Worcester	3014	E. COLI	MR	10	8/1/2015			12/1/2015				34			34	Monitoring, Source Water (GWR)	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	3014 E. COLI	Worcester	3014	E. COLI	MR	11	8/1/2017	9/25/2017		9/25/2017				42		9/25/2017	34	Monitoring, Source Water (GWR)	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	3014	E. COLI	MR	11	8/1/2017	9/25/2017		9/25/2017				41		9/25/2017	34	Monitoring, Source Water (GWR)	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2992	Ethylbenzene	MR	27	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	1040	Nitrate	MR	12	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	1041	Nitrite	MR	14	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	N
1	MA	MA025435	RONNIES SEAFOOD INC.	TCNCS	GW	50	Private	157 SUNSET DR	Worcester	2996	Styrene	MR	28	7/1/2017	9/30/2017	SFL	12/20/2017				43			3	Monitoring, Regular	

EPA Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator	
1	MA	MA2179015	IMPERIAL AUTO	NTNCWS	GW	120	Private	PO BOX 444	Worcester	3100	Coliform (TCR)	MR	54	4/31/2017	9/30/2017	SFL	9/25/2017			16	R	9/25/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2179016	IMPERIAL AUTO	NTNCWS	GW	120	Private	PO BOX 444	Worcester	3100	Coliform (TCR)	MR	54	4/31/2017	9/30/2017	SFL	9/25/2017			17	R	9/25/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2179016	IMPERIAL AUTO	NTNCWS	GW	120	Private	PO BOX 444	Worcester	3100	Coliform (TCR)	MR	55	5/1/2017	9/25/2017	SFL	9/25/2017			16	R	9/25/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2179016	IMPERIAL AUTO	NTNCWS	GW	120	Private	PO BOX 444	Worcester	3100	Coliform (TCR)	MR	55	5/1/2017	9/25/2017	SFL	9/25/2017			17	R	9/25/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2179016	IMPERIAL AUTO	NTNCWS	GW	120	Private	PO BOX 444	Worcester	3100	Coliform (TCR)	MR	56	7/1/2017	9/25/2017	SFL	9/25/2017			18	R	9/25/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2186003	CLEARVIEW COUNTRY CLUB	TNCSWS	GW	150	Private	66 PARK HILL AVE	Worcester	3100	Coliform (TCR)	MR	36	1/1/2017	9/26/2017	SFL	9/26/2017			35	R	9/26/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2186003	CLEARVIEW COUNTRY CLUB	TNCSWS	GW	150	Private	66 PARK HILL AVE	Worcester	3100	Coliform (TCR)	MR	36	1/1/2017	9/26/2017	SFL	9/26/2017			32	R	9/26/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2186003	CLEARVIEW COUNTRY CLUB	TNCSWS	GW	150	Private	66 PARK HILL AVE	Worcester	3100	Coliform (TCR)	MR	37	2/1/2017	9/26/2017	SFL	9/26/2017			35	R	9/26/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2186003	CLEARVIEW COUNTRY CLUB	TNCSWS	GW	150	Private	66 PARK HILL AVE	Worcester	3100	Coliform (TCR)	MR	37	2/1/2017	9/26/2017	SFL	9/26/2017			32	R	9/26/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2186003	CLEARVIEW COUNTRY CLUB	TNCSWS	GW	150	Private	66 PARK HILL AVE	Worcester	3100	Coliform (TCR)	MR	38	3/1/2017	9/26/2017	SFL	9/26/2017			35	R	9/26/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2186003	CLEARVIEW COUNTRY CLUB	TNCSWS	GW	150	Private	66 PARK HILL AVE	Worcester	3100	Coliform (TCR)	MR	38	3/1/2017	9/26/2017	SFL	9/26/2017			32	R	9/26/2017	23	Monitoring, Routine Major (TCR)		
1	MA	MA2216000	WHITINSVILLE WATER COMPANY	CWS	GU	7721	Private	P.O. BOX 188	Worcester	2950	THM	MR	5	10/1/2017	12/31/2017	SFL	9/12/2018			24	R		27	Monitoring and Reporting (DBP)	N	
1	MA	MA2216006	NORTHBRIDGE WATER DIVISION	CWS	GLP	7283	Local government	ATTN: RANDY SWIGOR	Worcester	2950	THM	MR	8	10/1/2017	12/31/2017	SFL	9/12/2018			24	R		27	Monitoring and Reporting (DBP)	N	
1	MA	MA2216006	NORTHBRIDGE WATER DIVISION	CWS	GLP	7283	Local government	ATTN: RANDY SWIGOR	Worcester	2950	THM	MR	7	10/1/2017	12/31/2017	SFL	9/12/2018			14	R		27	Monitoring and Reporting (DBP)	N	
1	MA	MA2222002	PINE ACRES FAMILY CAMPING RESORT	TNCSWS	GW	150	Private	3014 E. COLI	Worcester	3014	E. COLI	MR	1	8/1/2017	9/25/2017	SFL	9/25/2017			9	R	9/25/2017	34	Monitoring, Source Water (GWR)	N	
1	MA	MA2222002	PINE ACRES FAMILY CAMPING RESORT	TNCSWS	GW	150	Private	203 BECHAN ROAD	Worcester	3014	E. COLI	MR	1	8/1/2017	9/25/2017	SFL	9/25/2017			8	R	9/25/2017	34	Monitoring, Source Water (GWR)	N	
1	MA	MA2222003	LANE DEAN CAMPGROUND	TNCSWS	GW	100	Private	PO BOX 226	Worcester	1040	Nitrate	MR	6	7/1/2017	9/30/2017	SFL	12/20/2017			6	R		3	Monitoring, Regular	N	
1	MA	MA2226007	TORIA HEIGHTS CONDOMINIUM	CWS	GW	60	Private	C/O PROPERTY SHOP, INC	Worcester	4000	Gross Alpha, Excl. Radon and U	MR	33	4/1/2017	6/30/2017	SFL	9/25/2017			21	R		3	Monitoring, Regular	N	
1	MA	MA2257000	RUTLAND WATER DEPARTMENT	CWS	SW	5148	Local government	17 POMMOGUSSETT RD	Worcester	7000	Consumer Confidence Rule	Other	6	7/1/2017		SOX	8/27/2017	8/27/2017			30	R	8/27/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA2257000	RUTLAND WATER DEPARTMENT	CWS	SW	5148	Local government	17 POMMOGUSSETT RD	Worcester	7000	Consumer Confidence Rule	Other	6	7/1/2017		SFL	8/16/2017	8/27/2017			31	R	8/27/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MA2257007	STILL FOUR CORNERS RESTAURANT	TNCSWS	GW	125	Private	C/O MARK ROBERTSON	Worcester	3014	E. COLI	MR	5	10/1/2014		SFL	9/12/2018			12	O		34	Monitoring, Source Water (GWR)	N	
1	MA	MA2257007	STILL FOUR CORNERS RESTAURANT	TNCSWS	GW	125	Private	C/O MARK ROBERTSON	Worcester	3014	E. COLI	MR	6	9/1/2017		SFL	9/25/2017			15	O		34	Monitoring, Source Water (GWR)	N	
1	MA	MA2270000	SHIRLEY WATER DISTRICT	CWS	GW	4944	Local government	124 AVER RD	Worcester	3014	E. COLI	MR	27	12/1/2016		SFL	3/3/2017	3/3/2017			29	R	3/3/2017	34	Monitoring, Source Water (GWR)	N
1	MA	MA2270000	SHIRLEY WATER DISTRICT	CWS	GW	4944	Local government	124 AVER RD	Worcester	3014	E. COLI	MR	27	12/1/2016		SFL	3/3/2017	3/3/2017			28	R	3/3/2017	34	Monitoring, Source Water (GWR)	N
1	MA	MA2270000	SHIRLEY WATER DISTRICT	CWS	GW	4944	Local government	124 AVER RD	Worcester	3014	E. COLI	MR	29	12/1/2016		Other	3/3/2017	3/3/2017			29	R	3/3/2017	34	Monitoring, Source Water (GWR)	N
1	MA	MA2280011	ZUKAS HILLTOP BARN	TNCSWS	GW	250	Private	C/O PETER AND LYNN ZUKAS, TRUSTEES	Worcester	3100	Coliform (TCR)	MR	8	5/1/2017	5/31/2017	SOX	9/25/2017	9/25/2017			11	R	9/25/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA2280011	ZUKAS HILLTOP BARN	TNCSWS	GW	250	Private	C/O PETER AND LYNN ZUKAS, TRUSTEES	Worcester	3100	Coliform (TCR)	MR	8	5/1/2017	5/31/2017	SFL	9/25/2017	9/25/2017			10	R	9/25/2017	23	Monitoring, Routine Major (TCR)	
1	MA	MA2286020	CPI RADANT TECHNOLOGIES, INC	NTNCWS	GW	85	Private	C/O JEAN-CLAUDE SUREAU	Worcester	5000	Lead and Copper Rule	MR	20	1/1/2016		SFL	10/13/2016			27	O		52	Follow-up Or Routine LCR Tap M/R		
1	MA	MA2286020	CPI RADANT TECHNOLOGIES, INC	NTNCWS	GW	85	Private	C/O JEAN-CLAUDE SUREAU	Worcester	5000	Lead and Copper Rule	MR	23	1/1/2016		SFL	7/5/2016			26	O		53	Water Quality Parameter M/R		
1	MA	MA2286020	CPI RADANT TECHNOLOGIES, INC	NTNCWS	GW	85	Private	C/O JEAN-CLAUDE SUREAU	Worcester	5000	Lead and Copper Rule	MR	25	3/31/2017	4/1/2017	SFL	6/2/2017	6/2/2017			19	R	6/2/2017	66	Lead Consumer Notice	
1	MA	MA2286022	STOW MUNICIPAL BUILDINGS	NTNCWS	GW	30	Local government	380 GREAT RD	Worcester	5000	Lead and Copper Rule	MR	95	3/31/2017	4/1/2017	SFL	6/2/2017	6/2/2017			20	R	6/2/2017	66	Lead Consumer Notice	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2981	1,1,1-Trichloroethane	MR	11	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2985	1,1,2-Dichloroethane	MR	8	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2977	1,1,2-Dichloroethane	MR	8	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2378	1,2,4-Trichlorobenzene	MR	28	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2980	1,2-Dichloroethane	MR	9	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2983	1,2-Dichloropropane	MR	6	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2990	Benzene	MR	6	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2989	CHLOROBENZENE	MR	13	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2982	Carbon tetrachloride	MR	7	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2964	DICHLOROMETHANE	MR	24	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2992	Ethylbenzene	MR	18	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2996	Styrene	MR	19	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2987	Tetrachloroethylene	MR	20	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2991	Toluene	MR	21	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2984	Trichloroethylene	MR	12	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2976	Vinyl chloride	MR	12	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2955	Xylenes, Total	MR	23	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2380	cis-1,2-Dichloroethylene	MR	16	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2968	Dichlorobenzene	MR	14	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2989	1,2-Dichloroethane	MR	22	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2287009	HEMLOCK RIDGE GOLF COURSE	TNCSWS	GW	100	Private	C/O MARC PALMER	Worcester	2979	trans-1,2-Dichloroethylene	MR	15	4/1/2017	6/30/2017	SFL	9/25/2017			15	R		3	Monitoring, Regular	N	
1	MA	MA2290001	MANCHAUG WATER DISTRICT OF SUTTON	CWS	GW	433	Local government	P.O. BOX 173	Worcester	2456	Total Haloacetic Acids (HAAS)	MR	15	7/1/2017	9/30/2017	SFL	12/20/2017			37	R		27	Monitoring and Reporting (DBP)	N	
1	MA	MA2290024	JOHN ROAD INDUSTRIAL PARK	NTNCWS	GW	25	Private	23 HORNE DRIVE	Worcester	5000	Lead and Copper Rule	MR	1	6/1/2015		SFL	7/5/2016			4	O		53	Water Quality Parameter M/R		
1	MA	MA2303000	UPTON DPM WATER/WASTEWATER DIVISION	CWS	GW	4338	Local government	1 MAIN STREET SUITE 13	Worcester	3014	E. COLI	MR	7	11/1/2017		SFL	12/20/2017			25	O		34	Monitoring, Source Water (GWR)		

EPA Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served Count	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2984	Trichloroethylene	MR	29	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2976	Vinyl chloride	MR	31	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2955	Xylenes, Total	MR	42	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2380	cis-1,2-dichloroethylene	MR	36	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2968	p-Dichlorobenzene	MR	33	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2969	p-Dichlorobenzene	MR	41	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323001	HIGHVIEW CAMPGROUND, INC.	TNCWS	GW	25	Private	58 JOHN GILBERT RD	Worcester	2979	trans-1,2-Dichloroethylene	MR	34	7/1/2017	9/30/2017	SFL	12/20/2017			35	k		3	Monitoring, Regular	N			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	141	7/1/2016		SOX	1/19/2018	1/19/2018			69	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	141	7/1/2016		SOX	1/19/2018	1/19/2018			69	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	142	1/1/2017		SOX	1/19/2018	1/19/2018			69	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	142	1/1/2017		SOX	1/19/2018	1/19/2018			68	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	143	1/1/2015		SOX	1/19/2018	1/19/2018			69	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	143	1/1/2015		SOX	1/19/2018	1/19/2018			68	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	144	7/1/2015		SOX	1/19/2018	1/19/2018			68	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	144	7/1/2015		SFL	12/20/2017	1/19/2018			68	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	145	7/1/2015		SOX	1/19/2018	1/19/2018			69	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	145	7/1/2015		SFL	12/20/2017	1/19/2018			68	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	146	7/1/2015		SFL	12/20/2017	1/19/2018			68	R	1/19/2018	53	Water Quality Parameter M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	147	1/1/2017		SOX	1/19/2018	1/19/2018			69	R	1/19/2018	56	Initial, Follow-up, or Routine Source Water M/R			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	147	1/1/2015		SOX	1/19/2018	1/19/2018			68	R	1/19/2018	65	Public Education			
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	148	1/1/2015		TT	10/1/2014				0							
1	MA	MA2323002	MADDEN ESTATES	CWS	GW	50	Private	ARTHUR M. MASEKELL, MANAGING	Worcester	5000	Lead and Copper Rule	MR	150	7/1/2014		TT	10/1/2014				0							
1	MA	MA023000	BEDFORD WATER DEPT.	CWS	SWP	14020	Local government	314 GREAT RD	Middlesex	1040	Nitrate	MR	80	7/1/2017	9/30/2017					0				3	Monitoring, Regular	N		
1	MA	MA023002	HANSCOM AFB	CWS	SWP	11799	Federal government	72 DOW ST, BLDG 1825	Middlesex	7000	Consumer Confidence Rule	Other	13	7/1/2017		SOX	9/11/2017	9/11/2017			27	R	9/11/2017	71	Consumer Confidence Report Complete Failure to Report			
1	MA	MA023002	HANSCOM AFB	CWS	SWP	11799	Federal government	72 DOW ST, BLDG 1825	Middlesex	7000	Consumer Confidence Rule	Other	13	7/1/2017		SOX	9/11/2017	9/11/2017			28	R	9/11/2017	71	Consumer Confidence Report Complete Failure to Report			
1	MA	MA038009	HARRY LEE COLE SCHOOL	TNCWS	GW	404	Local government	500 LEAD AND COPPER ROAD	Essex	5000	Lead and Copper Rule	MR	26	1/1/2011		SFM	6/27/2007				0			52	Follow-up Or Routine LCR Tap M/R			
1	MA	MA038020	ANDREWS FARM WATER CO.,INC.	CWS	GW	145	Private	C/O TIMOTHY MURPHY	Essex	5000	Lead and Copper Rule	MR	1	6/1/2006		SFM	6/27/2007				7	0		52	Follow-up Or Routine LCR Tap M/R			
1	MA	MA038020	ANDREWS FARM WATER CO.,INC.	CWS	GW	145	Private	C/O TIMOTHY MURPHY	Essex	5000	Lead and Copper Rule	MR	1	6/1/2006		SFL	6/27/2007				8	0		52	Follow-up Or Routine LCR Tap M/R			
1	MA	MA038020	ANDREWS FARM WATER CO.,INC.	CWS	GW	145	Private	C/O TIMOTHY MURPHY	Essex	5000	Lead and Copper Rule	MR	3	6/1/2006		SFL	11/6/2006				6	0		52	Follow-up Or Routine LCR Tap M/R			
1	MA	MA038020	ANDREWS FARM WATER CO.,INC.	CWS	GW	145	Private	C/O TIMOTHY MURPHY	Essex	5000	Lead and Copper Rule	MR	3	6/1/2006		SFL	6/21/2006				11	0		52	Follow-up Or Routine LCR Tap M/R			
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	11	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	11	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	12	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	13	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	14	7/1/2017	9/30/2017	SFL	10/26/2017					14	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	15	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	16	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	17	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	18	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	19	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	20	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	21	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	22	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	23	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	24	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	25	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	26	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	27	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	5	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	6	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	7	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	8	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035107	DCR GREAT BROOK FARM STATE PARK	TNCWS	GW	300	State government	251 CAUSWAY STREET, 9TH FLOOR	Middlesex	4006	Combined Uranium	MR	9	7/1/2017	9/30/2017	SFL	10/26/2017					13	Y		3	Monitoring, Regular	Y	
1	MA	MA035108	GLEASON PUBLIC LIBRARY	TNCWS	GW	80	Local government	22 BEDFORD ST	Middlesex	1040	Nitrate	MR	10	1/27/2017								0			3	Monitoring, Regular	N	
1	MA																											

Ep Region	Primary Agency Code	PWS ID	PWS Name	PWS Type Code	Primary Source Code	Population Served Count	Owner Type Description	Address	County Served	Contaminant Code	Contaminant Name	Violation Category Code	Violation Id	Compliance Period Begin Date	Compliance Period End Date	Enforcement Action Type Code	Enforcement Date	RTC Date	PWS Deactivation Date	Enforcement Id	Compliance Status Code	Resolved Date	Violation Code	Violation Type Description	Is Major Violation Indicator					
1	MA	MAA076002	NORTH DIGHTON FIRE DISTRICT	CWS	SWP	1300	Local government	340 FOREST ST.	Bristol	2456	Total Haloacetic Acids (HAAs)	MR	1	2/1/2017	2/28/2017					K			27	Monitoring and Reporting (DBP)	N					
1	MA	MAA086039	WILLYS WORLD WELLNESS AND CONFERENCE CTR	TNCWS	GW	350	Private	P.O. BOX 1949	Barnstable	1040	Nitrate	MR	1	4/1/2017	6/30/2017	SFL	9/6/2017				10	K		3	Monitoring, Regular	N				
1	MA	MAA086089	WILEY PARK CONSERVATION AREA	TNCWS	GW	250	Local government	ROBERT VARLEY	Barnstable	1040	Nitrate	MR	13	7/1/2017	9/30/2017	SFL	2/8/2018				22	K		3	Monitoring, Regular	N				
1	MA	MAA095000	FALL RIVER WATER DEPARTMENT	CWS	SW	88657	Local government	1831 BEDFORD ST	Bristol	5000	Lead and Copper Rule	MR	18	1/1/2010								0			53	Water Quality Parameter M/R	N			
1	MA	MAA102015	STILLWATER FASTENERS	NTNCWS	GW	35	Private	25 GURNEY RD	Bristol	5000	Lead and Copper Rule	MR	5	10/1/2017			11/17/2017					12	O		52	Follow-up Or Routine LCR Tap M/R				
1	MA	MAA145000	KINGSTON WATER DEPARTMENT	CWS	GW	13720	Local government	26 EVERGREEN STREET	Plymouth	2950	THM	MR	73	2/1/2017	2/28/2017									K		27	Monitoring and Reporting (DBP)	N		
1	MA	MAA145000	KINGSTON WATER DEPARTMENT	CWS	GW	13720	Local government	26 EVERGREEN STREET	Plymouth	2456	Total Haloacetic Acids (HAAs)	MR	72	2/1/2017	2/28/2017									K		27	Monitoring and Reporting (DBP)	N		
1	MA	MAA146022	CHURCH OF NAZARENE	TNCWS	GW	40	Private	180 MAIN ST	Plymouth	1040	E. COLI	MR	5	9/30/2016		SFL	4/14/2017						15	O		34	Monitoring, Source Water (GWR)	N		
1	MA	MAA146022	CHURCH OF NAZARENE	TNCWS	GW	40	Private	180 MAIN ST	Plymouth	1040	Nitrate	MR	6	7/1/2017	9/30/2017	SFL	2/8/2018							16	K		3	Monitoring, Regular	N	
1	MA	MAA146022	CHURCH OF NAZARENE	TNCWS	GW	40	Private	180 MAIN ST	Plymouth	1041	Nitrite	MR	7	7/1/2017	9/30/2017	SFL	2/8/2018							16	K		3	Monitoring, Regular	N	
1	MA	MAA172048	FITNESS COMPANY FOR WOMEN	TNCWS	GW	100	Private	502 MAIN STREET	Barnstable	1040	Nitrate	MR	5	4/1/2017	6/30/2017	SFL	9/6/2017							11	K		3	Monitoring, Regular	N	
1	MA	MAA197017	STAR OF THE SEA YOUTH HOSTEL	TNCWS	GW	60	Private	DONNIE MORGAN	Nantucket	1040	Nitrate	MR	2	4/1/2017	6/30/2017	SFL	9/6/2017							4	K		3	Monitoring, Regular	N	
1	MA	MAA211001	KINGS GRANT WATER CO INC	CWS	GW	434	Private	839 NEWPORT AVENUE	Bristol	5000	Lead and Copper Rule	MR	3	10/1/2017	12/31/2017	SFL	3/6/2018							17	K		66	Lead Consumer Notice		
1	MA	MAA239000	PLYMOUTH WATER DEPARTMENT	CWS	GW	40362	Local government	169 CAMELOT DRIVE	Plymouth	7000	Consumer Confidence Rule	Other	2	7/1/2017		SOK	8/25/2017	8/25/2017							31	R	8/25/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MAA239000	PLYMOUTH WATER DEPARTMENT	CWS	GW	40362	Local government	169 CAMELOT DRIVE	Plymouth	7000	Consumer Confidence Rule	Other	2	7/1/2017		SFL	8/16/2017	8/25/2017							32	R	8/25/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MAA239011	ELLIS HAVEN	TNCWS	GW	400	Private	531 FEDERAL FURNACE RD	Plymouth	3014	E. COLI	MR	4	8/19/2016		SFL	4/26/2017							12	O		34	Monitoring, Source Water (GWR)	N	
1	MA	MAA239012	BLUEBERRY HILL CAMPGROUND	TNCWS	GW	300	Private	166 WAMPATUCK STREET	Plymouth	1040	Nitrate	MR	1	4/1/2017	6/30/2017	SFL	9/6/2017							4	K		3	Monitoring, Regular	N	
1	MA	MAA239049	HEERING COVE CONDOMINIUMS TRUST	CWS	GW	25	Private	60 NIGHTINGALE RD	Plymouth	5000	Lead and Copper Rule	MR	7918-95V0033	7/7/1992										0			51	Initial Tap Sampling for Pb and Cu		
1	MA	MAA239051	LONG POND VILLAGE MOBILE HOMES	CWS	GW	60	Private	54 HEADLANDS DR	Plymouth	7000	Consumer Confidence Rule	Other	58	7/1/2017		SFL	8/16/2017	8/16/2017							43	R	8/16/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MAA239051	LONG POND VILLAGE MOBILE HOMES	CWS	GW	60	Private	54 HEADLANDS DR	Plymouth	7000	Consumer Confidence Rule	Other	58	7/1/2017		SFL	8/16/2017	8/16/2017							42	R	8/16/2017	71	Consumer Confidence Report Complete Failure to Report	
1	MA	MAA247003	K P GRILLE	TNCWS	GW	50	Private	481 WINTHROP ST	Bristol	7500	Public Notice	Other	12	1/9/2015		SFL	2/26/2015							16	O		75	Public Notification Violation for NPDR Violation		
1	MA	MAA247028	CEDAR BROOK SCHOOL	NTNCWS	GW	30	Private	24 RALSIE RD	Bristol	5000	Lead and Copper Rule	MR	1	10/1/2016		SOK	9/21/2017	9/21/2017							9	R	9/21/2017	52	Follow-up Or Routine LCR Tap M/R	
1	MA	MAA247028	CEDAR BROOK SCHOOL	NTNCWS	GW	30	Private	24 RALSIE RD	Bristol	5000	Lead and Copper Rule	MR	1	10/1/2016		SFL	11/10/2016	9/21/2017							8	R	9/21/2017	52	Follow-up Or Routine LCR Tap M/R	
1	MA	MAA265001	SEEKONK SWIMMING AND TENNIS CLUB	TNCWS	GW	900	Private	P.O. BOX 85	Bristol	1040	Nitrate	MR	4	7/1/2017	9/30/2017	SFL	2/8/2018							12	K		3	Monitoring, Regular	N	
1	MA	MAA265001	SEEKONK SWIMMING AND TENNIS CLUB	TNCWS	GW	900	Private	P.O. BOX 85	Bristol	1041	Nitrite	MR	5	7/1/2017	9/30/2017	SFL	2/8/2018							12	K		3	Monitoring, Regular	N	
1	MA	MAA285000	STOUGHTON WATER DEPARTMENT	CWS	SWP	24970	Local government	950 CENTRAL ST	Norfolk	3014	E. COLI	MR	7	7/16/2015		SFO	5/6/2016							30	O		34	Monitoring, Source Water (GWR)	N	
1	MA	MAA292000	SWANSEA WATER DISTRICT	CWS	SW	17358	Local government	700 WILBUR AVE	Bristol	200	Surface Water Treatment Rule	TF	5	5/1/2017		SFL	8/16/2017							10	K		41	Treatment Technique (SWTR and GWR)		
1	MA	MAA318031	MAINSTAY MOTOR INN	TNCWS	GW	64	Private	PO BOX 295	Barnstable	1040	Nitrate	MR	7	7/1/2017	9/30/2017	SFL	2/8/2018							24	K		3	Monitoring, Regular	N	
1	MA	MAA318056	MASSASOIT HILLS TRAILER PARK	CWS	GW	120	Private	ATTN: ANDREW PARKINGTON	Barnstable	5000	Lead and Copper Rule	MR	62	7/1/2017		SFL	8/7/2017							48	O		52	Follow-up Or Routine LCR Tap M/R		
1	MA	MAA334017	WESTPORT ELEM. SCHOOL	NTNCWS	GW	650	Local government	17 MAIN ROAD	Bristol	5000	Lead and Copper Rule	MR	5	10/1/2015		SOK	4/27/2017	4/27/2017						20	R	4/27/2017	52	Follow-up Or Routine LCR Tap M/R		
1	MA	MAA334017	WESTPORT ELEM. SCHOOL	NTNCWS	GW	650	Local government	17 MAIN ROAD	Bristol	5000	Lead and Copper Rule	MR	5	10/1/2015		SFL	12/9/2015	4/27/2017							18	R	4/27/2017	52	Follow-up Or Routine LCR Tap M/R	
1	MA	MAA334017	WESTPORT ELEM. SCHOOL	NTNCWS	GW	650	Local government	17 MAIN ROAD	Bristol	5000	Lead and Copper Rule	MR	6	10/1/2016		SOK	4/27/2017	4/27/2017							20	R	4/27/2017	52	Follow-up Or Routine LCR Tap M/R	
1	MA	MAA334017	WESTPORT ELEM. SCHOOL	NTNCWS	GW	650	Local government	17 MAIN ROAD	Bristol	5000	Lead and Copper Rule	MR	6	10/1/2016		SFL	10/7/2016	4/27/2017							19	R	4/27/2017	52	Follow-up Or Routine LCR Tap M/R	
1	MA	MAA338000	WHITMAN WATER SYSTEM	CWS	SWP	14574	Local government	100 ESSEX ST	Plymouth	5000	Lead and Copper Rule	MR	7998-93V0001	7/1/1992										0			51	Initial Tap Sampling for Pb and Cu		