



MA Department of Energy Resources
100 Cambridge Street, Suite 1020
Boston, MA 02114

SUBMITTED VIA EMAIL: doer.rps@mass.gov

April 1, 2022

Subject: Public Comment Opposing Amendments to 2022 RPS
Class I & II Rulemaking

Dear Commissioner Woodcock and Mr. Wassam:

Partnership for Policy Integrity (“PFPI”) and Conservation Law Foundation (“CLF”) submit these comments in opposition to amendments proposed by the Department of Energy Resources (“DOER”) to the Massachusetts Renewable Energy Portfolio Standard (“RPS”) regulations (225 CMR 14.00 and 225 CMR 15.00). PFPI and CLF have submitted extensive comments on previous iterations of these proposed amendments, attached below as Attachment 1 and incorporated here by reference, detailing our concerns about DOER’s proposed rollback of the RPS rules governing the eligibility of woody biomass energy. These amendments will primarily benefit existing inefficient and polluting biomass power plants in Maine, New Hampshire, and throughout the Northeast that currently do not qualify for Massachusetts RPS subsidies, at the expense of neighboring communities, public health, forest protection, and our climate.

In July 2019, and again in May 2021, PFPI and CLF, among dozens of other groups, submitted comments raising concerns about the proposed amendments, including that they would result in increased greenhouse gas emissions. By incentivizing woody bioenergy, these amendments would exacerbate climate change rather than helping to mitigate it, and thus the amendments are contrary to the purpose of the RPS program and in conflict with the Massachusetts Global Warming Solutions Act and the Climate Roadmap law.¹

¹ Respectively, An Act Establishing the Global Warming Solutions Act, 2008 Ch. 298 Mass. Acts, and An Act Creating a Next-Generation Roadmap for Massachusetts Climate Policy, 2021 Mass. Acts Ch. 8.

The amendments would also incentivize air pollution from burning woody biomass and the attendant health burdens, particularly on neighboring communities. The Massachusetts Department of Environmental Protection identified these health concerns in its decision last year to revoke the air permit for the proposed Palmer Renewable Energy biomass plant in Springfield.² To date, the only proposed RPS biomass amendment that PFPI and CLF have supported was the new provision added in 2021 that would prevent biomass power plants located in or near an environmental justice population from qualifying for RPS subsidies. This provision was based on two important concessions: first, that biomass power plants impose a health burden on the community where they are sited, and second, that some communities are already overburdened and new sources of pollution should not be incentivized there. PFPI and CLF appreciate the recognition of the need for environmental justice population protections, and agree that biomass energy facilities should not be incentivized in environmental justice communities, but have also consistently held that these polluting facilities should not be incentivized anywhere.

DOER now proposes to weaken the environmental justice siting provision by applying it only to new facilities, without providing any rationale for doing so. To our knowledge, there are only two biomass power plants that currently qualify for the Massachusetts RPS, both of which appear to be within five miles of an environmental justice community, while there are dozens of biomass power plants across the Northeast that were in commercial operation prior to January 1, 2022 and could potentially qualify for the Massachusetts RPS under these new regulations. If DOER is seeking to allow the two existing biomass power plants that are currently qualified to continue to enjoy the benefits of enrollment in the RPS program, this provision should be revised to only exempt facilities that qualified for the RPS as of January 1, 2022 from the EJ exclusion. Otherwise, it is incomprehensible why Massachusetts would not subsidize pollution in environmental justice populations from new facilities, but proposes to subsidize polluting biomass facilities in environmental justice populations as long as they are already in operation – unless the primary goal is to remove all possible obstacles for existing polluting biomass power plants across the Northeast to benefit from Massachusetts’ lucrative renewable energy subsidies, regardless of the harm they cause.

Furthermore, we believe that the Technical Analysis commissioned by DOER may significantly underestimate the potential for the RPS amendments to drive additional emissions from woody biomass energy.³ The analysis, which was published December 4, 2020, concluded that there were “only six of the 46 existing biomass generation units in New England identified

² Letter from Michael Gorski, MassDEP to Vic Gatto, Palmer Renewable Energy, dated April 2, 2021. See Attachment 1, Appendix E.

³ Renewable Energy Portfolio Standard Technical Analysis of Biomass, prepared by Sustainable Energy Advantage, LLC, December 4, 2020. Available at <https://www.mass.gov/doc/rps-technical-analysis-of-biomass-report/download>

whose production might increase materially” under the proposed RPS amendments. However, this analysis only reviewed biomass generating units that were currently operating or had recently closed at the time of the report. According to public records, DOER was contacted in November 2020 by an agent requesting whether a former biomass facility in Greenville, Maine, which was expected to come back on line in June 2022, would be eligible for the RPS Class 1 RECs under the new regulations.⁴ This facility, which qualified for MA RECs prior to the current RPS rules and closed back in 2012, was not mentioned anywhere in the Technical Analysis. Additional shortcomings of the Technical Analysis render its conclusions to be a likely underestimate of the potential impact of these proposed RPS amendments on the production of woody biomass energy in the Northeast, from both currently operating and shuttered biomass facilities.

PFPI and CLF are also concerned with the general lack of explicit reasoning or coherent rationale throughout this rulemaking. DOER has never provided a rationale for making these changes beyond saying it wanted to “streamline” and “align” the RPS regulations with the Alternative Energy Portfolio Standard (“APS”) rules. Weakening the RPS biomass rules to make them consistent with the less stringent APS biomass guidelines that DOER promulgated in 2018 takes the entire program in the wrong direction.

While PFPI and CLF strongly support increasing the percentage of renewable energy used in Massachusetts, as the Legislature required in the 2021 Climate Roadmap law and previously in 2018, it appears that DOER is seeking to meet some, or all, of this increased mandate by backfilling with woody biomass energy that is too polluting to qualify for the RPS under the current standards. This was acknowledged by DOER Commissioner Patrick Woodcock during the Telecommunications Utilities and Energy Committee hearing on the proposed amendments last July. In his oral testimony, Woodcock stated: “These regulations will yield increased biomass production regionally,” and claimed that they were necessary because other sources of renewable energy, such as offshore wind facilities, are not yet in place.⁵

This is the opposite of climate leadership. Massachusetts should be investing in new, clean, renewable energy sources to meet its increased renewable energy requirements, not weakening standards to allow more dirty biomass energy to qualify. Clean, renewable energy means electricity that does not require combustion, smokestacks, or cooling towers. Redefining dirty energy sources to meet the RPS percentages does not help us fight climate change. It is irresponsible and counter to the intent of Massachusetts’ climate policies to allow the statutorily mandated renewable energy percentages to be met by allowing more carbon-emitting energy resources to qualify under the regulations.

⁴ See email correspondence from 2020 and 2021 between DOER and Isaac Schlenker, et al., obtained by PFPI on March 24, 2022 through a public records request. See Attachment 2.

⁵ July 30, 2021, Phase II hearing on proposed amendments by DOER to the Class I and Class II RPS regulations (H.3923) before the Joint Committee on Telecommunications, Utilities and Energy.

Sincerely,

A handwritten signature in cursive script that reads "Laura Haight". The ink is dark and the signature is fluid.

Laura Haight
U.S. Policy Director
Partnership for Policy Integrity

A handwritten signature in cursive script that reads "Johannes Epke". The ink is dark and the signature is fluid.

Johannes Epke
Staff Attorney
Conservation Law Foundation

Attachment 1
PFPI CLF Joint Comments, May 2021
Including Appendices A – E



Joint Environmental Comments on Phase 2 Proposed Changes to the
Renewable Energy Portfolio Standard Biomass Regulations (225 C.M.R.
14.00 and 225 C.M.R. 15.00)

*Conservation Law Foundation
Partnership for Policy Integrity*

May 17, 2021

Contents

I. Introduction	2
II. Timeline of proposals and comments	4
III. Summary of environmental recommendations on the proposed biomass amendments	5
IV. Procedural flaws in DOER's promulgation of the regulatory amendments	11
V. Comments on new provisions in the RPS biomass regulatory amendments	13
1. Support and strengthen protections for environmental justice populations	13
2. Withdraw proposal to eliminate efficiency criteria for existing biomass plants that burn non-forest derived residues.	13
3. Withdraw changes to "Forest Salvage" definition	14
VI. The proposed regulatory amendments will increase CO2 emissions, increase air pollution, and harm forests	15
1. The proposed regulatory amendments will increase air pollution and CO2 emissions	15
2. The proposed regulatory amendments undermine Massachusetts' GHG reduction goals	19
3. The proposed regulatory amendments weaken protections for forests and forest soils	21
4. DOER failed to consider recommendations for strengthening and improving the RPS program	23
Conclusion	23

I. Introduction

The Massachusetts Department of Energy Resources (“DOER”) has proposed a substantial rollback of the rules governing the use of woody biomass in the Renewable Energy Portfolio Standard (“RPS”) found in 225 C.M.R. 14.00 and 15.00. The regulations, as revised, are contrary to the enabling statute M.G.L. c. 25A, §11F. Rather than support the development of new renewable energy resources to displace fossil fuel units in Massachusetts, as the law is intended, these amendments will primarily benefit existing inefficient and polluting biomass power plants in Maine, New Hampshire and throughout the Northeast that currently do not qualify for Massachusetts’ RPS, at the expense of public health, forest protection, and our climate.

We continue to have concerns that DOER is justifying many of these changes as a regulatory “streamlining” process in order to make the RPS provisions consistent with the biomass definitions in the Alternative Portfolio Standard (“APS”) regulation that was promulgated in 2017 (225 CMR 16.00). In our comments on the draft amendments that were proposed in 2019 (the “2019 Joint Comments”), we explained that this approach is fundamentally flawed because thermal biomass facilities are categorically more efficient than electric-only biomass generators. Furthermore, our organizations have pointed out serious flaws in the current APS thermal biomass regulation and carbon accounting guidance, which was promulgated after the 2012 RPS regulations and was intentionally weaker. Retroactively weakening the RPS rules to make them consistent with the APS rules takes the entire policy in the wrong direction. None of these concerns have been addressed by DOER.

Recent state agency actions indicate that the Baker Administration acknowledges the harmful health impacts from biomass power plant emissions, in particular those sited in environmental justice communities that are already overburdened with air pollution. In its letter revoking the operating permit for the proposed Palmer Renewable Energy plant in Springfield, the Massachusetts Department of Environmental Protection (“MassDEP”) cited health concerns related to the plant’s emissions, including “multiple studies establishing a relationship between low-income and minority communities with elevated air pollution levels and increased severity of disease and/or mortality for COVID-19 patients in these communities.”¹ While the two new provisions proposed by DOER in April close the loophole that would have allowed the Palmer plant to qualify under these revised RPS regulations, the overall effect of these amendments will be to increase the emissions of particulate matter, nitrogen oxides, and other harmful air pollutants that are subsidized by Massachusetts ratepayers through the RPS.

¹ MassDEP, Approval Revocation at 3 (April 2, 2021). A copy of this letter is included as Appendix E.

In addition to substantive deficiencies, the procedural flaws that have plagued the revision process contravene the notice and comment requirements established in M.G.L. c. 30A, §3. DOER should not make these regulations final at this time. To do so would constitute an *ultra vires* act, in violation of multiple state laws, and thereby the regulations and associated guidelines would be rendered invalid. DOER must further amend its proposed substantive changes and provide a new notice and comment period on all of the proposed amendments to the RPS biomass provisions before it finalizes any regulatory amendments.

II. Timeline of proposals and comments

1. On April 5, 2019, DOER filed draft regulations to amend portions of the RPS, including an extensive rollback of the eligibility criteria for biomass in the RPS regulations and associated guidelines. Hundreds of organizations and more than a thousand individual citizens submitted oral and written comments during the public comment period, mostly in opposition to DOER's proposed biomass changes.
2. On July 26, 2019, the Conservation Law Foundation ("CLF"), Partnership for Policy Integrity ("PFPI"), and dozens of additional groups with members throughout the Commonwealth submitted the 2019 Joint Comments. A copy of the 2019 Joint Comments is included as Appendix A.
3. On August 1, 2019, CLF, PFPI, and four other environmental groups requested the opportunity to provide stakeholder input to inform the scope and finalization of a study DOER was commissioning on the impact of the proposed biomass regulatory changes. A copy of this letter is included as Appendix B.
4. On December 4, 2020, DOER filed amended draft regulations and guidelines with the Joint Committee on Telecommunications, Utilities and Energy (the "TUE Committee") together with a Technical Analysis of the impacts of these changes on the future operations and development of biomass generation units in the region and on lifecycle greenhouse gas emissions and an RPS Forest Impact Assessment. The TUE Committee did not issue a report with respect to the final draft regulations due to insufficient time for review prior to the end of the Legislative session. On December 23, 2020, CLF, PFPI, and dozens of other organizations submitted a letter to the TUE Committee detailing our concerns relating to the December 4 revisions. A copy of this letter is included as Appendix C.
5. On April 16, 2021, DOER proposed two additional changes to the biomass amendments and reissued the draft biomass regulations for public comment, as the second phase of its RPS amendment process ("Phase 2"). In the public

notice, DOER writes that “The second phase encompasses all previously proposed amendments pertaining to biomass.” However, DOER only requested public comment on the two new provisions of the Phase 2 regulations.

6. On May 10, 2021, CLF, PFPI, and the Springfield Climate Justice Coalition requested a new comment period on the Phase 2 regulations, citing numerous procedural shortcomings. DOER denied the request on May 14th and has not rectified these issues. A copy of this correspondence is included as Appendix D.

III. Summary of environmental recommendations on the proposed biomass amendments

Except where noted herein, CLF and PFPI reiterate the positions expressed in the 2019 Joint Comments on the proposed biomass amendments. We remain opposed to DOER’s efforts to weaken the science-based eligibility criteria for wood-burning biomass power plants that were adopted in 2012. The proposed regulatory amendments expand subsidies for a polluting technology that will not assist, and will likely undermine, the Commonwealth’s goal of reducing emissions as set forth in the Global Warming Solutions Act (2008) and the recently enacted Act Creating a Next-Generation Roadmap for Massachusetts Climate Policy (2021).

The following table summarizes our recommendations to remedy the substantive and procedural deficiencies and to improve the RPS regulations and associated Guidelines, including recommendations previously included in the 2019 Joint Comments that remain applicable to the Phase 2 regulations. Items marked with asterisks (*) were not addressed by DOER in its 12/4/2020 Response to Comments; the others were not addressed adequately.

Provision/Document	Recommendations to remedy deficiencies and improve RPS Regulations & Guidelines
Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units	Revise the emissions standards to be at least as stringent as those required in the 2011 air permit for the Palmer Renewable Energy plant, which has since been revoked due to concerns about the health impacts on surrounding environmental justice communities.
Proposed 225 C.M.R. 14.05(1)(a)(7)(b)	Retain the existing language requiring biomass generation units to demonstrate that they do not exceed emission limits.*

Proposed 225 CMR 14.05(1)(a)(7)(f)	The April 2021 amendment includes new language barring biomass power plants located in or within five miles of an environmental justice community from qualifying for the RPS. In addition to biomass facilities, categorically exclude all types of combustion facilities located in or proximate to environmental justice communities from eligibility under RPS.
Proposed 225 C.M.R. 14.05(1)(a)(7)(c) Proposed Guideline on Overall Efficiency and GHG Analysis	Retain the 60% overall efficiency requirement for all biomass generation units regardless of operational date and feedstock type. The April 2021 amendment only retains this efficiency requirement for new biomass power plants that begin operation after 12/31/2020. It eliminates the efficiency requirement for biomass power plants that operated prior to 12/31/20 which utilize an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has over 95% of their fuel sourced from Non-Forest Derived Residues.
Proposed 225 C.M.R. 14.02, Definition of "Lifecycle Greenhouse Gas Emissions"	Retain the existing definition of Lifecycle Greenhouse Gas Emissions.
Proposed Guideline on Overall Efficiency and GHG Analysis Guideline on the Reduction of Greenhouse Gases for Eligible Thermal Renewable Generation Units Using Eligible Woody Biomass	Retain and utilize carbon accounting for both fossil and biogenic fuels burned during wood chip and pellet harvesting, processing and transportation.
Proposed 225 C.M.R. 14.02, Definition of "Useful Thermal Energy"	Do not count energy expended to dry fuel as "useful."

Proposed Guideline on Overall Efficiency and GHG Analysis	Add calculation of methane emissions from chip and pellet storage to GHG calculator.*
Proposed Guideline on Overall Efficiency and GHG Analysis	Retain the multi-year calculation worksheet, and make the multi-year approach the regulatory requirement for lifecycle GHG accounting.
Proposed 225 C.M.R. 14.05(1)(a)(7)(d)	Reduce the timeframe to ten years for biomass plants to demonstrate via carbon accounting that their cumulative net emissions are no more than 50% those of an efficient natural gas plant.*
Proposed Guideline on Overall Efficiency and GHG Analysis	Further revise the carbon accounting calculator to use residue decomposition rates that are scientifically justified for Northeastern forests. As revised in December 2020, the separate decay rates provided for Forest Derived Residues and Non-Forest Derived Residues remain too high in the context of Northeast forests. The revisions assume that Forest Salvage has the same decay rate as Forest Derived Residues without scientific justification.
Proposed 225 C.M.R. 14.02, Definition of "Forest Derived Residues"	Withdraw the change that adds "trees collaterally damaged" during harvesting to definition of "Forest Derived Residues" under definition of "Eligible Biomass Woody Fuel."
Proposed 225 C.M.R. 14.02, Definition of "Eligible Biomass Woody Fuel"	Withdraw the change that expands the definition of "Forest Derived Residues" to include "Trees and portions of trees harvested for the purpose of the restoration and management of habitat for rare and endangered species."
Proposed 225 C.M.R. 14.02, Definition of "Forest Salvage"	Retain the existing definition; do not adopt the change in the December 2020 amendments that includes trees removed "if they are harvested through a DCR- approved cutting plan."

Proposed 225 C.M.R. 14.02, Definition of “Non-forest Derived Residues”	Retain the existing definition and strengthen it to clarify that residues can only be considered qualifying if they are <i>genuinely</i> the by-product of a process designed to manufacture another primary product.
Proposed 225 C.M.R. 14.02, Definition of “Non-forest Derived Residues”	Retain the existing definition of “Wood Waste” and exclude as much material as possible to encourage recycling.
Proposed 225 C.M.R. 14.02, Definition of “Wood Waste”	Make it clear in this definition that the materials must represent only true residues from orchards.
Proposed 225 C.M.R. 14.02: Definition of “Land Use Change - Agricultural”	Add trees harvested during land use change either for development or agriculture as a full emission where GHGs are never recouped, and assign this carbon footprint to the biomass thus derived. Amortize the impact over a ten-year period.
Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units	Clarify that no facility burning any ineligible fuel can qualify for generating renewable energy credits.
Proposed 225 C.M.R. 14.02, Definition of “Forest Derived Thinnings”	Clarify that the improved definition of “thinnings” applies only to species ordinarily harvested for sawtimber. Alternatively, remove thinnings from eligibility altogether.
Proposed 225 C.M.R. 14.02, Definition of “Eligible Liquid Biofuel”	Implement the tighter proposed definition of Eligible Liquid Biofuels, but retain the requirement that DOER and DEP conduct the lifecycle greenhouse gas emissions analysis.
Proposed 220 C.M.R. 14.02, Definition of “Eligible Liquid Biofuel”	Explicitly prohibit liquid biofuels derived from C&D waste.

Proposed 220 C.M.R. 14.02, Definition of "Eligible Liquid Biofuel"	Retain DEP as sole decision maker for the treatment of hazardous waste under this standard.
Proposed 225 C.M.R. 14.02, Definition of "Eligible Biogas Fuel" and "Eligible Biomass Fuel"	Either abandon these changes to the definitions, or rewrite the category requirements for biogas to explain the different technologies involved. Update the carbon calculator to enable it to perform rigorous GHG accounting for biogas. Require biogas and a demonstration that the biogas reduces emissions to less than 50% of natural gas over a ten-year period. Set environmental requirements for each technology to ensure that only the best, most environmentally friendly projects are incentivized. Specify that biomass gasification is required to undergo GHG accounting like conventional combustion, and add in a rigorous lifecycle element to the carbon calculator to ensure that the energy-intensive nature of biomass gasification is properly accounted for.
Proposed 225 C.M.R. 14.05(8)	Retain and institute the 9-person Advisory Panel that was supposed to report on the tracking and enforcement of biomass regulations. This section was intentionally deleted in the 2019 proposed amendments but was omitted from subsequent redline drafts posted on the DOER website in 2020 and 2021.
Proposed 225 C.M.R. 14.05(8)	Retain the existing language in the "Forest Impact Assessment" provision that discusses using the assessment to "evaluate the appropriateness and accuracy of greenhouse gas accounting from Generation Units."
Proposed 225 C.M.R. 14.05(1)(a)(7)(b)	Retain the existing language that would allow changes with respect to the low-emissions eligibility criteria for biomass generation units to become effective two years after the change is finalized.
Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units	Delete the following language: "The Department may permit an exception from any provision of this Guideline for good cause, so long as the exception is consistent with the requirements set out in G.L. c. 25A, § 11F and regulations promulgated thereunder."

<p>225 C.M.R. 14.00 (general)</p> <p>Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units</p>	<p>Retain the existing limits on the percent of total harvested wood that can be considered “eligible biomass.” The limit on tree removals for fuel is an essential and non-negotiable provision that protects forests. The “sustainable harvesting” provisions are nowhere near as protective as requiring foresters and harvesters to sign off that the harvest limit has been respected.</p>
<p>Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units</p> <p>Proposed Guideline on Overall Efficiency and GHG Analysis</p>	<p>Strengthen the 2012 forest protection guidelines for the RPS based on updated science and future biosequestration policy goals; do not supersede and weaken them. DOER should add soil carbon losses to the carbon accounting protocol for qualifying bioenergy.</p>
<p>225 C.M.R. 14.00 (general)</p> <p>Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units</p>	<p>Retain and strengthen, in consultation with forest ecologists and wildlife biologists, the forest protections, consistent with current ecological and climate science.</p>
<p>Proposed 225 C.M.R. 14.02, Definition of "Sustainable Forestry Management;"</p> <p>Proposed 225 C.M.R. 14.05(8)</p> <p>Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units</p>	<p>Retain and strengthen existing guidelines for biomass harvesting, including strengthening residue retention levels to help protect soils against erosion and to maintain site carbon, nutrient, and habitat status. Work with forest ecologists and the Massachusetts environmental community to set guidelines that protect and strengthen forests in the face of increasing threats.</p>

Proposed 225 C.M.R. 14.05(8)(a)(2), (e)	Retain the existing framework of forest and soil protections, fuel certificates, and accountability.
Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units	

IV. Procedural flaws in DOER's promulgation of the regulatory amendments

The process undertaken to pursue the proposed regulatory revisions has been flawed in several respects. First, the respective redlines DOER released to publicize its December 2020 and April 2021 revisions did not contain notice that DOER intended to delete 225 CMR 14.05(8)(a)2-6 and (b)1 relating to the 9-person Advisory Panel, Biomass Fuel Certificates, and Tonnage Reports. A complete and transparent record of the Phase 2 regulations was necessary to allow the public to fully review and comment on the proposed changes within the 30-day comment period allotted by DOER in April-May 2021. Stakeholders should not be expected or required to scour documents to discern whether DOER has, even inadvertently, failed to provide proper notice of its proposed changes. CLF and PFPI sent a letter to DOER dated May 10, 2021 requesting that this comment period be extended until a correct redline was posted. DOER denied this request on May 14, 2021 and as of the last day of the comment period has not provided the public with a correct redline. DOER's unwillingness to correct its error dating back to December 4, 2020 or to extend the comment period has denied stakeholders a full opportunity to review and comment on the proposed amendments.

In addition, the comment opportunity on the regulatory amendments proposed in April 2019 did not include notice or an invitation to comment on a significant amendment to the definition of "Forest Salvage." Interested parties were given notice of the originally proposed changes, which would expand the term to include trees that are removed due to the presence of an "injurious agent." However, the regulatory amendments that were submitted to the Legislature in December 2020 and reissued in April 2021 add that trees harvested through a DCR-approved cutting plan also constitute forest salvage. As described further below, this latter change represents a significant expansion of the materials that can be used as fuel sources for Class I renewable generation units. Stakeholders were given no opportunity to review and comment on this change that was promulgated without notice. Accordingly, DOER cannot finalize these regulations

without violating the requirements under M.G.L. c. 30A, §3 to provide interested persons with notice and an opportunity to comment prior to the adoption, amendment, or repeal of a regulation.

Furthermore, in its April 16, 2021 public notice introducing the Phase 2 regulations, DOER sought "public comment on the two new provisions of the Phase 2 regulations."² Specifically, it directed readers to new proposals with respect to Environmental Justice populations and generating units that become operational after December 31, 2020. However, this instruction does not acknowledge the extensive changes reflected in the December 4, 2020 version and accompanying revised Guidelines (Guideline on Biomass Fuel Report, Guideline on Overall Efficiency and GHG Analysis, and Guideline on Eligible Biomass Fuel for Renewable Generation Units (together, the "Guidelines"). The public has not had a chance to comment on these changes.

Similarly, DOER did not provide the opportunity for the public to comment on the Technical Analysis of Biomass or Forest Impact Assessment, which were also first provided in December 2020. These documents contain key assumptions and certain erroneous statements that could have been corrected had they been provided for public review. They should have been made available in 2019 as part of the public comment process so that reviewers could understand the potential impacts and underpinnings of these regulatory amendments at that time. Environmental groups requested the opportunity to comment on these documents, as shown in the letter dated August 1, 2019, a copy of which is provided as Appendix B. Subsequent conversations with Baker administration officials indicated we would be given that opportunity.

Finally, to the extent any Guidelines are enforceable or constitute requirements of the RPS regulations, DOER cannot avoid public notice and comment requirements by publishing such requirements in "guidance." Instead, DOER must include such components in the regulations and provide stakeholders with notice and an opportunity to comment in accordance with M.G.L. c. 30A, §3. For instance, with respect to generation units utilizing biomass fuel, proposed 225 CMR 14.05(1)(a)7.b provides that DOER will set forth low-emission criteria in Guidelines. It further provides: "A Generation Unit utilizing an Eligible Biomass Fuel that is not a solid fuel, such as Eligible Liquid Biofuel, or does not use a steam boiler, *shall follow the low-emission eligibility criteria process described in the Departments' Guideline on Eligible Biomass Fuel for Renewable Generation Units.*" Proposed 225 CMR 14.05(1)(a)7.b (emphasis added). This is one of many instances in which the RPS regulations rely on the Guidelines to establish additional requirements that should be included in the RPS regulations.

² Available at <https://www.mass.gov/service-details/rps-class-i-ii-rulemaking>.

In contrast, the regulations provide that the Guidelines shall become effective on their date of issuance or on the date specified therein.³ Indeed, it appears from the dates of the Guideline on Biomass Fuel Report and the Guideline on Overall Efficiency and GHG Analysis on the state website that the Department considers these Guidelines to be in effect. These Guidelines play a critical role in the RPS regulations' scheme. However, DOER did not provide an opportunity for public comment regarding the revised changes to these guidelines that were publicized in December 2020. Accordingly, DOER should provide redlines and explicitly extend its request for comments on all documents that have been released or been modified since its initial proposal in April 2019.

V. Comments on new provisions in the RPS biomass regulatory amendments

1. Support and strengthen protections for environmental justice populations

CLF and PFPI celebrate the removal in the April 2021 amendments of biomass facilities located in or within five miles of environmental justice communities from eligibility for the RPS program. The Commonwealth should not incentivize degradation of air quality anywhere in Massachusetts, and particularly not in communities already overburdened with pollution. We further strongly support the expansion of this removal from eligibility to include all polluting facilities, including Waste to Energy.

2. Withdraw proposal to eliminate efficiency criteria for existing biomass plants that burn non-forest derived residues.

While we welcome the April 2021 amendment to retain the 60% efficiency criteria for all new biomass plants, regardless of what fuel they burn, DOER still proposes to eliminate efficiency criteria for existing wood-burning power plants that began operation before December 31, 2020 and claim to use non-forest derived residues ("NFDR") for at least 95% of their fuel. As discussed further below and in the 2019 Joint Comments, there is no scientific or public policy basis to eliminate efficiency requirements for plants that burn primarily NFDR and this proposal will increase CO₂ emissions in Massachusetts' RPS.

Massachusetts' 2012 RPS amendments restricted renewable energy subsidies to high-efficiency biomass facilities generating combined heat and power ("CHP"). DOER's proposed changes, if enacted, would allow polluting, inefficient electricity-only power plants that the existing regulatory framework explicitly rejects to qualify for the RPS.

³ 225 C.M.R. 14.02, Definition of "Guideline."

Since there are no commercial biomass electricity-only plants in Massachusetts, eliminating the efficiency requirement will solely benefit out-of-state biomass facilities located in Maine, New Hampshire and elsewhere that are too polluting to qualify under the current Massachusetts RPS regulations. This provision could also incentivize the reopening of biomass plants in the region that have closed in recent years.

Eliminating the efficiency requirement is especially pernicious given that DOER is also proposing to broadly expand the categories of wood “wastes” that qualify as NFDR, while also removing the fuel certification and tracking program whose purpose is to ensure that the biomass fuels burned are RPS-eligible.

Recommendation: DOER should withdraw all proposed changes to the efficiency requirements for biomass facilities.

3. Withdraw changes to “Forest Salvage” definition

The December 2020 regulatory amendments expanded the definition of “Forest Salvage” to include trees that are “harvested through a DCR-approved cutting plan.” This was not in the 2019 proposed amendments and the public has not had an opportunity to comment on this change.

As described in the 2019 Joint Comments, the main criterion for classifying fuel as having low net carbon emissions is to determine whether the alternative fate of the material is decay or combustion without energy recovery. It is not legitimate to assume these disposal methods would apply to trees that might be still upright and remain so for long periods if not harvested for fuel, or those that might be harvested and turned into long-lived wood products.

DOER’s proposed change would significantly increase the amount of wood that may be used as eligible fuel for biomass facilities, in addition to the already massive expansion proposed in the April 2019 revisions. Currently, the regulations limit “forest salvage” to damaged, dying or dead trees that are removed due to injurious agents. Such trees can only be used “without limitation” for biomass fuels if the tree itself is a major threat to forest health, private or public property, or if it poses a fire hazard. In contrast, DCR-approved cutting plans are broadly available to loggers, foresters, and landowners, and thus the amount and types of wood that may be used as fuel is greatly increased. Wood cut under DCR plans is not “salvage” wood. This change would also incentivize cutting potentially healthy trees without limitation, in direct contrast to the Interim Clean Energy and Climate Plan for 2030 (“2030 CECP”) and Massachusetts 2050 Decarbonization Roadmap (“2050 Roadmap”) which rely on carbon sequestration by trees as an integral component of allowing the Commonwealth to achieve its Net Zero by 2050 goals.

The December 2020 revisions further assign Forest Salvage the same decay rate as Forest Derived Residues without scientific justification. In fact, since the Manomet Study⁴ was published, a [study](#) by Natural Resources Canada found that the carbon impact of burning salvage wood exceeds that from coal for more than 100 years even under a best case scenario.⁵

Recommendation: DOER should withdraw this change and retain the existing definition of Forest Salvage.

VI. The proposed regulatory amendments will increase CO₂ emissions, increase air pollution, and harm forests

The revised draft regulations do not comply with the enabling statute and other Massachusetts laws, including inconsistencies and conflicts with existing standards present in other Massachusetts regulations and programs. If adopted, these regulations would significantly undermine other Massachusetts policies, laws, and programs aimed at reducing greenhouse gas emissions, protecting public health, and promoting sustainable management of forest ecosystems. In addition, DOER has failed to consider recommendations for strengthening and improving the RPS program to further assure that the Commonwealth meets its emission reduction goals.

1. The proposed regulatory amendments will increase air pollution and CO₂ emissions

For biomass to qualify for Massachusetts RECs, the RPS statute requires that the electricity is generated by “low-emission advanced biomass power conversion technologies.”⁶

DOER has proposed numerous changes that seem likely to make inefficient and polluting biomass power plants eligible for millions of dollars in subsidies from Massachusetts ratepayers. To the extent that these changes allow additional biomass plants to qualify for the Massachusetts RPS, they will increase air pollution and CO₂ emissions.

⁴ THOMAS WALKER ET AL., MANOMET CTR. FOR CONSERVATION SCIS., BIOMASS SUSTAINABILITY AND CARBON POLICY STUDY 25 tbl. 2-6, 26 tbl. 2-7 (2010) (“Manomet Study”).

⁵ Available at: <https://apps-scf-cfs.rncan.gc.ca/calc/en/bioenergy-calculator>

⁶ G.L. c. 25A, §§ 11F(b)(8), (c)(7), (d)(8) (2019).

In particular, eliminating the efficiency criteria for some biomass facilities runs contrary to the RPS statute's requirement that electricity is generated by "low-emission" biomass technologies.

Lower efficiency plants by definition require more fuel to generate a given amount of useful energy, and burning more fuel emits more air pollution (both CO₂ and conventional) at the smokestack per unit energy. This increases both the "time-zero" greenhouse gas emissions, i.e. the amount of CO₂ emitted as the fuel is burned, and the "net" emissions, the total cumulative amount of CO₂ remaining in the atmosphere over time. The 2012 RPS amendments eliminated electricity-only plants from the RPS for this reason, and nothing about the science used to justify this decision has changed since that time. Even relatively efficient biomass plants emit considerably more CO₂ per unit of energy at the smokestack than coal or gas-fired plants, and far greater conventional pollution emissions than gas-fired plants.

In addition, DOER has deleted language requiring biomass generation units to demonstrate that they actually meet emission limits set forth in the Guidelines. The proposed changes eliminate the current requirement that generation units that utilize biomass fuel "must demonstrate to the satisfaction of the Department that the emission rates of the Unit do not exceed limits set forth in the Guidelines." In other words, biomass facilities would no longer be required to demonstrate compliance with their air quality permit. This is an unacceptable relaxation of an enforcement mechanism intended to protect air quality and health, and could potentially open up the Massachusetts RPS to plants that did not previously qualify because their emissions of conventional pollutants were too high.

In our 2019 Joint Comments, we recommended that DOER revise the emissions control standards to be at least as stringent as those required in MassDEP's air permit for the Palmer Renewable Energy plant. On April 2, 2021 MassDEP revoked that permit, on technical grounds, stating that it chose to exercise its discretionary authority due to health concerns from the emissions:

"The PRE Final Plan Approval was issued for this facility on September 11, 2012, almost nine years ago. Taking into consideration the heightened focus on environmental and health impacts on environmental justice populations since 2012 and more recent health-related information, an updated review of technologies involved in the burning of biomass, Best Available Control Technology for air pollution mitigation, modeling that considers changes in the surrounding ambient air quality, and the impact on the community that would result from the facility's emissions is warranted. As a result, and in accordance

with 310 CMR 7.02(3)(k), MassDEP hereby revokes the Air Plan Approval for the Palmer Renewable, LLC biomass facility.”⁷

In addition, lower emissions standards than those provided by DOER are possible with respect to biomass facilities and are required in other contexts. Specifically, DOER’s *Draft Guideline on Eligible Biomass Fuel for Renewable Generation Units* (Figure 1) contains air emission limits for biomass power plants that are considerably weaker than those that MassDEP established in 2007 as “Best Available Control Technology” (BACT) for biomass power plants (Figure 2).⁸ Note that the NO_x limit for the smallest plants covered by both standards (the 1 - 10 MW class) is ten times higher for the RPS (0.15 lb/MMBtu) than DEP’s BACT standard (0.015 lb/MMBtu), and 4.3 times higher for the >10 MW size class (0.065 versus 0.015). The BACT rules were published in 2007, so it is not a question of the BACT rules being more stringent because they are more modern. It is also notable that the BACT standard limits a number of other air pollutants that are toxic and/or have human health and ecosystem impacts that are not included in the RPS guidelines.

Since no BACT standard exists for plants less than 1 MW, the RPS standard should adopt the most stringent standard possible for plants in that size class. The privilege of receiving clean energy subsidies should be reserved only for those plants that make an extra effort to reduce emissions.

In addition, nowhere in the RPS regulations, proposed regulatory amendments, or accompanying guidelines and documents, is the term “advanced biomass power conversion technologies” defined, except for liquid biofuels. The RPS regulations should clearly require that any biomass plant that qualifies as “advanced,” and therefore qualifies for renewable energy credits, at minimum is at least 60% efficient and uses BACT.

⁷ MassDEP, Approval Revocation at 4 (April 2, 2021).

⁸ MassDEP, Top Case Best Available Control Technology (BACT) Guidelines for Combustion Sources.

Figure 1. Draft Guideline on Eligible Biomass Fuel for Renewable Generation Units

Table One
RPS Monthly Average Emission Limits
for Wood-Fired and Other Solid-Fueled Steam Boilers

Nameplate Capacity	NOx	PM	Monitoring/Testing
< 1 MW	0.30 lbs /MMBtu	0.012 lbs /MMBtu	Portable monitor for NOx, O2, & CO. ⁴ Initial stack test for PM, ⁵ NOx, ⁶ & CO, ⁷ and retest every five years.
1-10 MW	0.15 lbs /MMBtu	0.012 lbs /MMBtu	Portable monitor for NOx, O2, & CO. ⁸ Initial stack test for PM, NOx, & CO, and retest every three years
> 10 MW	0.065 lbs /MMBtu	0.012 lbs /MMBtu	CEMS for NOx & CO. ⁹ Annual stack test for PM. CO CEMS as surrogate for PM monthly average.

Figure 2. MassDEP BACT Guideline for Biomass Electric Generation Units

BIOMASS FUEL FIRED STEAM ELECTRIC GENERATION UNITS (June, 2011)					
Source Type	Fuel	Air Contaminant	Emission Limitations	Control Technology	BACT Determination
EGUs ≥ 25 MW	Biomass	NOx	0.015 lbs/MMBtu	<ul style="list-style-type: none"> SCR Oxidization Catalyst FF/Baghouse AERSRCEEN or AERMOD for Toxics Modeling Metals testing for C&D and possibly other biomass PM testing must also included condensable PM FGD 	MassDEP BACT Guidance for Biomass Projects, April 2007
		PM	0.012 lbs/MMBtu		
		CO	0.01 lbs/MMBtu		
		VOC	0.01 lbs/MMBtu		
		SO ₂	0.02 lbs/MMBtu		
		NH ₃	2 ppmvd at 3 percent O ₂		
		Opacity	5 percent		
		HCl	20 ppmvd at 3 percent O ₂		
EGUs Equal to or > 10 MW and < 25 MW	Biomass	NOx	0.015 lbs/MMBtu	<ul style="list-style-type: none"> SCR Oxidization Catalyst FF/Baghouse AERMOD for Toxics Modeling Metals testing for C&D and possibly other 	MassDEP BACT Guidance for Biomass Projects, April 2007
		PM	0.012 lbs/MMBtu		
		CO	0.01 lbs/MMBtu		
		VOC	0.01 lbs/MMBtu		
		SO ₂	0.02 lbs/MMBtu		
		NH ₃	2 ppmvd at 3 percent O ₂		
		Opacity	5 percent		
		Toxics*	<ul style="list-style-type: none"> 85% Hg RE 99% Heavy Metal RE AALs and TELs compliance modeling demonstration 		
		HCl	20 ppmvd at 3 percent O ₂	biomass <ul style="list-style-type: none"> PM testing must also included condensable PM FGD 	
		Toxics*	<ul style="list-style-type: none"> 85% Hg RE 99% Heavy Metal RE AALs and TELs compliance modeling demonstration 		
EGUs Equal to or > 1 MW and < 10 MW	Biomass	NOx	0.093 lbs/MMBtu	<ul style="list-style-type: none"> SCR Oxidization Catalyst FF/Baghouse AERMOD for Toxics Modeling Metals testing for C&D and possibly other 	MassDEP BACT Guidance for Biomass Projects, April 2007
		PM	0.012 lbs/MMBtu		
		CO	0.25 lbs/MMBtu		
		VOC	0.01 lbs/MMBtu		
		SO ₂	0.02 lbs/MMBtu		
		NH ₃	10 ppmvd at 3 percent O ₂		
		Opacity	5 percent		
		HCl	20 ppmvd at 3 percent O ₂		

2. The proposed regulatory amendments undermine Massachusetts' GHG reduction goals

By incentivizing a technology that will increase greenhouse gas emissions, the proposed regulatory amendments conflict with the requirements set forth in the Global Warming Solutions Act, the recently enacted Next-Generation Roadmap law, and MGL Ch. 25A, §11F(b)(8).

The greenhouse gas impact of biomass plants over time is a function of at least four factors:

1. Facility efficiency;
2. Timeframe of analysis and whether emissions are offset;
3. Total lifecycle emissions, including harvesting, transport, and processing emissions; and
4. Type of fuel burned (residues that would otherwise decompose in a short time, persistent materials that would not; and trees that would continue growing).

As we discuss in detail in our 2019 Joint Comments, DOER's proposed amendments weaken and eliminate standards and accountability for all four factors.

For instance, the proposed regulations delete the definition of "Lifecycle Greenhouse Gas Emissions" and exclude GHGs emitted during biomass harvesting, processing, and transport ("HPT") from the carbon calculator contained in the Guideline on Overall Efficiency and GHG Analysis. This method will fail to account for significant GHG emissions associated with biomass feedstocks.

DOER's response to the 2019 Joint Comments on this topic reveal a flawed understanding of how values in the calculator are determined. Specifically, in its RPS Response to Comments, DOER states: "The 'fuel processing stack emissions' field in the Overall Efficiency and Greenhouse Gas Analysis Guideline from 2012 was inserted to account for additional lifecycle greenhouse gas emissions from the manufacturing of energy-intensive products, such as bio-oil. It was not intended to be used to account for lifecycle greenhouse gas emissions associated with the harvesting, processing or transportation of green chips or pellets because these emissions were considered in the determination of the carbon density of biomass in the Manomet study" (RPS Response to Comments at 8). The emission factors for combustion of the wood itself are based on the carbon content of the wood and reflect the amount of CO₂ emitted from burning bone-dry wood. There are no additional emissions from fossil fuels included in this figure – it represents wood combustion only. Accordingly, we again request that DOER withdraw its proposed changes to the Overall Efficiency and Greenhouse Gas Analysis Guideline (2012).

The RPS Technical Analysis of Biomass that was released in December 2020 was intended to evaluate the potential impacts of the Regulatory Amendments on "the future operation and development of biomass generation units in the region" (Technical Analysis at 3). However, a number of the justifications and assumptions put forth in the

Technical Analysis appear to be incorrect or inadequately supported. For instance, the Analysis justifies the deregulation of generation units that utilize certain feedstocks by asserting that such change will reduce greenhouse gas emissions. However, it fails to provide a plausible basis or reasoning for this significant claim. The proposed regulations would change both the overall efficiency of the generation unit and the primary fuel source, but it fails to explain the comparison it made to determine that such changes would cause a reduction in greenhouse gas emissions.

Additionally, DOER's conclusions about emissions "reductions" from burning biomass rely on a single-year analysis to determine net emissions, which is only valid if a facility operates for a single year, then shuts down. For facilities in continuous operation, DOER should employ a multi-year analysis. The Natural Resources Canada study⁹ uses the correct multi-year analysis, as does every other peer-reviewed study of which we are aware, including the Manomet Study.

If generation units always burn at least 95% non-forest derived residues as required by the proposed amendments in order to be exempt from efficiency criteria, then the multi-year accounting method, which assumes the fuel mix in year 1 is repeated for future years, would be appropriate. The multi-year analysis reveals that the actual cumulative emissions disqualify electricity-only plants from meeting the required standard. However, DOER has not included this analysis in its reports, representing another failure of transparency. The Technical Analysis further claims that "when assessing Generation Units that meet the minimum requirements under the existing 2012 regulations and the proposed 2019 regulations, there is an additional 11.7% reduction in lifecycle GHG emissions over a 20-year timeframe" (Technical Analysis at 30). The Technical Analysis did not provide supporting information explaining how it arrived at this conclusion.

3. The proposed regulatory amendments weaken protections for forests and forest soils

The proposed regulations would roll back science-based forest and soil protections for biomass harvesting, replacing them instead with vague and unenforceable "sustainable forest management" provisions. While the 2012 regulations contained specific standards and limitations critical to forest and soil protection, the "sustainable forestry management" provisions lack key definitions and quantifiable standards for enforcement. This change, combined with the elimination of the existing fuel tracking and certificate system, would sacrifice soil and forest protections in an effort to expand a

⁹ Available at: <https://apps-scf-cfs.rncan.gc.ca/calc/en/bioenergy-calculator>

polluting form of fuel generation. Please refer to Appendix A, 2019 Joint Comments, pages 34-41 for additional information.

The Technical Analysis of Biomass report claims that the proposed sustainable forestry management standards are “likely to result in improvements in sustainability of biomass supply chains” (Technical Analysis at 29). It makes this claim while acknowledging that the previous regime included “restrictions based on soil type and requirement for amount of wood retained in the forest” and that under the current regime “site specific impacts will vary based on management practices” (Technical Analysis at 29). Indeed, as noted in our 2019 Joint Comments, page 35, the Manomet Study’s executive summary stated, “At the stand level, the most significant sustainability concerns associated with increased biomass harvests are maintenance of soil productivity and biodiversity.” It recommended that state policy ensure that “1) enough coarse woody debris is left on the ground, particularly at nutrient-poor sites, to ensure continued soil productivity and 2) enough standing dead wildlife trees remain to promote biodiversity.”¹⁰ Therefore, the Technical Analysis’ claim appears to be unjustified.

The materials released by DOER on December 4, 2020 also included a Forest Impact Assessment (“FIA”). DOER is required by the existing RPS regulations to complete a FIA every five years to examine the impact of the removal of woody biomass fuel on forests in Massachusetts and throughout the region. The 2020 FIA expresses outdated views on how and when harvesting forests can be considered sustainable. The Manomet Study established that even if forests are harvested “sustainably,” meaning the amount of wood removed each year does not exceed the amount of wood grown, that this is not sufficient to ensure that burning biomass has “zero” emissions. In contrast, the 2020 FIA cites several outdated reports that estimate the hypothetical amounts of green chip wood that can be “sustainably” harvested from Massachusetts. If DOER applied the carbon accounting method established by the Manomet Study to the hypothetical harvests, the result would show significant net emissions and noncompliance with the requirement to reduce net greenhouse gases 50% compared to a natural gas electric generating unit.

Additionally, the proposed regulations would scale back the accountability and oversight needed to ensure the continued integrity of the regulations as applied to biomass fuels. For instance, DOER proposes sweeping changes to the fuel tracking system and the Guideline on Eligible Biomass Fuels that virtually eliminate accountability and responsibility of foresters and harvesters to ensure that biomass harvesting does not harm forests. For additional information, please refer to Appendix A, 2019 Joint Comments, pages 33-34 and 40-41.

¹⁰ Manomet Study at 8.

4. DOER failed to consider recommendations for strengthening and improving the RPS program

In our 2019 Joint Comments we made numerous recommendations for improving and strengthening the RPS biomass regulations that DOER either failed to respond to or rejected, including the following:

- In light of the IPCC's latest findings on the need to immediately decrease emissions and massively increase carbon uptake into forests, we commented that rather than extending the timeframe for biomass generators to demonstrate 50% GHG reduction from 20 years to 30 years, as DOER had initially proposed, DOER should require a carbon benefit calculation over *ten* years. DOER did not address this in the Response Summary.
- In light of numerous studies demonstrating that wood chip piles can be significant sources of methane, we commented that DOER should include methane emissions from wood chip piles at biomass plants and fuel aggregators as part of lifecycle carbon emissions for biomass. DOER did not address this in the Response Summary.
- DOER rejected our recommendation to use multi-year vs single year accounting of lifecycle GHG emissions, as discussed above.
- DOER rejected our recommendation to set more stringent standards for NOx and PM emissions, as discussed above.

In the conclusion of our 2019 Joint Comments, we wrote: “Any further reform of these regulations should only take place in the context of the updated Clean Energy and Climate Plan for 2030, following a stakeholder process, in light of the Commonwealth’s near-term need to reduce greenhouse gas emissions and long-term biosequestration needs to meet the 2050 GWSA requirement.” DOER did not address this comment in the Response Summary either. Instead, DOER proposed the RPS final rule changes on December 4, 2020 – just a few weeks before releasing the Draft 2030 CECP for public comment. Even with the delays in this rulemaking process, DOER is still rushing to finalize the RPS regulatory amendments prior to the completion of the 2030 CECP.

Conclusion

On the whole, the revised RPS regulations would expand subsidies for polluting and inefficient technologies that the Commonwealth has previously rejected. As outlined above, increasing subsidies for biomass combustion will only inhibit the Commonwealth’s ability to meet its emission reduction mandates set out in the GWSA and recent Climate Roadmap law. The purpose of the RPS is to incentivize new clean renewable energy resources, preferably in-state where the health and economic

benefits can accrue to Massachusetts residents. Instead, DOER is seeking to funnel millions of dollars a year from Massachusetts ratepayers to polluting out-of-state biomass power plants that should have been retired long ago. Moreover, the rolling back of science-based criteria established in the 2012 RPS regulations contravenes the RPS statute, and the revision process has been hampered by procedural deficiencies. For these reasons, we urge DOER to withdraw its proposed biomass revisions, except with respect to the environmental justice provision, which should be further strengthened.

Signed,

Johannes Epke
Staff Attorney
Conservation Law Foundation

Andrew Yarrows
Legal Fellow
Conservation Law Foundation

Dr. Mary S. Booth
Director and President
Partnership for Policy Integrity

Laura Haight
U.S. Policy Director
Partnership for Policy Integrity

Appendix A

Joint Environmental Comments on Proposed Changes to the Biomass Regulations in
the Renewable Energy Portfolio Standard (225 C.M.R. 14.00 and 225 C.M.R. 15.00),
July 26, 2019



**Joint Environmental Comments on Proposed Changes to the
Biomass Regulations in the Renewable Energy Portfolio Standard
(225 C.M.R. 14.00 and 225 C.M.R. 15.00)**

*Conservation Law Foundation
Partnership for Policy Integrity
RESTORE: The North Woods*

*Acadia Center
Arise for Social Justice
Biofuelwatch
Boston Clean Energy Coalition
Center for Biological Diversity
Clean Water Action
Climate Action Now—Western Mass
Concerned Citizens of Franklin County
Dogwood Alliance
Environment Massachusetts
Environmental League of Massachusetts
Friends of the Earth
Green Berkshires, Inc.
Green Energy Consumers Alliance
Health Care Without Harm
Massachusetts Climate Action Network
Massachusetts Sierra Club*

*Natural Resources Council of Maine
Natural Resources Defense Council
No Fracked Gas in Mass
Pipe Line Awareness Network for the
Northeast
The Rachel Carson Council
RENEW Northeast
SAFE-Salem Alliance for the Environment
Southcoast Energy Challenge
Southern Environmental Law Center
Springfield Climate Justice Coalition
Sunrise Boston
Sustainable Wellesley
Toxics Action Center
Tufts University Global Development and
Environment Institute*

July 26, 2019

Contents

I. Introduction	4
Climate scientists say we need to cut emissions in half in the next ten years	4
The Commonwealth cannot afford policy decisions that will increase carbon emissions	5
Biomass power plants emit more CO ₂ pollution than coal or gas plants; the impact lasts decades	5
DOER's proposal is likely to increase air pollution in environmental justice communities	6
The regulatory changes will benefit the biomass industry at the expense of the Commonwealth	7
The biomass regulations should be strengthened to reflect climate urgency, not weakened	9
II. The proposal will increase air pollution with local and regional health impacts from bioenergy ...	9
Sets inadequately protective emission standards for air pollutants	9
Eliminates requirement that units actually meet emissions criteria	10
Ignores the disproportionate impact of biomass plants located in environmental justice communities	10
III. DOER's proposal will increase CO₂ emissions from wood-burning facilities	12
A. Facility Efficiency	13
Reduces efficiency requirement for plants burning residues and thinnings	13
Eliminates efficiency requirement for "salvage" wood and non-forest residues	13
B. Total Lifecycle Emissions, Including HPT Emissions	14
Eliminates definition and reporting of lifecycle GHG emissions	14
Eliminates fossil emissions from lifecycle accounting	15
Counts fuel-drying as "useful" energy, thereby increasing net CO ₂ emissions	17
Ignores GHG impacts of methane emissions from wood chips and wood pellets	18
C. Timeframe of Analysis and Whether Emissions Are Offset	19
Incorrectly uses "single-year" approach for aggregate lifecycle accounting	19
Eliminates other references to 20-year accounting requirement	22
Changes requirement to show required GHG reduction from 20 years to 30 years	22
Allows "offsetting" of emissions violations from year to year	23
D. Type of Fuel Burned	23
Over-represents benefits of forestry residues	24
Defines trees damaged during logging operations as "residues"	25
Defines trees harvested for restoration as "residues"	25
Massively increases amount of wood classified as "salvage"	26

Expands definition of mill residues.....	26
Classifies “post-consumer wood” as non-forestry residues with minimal carbon impact.....	27
Includes agricultural wood waste as non-forestry residues with minimal carbon impact.....	27
Retains classification of trees cut for agriculture as non-forest residues.....	27
Appears to contemplate co-firing of biomass with coal or garbage.....	28
E. Positive or neutral changes.....	28
Removes eligibility of energy crops	28
Defines fewer trees as “thinnings”	28
Removes classification of trees harvested for development as non-forest residues.....	29
Disqualifies yard waste as fuel	29
IV. The Proposal improves some elements of liquid/gaseous biofuels regulation, but requires tightening.....	29
Relies on EPA’s controversial RFS2 definitions for fuel qualification	29
Allows use of any organic material as feedstock for liquid fuels, potentially including contaminated waste	31
Removes primary role of DEP to govern waste-derived feedstocks.....	31
Defines new category, “Eligible Biogas Fuel”	31
V. The Proposal reduces accountability.....	33
Reduces transparency and accountability in fuels tracking	33
Abolishes citizen advisory panel	33
Reduces transparency and citizen oversight of GHG accounting	33
Speeds up pace of regulatory changes.....	33
Allows DOER to unilaterally grant exceptions from the regulations.....	34
A good change – reduction in duration of probationary status.....	34
VI. The Proposal reduces protections for forests	34
Eliminates restrictions on the amount of wood that can be removed as biomass	34
Eliminates forest and soil protections that were adopted in the 2012 rules	35
Eliminates all other forest protections in the 2012 regulations	37
Replaces science-based metrics with unsupported “Sustainable Forestry” provisions	38
Eliminates accountability from the fuel tracking and certificate system.....	40
Conclusion	41
Appendix: Methane emissions from wood chip piles and wood pellets.....	45

I. Introduction

The Massachusetts Department of Energy Resources (“DOER”) is proposing to substantially roll back hard-won 2012 environmental and health protections governing woody biomass in the state’s Renewable Portfolio Standard (“RPS”) regulations, 225 C.M.R. 14.00.¹ This letter, prepared by Conservation Law Foundation, the Partnership for Policy Integrity, and RESTORE, and signed by 31 additional groups with members throughout the Commonwealth and communities in other states that may be impacted by the proposed changes, details our opposition to the proposed changes. Our groups’ positions on other changes proposed to 225 C.M.R. 14.00 and 225 C.M.R. 15.00, including changes to the hydropower, municipal waste combustion, and market requirements, are represented in separate comment letters on those specific topics being filed today. Our groups did not fight for more than four years to achieve legislation in 2018 to increase the RPS² only to see the standards for qualification under the RPS weakened.

It is especially concerning that DOER is proposing to “streamline” the RPS biomass standards in part by importing provisions from the Alternative Portfolio Standard (“APS”) regulations for thermal biomass facilities, 225 C.M.R. 16.00.³ This approach is fundamentally flawed since thermal biomass facilities are categorically more efficient than electric-only biomass generators.⁴ Furthermore, many of the undersigned groups have pointed out serious flaws in the current APS thermal biomass regulations and carbon accounting guidance, virtually none of which have been addressed by DOER.⁵

Climate scientists say we need to cut emissions in half in the next ten years

Climate science shows that to avoid catastrophic warming, we must reduce emissions and take CO₂ that’s already been emitted *out* of the atmosphere—most likely by restoring and expanding forests to increase carbon sequestration. Specific targets include cutting emissions in half in the next ten years and achieving emissions neutrality—where GHG emissions are balanced by uptake—by 2050. Inefficient biomass electric generation will only detract from, rather than contribute to, that scenario. In fact, the first pathway for climate mitigation in the recent

¹ Citations to the proposed changes are noted throughout as “Proposed 225 C.M.R. 14.XX.” The undersigned have also reviewed the proposed changes to 225 C.M.R. 15.00, *et seq.*, and believe them to substantively mirror the changes discussed here. All discussion of provisions in the proposed version of 225 C.M.R. 14.00 *et seq.* should be deemed to apply to the proposed changes to 225 C.M.R. 15.00 *et seq.* as well.

² An Act to Advance Clean Energy, Ch. 227 of the Acts of 2018, § 12.

³ Press Release, Massachusetts Dep’t of Energy Resources, RPS and APS Stakeholder Announcement 2 (Apr. 11, 2019), <https://www.mass.gov/files/documents/2019/05/15/RPS%20and%20APS%20Stakeholder%20Announcement.pdf>.

⁴ See, e.g., THOMAS WALKER ET AL., MANOMET CTR. FOR CONSERVATION SCIS., BIOMASS SUSTAINABILITY AND CARBON POLICY STUDY 25 tbl. 2-6, 26 tbl. 2-7 (2010) [hereinafter MANOMET STUDY], <https://www.mass.gov/files/documents/2016/08/qx/manomet-biomass-report-full-hirez.pdf>.

⁵ See Conservation Law Found., Comments on Revised Proposed Changes to Alternative Portfolio Standard Regulations (225 C.M.R. 16.00) (Aug. 7, 2017); P’ship for Policy Integrity et al., Joint Comments on Revised Proposed Changes to Alternative Portfolio Standard Regulations (225 C.M.R. 16.00) (Aug. 7, 2017), https://www.pfpi.net/wp-content/uploads/2017/11/DOER_APS_JointBioenergyComments_8-7-2017.pdf.

Intergovernmental Panel on Climate Change (IPCC) report⁶ shows a global *reduction* in bioenergy compared to 2010 levels.⁷

The Commonwealth cannot afford policy decisions that will increase carbon emissions

Massachusetts has been a leader in working to reduce greenhouse gas emissions and increase renewable energy generation. However, since Massachusetts enacted the landmark Global Warming Solutions Act (GWSA) in 2008,⁸ overwhelming scientific consensus tells us that we must do more. The GWSA's 80% emissions reduction goal falls short of what the latest IPCC report says is required by 2050—economy-wide carbon neutrality, where emissions are balanced by uptake.⁹ Multiple pieces of legislation that would increase the stringency of our ultimate carbon reduction goal based on that science are before the General Court this session.

In order to meet the current or a strengthened version of our GWSA requirements, every policy and regulatory decision made by a department under the Executive Office of Energy and Environmental Affairs ("EEA") needs to be aimed at achieving long-term greenhouse gas emission reductions. At the very least, DOER should hold any changes to the RPS that could result in additional combustion of biomass until the Clean Energy and Climate Plan for 2030 is completed. Development of any revisions to the RPS so resulting from the Clean Energy and Climate Plan for 2030 should only be undertaken following a stakeholder process that includes environmental advocates.

Biomass power plants emit more CO₂ pollution than coal or gas plants; the impact lasts decades

The Commonwealth set a necessary and appropriate standard for science-based regulation of bioenergy by commissioning the Manomet Study in 2009, which found that while wood is technically renewable, wood-burning power plants are net sources of CO₂ over climate-mitigation relevant timeframes unless certain extremely restrictive criteria are met. Per megawatt-hour (MWh) of electricity generated, smokestack CO₂ emissions of a wood-burning power plant are about 150% those of a new coal plant, and about 350% those of a new combined cycle natural gas plant.¹⁰ The study concluded that for a wood-burning plant burning a mixture of trees and forestry residues, it would require more than 40 years of forest regrowth to "offset" these emissions to the point where cumulative net emissions were even equivalent to those from a same-size coal plant, and it would require more than 90 years to draw emissions down to be equivalent with a same-size gas plant.¹¹ As these scenarios assume that

⁶ INTERGOV'TAL PANEL ON CLIMATE CHANGE, SPECIAL REPORT: GLOBAL WARMING OF 1.5°C. SUMMARY FOR POLICYMAKERS (2018), https://report.ipcc.ch/sr15/pdf/sr15_spm_final.pdf.

⁷ *Id.* at 16; see also P'ship for Policy Integrity, *The IPCC's Recipe for a Livable Planet: Grow Trees, Don't Burn Them* (Oct. 7, 2018) (providing synopsis of IPCC's summary for policymakers), <http://www.pfpi.net/the-ipccs-recipe-for-a-livable-planet-grow-trees-dont-burn-them>.

⁸ An Act Relative to Global Warming Solutions, St. 2008, c. 298.

⁹ INTERGOV'TAL PANEL ON CLIMATE CHANGE, *supra* note 6, at 14, 26.

¹⁰ MARY S. BOOTH, P'SHIP FOR POLICY INTEGRITY, TREES, TRASH, AND TOXICS: HOW BIOMASS ENERGY HAS BECOME THE NEW COAL (2014), <http://www.pfpi.net/wp-content/uploads/2014/04/PFPI-Biomass-is-the-New-Coal-April-2-2014.pdf>.

¹¹ MANOMET STUDY, *supra* note 4.

forests regrow perfectly and are not harvested at all as they are re-growing,¹² these timeframes are optimistic.

The Manomet Study was commissioned by the Patrick Administration in November 2009 in response to proposals for three electricity-only wood-burning power plants in Russell, Greenfield, and Springfield. Scientists and citizens, including many of the undersigned groups, expressed strong concerns about the carbon impacts of energy sources incentivized under the Renewable Portfolio Standard (“RPS”). A grassroots campaign to take energy sources that emitted more than a minimal amount of CO₂ out of the RPS collected over 100,000 signatures and qualified for the ballot in 2010. In the meantime, the state had commissioned the Manomet Study to examine the net carbon impact of burning wood for energy, and announced its intention to use the results of the study to inform state policy. When the study was completed in June of 2010, the Patrick administration agreed to issue a set of carbon accounting rules for biomass eligibility in the RPS based on the Manomet framework that would restrict renewable energy subsidies to high-efficiency biomass facilities (requiring combined heat and power, CHP) that could show a carbon benefit relative to fossil fueled generators over 20 years.¹³ The ballot measure was set aside in exchange for this science-based rulemaking process.¹⁴

Finalized in 2012, the Massachusetts biomass rules for the RPS became the first in the nation and the world to recognize that burning woody biomass for energy cannot be presumed to be carbon neutral. The whole process took about four years, and involved the multi-investigator Manomet team, many public meetings, and tens of thousands of hours of time by scientists, activists, and regular citizens who weighed in to ensure that the state’s rules were based in science.¹⁵

DOER is now proposing to rewrite the regulations to allow exactly the kinds of highly polluting, inefficient electric-only power plants that the original biomass framework rejected as too carbon intensive.

DOER’s proposal is likely to increase air pollution in environmental justice communities

The proposed regulatory changes directing subsidies to certain electric-only biomass generators may facilitate the construction of the proposed 35 MW Palmer Renewable Energy wood-burning biomass plant in Springfield, MA. This plant is of particular concern to the undersigned groups due to the existing levels of fine particulate matter in the surrounding area, an

¹² *Id.*

¹³ *Id.* at 7 fig. 3.

¹⁴ See, e.g., Elizabeth McGowan, *All Biomass Is Not Created Equal, At Least in Massachusetts*, INSIDECLIMATE NEWS (July 12, 2010), <https://insideclimatenews.org/news/20100712/all-biomass-not-created-equal-least-massachusetts>.

¹⁵ See Ben Carmichael, *New Massachusetts Biomass Regulations Draw Praise from Environmental Advocates*, CLF.ORG (Apr. 27, 2012), <https://www.clf.org/newsroom/new-massachusetts-biomass-regulations-draw-praise-from-environmental-advocates>.

environmental justice community that according the Asthma and Allergy Foundation of America, is the most challenging place in the country for a person with asthma to live.¹⁶

The regulatory changes will benefit the biomass industry at the expense of the Commonwealth

DOER's proposal to eliminate the boiler efficiency requirement for certain fuels and lessen the stringency of fuel sourcing standards have been specifically requested in letters to DOER by the developers of the Palmer facility and other biomass industry players. One letter written in 2010, after the science-based DOER biomass plant efficiency standards had been proposed, suggests that a threshold of 20% efficiency be set to receive one renewable energy credit ("REC") per MWh, and 50% efficiency to receive 1.5 RECs per MWh.¹⁷ A 2015 letter to Judith Judson submitted as part of the Baker Administration's regulatory review process makes an even more direct request:

"Specifically, we are requesting that 225 CMR 14.00 be amended to omit all references to energy efficiency requirements for biomass facilities. A red-lined version of the regulations with our suggested changes is attached here for your reference... The incorporation of energy efficiency standards in these regulations raises a number of concerns for us, namely that the standards are nearly impossible for electricity-only biomass facilities to meet... These energy efficiency standards for biomass are strictly regulatory in nature, not statutory."¹⁸

The letter also includes a misleading statement that minimizes the carbon impacts of the fuel that Palmer's developers claim the plant will use.¹⁹

The Biomass Power Association, an industry lobbying group, submitted a letter to Commissioner Judith Judson titled "Rescinding the RPS Biomass Fuel Efficiency Regulation." The letter also contained several misleading statements about the GHG impacts of bioenergy, including that feedstock standards eliminate the need for boiler efficiency standards.²⁰

¹⁶ ASTHMA & ALLERGY FOUND. OF AM., ASTHMA CAPITALS 2019: THE MOST CHALLENGING PLACES TO LIVE WITH ASTHMA (2019), <https://www.aafa.org/media/2426/aafa-2019-asthma-capitals-report.pdf>. The Asthma Capitals study ranks cities based on three factors: (1) asthma prevalence, (2) asthma-related emergency visits, and (3) asthma-related mortality rates. *Id.* at 10. The city of Springfield ranked number 1 overall and ranked number 1 or 2 for asthma-related emergency department visits in both 2018 and 2019. *Id.* at 6, 12.

¹⁷ Letter from Dr. Victor A. Gatto, Chief Operating Officer, Palmer Renewable Energy, to Comm'r Philip Giudice, Mass. Dep't of Energy Res. 2-3 (Oct. 19, 2010), <http://www.pfpi.net/wp-content/uploads/2019/05/Gatto-Victor-Palmer-Renewable-Energy.pdf>.

¹⁸ Letter from David Callahan, President, Palmer Renewable Energy to DOER Commissioner Judith Judson (Oct. 30, 2015), available at <http://www.pfpi.net/wp-content/uploads/2019/07/Palmer-Renewable-Energy-comments-to-MA-DOER-Oct-30-2015.pdf>.

¹⁹ Compare Callahan Letter ("The Manomet study focused narrowly on modeling carbon emissions with units using forest-harvested wood for fuel. The results of the study are simply not relevant for units that rely on forest harvested byproducts and waste wood, as do the vast majority of facilities in New England.") and MANOMET STUDY, *supra* note 4, at 55 (noting that non-forest residues' carbon profile "is generally similar to logging residues").

²⁰ See Letter from Robert E. Cleaves IV to DOER Commissioner Judith Judson (Oct. 30, 2015), available at <http://www.pfpi.net/wp-content/uploads/2019/07/Biomass-Power-Assn-comments-to-MA-DOER-Oct-30-2015.pdf>.

Electric-only biomass facilities in Maine and their political allies have also lobbied for DOER's proposed changes. Biomass power plants in Maine that had been receiving renewable energy subsidies from Massachusetts prior to the Manomet Study-based regulations taking effect lost RPS eligibility under the current regulations in 2016. The plants closed temporarily when the subsidies ended in 2016, along with the Maine plant owners' wood-burning electric plants in California.²¹

Maine's then-Governor personally lobbied Governor Baker to change the regulations to allow the electric-only plants, which were too inefficient to meet the science-based regulations, to receive Massachusetts subsidies again:

Several weeks ago, Gov. Paul LePage made a personal plea to Baker, a fellow Republican, to change the rules and allow the Maine biomass generators to once again qualify for the Bay State's renewable energy portfolio.

'They met in person, in Washington, D.C.,' said Patrick Woodcock, who directs LePage's energy office. He noted that the new Massachusetts standards were enacted by former Massachusetts Gov. Deval Patrick, a Democrat, and he said LePage's arguments were well-received by Baker.²²

Maine attempted to provide its own subsidies for the plants but soon declined to extend the bailout, with then-Governor LePage in 2018 calling the state's expenditures on the inefficient plants "corporate welfare at the worst".²³

In its proposed rollback of the regulations, DOER has done what the power plant operators, developers, and industry representatives have requested, eliminating any efficiency requirement for plants burning "salvage" wood and non-forestry residues, which is the primary fuel source claimed by the Palmer project in Springfield.²⁴ DOER has not been lobbied by scientists or environmental policy experts to loosen the electric-only boiler efficiency standards.

The payoff for electricity-only biomass plants will be considerable if the efficiency standard is eliminated. MA renewable energy credits are projected to increase to around \$20-25/MWh in the next few years,²⁵ meaning the 35 MW Palmer plant could collect around \$5 million to \$8 million per year (or more, depending on REC prices and actual plant capacity) from electric ratepayers, indefinitely. The two previously qualified Maine plants would be eligible for up to

²¹ Erin Vogeley, Biomass Magazine. Covanta announces shutdown of Maine, California biomass plants. April 28, 2016. At <http://biomassmagazine.com/articles/13195/covanta-announces-shutdown-of-maine-california-biomass-plants>.

²² Fred Bever, Bangor Daily News. LePage asks Massachusetts to consider rule change to aid biomass industry. April 5, 2016. <https://bangordailynews.com/2016/04/05/politics/lepage-asks-massachusetts-to-consider-rule-change-to-aid-biomass-industry/>.

²³ Scott Thistle, Portland Press Herald. LePage tells lawmakers he will oppose borrowing aimed at helping biomass industry. Jan. 10, 2018. <https://www.pressherald.com/2018/01/10/lepage-tells-lawmakers-he-will-oppose-borrowing-bills-aimed-at-helping-biomass-industry/>.

²⁴ See *Gatto letter* at 1 (asserting that the facility will produce power from "1200 tons per day of green wood chip material from tree-trimming activities").

²⁵ SYNAPSE ENERGY ECON., INC. & SUSTAINABLE ENERGY ADVANTAGE, LLC, AN ANALYSIS OF THE MASSACHUSETTS RENEWABLE PORTFOLIO STANDARD 29 fig. 13 (2017), <http://www.synapse-energy.com/sites/default/files/Analysis-MA-RPS-17-004.pdf>.

\$10 million per year; other plants in Maine and other states (as well as Canada) might also try to qualify for subsidies.

The biomass regulations should be strengthened to reflect climate urgency, not weakened

Since 2012, when the MA biomass RPS rules were adopted, we have learned the climate crisis is even more urgent than previously thought. The IPCC says we need to cut emissions in half in the next ten years—an incredibly daunting task. Meanwhile, it has become clear that DOER’s original bioenergy carbon accounting framework underestimates actual CO₂ emissions by building in a number of favorable assumptions, as discussed below. Taken together, these facts require that DOER strengthen the biomass regulations and make them more restrictive to ensure that bioenergy policy in Massachusetts will not undermine EEA’s critical climate mitigation efforts.

The following comments address local and regional air pollution impacts, greenhouse gas emissions impacts, emissions from liquid biofuels, accountability provisions, and forestry protections. A limited handful of bioenergy-related changes are positive, but the overwhelming effect of the proposed regulatory changes will be to threaten the health of communities already susceptible to air pollution-related illnesses, increase greenhouse gas emissions, and negatively impact forest health.

II. The proposal will increase air pollution with local and regional health impacts from bioenergy

DOER’s proposal will increase emissions of particulate matter, NO_x, and a variety of air toxics from wood-burning in three ways:

- A. By increasing overall the amount of wood, including “waste” wood, that is burned overall (as discussed in Section III.D, *infra*);
- B. By incentivizing lower-efficiency plants to be built, thereby increasing emissions of all pollutants per unit energy, relative to higher-efficiency plants (discussed in Section III.A., *infra*);
- C. By reducing protective measures from the 2012 regulations (discussed in this section).

Sets inadequately protective emission standards for air pollutants

Draft Guideline on Eligible Biomass Fuel for Renewable Generation Units: The NO_x emissions standard for qualifying units greater than 10 MW is 0.065 lb/MMBtu, and for PM is 0.012 lb/MMBtu (though DOER does not state if this is for filterable PM only, or filterable + condensable). The guideline states, “Over time, the emissions limits of Table One will be lowered if it is determined that more stringent limits are commercially available and economically feasible.” However, lower standards for NO_x and PM are *already* “commercially available and economically feasible” and being required by MA DEP, as demonstrated by the

2011 air permit for Palmer Renewable Energy,²⁶ the biomass plant in Springfield that developers hope will benefit from these proposed regulations. For NO_x, that permit states, “the combustion controls in conjunction with the HRSCR have been designed to meet a NO_x emission rate of 0.055 lb/MMBtu based on a 1-hour block average, 0.017 lb/MMBtu based on any 12 consecutive month average.” This standard is 15% lower than what DOER proposes. For PM, the permit states the filterable PM emission rate will be 0.008 lb/MMBtu, which is 33% lower than what DOER proposes.

In footnote 4 (page 4) of the Guideline, DOER also sets a CO limit and monitoring requirement and says it should be used as a proxy for PM emissions. If this is intended to be an available proxy under the guidance document, the requirement should be taken out of the footnote and put into the main text.

Recommendation: Revise the emissions control standards to be at least as stringent as those required in the 2011 air permit for the Palmer plant. Relocate the CO limit to the main text of the guidance document.

Eliminates requirement that units actually meet emissions criteria

Proposed 225 C.M.R. 14.05(1)(a)(7)(b): The existing requirement is for the unit to “*possess a Valid Air Permit and must demonstrate to the satisfaction of the Department that the emission rates of the Unit do not exceed limits set forth in the Guidelines.*” DOER’s proposal eliminates the language requiring the unit to demonstrate it can actually meet the limit.

Also, while it is unclear whether any facility in the RPS would be sufficiently small to *not* require an air permit, DOER has also eliminated language that requires plants *without* air permit requirements to demonstrate they can meet basic emissions criteria.

Recommendation: Retain the existing language.

Ignores the disproportionate impact of biomass plants located in environmental justice communities

Biomass plants can have serious localized pollution effects. Executive Order No. 552, the Executive Order on Environmental Justice, recognizes that “all people have a right to be protected from environmental pollution and to live and enjoy clean and healthy environment regardless of race, income, national origin or English language proficiency.”²⁷ It further states that “[e]nvironmental justice populations are discrete and identifiable communities, mostly lower income and of color, that are at risk of being disparately and negatively impacted by environmental policies and overburdened by a higher density of known contaminated sites and by air and water pollution.”²⁸ One plant likely to seek qualification for RECs under the Proposed

²⁶ Available at http://www.pfpi.net/wp-content/uploads/2019/05/Palmer-Renewable-Energy_Non-Major-Conditional-Plan-Approval_06_30_11-FINAL.pdf.

²⁷ Mass. Exec. Order No. 552, at 3 (Nov. 20, 2014) (Gov. Deval L. Patrick), <https://www.mass.gov/doc/executive-order-552-mass-register-1276/download>.

²⁸ *Id.*

Regulations is the Palmer Renewable Energy, LLC facility proposed for East Springfield, Massachusetts. According to MassDEP's definitions for Environmental Justice population, the vast majority of Springfield meets one or more of three criteria for environmental justice communities.²⁹

Residents of Springfield already struggle with the problems associated with significant and hazardous air pollution that degrades their air quality. Between 2015-2017, Hampden County experienced an above average number of high ozone days (4.5) and annual average concentrations of particle pollution (6.9 $\mu\text{g}/\text{m}^3$).³⁰ During the same time period the city of Springfield showed even higher averages for high ozone days (9.3) and annual average concentrations of particle pollution (12.4 $\mu\text{g}/\text{m}^3$).³¹ Several factors contribute to Springfield's poor air quality including: multiple point sources of air pollutants (factories, power plants, and waste incinerators, including Covanta Springfield); the I-91 interstate running along the city and through neighborhoods; and the city's location in a valley where air pollution from other areas settles.³² All these conditions have, unfortunately, led Springfield to be named the number one Asthma Capital by the Asthma and Allergy Foundation of America.³³

For biomass to qualify for Massachusetts RECs, the RPS statute requires that the electricity is generated by a "low emission advanced biomass power conversion technologies."³⁴ However, when a facility is poorly sited, as is the case with the proposed Palmer plant in Springfield, incentivizing any level of additional particulate emissions is a dangerous policy choice and not credible in light of the statutory requirement for low emissions. The air permit for the proposed plant allows it to emit 34.55 tons of particulate matter and 13.2 tons of hazardous air pollutants annually, which includes heavy metals and carcinogens like formaldehyde and benzene.³⁵ In a community overburdened with poor air quality, building even a "low emission" biomass plant would only exacerbate the problem, adding damaging fine particulates and hazardous air

²⁹ MassDEP identifies a Massachusetts community as an Environmental Justice community "if any of the following is true:

1. Block group whose annual median household income is equal to or less than 65 percent of the statewide median; or
2. 25% or more of the residents identify as a race other than white; or
3. 25% or more of the households have no one over the age of 14 who speaks English only or very-well – English Isolation."

Mass. Dep't of Env'tl. Protection, *Environmental Justice Communities in Massachusetts: What Is an Environmental Justice Community?* (last visited June 6, 2019), <https://www.mass.gov/info-details/environmental-justice-communities-in-massachusetts#what-is-an-environmental-justice-community?-.>

³⁰ See AM. LUNG ASS'N, STATE OF THE AIR 2019, Massachusetts: Hampden (2019) (air quality report for Hampden County), <https://www.lung.org/our-initiatives/healthy-air/sota/city-rankings/states/massachusetts/hampden.html>.

³¹ The 2012 National Ambient Air Quality Standard for annual PM_{2.5} set by EPA is 12 $\mu\text{g}/\text{m}^3$.

³² Pub. Health Inst. of W. Mass., *Air Pollution, Climate and Health in Hampden County* 1 (Feb. 1, 2019), https://www.publichealthwm.org/download_file/view/256/306.

³³ ASTHMA & ALLERGY FOUND. OF AM., *supra* note 15, at 6.

³⁴ G.L. c. 25A, §§ 11F(b)(8), (c)(7), (d)(8) (2019).

³⁵ MassDEP Conditional Air Permit for PRE Proposed Biomass-Fired Power Plant at 1000 Page Boulevard in Springfield, MA 15 (June 30, 2011). Available at http://www.pfpi.net/wp-content/uploads/2019/05/Palmer-Renewable-Energy-Non-Major-Conditional-Plan-Approval_06_30_11-FINAL.pdf.

pollutants where they can least be afforded. Based on the Commonwealth's environmental justice policies, DOER should categorically disallow RECs for any facility that would aggravate critical environmental conditions in an environmental justice community.

Recommendation: Categorically exclude emitting facilities located in or proximate to environmental justice communities already overburdened by particulate matter from eligibility for RECs.

III. DOER's proposal will increase CO₂ emissions from wood-burning facilities

DOER's proposal will increase CO₂ emissions from wood-burning facilities by eliminating certain efficiency requirements and changing the methodology for the life cycle analysis. The amount of air pollution (both CO₂ and conventional) a biomass plant emits per unit of energy is a function of both its efficiency and the fuels it burns. More efficient plants wring more energy out of each unit of fuel, thus reducing the amount of fuel burned and associated CO₂ and air pollution emissions at the smokestack. However, even relatively efficient biomass plants emit considerably more CO₂ per unit of energy at the smokestack than coal or gas-fired plants (and far greater conventional pollution emissions than gas-fired plants).³⁶

The "net" CO₂ emission rate, which is what the MA rules consider, is different from the smokestack CO₂ emission rate. The net amount of CO₂ a biomass power plant emits is assessed over a period of time (usually years) and is calculated as the additional cumulative CO₂ impact if the biomass plant is built and operated, versus if it is not. The net CO₂ emissions rate is partly a function of facility efficiency and direct CO₂ emissions per unit energy, as discussed above, but it also takes into account "offsetting" of CO₂ emissions by assuming that forests cut for fuel will regrow and sequester equivalent carbon, and "avoided" emissions from residues burned for fuel (e.g., tops and limbs left over after sawtimber harvesting) that are assumed to decompose and emit CO₂ anyway within years to decades if not burned for energy. The alternative fate is the key to determining whether something should be treated as residues; decomposition, or in very limited cases, burning for disposal, are the normal end fates for residues. The net emissions rate is highly dependent on the type of fuel burned. Generally, burning residues that would decompose anyway has a lower net emissions impact than cutting and burning trees that otherwise would have continued growing and taking CO₂ out of the atmosphere.

The net CO₂ emissions rate also depends on the timeframe of analysis. A longer timeframe involves more regrowth, and more CO₂ emitted from decomposition, with a smaller resultant difference between the bioenergy and no-bioenergy scenarios. This results in a lower net carbon impact.

The net emissions rate also depends on the additional emissions associated with growing, harvesting, processing, and transporting biomass fuels (HPT emissions). For example, while dried wood pellets tend to have lower stack emissions per unit energy than green wood chips, manufacturing the pellets produces significant emissions, including from fossil fuels used in the

³⁶ MANOMET STUDY, *supra* note 4, at 112.

process. “Lifecycle” emissions for a biomass fuel include *both* HPT emissions and the net biogenic CO₂ emissions from combustion of fuels.

The greenhouse gas impact of biomass plants over time is thus a function of at least *four factors*:

1. Facility efficiency;
2. Timeframe of analysis and whether emissions are offset;
3. Total lifecycle emissions, including HPT emissions; and
4. Type of fuel burned (residues that would otherwise decompose in a short time, persistent materials that would not; and trees that would continue growing).

In its proposal, DOER weakens and eliminates standards and accountability for all four factors.

A. Facility Efficiency

Reduces efficiency requirement for plants burning residues and thinnings

Proposed 225 C.M.R. 14.05(1)(a)(7)(c): “A Generation Unit utilizing an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has 5% or more of its fuel sourced from Forest Derived Residues and Forest Derived Thinnings must achieve an overall efficiency of at least 50% on a quarterly basis.”

DOER proposes to reduce the facility efficiency requirement from the existing requirement of 60% to 50% for plants burning forest residues and thinnings, an apparently arbitrary reduction. This reduction is unacceptable, because the 60% efficiency level is necessary for most facilities to show an appropriate reduction in net GHG emissions relative to fossil fuels, even if they are primarily burning residues.³⁷ There is no potential justification for this change, particularly since no electricity-only plant can achieve an efficiency level of 50% in any case. Therefore, if plants must necessarily be combined heat and power to achieve even the 50% efficiency threshold, they should be held to a reasonable standard of 60%, which is actually relatively low, compared to what the best CHP plants can achieve (see for example the list of “Energy Star CHP” award winners from EPA, which all exhibit efficiencies upward of 70%).³⁸

Recommendation: At a minimum, retain the 60% efficiency requirement. More optimally, determine the efficiency level necessary to yield greenhouse gas emissions savings relative to a natural gas plant based on the Commonwealth’s updated greenhouse gas reduction priorities. As discussed below, perform the analysis using the multi-year, not the single year GHG analysis.

Eliminates efficiency requirement for “salvage” wood and non-forest residues

Proposed 225 C.M.R. 14.05(1)(a)(7)(c): “A Generation Unit utilizing an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has over 95% of its fuel sourced from Forest Salvage

³⁷ Mary S. Booth, Not Carbon Neutral: Assessing the Net Emissions Impact of Residues Burned for Bioenergy, 13 ENVTL. RES. LETTERS 035001, at 6 (2018), <https://iopscience.iop.org/article/10.1088/1748-9326/aaac88>.

³⁸ At <https://www.epa.gov/chp/energy-star-chp-award-winners>

and Non-Forest Derived Residues on a quarterly basis shall have no applicable overall efficiency requirement.”

Impact: This change is not based in any credible science—it is not a reasonable assumption that the alternate scenario for these residues is higher-emitting than combustion in RPS-eligible facilities. This change also contradicts the conclusions of the Manomet Report, which concluded with regard to non-forestry residues that “importantly, the carbon profile of this material is generally similar to logging residues.”³⁹ DOER itself proposes to account for carbon from non-forestry residues using the same carbon calculator as it uses for forestry residues, thus it is completely unacceptable to eliminate the efficiency requirement for this class of fuel. Additionally, DOER currently does not include any way to value “salvage” in the carbon calculator and is unclear how the carbon impact of salvage wood is to be accounted for.

Further, as described in the sections below, DOER has defined “residues” with an unreasonable scope, artificially reducing the potential carbon impact of those materials. We are also concerned about the enforceability of the feedstock tracking system.

It is also illogical to set the efficiency level of a plant eligible for incentives based solely on the fuels it will burn. The lifetime of a power plant is 20—40 years, and fuel sources for woody biomass operations change over time.

Recommendation: Retain original efficiency requirements, which were the product of a long scientific process and a huge amount of public input. Fix problems with existing carbon calculator.

B. Total Lifecycle Emissions, Including HPT Emissions

Eliminates definition and reporting of lifecycle GHG emissions

Proposed 225 C.M.R. 14.02: DOER proposes to *delete* the definition of “Lifecycle Greenhouse Gas Emissions” from the regulation, even though the assessment of full lifecycle emissions is the *entire point* of the RPS regulation.

This is the definition that DOER proposes to delete:

Lifecycle Greenhouse Gas Emissions. The aggregate quantity of greenhouse gas emissions, including direct emissions and significant indirect emissions such as significant emissions from land use changes, and temporal changes in forest carbon sequestration and emissions resulting from biomass harvests, regrowth, and avoided decomposition as determined by the Department in consultation with the MassDEP and the Executive Office, related to the full fuel lifecycle, including all stages of fuel and feedstock production and distribution, from feedstock generation or extraction through the distribution and delivery of the finished fuel to the ultimate consumer, where the mass values for all greenhouse gases are adjusted to account for their relative global warming potential.

³⁹ MANOMET STUDY, *supra* note 4, at 36.

An important element of the current definition to be deleted is that the definition of lifecycle emissions is to be “determined by the Department in consultation with the MassDEP and the Executive Office.” It is unclear whether DOER has consulted with DEP about the proposed changes. Given the lead role of DEP among EEA agencies in overseeing compliance with the Global Warming Solutions Act (GWSA), it is not acceptable that DOER appears to be unilaterally proposing to remove this provision.

Recommendation: Retain existing definition of Lifecycle Greenhouse Gas Emissions.

Eliminates fossil emissions from lifecycle accounting

The lifecycle definition that DOER proposes to delete states that lifecycle emissions are those “related to the full fuel lifecycle, including all stages of fuel and feedstock production and distribution, from feedstock generation or extraction through the distribution and delivery of the finished fuel to the ultimate consumer.” 225 C.M.R. 14.02.

The 2012 version of the efficiency and GHG analysis spreadsheet includes GHG’s emitted during biomass harvesting, processing, and transport (HPT), part of the complement of full lifecycle emissions (Figure 1).⁴⁰ However, the newly proposed *Guideline on Overall Efficiency and GHG Analysis* calculator simply excludes these emissions,⁴¹ as does the carbon calculator for the Alternative Portfolio Standard.⁴²

⁴⁰ *Guideline for the Calculation of Overall Efficiency and Lifecycle GHG Analysis*, Statement of Qualification Application (SQA), Worksheet for the Calculation of Lifecycle GHG Analysis (navigate to “GHG Analysis” worksheet) (last modified June 24, 2013).

⁴¹ Proposed *Guideline on Overall Efficiency and GHG Analysis*, Statement of Qualification Application (SQA), Worksheet for the Calculation of Lifecycle GHG Analysis (navigate to “GHG Analysis” worksheet) (last modified Sep. 6, 2018).

⁴² *Guideline on the Reduction of Greenhouse Gases for Eligible Thermal Renewable Generation Units Using Eligible Woody Biomass*, Statement of Qualification Application (SQA), Worksheet for the Calculation of Lifecycle GHG Analysis (navigate to “GHG Analysis” worksheet) (last modified Aug. 28, 2018).

Life Cycle Greenhouse Gas Analysis

Biomass Lifecycle Stack Emissions from Generation Unit			
Fuel Input	Wood Chips (green, 40% MC)		
	438000	green tons	
	4467600	MMBTU input annually	
Bio-Product Credit	If Merchantable Bio-Products, provide under separate cover, a documentation of the embedded proportion and permanence of the input biomass fuel carbon in the Bio-Product.		
		% input carbon permanently embedded	
	216.4	lbs CO2/MMBTU input	
CO2 Emissions	483393	tons CO2 annually	

Biomass Fuel Processing Stack Emissions	
Provide, under separate cover, the Lifecycle GHG Analysis for Biomass Fuel Processing and enter re	
	tons CO2 annually

Conventional Lifecycle Stack Emissions Displaced			
Electric Generation	Natural Gas - Combined Cycle	If not NGCC, chose other from drop-down	
	317588	MWh annually	
	1100	lbs CO2/MWh	
Thermal Boiler	174603	tons CO2 annually	
	Natural Gas, new	chose from drop-down list (if a new load, enter "Natural Gas, new")	
	0	MMBTU out	
	85%	Boiler Efficiency (standard assumption)	
		Boiler Efficiency (optional user input)	
	0	MMBTU in	
	158.1	lbs CO2/MMBTU	
	0	tons CO2 annually	

“Biomass Fuel Processing Stack Emissions” (blue highlight), seen here in the existing calculator, has been *deleted* from the proposed calculator

Figure 1.

This is particularly troubling given that in most carbon accounting systems internationally, fossil emissions from biomass manufacturing and transport are the *only* emissions counted for bioenergy. DOER has not responded to comments regarding this change made during the rulemaking for the Alternative Portfolio Standard.⁴³ Excluding fossil emissions explicitly contravened the enabling statute of the APS, which requires “(ii) for eligible biomass, biogas and liquid biofuel technologies, a requirement of 50 per cent reduction in life-cycle greenhouse gas emissions compared to a high efficiency unit utilizing the fuel that is being displaced...” MGL Ch. 25A, § 11F1/2(b). It similarly conflicts with the statutory requirement that the RPS incentivize only “low emission” bioenergy. MGL Ch. 25A, § 11F(b)(8).

During the pendency of these proposed changes, DOER has stated that fossil lifecycle emissions are rolled into the estimates of GHG reductions produced by the Manomet Study, therefore these emissions (which are mostly from fossil fuels) can be removed from the carbon calculator.⁴⁴ However, DOER contradicted this position in correspondence during the proceedings for the 2017 amendments to 225 C.M.R. 16.00, stating (correctly) that the Manomet GHG emission calculations do *not* include HPT emissions.⁴⁵

⁴³ P’ship for Policy Integrity et al., *supra* note 3, at 12 (under section titled “DOER’s GHG accounting omits lifecycle emissions in contravention of the APS statute”).

⁴⁴ Conversation between Mary Booth and Michael Judge in Amherst MA, May 16th 2019.

⁴⁵ E-mail from Bram Claeys to Mary Booth, PFPI (Jan. 13, 2015) (“The GHG calculations for woody biomass do indeed not take into account the manufacturing and transport energy. The calculation is taking the forest regeneration rate, and the energy efficiency of the energy generation equipment.”). This correspondence was requested to be entered into the record as formal comments on the APS.

The Manomet Study indicates that pellet production emissions *should* be taken into account alongside boiler efficiency:

Lifecycle Emissions from Pellet Applications: Emissions for thermal pellet applications require the addition of emissions from plant operations and for transport and distribution of pellets from the plant to the final consumer. The limited analysis that we have seen for these operations (for example, Katers and Kaurich, 2006) suggest that the increased efficiencies in boiler combustion achieved with pellets approximately offsets most of the increased emissions from plant operations and additional transport of pellets from the plant to their final destination.⁴⁶

In the years since the Manomet Study was conducted, there have been a number of studies characterizing lifecycle emissions. The reference to the 2006 Katers and Kaurich study is not a valid reason for disregarding these emissions, which can be substantial. An analysis of data provided in the Katers and Kaurich study *itself* indicated that pellet manufacturing alone can expend an amount of energy that is close to 25% of the energy that is inherent in the fuel. A Canadian lifecycle study that includes transportation found the energy penalty was similar, at 29%.⁴⁷

Finally, while DOER proposes to delete lifecycle emissions for wood fuels, it still appears to take these emissions into account for natural gas comparator. The lifecycle emissions for NGCC are still 1100 lb/MWh, which is clearly very high compared to actual emissions from NGCC plants. This value thus represents total lifecycle emissions. If such emissions are included for gas, they must be included for biomass, as well.

Recommendation: Retain and utilize carbon accounting for both fossil and biogenic fuels burned during wood chip and pellet processing and transportation. Add this accounting block to the carbon calculator used for the APS.

Counts fuel-drying as “useful” energy, thereby increasing net CO₂ emissions

Proposed 225 C.M.R. 14.02 (“Useful Thermal Energy”): Biomass plants get subsidies based on the “useful” energy that they generate, which is largely a function of efficiency. The drier the fuel, the less energy the plant spends boiling off water, and the greater the plant’s efficiency. In the 2012 version of the regulations, energy used to dry fuel *prior* to combustion is not considered “useful” energy, as the CO₂ emitted during fuel-drying is not associated with energy produced for thermal or electric use. Emissions from energy expended during fuel drying clearly belong in the category of “lifecycle” emissions.

⁴⁶ MANOMET STUDY, *supra* note 4, at 104 (emphasis added).

⁴⁷ Jill S. Craven, *Life Cycle Analysis of the Canadian Wood Pellet* (2008), http://www.pfpi.net/wp-content/uploads/2019/06/Craven_BioEn08.pdf.

Now, however, DOER proposes to allow energy used to dry fuels (wood pellets and chips) to qualify as “useful” energy as long as the fuel being produced is not burned at the same power plant as it was dried. Not only is DOER abolishing accounting of lifecycle emissions, it is redefining lifecycle emissions entirely, violating a basic principle of carbon accounting. This also defies logic. It is not clear what the material difference is between drying fuel to burn at the same plant and drying fuel to burn at a different plant, other than the additional fossil emissions from transporting the fuel to the other plant, which would in any case further *increase* the GHG footprint of the fuel.

Incentivizing fuel drying may also increase emissions of harmful criteria pollutants from a plant, including particulate matter and volatile organic chemicals.⁴⁸

Recommendation: Do not count energy expended to dry fuel as “useful.”

Ignores GHG impacts of methane emissions from wood chips and wood pellets

There are a variety of studies demonstrating that chip piles and even finished pellets can be significant sources of methane (some are listed in the Appendix). In light of the need for urgent climate action and accurate carbon accounting in the Commonwealth, DOER should include methane emissions from wood chip piles at biomass plants and fuel aggregators as part of lifecycle carbon emissions for biomass.

Generation of methane occurs under anaerobic conditions, the same conditions that lead to spontaneous combustion in wood chip piles at biomass and pellet plants. Various conditions expected to be found at biomass plants and pellet plants regionally are relevant. Studies⁴⁹ have found significantly greater rates of decomposition and mass loss for whole-tree chips than clean, debarked chips, and that piles of whole-tree chips are more prone to spontaneous combustion than clean, debarked chips.⁵⁰ Confinement of materials can also lead to buildup of gases; for instance oceanic transport of pellets, which are processed and dried and thus present less risk of fermentation than green chips, has nonetheless been found to sometimes result in dangerously high concentrations of toxic gasses during transport. One study found average methane concentrations of 605 ppm in the hold areas of vessels transporting wood pellets.⁵¹

⁴⁸ See Mass. Dep’t of Env’tl. Protection, Conditional Approval of Palmer Renewable Energy, LLC 35 MW Biomass-Fired Power Plant (Jun. 30, 2011), http://www.pfpi.net/wp-content/uploads/2019/05/Palmer-Renewable-Energy_Non-Major-Conditional-Plan-Approval_06_30_11-FINAL.pdf (“PRE evaluated the use of fuel drying as part of the non-major comprehensive plan approval application and found that the costs, increase in PM and VOC emissions, along with other issues, far outweighed the potential efficiency gains from wood fuel drying. However, PRE will continue to evaluate fuel drying in the detailed design to determine if there is an economically viable method of drying the wood fuel without increasing VOC and PM emissions.”).

⁴⁹ See the Appendix, *infra*, for abstracts from papers discussing methane emissions from stored chips and pellets.

⁵⁰ Edward L. Springer, *Should Whole-Tree Chips Be Dried before Storage?* 1 (Forest Prods. Lab., U.S. Dep’t of Agric., Research Note No. FPL-0241, 1980).

⁵¹ Urban Svedberg et al., *Hazardous Off-Gassing of Carbon Monoxide and Oxygen Depletion during Ocean Transportation of Wood Pellets*, 52 ANNALS OF OCCUPATIONAL HYGIENE 259, 263 tbl. 1 (2008).

Another study determined that methane emissions can be so large as to negate any GHG “benefit” of biomass, even before calculating the emissions from combustion of the fuel.⁵²

Recommendation: Add calculation of methane emissions from chip and pellet storage to GHG calculator.

C. Timeframe of Analysis and Whether Emissions Are Offset

Incorrectly uses “single-year” approach for aggregate lifecycle accounting

Flaw in the current calculator

DOER’s *current* approach to estimating GHG emissions, as set out in the GHG Guideline⁵³ established in 2012 (the “carbon calculator” spreadsheet) is incorrect because it does not utilize a protocol that complies with the current definition of lifecycle emissions. That definition includes the “aggregate quantity” of emissions “related to the full fuel lifecycle” including “emissions from land use changes, and temporal changes in forest carbon sequestration and emissions resulting from biomass harvests, regrowth, and avoided decomposition”. 225 C.M.R. 14.02. Clearly, a multi-year period is envisioned, yet the current carbon calculator makes the “single-year” assessment the regulatory standard.

The goal of the 2012 version of 225 C.M.R. 14.00 was to ensure that the atmosphere “sees” lower greenhouse gas emissions from biomass than from a fossil comparator. For a period of assessment greater than one year, such as the 20-year timeframe set in the existing regulation, the only way to determine what the atmosphere sees is to use a multi-year approach. For example, applying this approach to “residues that would otherwise decompose,” it is necessary to calculate the cumulative emissions from the smokestack in all of the 20 years of the timeframe, and then calculate *net* biomass emissions by subtracting out avoided decomposition emissions from the fuel burned in each year. However, the regulatory requirement under the current carbon calculator fudges the second step in a way that hides the true carbon impact of the biomass combustion by employing a single-year approach to calculating the carbon impact of burning biomass. Instead of reflecting the reality of increasing values of net biomass emissions over the 20 years (as Year One fuel would have substantially decomposed by Year Twenty, thus net emissions are low, but Year Nineteen fuel would hardly have decomposed at all, thus net emissions are high), it takes the net biomass emissions as of Year Twenty for fuel burned in Year One, and applies that to the smokestack emissions for Years Two through Twenty as well.

The results of the analysis are then compared to the emissions from a fossil fuel facility over 20 years to determine eligibility. The difference in the single- and multi-year analyses can be illustrated with an example of a 60% efficiency CHP biomass plant that emits 1.45 tons of CO₂ per year, compared to a fossil plant emitting 1 ton per year. Using DOER’s pre-set

⁵² Mirjam Röder et al., *How Certain Are Greenhouse Gas Reductions from Bioenergy? Life Cycle Assessment and Uncertainty Analysis of Wood Pellet-to-Electricity Supply Chains from Forest Residues*, 79 BIOMASS & BIOENERGY 50 (2015).

⁵³ See *Guideline for the Calculation of Overall Efficiency and Lifecycle GHG Analysis*.

decomposition constant corresponding to a half-life of 5.5 years (which is too low to be realistic, as discussed below), repeating the single year analysis 20 times using the DOER approach leads to the conclusion that net biomass emissions are 2.2 tons, an 87.6% reduction compared to the 20 tons emitted by the natural fossil fuel plant (Figure 2). This analysis qualifies the plant for subsidies. However, doing it the correct way with the multi-year analysis, the net biomass emissions are 10.56 tons, a 47.2% reduction from the fossil-fired plant. This analysis is an accurate measure of what the atmosphere sees, and does not qualify the plant.

Carbon Debt/Dividend Analysis			
	Carbon Debt	115994	tons CO2 annually
		31.0%	carbon debt, %
	Biomass Supply Information		
	Residues	100%	% of supply
	Forest Derived Thinnings	0%	% of supply (calculated - Supply must sum to 100%)
	Net CO2 Emission Reductions		
Regulatory Requirement	Applicant must demonstrate at least a 50% reduction by Yr 20 (1-Yr Analy)	1-Year Analysis	
		87.6%	% reduction in Year 20
	Based on 30 year project life (results for Year 50 allows for residue decay and forest recovery without additional project emissions post Year 30)	Multi-Year Analysis	
		17.7%	reduction in Year 10
		47.2%	reduction in Year 20
		62.6%	reduction in Year 30
		97.0%	reduction in Year 50

Figure 2.

The Manomet Study included the “single year” analysis as a building block that is a necessary constituent of the multi-year analytical approach, which in turn is necessary for estimating cumulative net emissions and carbon impacts. Estimating cumulative net emissions and carbon impacts was the reason for conducting the Manomet Study in the first place:

The conceptual modeling framework for this study is intended to address the question of how atmospheric GHG levels will change if biomass displaces an equivalent amount of fossil fuel generation in our energy portfolio. With this objective, the modeling quantifies and compares the cumulative net annual change in atmospheric CO2e for the fossil and biomass scenarios, considering both energy generation emissions and forest carbon sequestration.⁵⁴

The original carbon calculator published by DOER includes the multi-year calculations and the ability to generate the cumulative carbon impact, but DOER has deleted all this in the proposed version of the calculator. This is not acceptable, and must be remedied in any revision of 220 C.M.R. 14.00 and accompanying guidance. The international scientific community has established, and the Commonwealth has acknowledged, a drastic need to cut greenhouse gas emissions in the near term. If we incentivize a new biomass plant through the RPS in 2020, in order to determine whether it will result in lower greenhouse gas emissions than a natural gas plant (the marginal emitter in the regional grid) by 2040, we need to accurately adjust the

⁵⁴ MANOMET STUDY, *supra* note 4, at 96.

smokestack emissions from each year between 2020 and 2040, which requires the multi-year analysis.

It is also important to note that DOER does not appear to have alerted stakeholders to the decision to make the single-year approach the regulatory requirement under the current regulations. The initial carbon calculator available for review during the proceedings promulgating the current 225 C.M.R. 14.00 does not show the one-year approach would be the regulatory requirement. Figure 3a shows the 05-03-11 version of the carbon calculator that was put out for review; Figure 3b shows the final 04-27-12 version that was published as final. If the single year approach had been indicated as constituting the regulatory requirement during comment process, stakeholders including the undersigned would have roundly rejected it.⁵⁵

ma-rps-guideline-overall-efficiency-and-ghg-analysis-doe-050311						overall-efficiency-and-ghg-analysis-guideline-doe-042712					
A	B	C	D	E	F	B	C	D	E	F	G
Carbon Debt/Dividend Analysis						Carbon Debt/Dividend Analysis					
	Carbon Debt	#N/A	tons CO2 annually				Carbon Debt	#N/A	tons CO2 annually		
	Biomass Residue Decay	#N/A	carbon debt, %				Biomass Supply Information	#N/A	carbon debt, %		
	Net CO2 Emission Reductions		5 decay half life - yrs				Residues		% of supply		
	Applicant must demonstrate at least a 50% reduction by Year 20						Forest Derived Thinnings	100%	% of supply (calculated -		
	1-Year Analysis	#N/A	% reduction in Year 20				Net CO2 Emission Reductions				
	Based on 30 year project life (results for Year 50 allows for residue decay without additional project emissions post Year 30)						Regulatory Requirement	Applicant must demonstrate at least a 50% reduction by Yr 20 (1-Yr Anal)			
	Multi-Year Analysis	#N/A	reduction in Year 10					1-Year Analysis	#N/A	% reduction in Year 20	
		#N/A	reduction in Year 20					Multi-Year Analysis	#N/A	reduction in Year 10	
		#N/A	reduction in Year 30						#N/A	reduction in Year 20	
		#N/A	reduction in Year 50						#N/A	reduction in Year 30	
									#N/A	reduction in Year 50	

Figure 3a.

Figure 3b.

Flaw in the proposed version of the calculator

In the current proceeding, DOER is proposing to delete the multi-year calculation worksheets entirely from the GHG calculator. The instructions page in the calculator excel workbook also makes the abandonment of the multi-year approach clear, stating, *"The GHG Analysis worksheet and its supporting worksheets are provided by DOER as a template for the RGU to demonstrate that it meets the regulatory criterion of reducing lifecycle Greenhouse Gas Emissions by at least 50% over 30 years compared to a natural gas combined cycle electricity generation unit (based on single year analysis)."*

Leaving aside the fact that the carbon calculator is here referring to "lifecycle Greenhouse Gas Emissions," a concept that is no longer defined in the regulation, the use of the single-year approach is incapable of delivering lifecycle emissions as commonly understood in the biomass carbon accounting literature.⁵⁶ Unless one plans to operate a biomass facility for one year and

⁵⁵ See, e.g., MARY S. BOOTH, REVIEW OF THE MANOMET BIOMASS SUSTAINABILITY AND CARBON POLICY STUDY (2010), <http://www.pfpi.net/wp-content/uploads/2011/03/Manomet-Study-Review.pdf> (discussing the difference between the single- and multi-year approaches).

⁵⁶ See, e.g., Domke, G. M., D. R. Becker, A. W. D'Amato, A. R. Ek and C. W. Woodall (2012). "Carbon emissions associated with the procurement and utilization of forest harvest residues for energy, northern Minnesota, USA." Biomass and Bioenergy 36: 141-150; Laganière, J., D. Paré, E. Thiffault and P. Y. Bernier (2017). "Range and uncertainties in estimating delays in greenhouse gas mitigation potential of forest bioenergy sourced from Canadian forests." GCB Bioenergy 9(2): 358-369; Walker, T., P. Cardellicchio, J. S. Gunn, D. S. Saah and J. M. Hagan (2013). "Carbon Accounting for Woody Biomass from Massachusetts (USA) Managed Forests: A Framework for Determining

then shut it down, a 20-year lifecycle analysis requires that all the emissions from all 20 years be assessed.

In place of the single-year approach, DOER should retain the multi-year calculation worksheets and make the multi-year approach the regulatory requirement. This is standard practice in bioenergy carbon accounting and is necessary for the calculator to perform the function for which the entire biomass regulation was constructed in 2012 (ensuring that only biomass that genuinely reduces net emissions compared to the fossil fuel comparator receives renewable energy subsidies), or for the Commonwealth to claim any carbon reductions from biomass Class I RECS going forward. Logistically, requalifying a plant each year using this approach is no more work than qualifying it each year using the single-year approach. DOER can project forward the anticipated fuel mix for the facility over the 20 years to generate the initial net emissions calculation, then update the data with each year's fuel mix, just as they estimate each year's single year carbon impact with the current year's fuel mix.

It is not clear why DOER has chosen to also include the GHG accounting worksheets within the other excel workbook it provides, the "Guideline on Biomass Fuel Report Draft 09-06-18," but the single-year accounting flaw should be fixed there as well.

Recommendation: Retain the multi-year calculation worksheet, and make the multi-year approach the regulatory requirement for lifecycle GHG accounting.

Eliminates other references to 20-year accounting requirement

Proposed 225 C.M.R. 14.02, definition of "Percent Under-compliance": A reference to the 20-year accounting requirement has been removed and replaced by a requirement for determination on an annual basis.

Recommendation: DOER should retain the reference to the 20-year timeframe and clarify that annual reporting still requires cumulative assessment of the entire 20-year GHG impact using the multi-year approach, as required in the original regulation.

Changes requirement to show required GHG reduction from 20 years to 30 years

Proposed 225 C.M.R. 14.05(1)(a)(7)(d): To qualify for subsidies under the RPS currently, biomass plants must demonstrate via carbon accounting that their cumulative net emissions are no more than 50% those of an efficient natural gas plant at year 20.⁵⁷ This was a policy decision left to the agency by the Manomet Study, and was based on DOER and DEP's understanding of their carbon emission reduction charge from the electric sector in 2012.⁵⁸ DOER undermined this

the Temporal Impacts of Wood Biomass Energy on Atmospheric Greenhouse Gas Levels." *Journal of Sustainable Forestry* 32(1-2): 130-158.

⁵⁷ 225 C.M.R. 14.05(1)(a)(7)(f)(iii).

⁵⁸ See MANOMET STUDY, *supra* note 4, at 6 ("The goal of the report is to inform the development of DOER's biomass policies by providing up-to-date information and analysis on the scientific and economic issues raised by these

requirement in the APS, increasing the timeframe to 30 years, despite vehement opposition from the climate science community and undersigned groups.⁵⁹ It is patently illogical to extend this practice to the inherently less efficient electric standard (particularly when DOER is removing efficiency standards for many types of fuel). Rather than weakening the standards for electric biomass generators, DOER should require a carbon benefit calculation over *ten* years, in light of the IPCC's latest findings on the need to immediately decrease emissions and massively increase carbon uptake into forests.

Recommendation: Reduce the timeframe to ten years to reflect the urgency of the climate crisis.

Allows “offsetting” of emissions violations from year to year

Proposed 225 C.M.R. 14.05(8)(f): DOER proposes to subject facilities to “probationary” status if they “undercomply” with the regulation’s modest GHG targets by over-emitting net GHGs. However, DOER maintains an unacceptable loophole from the 2012 rules that allows facilities to use past “overcompliance” in the probationary period.

Recommendation: The probationary period “overcompliance” allowance should be removed.

D. Type of Fuel Burned

DOER’s changes have greatly expanded the types of wood that can be burned to generate renewable energy subsidies, both in the Renewable Portfolio Standard and the Alternative Portfolio Standard.

The main theme seems to be to expand the amount of fuel that is classified as “residues.” The Manomet framework and the original DOER carbon accounting framework treat residues as having a relatively low net carbon impact, because these materials are assumed to be a by-product of some other process, which would decompose and emit CO₂ if not burned for energy.⁶⁰ The net increase in CO₂ emissions when this material is burned is less than the net increase when whole trees cut for fuel are burned, because if the trees would have either continued growing and sequestering CO₂ out of the atmosphere if they were not cut and burned, or would be harvested for some other use.⁶¹

The only “residues” that can legitimately be considered as material that “would decompose anyway” are sawdust and other products from mills (“mill residues”) that have no other use; tops and limbs that are typically left onsite after sawtimber harvesting (“forestry residues”);

questions. We have not been asked to propose specific policies except in the case where new approaches may be needed to protect the ecological functioning of forests.”).

⁵⁹ See P’ship for Policy Integrity et al., *supra* note 3, at 15.

⁶⁰ MANOMET STUDY, *supra* note 4, at 174 (“The use of logging slash for energy production has a lower carbon impact than the use of live trees for energy because logging slash will decay and emit carbon and other greenhouse gases, while live trees will continue to sequester carbon.”).

⁶¹ In this case, the “other users” displaced by biomass harvesting harvest other trees to make their products, resulting in carbon leakage and increased GHG emissions overall.

and some urban waste wood (for instance, wood trimmed to keep powerlines clear, and a limited amount of post-consumer wood). Contrary to DOER's assumptions, landfilled wood residues actually decompose extremely slowly—and in fact, EPA's national level GHG reporting treats wood in landfills as a category of sequestered carbon.⁶²

The Manomet Study was clear that “logging residues” is a restricted category, defined in the study as the “tops and limbs associated with harvesting trees.”⁶³ This is the only forestry material that can legitimately be said to have few other markets, meaning it is often left onsite to decompose. However, this is a relatively small pool of material (Manomet and others estimate around 100,000 tons per year in MA). DOER is now proposing to dramatically expand the amount of wood that will be *classified* as “residues”, without the scientific justification of Manomet's or any other analysis. DOER is also proposing to expand the amount of wood that is to be considered “salvage,” with a corresponding assumption of low net carbon emissions from combustion.⁶⁴

Over-represents benefits of forestry residues

An aspect of the current regulations that needs to be strengthened rather than weakened is the GHG calculator's treatment of residues. The current calculator assumes that forest residues have a half-life of 5.5 years, corresponding to a k-factor (decay constant) of 0.126,⁶⁵ which they claim is “representative of small diameter woody material decay on the forest floor.”⁶⁶ This represents the benchmark against which the GHG emissions from combustion are measured.

The literature DOER cites⁶⁷ in the GHG calculator in support of this k-factor actually supports choosing a much lower value. For instance, the decay rates in one paper cited by the calculator are much lower (0.0428, 0.0473, 0.0622, 0.0947, 0.0773, 0.1085) than the 0.135 value DOER chose.⁶⁸ Another cited study found a k-factor of 0.083.⁶⁹ A cited study from California explicitly

⁶² ENVTL. PROTECTION AGENCY, INVENTORY OF U.S. GREENHOUSE GAS EMISSIONS AND SINKS 1990-2017, at 6-2 tbl. 6-1 (2019) (showing a net sequestration value for yard waste in landfills), <https://www.epa.gov/sites/production/files/2019-04/documents/us-ghg-inventory-2019-main-text.pdf>.

⁶³ MANOMET STUDY, *supra* note 4, at 39 (see Section 3.2.2.1).

⁶⁴ The Proposed *Guideline on Overall Efficiency and GHG Analysis* omits any decomposition emissions term for “salvage” wood, making it difficult to estimate the full extent of the carbon assumptions.

⁶⁵ The decomposition constant for non-forest residues is even lower, at 5.0 years half-life, or 0.136. There is no scientific justification for this value.

⁶⁶ *Guideline for the Calculation of Overall Efficiency and Lifecycle GHG Analysis*, Statement of Qualification Application (SQA), Worksheet for the Calculation of Lifecycle GHG Analysis (last modified June 24, 2013) (navigate to “Carbon Dividend Framework” worksheet).

⁶⁷ See *id.* (citing Benktesh D. Sharma et al., *Modeling Forest Biomass in Atmospheric Carbon Reduction in West Virginia*, PROC. 33RD ANN. MEETING OF THE COUNCIL ON FOREST ENGINEERING: FUELING THE FUTURE (2010); Grant M. Domke et al., *Assessment of Carbon Flows Associated with Forest Management and Biomass Procurement for the Laskin Biomass Facility* (Dep't of Forest Res., Univ. of Minn., Staff Paper Series No. 198, 2008); Kim G. Mattson et al., *Decomposition of Woody Debris in a Regenerating, Clear-Cut Forest in the Southern Appalachians*, 17 CAN. J. FOREST RES. 712 (1987)).

⁶⁸ See Domke et al., *supra* note 54.

⁶⁹ Mattson et al., *supra* note 54, at 716.

factors emissions from Californian wildfires into the decay rate for residues,⁷⁰ an assumption that is inappropriate to extend to a Northeastern forest. The majority of residues used for bioenergy are large-to-medium diameter. Region-specific decomposition rates for coarse woody debris used in modeling by an EPA task force on bioenergy carbon dynamics are much lower than the rate used by DOER, at 0.053 for softwoods and 0.069 for hardwoods. The average of these two factors is less than one-half the decomposition that DOER is using.⁷¹

Recommendation: DOER should revise the carbon accounting calculator to use residue decomposition rates that are scientifically justified for Northeastern forests.

Defines trees damaged during logging operations as “residues”

Proposed 225 C.M.R. 14.02: Adds “trees collaterally damaged” during harvesting to definition of “Forest Derived Residues” under definition of “Eligible Biomass Woody Fuel”.

Impact: Damaged trees do not meet the Manomet definition of residues. In fact, the Manomet Study explicitly avoided including this category, stating that “breakage and residual stand damage” should *not* qualify as residues.⁷² There is no scientific justification for assessing the GHGs emitted from combustion of collaterally damaged trees at the decay rate of “small diameter woody material,” or even coarse woody debris. Many of these trees are damaged from a product value standpoint but would continue to grow and sequester carbon for a significant period of time, and incentivizing their removal is damaging to forest ecosystem function. The majority of such harvesting does not meet the Manomet definition of residues, meaning tops and limbs that would otherwise decompose.

Recommendation: Withdraw this change.

Defines trees harvested for restoration as “residues”

Proposed 225 C.M.R. 14.02 (“Eligible Biomass Woody Fuel”): Expands definition of “Forest Derived Residues” to include “Trees and portions of trees harvested for the purposed of the restoration and management of habitat for rare & endangered species.”

Impact: Similarly to collaterally damaged trees, there is no scientific justification for assuming that trees harvested for habitat restoration would otherwise decay at the same rate as forestry residues. The majority of such harvesting does not meet the Manomet definition of residues, that is, tops and limbs that would otherwise decompose.

Recommendation: Withdraw this change.

⁷⁰ See GREGORY MORRIS, NAT’L RENEWABLE ENERGY LAB., BIOMASS ENERGY PRODUCTION IN CALIFORNIA: THE CASE FOR A BIOMASS POLICY INITIATIVE 39–48 (2000).

⁷¹ US EPA 2014 Framework for Assessing Biogenic CO₂ Emissions from Stationary Sources, Appendix L: Illustrative Forestry and Agriculture Case Studies Using a Future Anticipated Baseline, table L-15, FASOM-GHG Annual Coarse Woody Debris Decomposition Rates (Washington, DC: US Environmental Protection Agency, Office of Air and Radiation, Office of Atmospheric Programs, Climate Change Division). Page 256 of pdf at [https://yosemite.epa.gov/sab/sabproduct.nsf/0/3235DAC747C16FE985257DA90053F252/\\$File/Appendixes+A-N.pdf](https://yosemite.epa.gov/sab/sabproduct.nsf/0/3235DAC747C16FE985257DA90053F252/$File/Appendixes+A-N.pdf).

⁷² MANOMET STUDY, *supra* note 4, at 39 (see Section 3.2.2.1).

Massively increases amount of wood classified as “salvage”

Proposed 225 C.M.R. 14.02: “Salvage Trees” are defined in the current definition of “Eligible Biomass Woody Fuel” as “Damaged, dying or dead trees removed due to injurious agents, such as wind or ice storms or the spread of invasive epidemic forest pathogens, insects and diseases or other epidemic biological risks to the forest, but not removed due to competition.”

As discussed in Section III.A., *supra*, DOER proposes to remove any efficiency requirement for biomass power plants that burn “salvage” wood. Here, they greatly expand the amount of wood classified as “salvage”, with no alternative disposal scenario carbon accounting whatsoever.

Under the existing definition, an individual tree itself must be a major threat to qualify as salvage. 225 C.M.R. 14.02 (“Such eligible trees may be removed without limitation for biomass fuel, only if a major threat to forest health or risk to private or public resources”) (emphasis added). There is no net GHG assessment in the current calculator for this category of fuels.⁷³ While we recommend that an emissions factor be included for this type of salvage, the tree-by-tree threat assessment reasonably served to justify its omission as a de minimis source of net GHGs under the current framework. Under the proposed definition, any tree “damaged” by an “injurious agent” can be removed without limitation for biomass fuel if the injurious agent is declared a major threat by a federal or state agency. Proposed 225 C.M.R. 14.02 (“Such eligible trees may be removed without limitation for biomass fuel, only if the injurious agent is a threat to forest health or risk to private or public resources”) (emphasis added). This represents a potentially massive expansion of fuel availability; for instance, mature oak trees that have been impacted to any extent by gypsy moth caterpillars could now be classified as “salvage.” In addition to the poor policy justification for incentivizing combustion of this large a category of trees, there is no scientific justification for assuming low net carbon impact from such combustion.

Recommendation: Retain the existing definition of salvage, and assign this material an emissions impact factor based on likely alternative disposal scenarios.

Expands definition of mill residues

Proposed 225 C.M.R. 14.02: Under the definition of “Non-forest Derived Residues”, using mill residues as fuel is commonly assumed to have little net GHG impact. However, creating a market for them for biomass can divert them from other uses, such as conversion to particleboard. The regulations currently define mill residues as “1. Primary Forest Products Industry. Lumber mill residues or lumber processing residues consisting of the slabs, shavings, trimmings, sawdust, bark, end pieces of wood, and log cores that result from the various processing operations occurring in sawmills, pulp mills, and veneer and plywood plants” and “2. Secondary Forest Products Industry. Wood waste produced as a byproduct of the production of

⁷³ See *Guideline for the Calculation of Overall Efficiency and Lifecycle GHG Analysis*.

finished wood products, including but not limited to clean residues from woodworking shops, furniture factories, and truss and pallet manufacturing.”

DOER proposes to replace both of these definitions with “Forest products industry: Residues derived from wood products manufacturing consisting of Clean Wood.”

Impact: Such an expansive definition, combined with lucrative subsidies, opens up the possibility that mills will be used to grind wood specifically for fuel, which is a corruption of the intent of the word “residues.” DOER cannot stop this from occurring once the definition is in place.

Recommendation: Retain the old definition and strengthen it to clarify that residues can only be considered qualifying if they are *genuinely* the by-product of a process designed to manufacture another primary product.

Classifies “post-consumer wood” as non-forestry residues with minimal carbon impact

Proposed 225 C.M.R. 14.02 (“Non-forest Derived Residues”): DOER has proposed to remove the eligibility of “non-treated pallets” and add “post-consumer wood waste” to the list of non-forestry residues.

The decay constant DOER is using for such materials produces a half-life of about five years, which is extremely short for such materials. It is also *not* reasonable to assume the alternative fate for this material is decomposition, since much of it could be reused or recycled.

Additionally, DOER’s deleting of the term “non-treated pallets” potentially means that pallets treated with pesticides are now eligible fuel.

Recommendation: Retain the old definition of “Wood Waste” and exclude as much material as possible to encourage recycling.

Includes agricultural wood waste as non-forestry residues with minimal carbon impact

Proposed 225 C.M.R. 14.02: “Wood Waste” is defined to include “Pruned branches, stumps, and whole trees resulting from maintenance activities directly related to the production of an agricultural product.”

Impact: This appears to refer to orchard trimmings, but if “agricultural product” is also considered to include plantation trees, then the inclusion of “whole trees” is not justified.

Recommendation: Make it clear in this definition that the materials must represent only true residues from orchards.

Retains classification of trees cut for agriculture as non-forest residues

Proposed 225 C.M.R. 14.02: Under the definition of “Land use change-agricultural” DOER retains the treatment of trees harvested for agricultural land-use change from the previous version of the regulations. As explained above, it is not legitimate to treat wood harvested from land use change as having low or zero carbon emissions.

Recommendation: Add trees harvested during land use change either for development or agriculture as a full emission where GHG's are never recouped, and assign this carbon footprint to the biomass thus derived. Amortize the impact over a ten-year period.

Appears to contemplate co-firing of biomass with coal or garbage

There is little mention of co-firing biomass in the regulations, but one section of the Guideline on Eligible Biomass suggests that co-firing biomass with non-eligible fuels such as coal or garbage may be permitted to generate renewable energy credits. Discussing emissions standards, the Guideline states, *"In the case of a RGU that uses any solid Eligible Biomass Fuel(s) in conjunction with any ineligible fuel(s), whether by co-firing such fuels or by using a composite fuel, these size ranges and emission limits apply to the entire Unit, per the provisions at 225 CMR 14.05(3)(b)."*

Recommendation: DOER should clarify that no facility burning any ineligible fuel can qualify for generating renewable energy credits.

E. Positive or neutral changes

Removes eligibility of energy crops

Proposed 225 C.M.R. 14.02: DOER appears to have eliminated eligibility of dedicated energy crops. Such crops are not consistent with EEA's long term biosequestration goals, and land conversion to their use can harm biodiversity and terrestrial carbon storage.

Defines fewer trees as "thinnings"

Proposed 225 C.M.R. 14.02: DOER appears to have reduced the number of trees potentially defined as "Forest Derived Thinnings" under "Eligible Biomass Woody Fuel" by reducing the potential sawlog length. The current definition, "Unacceptable growing stock which is defined as trees considered structurally weak or have low vigor and do not have the potential to eventually yield a 12 foot sawlog or survive for at least the next ten years", has been changed to eight-foot sawlog. We understand this to have the effect of placing more trees of different sizes in the category of potential sawlog, making them inappropriate for taking as thinnings. The full ramifications of this change are not clear, however. For instance, it is not clear if this limit will apply even to species that are not typically harvested for sawtimber. Will these be considered thinnings or residues?

Recommendation: Clarify that the improved definition of "thinnings" applies only to species ordinarily harvested for sawtimber. However, given that plants burning thinnings generally cannot meet the current requirements for a reduction in net carbon emissions, a better solution is to remove thinnings from eligibility altogether.

Removes classification of trees harvested for development as non-forest residues

Proposed 225 C.M.R. 14.02: DOER proposes to remove trees harvested during non-agricultural land-use change (i.e., development) from the list of “Non-forest Derived Residues” under the definition of “Eligible Biomass Woody Fuel”. The assumption behind the treatment of “residues” as having relatively low net GHG impact is that this material would otherwise decompose. It is extremely unlikely that this would be the fate for wood harvested during conversion of forest to development, and therefore, its classification as “residues” was never legitimate. Importantly, international carbon accounting protocols recognize that trees harvested from land-use change (either for development or agriculture) will never grow back, so the carbon emissions are never offset.

Disqualifies yard waste as fuel

Proposed 225 C.M.R. 14.02: DOER has removed yard waste from the list of “Non-forest Derived Residues” under the definition of “Eligible Biomass Woody Fuel”. This is for the best, as this makes a terrible fuel—it is wet, potentially contaminated, and would degrade facility efficiency. Yard waste should be diverted to compost wherever possible.

IV. The Proposal improves some elements of liquid/gaseous biofuels regulation, but requires tightening

DOER has proposed significant changes to standards for liquid and gaseous fuels, with mixed results. The proposed definition of Eligible Liquid Biofuels appropriately eliminates feedstocks that are not derived from waste, and by operation of federally defined terms, would currently retain the requirement that liquid biofuels achieve at least a 50% reduction in Lifecycle Greenhouse Gas Emissions from the baseline fuel they displace. However, the language as drafted leaves open loopholes that DOER should close before finalizing a change to the Eligible Liquid Biofuels and Eligible Biogas definitions. Further, it is not clear whether wood is an eligible feedstock for liquid and gaseous fuels.

Relies on EPA’s controversial RFS2 definitions for fuel qualification

Proposed 225 C.M.R. 14.02 (“Eligible Liquid Biofuel”): Currently, the rule requires GHG accounting to be done to ensure that unless made from food waste, liquid biofuels “yield at least a 50% reduction in Lifecycle Greenhouse Gas Emissions relative to average lifecycle greenhouse gas emissions for petroleum distillate fuel sold in 2005.” DOER’s proposed rule eliminates this requirement and replaces it with a requirement that the fuel meet “the standards for advanced biofuels under the Environmental Protection Agency’s Renewable Fuel Standard (RFS2) program.” The accompanying *Guideline on Eligible Biomass Fuel* further states, “Because of this provision, all Eligible Liquid Biofuel and bio-oil is considered to have met the

50% reduction in GHG emissions and is not required to provide additional analysis, unless requested by the Department.”⁷⁴

DOER should not rely on a policy as controversial as the federal RFS for qualification of fuels. The RFS is a highly controversial policy that has failed to materially reduce transportation sector GHG emissions.⁷⁵ The RFS is also the product of numerous political compromises that Massachusetts, as a leader among US states in the fight against climate change, need not and should not accede to—we can and must do better. Further, EPA’s pathway determinations for RFS-eligible biofuels are procedurally and substantively problematic and should not be extended into other policies.

Additionally, DOER proposes to delete the following highlighted portion of the current definition of “eligible liquid biofuel”:

Eligible Liquid Biofuel. A liquid fuel that is derived from Eligible Biomass Fuel, but is not Eligible Biomass Woody Fuel or Co-mingled Biomass Woody Fuel, and that yields at least a 50% reduction in Lifecycle Greenhouse Gas Emissions relative to average lifecycle greenhouse gas emissions for petroleum distillate fuel sold in 2005, as determined by the Department in consultation with the MassDEP and the Executive Office.

220 C.M.R. 14.02 (emphasis added). It is not clear whether DOER’s deletion of this language would make it possible to use wood as feedstock. The list of feedstocks as “included” but “not limited to” waste oils, etc, appears to make this possible. DOER should clarify that wood cannot be used as a feedstock; if wood is a potential feedstock, it is unacceptable for DOER to attempt to undermine science-based GHG accounting in this way.

Similar to the definition of Lifecycle Greenhouse Gas Emissions discussed in Section III.B., *supra*, it is illogical to remove the requirement for DOER to consult on lifecycle carbon emission issues with DEP, the office charged with GWSA compliance and the department primarily responsible for carbon accounting.

Requiring an Eligible Liquid Biofuel to both be derived from waste and achieve a 50% lifecycle greenhouse gas emission reduction is a positive change. DOER should effectuate this intent by replacing the proposed reliance on EPA’s RFS2 program with the current Massachusetts-based lifecycle greenhouse gas analysis conducted by DOER in consultation with DEP and EEA.

Impact: This change is likely to increase use of carbon-intensive biomass as feedstock for liquid biofuels, but consider the resulting fuels to have zero net biogenic carbon emissions, directly contravening the statutory low emissions requirement.

Recommendation: Implement the tighter proposed definition of Eligible Liquid Biofuels, but retain the requirement that DOER and DEP conduct the lifecycle greenhouse gas emissions analysis.

⁷⁴ Proposed *Guideline on Eligible Biomass Fuel for Renewable Generation Units*, at 3.

⁷⁵ See Clean Air Task Force, *The RFS’s Unhappy Birthday: A Mistake Turns 10* (Dec. 18, 2017), <https://www.catf.us/2017/12/rfs-unhappy-birthday/>.

Allows use of any organic material as feedstock for liquid fuels, potentially including contaminated waste

Proposed 220 C.M.R. 14.02, definition of “eligible liquid biofuels”: Currently, only “eligible biomass fuels” or waste feedstocks from food wastes that would otherwise be discarded are eligible feedstocks for liquid biofuels. The proposed rule creates a pathway for almost any organic material—including construction and demolition wood, or contaminated wastes, to be used as feedstock.

The apparent permission to supply feedstock from construction and demolition waste, which usually contains heavy metals and other toxins, occurs where the prohibition on using C&D waste is removed from the definition of eligible liquid biofuel under the definition of “Eligible Biomass Fuel” in Proposed 225 C.M.R. 14.02. While woody C&D waste is prohibited by the Eligible Woody Biomass Fuel definition’s cross reference to the definition of Clean Wood in 310 C.M.R. 19.006, no such prohibition is clear for Eligible Liquid Biofuel. If this is not the result DOER intended, an explicit C&D prohibition should be added to the definition of Eligible Liquid Biofuel and/or Eligible Biomass Fuel. If it is the result DOER intended, DOER should reverse this decision.

Impact: These changes could incentivize use of contaminated wood as feedstock for liquid fuels.

Recommendation: Explicitly prohibit liquid biofuels derived from C&D waste.

Removes primary role of DEP to govern waste-derived feedstocks

Proposed 225 C.M.R. 14.02: The proposed definition of “Eligible Liquid Biofuel” places the primary decision-making power regarding the treatment of hazardous waste as a feedstock with DOER: “Eligible Liquid Biofuel shall not include petroleum-based waste or Hazardous Waste as defined in 310 C.M.R. 40.0006: Terminology, Definitions, and Acronyms, unless otherwise determined by the Department in consultation with MassDEP.” (emphasis added). The current definition states, “Waste feedstock shall not include petroleum-based waste or waste that otherwise meets the definition of hazardous waste, unless otherwise determined by MassDEP.”

DEP is better qualified than DOER to make determinations regarding the disposition of hazardous waste, and DOER gives no reason for the change.

Recommendation: Retain DEP as sole decisionmaker for the treatment of hazardous waste under this standard.

Defines new category, “Eligible Biogas Fuel”

Proposed 225 C.M.R. 14.02 (“Eligible Biogas Fuel”): DOER defines this new category as “gaseous fuel that is produced by the contemporaneous bacterial decomposition or thermal gasification of Eligible Biomass Fuel.”

There are several issues that arise regarding this proposed change.

DOER defines eligible biomass fuel as being derived from eligible biomass fuel. That list includes the following:

- (a) Eligible Biomass Woody Fuel;
- (b) Manufactured Biomass Fuel;
- (c) Eligible Biogas Fuel
- (d) by-products or waste from animals or agricultural crops;
- (e) food or vegetative material;
- (f) algae;
- (g) organic refuse-derived fuel; and
- (h) Eligible Liquid Biofuel.

See Proposed 220 C.M.R. 14.02, definition of “eligible biomass fuel”. In the proposed regulation, DOER has removed “anaerobic digester gas” and “Landfill methane gas” from the list of Eligible RPS Class I and Class II Renewable Fuels. Presumably, these categories are aggregated into the proposed category of “Eligible biogas fuel.” Along with these two technologies, which differ greatly, DOER includes biomass “thermal gasification,” yet again a completely different technology whereby biomass is heated at low oxygen levels to drive off “syngas” which is then collected, cleaned, and then (in theory) can be used to generate electricity using a combined cycle turbine system, or can be converted into other products similar to natural gas.⁷⁶ Biomass gasification works best with relatively dry fuels, and the plants are complex with high parasitic load, meaning that lifecycle GHG impacts associated with this technology may be higher than at typical biomass power plants.

With the exception of syngas collection, the operation of a true gasifier is essentially similar to that of a typical wood-burning plant, especially since the organic material left over after gasification may be burned using a conventional wood-burning unit. Alternatively, this material may be used as “biochar,” for which extravagant claims of carbon benefits have been made.

Yet there does not appear to be any *actual* GHG accounting required for the “eligible biogas” category. While the proposed regulation does specify a lifecycle GHG reduction for “Eligible Biogas Fuel, Eligible Biomass Woody Fuel, Eligible Liquid Biofuel or Manufactured Biomass Fuel,” there is no mechanism in the carbon calculator for calculating carbon impacts from biogas. See Proposed 225 C.M.R. 14.05(1)(a)(7)(d) & (e).

Further, even for non-wood feedstocks, it is not justified to assume a carbon benefit from these technologies absent further scrutiny. Anaerobic digestion, which has typically been assumed to be the collection of methane from decomposition of agricultural and other wastes, is evolving into a technology that can use purpose-grown crops as feedstock, or some kinds of wood. DOER should not be broadly incentivizing this diverse range of technologies with so little information or control over their actual effects, which besides greenhouse gas emissions can include a

⁷⁶ It is not clear whether DOER includes in the concept of “thermal gasification” the technology of staged combustion, whereby biomass is combusted at reduced oxygen levels then the gases driven off are immediately burned in the unit, without the intermediate step of collection and cleaning of syngas. Some people refer to this as “gasification,” but it is really just typical combustion.

variety of environmental impacts related to land use, waste management, water quality, and others.

Impact: This new category could increase use of wood and other biomass as feedstock and increase GHG emissions.

Recommendation: Either abandon these changes, or rewrite the category requirements for biogas to explain the different technologies involved. Update the carbon calculator to enable it to perform rigorous GHG accounting for biogas. Require biogas and a demonstration that the biogas reduces emissions to less than 50% of natural gas over a ten-year period. Set environmental requirements for each technology to ensure that only the best, most environmentally friendly projects are incentivized. Specify that biomass gasification is required to undergo GHG accounting like conventional combustion, and add in a rigorous lifecycle element to the carbon calculator to ensure that the energy-intensive nature of biomass gasification is properly noted.

V. The Proposal reduces accountability

Reduces transparency and accountability in fuels tracking

Proposed 225 C.M.R. 14.05(8)(d): DOER proposes sweeping changes to the fuel tracking system and the Guideline on Eligible Biomass Fuels that virtually eliminate accountability and responsibility of foresters and harvesters to ensure that biomass harvesting does not harm forests. These are discussed in more detail below in the section on forest protections, but are mentioned here as a serious example of DOER reducing accountability and oversight.

Abolishes citizen advisory panel

Proposed 225 C.M.R. 14.05(8): DOER is eliminating oversight in the form of a 9-person Advisory Panel that was supposed to report on the tracking and enforcement of biomass regulations. To our knowledge, this panel was never convened after the 2012 regulations went into effect.

Recommendation: Retain and institute the panel.

Reduces transparency and citizen oversight of GHG accounting

Proposed 225 C.M.R. 14.05(8): DOER failed to conduct the Forest Impact Assessment they were supposed to do in 2015, according to the current rules. The proposed rules state one will be conducted in 2020, but DOER has deleted the part that discusses using it to “evaluate the appropriateness and accuracy of greenhouse gas accounting from Generation Units,” as well as the requirement to make the report publicly available.

Recommendation: Retain the existing language.

Speeds up pace of regulatory changes

Proposed 225 C.M.R. 14.05(1)(a)(7)(b): DOER proposes reducing the time between proposing regulatory changes and having them come into effect from two years to one.

Recommendation: Retain the existing language.

Allows DOER to unilaterally grant exceptions from the regulations

The Guideline on Eligible Biomass Fuel for Renewable Generation Units states, “The Department may permit an exception from any provision of this Guideline for good cause, so long as the exception is consistent with the requirements set out in G.L. c. 25A, § 11F and regulations promulgated thereunder.” DOER thus grants to itself the ability to remake the rules at will, which appears to be a new provision, not appearing in previous documents from the 2012 issuance of the rules. This is unacceptable.

Recommendation: Delete this language.

A good change – reduction in duration of probationary status

One positive change that should be implemented as proposed is the enhanced enforcement authority for DOER to revoke Statements of Qualification. *Compare* 225 C.M.R. 14.05(1)(a)(8)(d)(3)(a) (allowing five years of probationary status before revocation of a violator’s Statement of Qualification) *with* Proposed 225 C.M.R. 14.05(1)(a)(8)(f) (authorizing DOER to revoke a Statement of Qualification at the end of one compliance year). Overall, however, the proposed changes have the effect of reducing accountability, as discussed above.

VI. The Proposal reduces protections for forests

Eliminates restrictions on the amount of wood that can be removed as biomass

An important but overlooked provision of the 2012 regulations is the prohibition on granting eligibility to biomass that constitutes greater than 25 - 30% of the weight of wood harvested from a logging job. This restriction is specified in the 4-27-2012 version of the Biomass Eligibility and Certificate Guideline. It serves to prevent liquidation of forests for biomass fuel, although as DOER specifies elsewhere, there is nothing to stop intensive harvesting for biomass; it’s just that only a portion of the fuel is eligible to generate renewable energy credits.

<u>Soil Restrictions</u> (based on USDA NRCS Criteria)	Good Soils	Poor Soils
Percent of Tops and Branches of Forest Products Harvested that must be retained on site	25%	100%
Percent of Weight of Forest Products Harvested that may be removed (as Residues or Thinnings) as Eligible Biomass Woody Fuel	30%	30%

Figure 4.

DOER now proposes to eliminate this provision and replace it with vague and unenforceable language about “sustainable harvesting,” as discussed in Section VI, *infra*. This deletion, combined with DOER’s expansion of the categories of fuel designated as residues, elimination of all actual protections for forests and forest soils, elimination of the certificate system, and

the gutting of citizen oversight will permit exactly the kind of intensive harvesting for biomass that the original rules were designed to avoid.

Recommendation: The limit on removals for fuel is an essential and non-negotiable provision that protects forests. The “sustainable harvesting” provisions are nowhere near as protective as requiring foresters and harvesters to sign off that the harvest limit has been respected. . DOER must retain the existing limits on the percent of total harvested wood that can be considered “eligible biomass.”

Eliminates forest and soil protections that were adopted in the 2012 rules

When the state commissioned the Manomet study, a particular charge to the authors was to make recommendations concerning forest health. The Study’s executive summary stated, “At the stand level, the most significant sustainability concerns associated with increased biomass harvests are maintenance of soil productivity and biodiversity.” It advises that state policy should ensure that “1) enough coarse woody debris is left on the ground, particularly at nutrient poor sites, to ensure continued soil productivity and 2) enough standing dead wildlife trees remain to promote biodiversity.”⁷⁷

The 2012 version of the regulations accordingly contained specific guidance on biomass harvesting to help maintain soil fertility and other ecosystem values. DOER’s initial excel workbook guideline published 4-27-12 contains information (Figure 4) on the amount of residues that must be retained on site, based on soil type,⁷⁸ and a detailed list of soil classifications.

Since then, various studies have further documented that forest harvesting, and particularly biomass harvesting, depletes both soil nutrients and soil carbon. Berger et al (2013) reviewed the literature and found extensive evidence that removal of forestry residues can deplete soil levels of calcium, potassium, and magnesium, essential nutrients for forest growth.⁷⁹ Achat et al (2015) found that intensive biomass harvests led to losses of soil organic carbon in all layers of forest soils and that “estimated carbon losses from forest soils suggested that intensive biomass harvests could constitute an important source of carbon transfer from forests to the atmosphere, partly neutralizing the role of a carbon sink played by forest soils.”⁸⁰ Working in New Hampshire, Hamburg et al (2019) found that whole-tree harvest (i.e., removal of residues) caused significant depletion of soil carbon and nitrogen:

“Mineral soil C decreased by 15% (20 Mg ha⁻¹) relative to pre-harvest levels by year 8, with no recovery in soil C stocks by year 15. Proportional changes in N stocks were similar. The loss of mineral soil C offset two-thirds of the C accumulation in aboveground biomass over the same 15

⁷⁷ MANOMET STUDY, supra n.4, at 8.

⁷⁸ See *Forest Derived Eligible Biomass Woody Fuel Guideline* (published date Apr. 27, 2012).

⁷⁹ Berger, A. L., B. Palik, A. W. D’Amato, S. Fraver, J. B. Bradford, K. Nislow, D. King and R. T. Brooks (2013). “Ecological Impacts of Energy-Wood Harvests: Lessons from Whole-Tree Harvesting and Natural Disturbance.” *Journal of Forestry* 111(2): 139-153.

⁸⁰ Achat, D. L., M. Fortin, G. Landmann, B. Ringeval and L. Augusto (2015). “Forest soil carbon is threatened by intensive biomass harvesting.” *Scientific Reports* 5: 15991.

years, leading to near-zero net C accumulation post-harvest, after also accounting for the decomposition of slash and roots. If this result is broadly representative, and the extent of forest harvesting is expanded to meet demand for bioenergy or to manage ecosystem carbon sequestration, then it will take substantially longer than previously assumed to offset harvest-or bioenergy-related carbon dioxide emissions with carbon uptake during forest regrowth.”⁸¹

Despite DOER’s former concern for soil fertility, the agency now proposes to eliminate all the previous rules for biomass harvesting, including the provisions intended to effectuate the Manomet study’s soil health and biodiversity recommendations, and replace them with vague, unenforceable language.⁸² The proposed guideline does not even mention soil.⁸³ Instead it recommends that a licensed forester “attest” that the lands harvested “were covered by a cutting plan” and implemented “operational guidelines for biomass retention and harvesting” set out in a Forest Guild publication.⁸⁴

The Forest Guild advice on residues retention is too vague to be useful. For instance, it states, *“In areas that do not qualify as low-nutrient sites, where 1/3 of the basal area is being removed on a 15- to 20-year cutting cycle, it is our professional judgment that retaining 1/4 to 1/3 of tops and limbs will limit the risk of nutrient depletion and other negative impacts in most forest and soil types.”*⁸⁵

As Massachusetts has many areas of nutrient-poor soils, these general recommendations from the Forest Guild guidelines are no substitute for the 2012 biomass sustainability guidelines, which refer to Massachusetts-specific soils and ecosystem types to set allowable residue removal levels. In fact, the Forest Guild document itself recommends state-specific guidelines: “We encourage states to identify low-nutrient soil series where biomass harvesting should not occur and those soil series where biomass harvests require particular caution.” This is precisely what the 2012 regulations did—they identified areas where biomass harvesting should not occur.

Even these weak provisions aren’t required if forests are certified under certain programs: “At time of writing, these are the Forest Stewardship Council (FSC) and Program for the Endorsement of Forest Certification (PEFC), which includes the Sustainable Forestry Initiative (SFI) and American Tree Farm System (ATFS). The Department will continue benchmarking other independent certification programs and may update this Guideline as necessary.”⁸⁶

We have not found any evidence that any of these programs set specific recommendations on retention of forestry residues to maintain soil fertility. These are voluntary standards, with

⁸¹ Hamburg, S. P., M. A. Vadeboncoeur, C. E. Johnson and J. Sanderman (2019). “Losses of mineral soil carbon largely offset biomass accumulation 15 years after whole-tree harvest in a northern hardwood forest.” *Biogeochemistry* 144(1): 1-14.

⁸² See Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units.

⁸³ See Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units.

⁸⁴ *Id.* at 2.

⁸⁵ FOREST GUILD BIOMASS WORKING GRP., FOREST BIOMASS RETENTION AND HARVESTING GUIDELINES FOR THE NORTHEAST 5 (2010), available at

https://newenglandcottontail.org/sites/default/files/research_documents/Forest%20Biomass%20Retention%20and%20Harvesting%20Guidelines.pdf.

⁸⁶ Proposed Guideline on Eligible Biomass Fuel for Renewable Generation Units, at 2.

limited, periodic oversight. They are not a substitute for a specific requirement that requires foresters and harvesters to sign their names to a document that says residues have been retained on site.

DOER has not only gutted the protections for soils, its carbon accounting protocol does not include soil carbon losses from harvesting, which as the credible studies cited above show can be significant.

Recommendation: DOER must strengthen the 2012 forest protection guidelines for the RPS based on updated science and future biosequestration policy goals, not supersede and weaken them. DOER should add soil carbon losses to the carbon accounting protocol for qualifying bioenergy.

Eliminates all other forest protections in the 2012 regulations

Besides the restrictions on residues removals, the 2012 version of the regulations contained a variety of additional protections for forests, including protections for den trees and natural deadwood that are critical for maintaining biodiversity, and a requirement to leave stumps in place (yanking stumps out for biomass fuel is enormously damaging to site ecology and soils):

Eligible Biomass Fuel removal is **not allowed from old growth forest stands**. Old growth forest are forests that approximate the structure, composition, and functions of native forests prior to European settlement. They vary by forest type, but generally include more large trees, canopy layers, standing snags, native species, and dead organic matter than do young or intensively managed forests.

Eligible Biomass Fuel removal is **not permitted from harvest on steep slopes**. Steep slopes mean land with a gradient of 30 percent or more for a slope distance of 200 feet or more.

In all harvests of Eligible Biomass Fuel, **all naturally Down Woody Material (DWM) must be retained in the forest**. DWM includes the following three size classes of down material commonly found in the forest:

- Fine Woody Material; down wood less than three (3) inches in diameter.
- Course Woody Material; down wood with a small-end diameter of three (3) inches or greater and a minimum length of three (3) feet.
- Large Woody Material; down wood greater than twelve (12) inches in diameter

In all harvests of Eligible Biomass Fuel, **forest litter, forest floor, roots and stumps must be retained and protected**.

In all harvests of Eligible Biomass Fuel, **prescribed quantities of live cavity trees, den trees, and other live decaying trees or snags must be retained and protected**. Den Trees mean dead, rough or rotten trees that provide hollows or cavities for wildlife. Snags mean standing dead trees with few branches, or the standing portion of a broken-off tree. **Snags may provide feeding and/or nesting sites for wildlife**. Prescribed quantities of live cavity trees, den trees, and other live decaying trees or snags are as follows:

- Live decaying trees 12-18 inches DBH; minimum of four (4) must be retained/acre
- Live decaying trees >18 inches DBH; minimum of one (1) must be retained/acre
- Snags > 10 inches DBH; minimum of five (5) must be retained/acre, where DBH is Diameter Breast Height or the outside bark diameter at breast height (4.5 feet above the forest floor on the uphill side of the tree).⁸⁷

DOER is proposing to eliminate *all* these specific protections, replacing them with vague and unenforceable language about “sustainable forestry,” as discussed below.

Recommendation: Retain and strengthen (in consultation with forest ecologists and wildlife biologists) the forest protections, consistent with current ecological and climate science.

Replaces science-based metrics with unsupported “Sustainable Forestry” provisions

Despite the extensive use of the term “sustainable forestry” in DOER’s proposed rewrite of the regulations, there is no scientific consensus on what this term means, nor does any existing Massachusetts law or regulation define the term. DOER’s own definition and approach has no quantifiable standards for measuring what is “sustainable” and what is not, no process for monitoring forestry projects to assess the results of their operations, and no system for enforcing standards of “sustainability.”

This slack approach has serious consequences for actual forest sustainability, that is, the ability of forests to continue to survive and thrive in the face of ever increasing threats. For instance, the definition of “Forest Derived Residues” under “Eligible Biomass Woody Fuel” in Proposed 225 C.M.R. 14.02(a) requires only a “[S]ilvicultural prescription as administered by a licensed or certified forester as prescribed in the Department’s *Guideline on Eligible Biomass Fuel for Renewable Generation Units*.” The *Guideline* clarifies that “[t]he definition of Sustainable Forestry Management, which can be found in 225 C.M.R.14.02, is based off the definition of Sustainable Forestry from the Dictionary of Forestry provided by the Society of American Foresters.”⁸⁸ However, the cited definition entirely lacks quantification or measurable standards.⁸⁹ It also dates from 1998, before the looming threats to biodiversity from climate change were fully understood. This definition is a completely inadequate basis for making decisions on forest management that will have an impact on climate change, biological diversity, and other critical values that extend for centuries into the future.

The proposed definition of “Sustainable Forestry Management” is similarly meaningless. See Proposed 225 C.M.R. 14.02. There are no quantifiable standards for measuring what is “sustainable” and what is not, no process for monitoring forestry projects to assess the results of their operations, and no system for enforcing standards of “sustainability.” It is unclear how this standard could be enforced. Based on this definition, there is no indication of how one

⁸⁷ *Biomass Eligibility and Certificate Guideline*, 4-27-2012 version (emphasis added).

⁸⁸ Proposed *Guideline on Eligible Biomass Fuel for Renewable Generation Units*, at 1.

⁸⁹ See *Sustainable Forest Management*, THE DICTIONARY OF FORESTRY (John A. Helms ed., 1998) (“Sustainable forest management (sustainable forestry) (SFM)—this evolving concept has several definition . . . [listing menu of abstract concepts].”).

would review a logging plan, inspect the site of a proposed logging project, or assess the outcome of a logging job and determine whether it meets the definition of "Sustainable Forestry Management."

For example, "conservation of biological diversity" is a generic term. There is no guidance for the level of detail at which a forester must inventory the site before and after logging. This could mean a complete inventory of all plants and animals on the site before any logging is planned or done, and another such inventory when it is done. Or it could simply mean that a forester eyeballs the site before and after.

Further, it is impossible to judge what "maintenance of forest contributions to global carbon cycles" or "maintenance of productive capacity of forest ecosystems" mean. It could mean maintaining the rate and amount of carbon sequestration by the forest, or it could mean there should be no reduction in carbon storage from pre-logging levels. It could mean maximizing timber production, or maintaining fully functioning natural forest ecosystems.

In Proposed 225 C.M.R. 14.05 (8)(a) the eligibility criterion for "sustainable forest management" specifies that, "Forest Derived Residues and Forest Derived Thinnings shall only be sourced from forests meeting Sustainable Forestry Management practices, as independently verified through the attestation of a licensed forester, certified forester or independent certification." However, as noted above, there is no scientifically agreed-upon definition for "sustainable forest management" to guide a forester in making a determination of eligibility. This is true of independent certifying entities, such as the Forest Stewardship Council and Sustainable Forestry Initiative, which have standards that are quite divergent. Moreover, the FSC and especially the SFI, which was created and is administered by the forest products industry, have been widely criticized by forest conservationists.⁹⁰

Finally, no sustainability standards apply to "Forest Salvage," a category that DOER proposes to significantly expand and which impacts forests already burdened by disease or pest infestation. The draft guideline on eligible fuel states, "Non-Forest Derived Residues and Forest Salvage (as defined in 225 CMR 14.02) are considered to meet the sustainability requirements, so for these resources, no further sustainability demonstration is required."⁹¹

This is not acceptable. By definition, "salvage" situations may represent forests that are even more fragile and require even more care taken during harvesting. Further, given recent pest infestations – particularly the gypsy moth caterpillar outbreak of the last two years, which targets oaks first, but also impacts other trees – it is important to ensure that subsidies for biomass harvesting do not incentivize harvesting trees for fuel that could be used for other purposes. If DOER believes there is a problem to be solved in this area, it should elevate the issue to the Secretary of Energy and Environmental Affairs to assign the appropriate agency to

⁹⁰ See, e.g., Richard Conniff, *Greenwashed Timber: How Sustainable Forest Certification Has Failed*, YALE ENVIRONMENT 360 (Feb. 20, 2018), <https://e360.yale.edu/features/greenwashed-timber-how-sustainable-forest-certification-has-failed>; Sierra Club, *Environmental Leaders Critique SFI* (date not specified), <https://content.sierraclub.org/ourwildamerica/sites/content.sierraclub.org.ourwildamerica/files/Environmental%20Leaders%20Condemn%20SFI.pdf>.

⁹¹ Draft Guideline on Eligible Biomass Fuel for Renewable Generation Units, undated.

develop an incentive system to ensure that timber-quality material is recovered, stockpiled, and metered out in a way that does not flood the market. A system to do this was set up after the 1938 hurricane,⁹² when immeasurably more wood was liquidated; a similar system should be put in place now.

Recommendation: Retain and strengthen existing guidelines for biomass harvesting, including strengthening residue retention levels to help protect soils against erosion and to maintain site carbon, nutrient, and habitat status. Work with forest ecologists and the Massachusetts environmental community to set guidelines that protect and strengthen forests in the face of increasing threats.

Eliminates accountability from the fuel tracking and certificate system

Along with eliminating forest protection measures, DOER's proposed changes eliminate almost all fuel tracking requirements.

The current fuel certificate and tracking system provide accountability and oversight both because the forest and soils protections are specific and clear, and because the forester and harvester have to sign their names to attest to the standards being met. The current guideline consists of an excel workbook that combines guidance on soil and forest protections with actual fuel certificates that record the name of the forester and the harvester.

In the current certificate, the harvester is required to sign the following: *"I certify that the Biomass Fuel accompanied by this Certificate removed from the harvest site identified in the Forest/Harvest Information above was done according to the requirements and limitations pertaining to Biomass Woody Fuels under 225 CMR 14.00, as prescribed to me by the responsible licensed Forester in the Biomass Tonnage Report and the USDA NRCS Soil Survey Map applicable to the harvest site."* Specific and precise language in the regulation itself (starting at 225 CMR 14.05(8)(a)(2)) makes compliance with these procedures mandatory – language that DOER now proposes to delete.

In fact, DOER proposes to eliminate the entire fuel tracking procedure, including the workbook containing the guidance, fuel certificates, and signatures. All of the provisions that protect forests are eliminated in favor of a vague and unenforceable call for "sustainable forest management". As a replacement for specific guidelines, DOER proposes to accept a "Licensed Forester Attestation" as evidence of sustainable harvesting, whereby the forester attests that "all the lands from where Eligible Biomass Woody Fuel was sourced were covered by a cutting plan that adhered to best management practices," and that the harvest implemented guidelines for residue retention from the Forest Guild. However, it does not require any detail as to the relevant best management practices, and there is no place in the document for this attestation to occur. Whereas the 2012 guideline is an excel workbook that provides all the materials a forester would need to execute every step of the certification process, including the fuel certificates themselves that accompany each load of biomass, the proposed draft guideline

⁹² See Stephen Long, "Thirty-Eight: Salvaging Lumber in the Wake of New England's Most Damaging Storm." Northern Woodlands Magazine, Summer 2016. At <https://northernwoodlands.org/articles/article/thirty-eight-new-england-lumber-storm>.

is simply a pdf document describing procedures and does not require execution. The proposed replacement attestation is unenforceable and meaningless.

For fuel harvested outside of Massachusetts, DOER allows third-party certification programs as evidence that sustainability requirements have been met. However, again, there are no instructions or means for delivering the proof of certification.

The regulation retains language requiring facilities to demonstrate ownership of biomass fuel certificates to demonstrate that only eligible fuel was used (225 CMR 14.05(8)(e)), but the certificates themselves do not appear to exist anymore. DOER has eliminated the excel workbook guideline document that contained the certificates and preparatory material without a replacement.

Recommendation: Retain the existing framework of forest and soil protections, fuel certificates, and accountability.

Conclusion

The undersigned groups urge DOER to withdraw the changes proposed to biomass eligibility in 225 C.M.R. 14.00 and 225 C.M.R. 15.00. Any further reform of these regulations should only take place in the context of the updated Clean Energy and Climate Plan for 2030, following a stakeholder process, in light of the Commonwealth's near-term need to reduce greenhouse gas emissions and long-term biosequestration needs to meet the 2050 GWSA requirement.

Signed,

Caitlin Peale Sloan
Senior Attorney
Conservation Law Foundation

Dr. Mary S. Booth
Director and President
Partnership for Policy Integrity

Michael Kellett
Executive Director
RESTORE: The North Woods

Deborah Donovan, Massachusetts Director
Ellen Hawes, Senior Analyst
Acadia Center

Michaelann Bewsee
Arise for Social Justice &
Springfield Climate Justice Coalition

Rachel Smolker, Ph.D.
Codirector
Biofuelwatch

James O. Michel
Co-Founder
Boston Clean Energy Coalition

Bill Snape
Senior Counsel
Lauren Packard
Staff Attorney
Center for Biological Diversity

Elizabeth Saunders
Massachusetts State Director
Clean Water Action

Adele Franks
Steering Committee
Climate Action Now – Western Mass

Janet Sinclair
Concerned Citizens of Franklin County

Rita Frost
Campaigns Director
Dogwood Alliance

Ben Hellerstein
State Director
Environment Massachusetts

Elizabeth Turnbull Henry
President
Environmental League of Massachusetts

Nicole Ghio
Senior Fossil Fuels Program Manager
Friends of the Earth

Eleanor Tillinghast
President
Green Berkshires, Inc.

Eugenia T. Gibbons
Policy Director
Green Energy Consumers Alliance

Bill Ravanese
Boston Regional Director
Health Care Without Harm

Carol Oldham
Executive Director
Massachusetts Climate Action Network

Deb Pasternak
Chapter Director
Massachusetts Sierra Club

Dylan Voorhees
Climate & Clean Energy Director
Natural Resources Council of Maine

Sami Yassa
Senior Scientist
Climate & Clean Energy Program
Natural Resources Defense Council

Rosemary Wessel
Program Director
No Fracked Gas in Mass

Kathryn R. Eiseman
President
Pipe Line Awareness Network for the Northeast

Alexandra Wisner
Assistant Director
The Rachel Carson Council

Francis Pullaro
Executive Director
RENEW Northeast

Patricia A. Gozemba
Co-Chair

SAFE-Salem Alliance for the Environment

Nicole Morris-McLaughlin
Program Manager
Southcoast Energy Challenge

David Carr
General Counsel
Southern Environmental Law Center

Sarah Duckett, Jessye Waxman, Owen Woodcock
Hub Coordinators
Sunrise Boston

Mary Gard
Sustainable Wellesley

Mary Jones
Community Organizer for Western Massachusetts
Toxics Action Center

William Moomaw, Ph.D.
Tufts University Global Development and Environment Institute

Appendix: Methane emissions from wood chip piles and wood pellets

Below are abstracts from scientific papers discussing methane emissions from stockpiles of wood chips and wood pellets used for biomass fuel.

Esa Alakoski et al., *From Wood Pellets to Wood Chips, Risks of Degradation and Emissions from the Storage of Woody Biomass – A Short Review*, 54 RENEWABLE & SUSTAINABLE ENERGY REV. 376 (2016):

The compounds in stored woody biomass degrade as a result of chemical and/or biological processes during storage. These processes produce gaseous emissions. Recent studies concerning gaseous emissions from wood pellet storages are reviewed herein. The applicability of the results from pellet research to wood chips is discussed. Thorough scientific understanding on the storage phenomena of wood chips is extremely important as the threat of climate change and the need to reduce greenhouse gas emissions have led to an increased need to large scale wood chip storage to ensure supply. Typically the gases produced from stored woody biomasses are carbon monoxide (CO), carbon dioxide (CO₂), methane (CH₄), and other volatile hydrocarbons e.g. aldehydes and terpenes. CO₂ and CH₄ are greenhouse gases with high global warming potential. Chemical degradation via auto-oxidation of fats and fatty-acids seems to be the dominant mechanism for off-gassing from stored wood pellets, whereas biological processes are mainly responsible for the gaseous emission from wood chips. In confined storage spaces gaseous emissions may lead to oxygen depletion. Oxygen depletion together with a high CO concentration poses a serious health risk for those working in such conditions. The degradation processes also result in dry matter losses and in spontaneous heating and in the worst case, especially in large piles, spontaneous ignition of the stored material. Thorough and systematic scientific studies on degradation processes and their effects are needed in order to understand and minimise risks from large scale wood chips storage to human health, environment and property.

BTG BIOMASS TECH. GRP. BV, METHANE AND NITROUS OXIDE EMISSIONS FROM BIOMASS WASTE STOCKPILES (PCFplus Research Report No. 12, 2002):

Highest emissions are from freshest biomass. Large wood residue stockpiles may represent a potential source of the greenhouse gases nitrous oxide (N₂O), and - if anaerobic digestion occurs inside the stockpiles - methane (CH₄). If these gases are indeed emitted, a project which would mitigate the generation and stockpiling of wood residues could be allowed to claim greenhouse gas emission reductions. At present not much is known about the extent of methane and nitrous oxide emissions from wood stockpiles. Therefore an assignment has been commissioned by The World Bank (PCFplus research) to build a general methodology for assessing methane and nitrous oxide emissions from wood residue stockpiles, and using it for assessing the likelihood of estimated methane

emissions in one such project in Bulgaria. The assignment consists of a literature survey on methane and nitrous oxide emissions from wood stockpiles, followed by field methane emission measurements on wood stockpiles in Bulgaria, and the development of a spreadsheet model for predicting future methane emissions. Literature survey As expected only a few articles about methane emissions from wood residue stockpiles were found. Therefore also literature on methane emissions from landfills was included in the survey, of which a large number of publications exists. Methane emissions from landfills show a large temporal and spatial variability, implying that methane emissions at different spots on one landfill can vary up to a factor 1000, and that emissions can vary significantly dependent on the time of day, the season, barometric pressure and precipitation. Seasonal variation is caused by biological oxidation of methane in the top layer of a landfill, and is more pronounced at higher ambient temperatures. It is expected that the same mechanisms and variations in methane emissions from landfills will also take place in wood stockpiles.

Mirjam Röder et al., *How Certain Are Greenhouse Gas Reductions from Bioenergy? Life Cycle Assessment and Uncertainty Analysis of Wood Pellet-to-Electricity Supply Chains from Forest Residues*, 79 BIOMASS & BIOENERGY 50 (2015):

Climate change and energy policies often encourage bioenergy as a sustainable greenhouse gas (GHG) reduction option. Recent research has raised concerns about the climate change impacts of bioenergy as heterogeneous pathways of producing and converting biomass, indirect impacts, uncertainties within the bioenergy supply chains and evaluation methods generate large variation in emission profiles. This research examines the combustion of wood pellets from forest residues to generate electricity and considers uncertainties related to GHG emissions arising at different points within the supply chain. Different supply chain pathways were investigated by using life cycle assessment (LCA) to analyse the emissions and sensitivity analysis was used to identify the most significant factors influencing the overall GHG balance. The calculations showed in the best case results in GHG reductions of 83% compared to coal-fired electricity generation. When parameters such as different drying fuels, storage emission, dry matter losses and feedstock market changes were included the bioenergy emission profiles showed strong variation with up to 73% higher GHG emissions compared to coal. The impact of methane emissions during storage has shown to be particularly significant regarding uncertainty and increases in emissions. Investigation and management of losses and emissions during storage is therefore key to ensuring significant GHG reductions from biomass.

Urban Svedberg et al., *Hazardous Off-Gassing of Carbon Monoxide and Oxygen Depletion during Ocean Transportation of Wood Pellets*, 52 ANNALS OF OCCUPATIONAL HYGIENE 259 (2008):

Five ocean vessels were investigated for the characterization and quantification of gaseous compounds emitted during ocean transportation of wood pellets in closed cargo hatches from Canada to Sweden. The study was initiated after a

fatal accident with several injured during discharge in Sweden. The objective with the investigation was to better understand the off-gassing and issues related to workers' exposure. Air sampling was done during transport and immediately before discharge in the undisturbed headspace air above the wood pellets and in the staircase adjacent to each hatch. The samples were analyzed with Fourier transform infrared spectroscopy and direct reading instruments. The following compounds and ranges were detected in samples from the five ships: carbon monoxide (CO) 1460–14650 ppm, carbon dioxide (CO₂) 2960–21570 ppm, methane 79.9–956 ppm, butane equivalents 63–842 ppm, ethylene 2–21.2 ppm, propylene 5.3–36 ppm, ethane 0–25 ppm and aldehydes 2.3–35 ppm. The oxygen levels were between 0.8 and 16.9%. The concentrations in the staircases were almost as high as in the cargo hatches, indicating a fairly free passage of air between the two spaces. A potentially dangerous atmosphere was reached within a week from loading. The conclusions are that ocean transportation of wood pellets in confined spaces may produce an oxygen deficient atmosphere and lethal levels of CO which may leak into adjacent access spaces. The dangerous combination of extremely high levels of CO and reduced oxygen produces a fast-acting toxic combination. Measurement of CO in combination with oxygen is essential prior to entry in spaces having air communication with cargo hatches of wood pellets. Forced ventilation of staircases prior to entry is necessary. Redesign, locking and labeling of access doors and the establishment of rigorous entry procedures and training of onboard crew as well as personnel boarding ocean vessels are also important.

Carly Whittaker et al., *Dry Matter Losses and Methane Emissions during Wood Chip Storage: The Impact on Full Life Cycle Greenhouse Gas Savings of Short Rotation Coppice Willow for Heat*, 9 BIOENERGY RES. 820 (2016):

A life cycle assessment (LCA) approach was used to examine the greenhouse gas (GHG) emissions and energy balance of short rotation coppice (SRC) willow for heat production. The modelled supply chain includes cutting multiplication, site establishment, maintenance, harvesting, storage, transport and combustion. The relative impacts of dry matter losses and methane emissions from chip storage were examined from a LCA perspective, comparing the GHG emissions from the SRC supply chain with those of natural gas for heat generation. The results show that SRC generally provides very high GHG emission savings of over 90 %. The LCA model estimates that a 1, 10 and 20 % loss of dry matter during storage causes a 1, 6 and 11 % increase in GHG emissions per MWh. The GHG emission results are extremely sensitive to emissions of methane from the wood chip stack: If 1 % of the carbon within the stack undergoes anaerobic decomposition to methane, then the GHG emissions per MWh are tripled. There are some uncertainties in the LCA results, regarding the true formation of methane in wood chip stacks, non-CO₂ emissions from combustion, N₂O emissions from leaf fall and the extent of carbon sequestered under the crop, and these all


contribute a large proportion of the life cycle GHG emissions from cultivation of the crop.

Margareta Wihersaari, *Evaluation of Greenhouse Gas Emission Risks from Storage of Wood Residue*, 28 BIOMASS & BIOENERGY 444 (2005):

The use of renewable energy sources instead of fossil fuels is one of the most important means of limiting greenhouse gas emissions in the near future. In Finland, wood energy is considered to be a very important potential energy source in this sense. There might, however, still be some elements of uncertainty when evaluating biofuel production chains. By combining data from a stack of composting biodegradable materials and forest residue storage research there was an indication that rather great amounts of greenhouse gases maybe released during storage of wood chip, especially if there is rapid decomposition. Unfortunately, there have not been many evaluations of greenhouse gas emissions of biomass handling and storage heaps. The greenhouse gas emissions are probably methane, when the temperature in the fuel stack is above the ambient temperature, and nitrous oxide, when the temperature is falling and the decaying process is slowing down. Nowadays it is still rather unusual to store logging residue as chips, because the production is small, but in Finland storage of bark and other by-products from the forest industry is a normal process. The evaluations made indicate that greenhouse gas emissions from storage can, in some cases, be much greater than emissions from the rest of the biofuel production and transportation chain.

Appendix B

Letter to Secretary Kathleen A. Theoharides, August 1, 2019



VIA EMAIL

August 1, 2019

Secretary Kathleen A. Theoharides
Executive Office of Energy & Environmental Affairs
100 Cambridge St., Suite 900
Boston, MA 02114
env.internet@mass.gov

Re: Proposed RPS Regulation Changes and Stakeholder Engagement

Dear Secretary Theoharides:

Over the past several months, the Department of Energy Resources (DOER), which is now under your purview, has led a deeply flawed rulemaking process for an even more deeply flawed proposal to rewrite regulations implementing the state's Renewable Portfolio Standard (RPS). Particularly problematic are changes pertaining to woody biomass, which appear to have been proposed solely at the urging of forestry and biomass industry interests; we are not aware of any clean energy organizations or climate scientists who advocated for these changes.

Accordingly, the undersigned organizations write seeking to help the Baker administration correct course and to ensure that the RPS assists the state in complying with the Commonwealth's climate mandates, rather than promoting technologies that will actually increase emissions. Flaws in the process to date are outlined below, followed by specific requests for a stakeholder process in light of the agency's newly proposed study.

These regulations are currently the linchpin of Massachusetts climate policy; numerous other policies of the Commonwealth incorporate RPS-eligibility in their implementation, including the Clean Peak Standard now under development. Changes to the RPS regulations must be grounded in environmental and climate science.

Background

As you are aware, following the Commonwealth's 2008 enactment of the Global Warming Solutions Act (GWSA), DOER undertook a four-year stakeholder process including the commissioning of the Manomet study to examine the net carbon impact of burning wood for energy. The Manomet study formed the foundation of a science-based rulemaking process. That process, which involved the multi-investigator Manomet team, many public meetings, and tens of thousands of hours of time by scientists, activists, and regular citizens, culminated in final regulations 2012. The Massachusetts biomass rules for the RPS became the first in the nation and the world to recognize that burning woody biomass for energy cannot be presumed to be carbon neutral.

In contrast, this April, DOER established a 43-day comment period¹ on its proposed sweeping changes to the biomass regulations and the RPS regulations as a whole, with three public comment hearings to take place during that period. Only significant public pressure convinced the agency to add a hearing in Springfield, where a biomass power plant proposal is currently pending, and to extend the written comment period to July 26th. Poor planning of the comment hearings resulted in two of the four being relocated and one rescheduled at the last minute. In the interim, DOER released its proposed "Guideline on Eligible Biomass Fuel for Renewable Generation Units" and "Guideline on Overall Efficiency and Greenhouse Gas Analysis", which are themselves an important component of the proposed regulations. DOER has stonewalled a request under the Public Records Law that seeks to shed light on the scientific basis for some of the proposed changes.

If the proposed changes become law, they will:

- Eliminate Massachusetts-specific forest harvesting criteria, including limits on intensive harvesting for biomass that are key to maintaining forest productivity and forest sequestration of CO₂;
- Adopt a greenhouse gas accounting approach that "qualifies" plants for subsidies by underestimating life-cycle CO₂ emissions, both by ignoring fossil fuels burned during harvesting, processing, and transport of biomass, and by utilizing the "single year" approach for estimating cumulative emissions, instead of the correct multi-year approach;
- Provide subsidies to polluting and inefficient wood-burning biomass power plants outside the state that are presently ineligible to receive Massachusetts RECs under the existing regulations; and

¹ DOER sent notice of a May 24, 2019 comment deadline on April 11, 2019 to an RPS stakeholder list, indicating that on April 5, 2019, the agency and filed amended draft regulations with the Secretary of State's office.

- Incentivize new carbon-emitting biomass plants to be constructed inside and outside the state.

It is our understanding that DOER is now commissioning a study of the effect of the proposed regulatory changes. However, despite ongoing attempts at dialogue from several of the undersigned organizations, we have not been allowed to see the proposed scope of this study.

Since the Manomet Study was published, the climate crisis has only gotten worse. There have been no studies that have called into question the Manomet approach, and indeed, a number of studies have been published that suggest the Manomet Study probably *under*-estimated the real greenhouse gas impacts of burning wood for energy.

DOER thus cannot provide any scientific rationale to justify the broad rollback of protections it proposes, nor any policy justification. As comments submitted by the Office of the Attorney General note:

As the Supreme Judicial Court recently emphasized, Massachusetts climate policy “is designed to go well beyond business as usual in terms of reducing emissions: to upend, rather than to uphold, the status quo.” Incentivizing additional forest biomass energy production would be a step backward, not forward, in this effort.²

Stakeholder Request

In light of the circumstances outlined above, we request:

- Commencement of a stakeholder process that includes environmental advocates and climate scientists to inform the scope and finalization of the proposed study; and
- The opportunity for undersigned organizations to make a science-based presentation to decision makers in the administration regarding biomass (as well as presentations concerning other problematic elements of the proposed changes to the RPS regulations).

At a minimum, DOER should abandon any proposed changes to the RPS regulations that could result in additional combustion of biomass until the Clean Energy and

² Office of Attorney General Maura Healey, “Comments on Amendments to Renewable Portfolio Standard Class I and II Regulations, 225 C.M.R. §§ 14.00 et seq., 15.00 et seq.” July 26, 2019, at p. 10 (citing *New England Power Generators Ass’n, Inc.*, 480 Mass. at 406).

Secretary Kathleen A. Theoharides

August 1, 2019

Page 4 of 4

Climate Plan for 2030 is completed. Once that plan is released, any revisions to the regulations should only be undertaken following a stakeholder process that includes environmental advocates and climate scientists.

Sincerely,

Mary S. Booth, PhD
Director
Partnership for Policy Integrity

Caitlin Peale Sloan
Senior Attorney
Conservation Law Foundation

Deborah Donovan
MA Director & Senior Policy Advocate
Acadia Center

Michael Kellett
Executive Director
RESTORE: The North Woods

Eugenia T. Gibbons
Policy Director
Green Energy Consumers Alliance

Deb Pasternak
Chapter Director
Massachusetts Sierra Club

Cc:

Governor Charles D. Baker
Undersecretary of Energy Patrick Woodcock
DOER Commissioner Judith Judson
Attorney General Maura Healey

Appendix C

Letter to TUE Committee, December 23, 2020

December 23, 2020

The Honorable Michael Barrett
24 Beacon Street, Room 109-D
Boston, MA 02133

The Honorable Tom Golden
24 Beacon Street, Room 473B
Boston, MA 02133

Subject: House Bill 5169 - 225 CMR 14.00 and 225 CMR 15.00, Renewable Energy Portfolio Standard Regulations

Dear Chairman Barrett and Chairman Golden:

The undersigned groups write to urge you to hold a hearing and use the persuasive and advisory power at your disposal to bring the Department of Energy Resources (“DOER”) to reconsider its approach to the amendments to 225 CMR 14.00 and 225 CMR 15.00 submitted to the Joint Committee on Telecommunications, Utilities, and Energy, docketed as H.5169 (“Regulatory Amendments”). Conservation Law Foundation (“CLF”) and many of the undersigned submitted technical comments in July of 2019 detailing the numerous legal and scientific flaws in the proposed Regulatory Amendments at that time, and the final package filed with your Committee suffers the same flaws in addition to new deficiencies, as detailed below.

A. The Regulatory Amendments directly endanger an environmental justice community in the Commonwealth.

Opposition to the Regulatory Amendments arises not from a theoretical concern, but because these amendments serve to breathe new life into a facility that threatens to further poison a community already overburdened by poor air quality. The Regulatory Amendments most directly benefit the Palmer Renewable Energy, LLC biomass facility proposed for East Springfield, Massachusetts, the construction of which residents have protested for more than a decade. Springfield residents already have some of the worst air quality in the country, and adding to it would be both unconscionable and contrary to existing Massachusetts law and policy.

Massachusetts Executive Order No. 552, the Executive Order on Environmental Justice, recognizes that “all people have a right to be protected from environmental pollution and to live and enjoy clean and healthy environment regardless of race, income, national origin or English language proficiency.” It further states that “[e]nvironmental justice populations are discrete and identifiable communities, mostly lower income and of color, that are at risk of being disparately and negatively impacted by environmental policies and overburdened by a higher density of known contaminated sites and by air and water pollution.”

Under the definition for “environmental Justice population” set out in the 2017 Environmental Justice Policy of the Executive Office of Energy and Environmental Affairs developed pursuant to E.O. 552, the vast majority of Springfield meets one or more of three criteria for environmental justice communities.¹ As of the 2010 Census, 110 of 121 census blocks in Springfield were identified as environmental justice populations based on race, income and English language proficiency, one of the highest rates in Massachusetts.²

DOER failed to consider impacts of the Regulatory Amendments on Springfield’s environmental justice populations in violation of E.O. 552 and EEA EJ Policy. Residents of Springfield already struggle with the problems associated with significant and hazardous air pollution that degrades their air quality. Between 2015-2017, Hampden County experienced an above average number of high ozone days (4.5) and annual average concentrations of particle pollution ($6.9 \mu\text{g}/\text{m}^3$).³ During the same time period the city of Springfield showed even higher averages for high ozone days (9.3) and annual average concentrations of particle pollution ($12.4 \mu\text{g}/\text{m}^3$).⁴ Several factors contribute to Springfield’s poor air quality including: multiple point sources of air pollutants (factories, power plants, and waste incinerators, including Covanta Springfield); the I-91 interstate running along the city and through neighborhoods; and the city’s location in a valley where air pollution from other areas settles.⁵ In fact, a recent Union of Concerned Scientists study showed Springfield to have transportation emissions more than 43 percent higher than the state average.⁶ All these conditions have, unfortunately, led Springfield to be named the number one Asthma Capital by the Asthma and Allergy Foundation of America.⁷

Biomass plants can have serious localized pollution effects. For biomass to qualify for Massachusetts RECs, the RPS statute requires that the electricity is generated by a “low emission advanced biomass power conversion technologies.”⁸ However, when a facility is poorly sited, as is the case with the proposed Palmer plant in Springfield, incentivizing any level of additional particulate emissions is a dangerous policy choice and not credible in light of the statutory requirement for low emissions. The air permit for the proposed plant allows it to emit 34.55 tons of particulate matter and 13.2 tons of hazardous air pollutants annually, which includes heavy metals and carcinogens like formaldehyde and benzene.⁹ In a community overburdened with

¹ The Environmental Justice Policy of the Executive Office of Energy and Environmental Affairs (January 31, 2017) https://www.mass.gov/files/documents/2017/11/29/2017-environmental-justice-policy_0.pdf.

² <https://www.mass.gov/doc/ej2010communitystatisticspdf/download>

³ See Am. Lung Ass’n, State of the Air 2019, Massachusetts: Hampden (2019) (air quality report for Hampden County), <https://www.lung.org/our-initiatives/healthy-air/sota/city-rankings/states/massachusetts/hampden.html>

⁴ The 2012 National Ambient Air Quality Standard for annual PM_{2.5} set by EPA is $12 \mu\text{g}/\text{m}^3$.

⁵ Pub. Health Inst. of W. Mass., Air Pollution, Climate and Health in Hampden County 1 (Feb. 1, 2019), https://www.publichealthwm.org/download_file/view/256/306.

⁶ <https://www.ucsusa.org/sites/default/files/attach/2019/06/Inequitable-Exposure-to-Vehicle-Pollution-MA.pdf>

⁷ Asthma & Allergy Found. of Am., Asthma Capitals 2019: The Most Challenging Places to Live with Asthma (2019), note 15, at 6, <https://www.aafa.org/media/2426/aafa-2019-asthma-capitals-report.pdf>.

⁸ G.L. c. 25A, §§ 11F(b)(8), (c)(7), (d)(8) (2019).

⁹ MassDEP Conditional Air Permit for PRE Proposed Biomass-Fired Power Plant at 1000 Page Boulevard in Springfield, MA 15 (June 30, 2011). Available at http://www.pfpi.net/wp-content/uploads/2019/05/Palmer-Renewable-Energy_Non-Major-Conditional-Plan-Approval_06_30_11-FINAL.pdf.

poor air quality, building even a “low emission” biomass plant would only exacerbate the problem, adding damaging fine particulates and hazardous air pollutants where they can least be afforded.

The COVID-19 pandemic has shown the catastrophic effects of prolonged exposure to air pollution, notably the very particulate matter accounted for in the Palmer air permit.¹⁰ For Springfield, as with so many of the Commonwealth’s environmental justice communities, the impacts of the pandemic have been devastating. As of December 17, 2020, Springfield had recorded 9,231 cases of COVID-19 and an average daily incidence rate of 88.7 per 100,000 residents.¹¹ Opening the door to further cumulative environmental burdens for this community flies in the face of sound public health and ignores the environmental justice policy.

Pursuant to EO 552 and the 2017 EJ Policy, the Committee should categorically disallow RECs for any facility that would aggravate critical environmental conditions in an environmental justice community. More specifically, our undersigned organizations look to the Committee to prevent the Amendments from specifically incentivizing the construction of a biomass facility in Springfield.

B. The Regulatory Amendments are a betrayal of the carefully crafted 2012 compromise Renewable Portfolio Standard legislation and inconsistent with the intent and terms of the statute.

The Renewable Portfolio Standard (RPS) legislation enacted in 2012 was the result of years of scientific investigation, stakeholder engagement, and compromise. In 2009, in response to concerns from citizens regarding the carbon impacts of energy sources incentivized under the RPS, the Commonwealth commissioned the Manomet study to examine the net carbon impact of burning wood for energy and announced its intention to use its results to inform state policy. Upon completion of the study in 2010, the Patrick Administration agreed to issue carbon accounting rules for biomass eligibility in exchange for activists’ setting aside a propose ballot measure. Ultimately, in 2012, the RPS regulations became the first in the nation and the world to recognize that burning woody biomass for energy cannot be presumed to be carbon neutral. This monumental achievement involved many public meetings and tens of thousands of hours by the scientists, activists, and regular citizens who devoted time to ensure that the rules were founded in science.

Moreover, the legislature expressed its intent in the RPS statute, M.G.L. c. 25A, § 11F, to follow a science-based approach. The Regulatory Amendments, if finalized, would expressly permit the types of high polluting, inefficient power plants that the existing regulatory framework rejects as overly carbon intensive. Specifically, the Regulatory Amendments would

¹⁰ Lisa Friedman, New Research Links Air Pollution to Higher Coronavirus Death Rates, New York Times (Apr. 7, 2020) <https://www.nytimes.com/2020/04/07/climate/air-pollution-coronavirus-covid.html>.

¹¹ <https://www.mass.gov/doc/weekly-covid-19-public-health-report-december-17-2020/download>

remove the overall efficiency requirement for certain generation units that utilize non-forest derived residues for fuel. This change directly contradicts the current regulations' recognition that burning woody biomass for energy cannot be presumed to be carbon neutral. It also lacks scientific basis and contradicts the conclusions of the Manomet report, which concluded with regard to non-forestry residues that "importantly, the carbon profile of this material is generally similar to logging residues." DOER itself proposes to account for carbon from non-forestry residues using the same carbon calculator as it uses for forestry residues.

The terms of the Regulatory Amendments may also be characterized as outright violations of the RPS statute. The Regulatory Amendments' proposed rollback of the overall efficiency requirement for certain feedstocks is inconsistent with statutory requirements that such fuels must be "low emission" to be classified as Class I renewable energy generating sources. The Regulatory Amendments further propose to remove the analysis of lifecycle emissions, defeating the purpose of the RPS regulations. The Committee should not allow the Regulatory Amendments to roll back the expressed intent of the Legislature and the 2012 regulations that involved rigorous scientific study.

C. The Regulatory Amendments are inconsistent with the Global Warming Solutions Act.

Massachusetts enacted the landmark Global Warming Solutions Act (GWSA) in 2008. Since that time, overwhelming scientific consensus has told us that we must do more. The GWSA's 80% emissions reduction goal falls short of what the latest Intergovernmental Panel on Climate Change (IPCC) report says is required by 2050—economy-wide carbon neutrality, where emissions are balanced by uptake.

In order to meet the current or a strengthened version of our GWSA requirements, every policy and regulatory decision made by a department under the Executive Office of Energy and Environmental Affairs ("EEA") must be aimed at achieving long-term greenhouse gas emission reductions. At the very least, DOER should hold any changes to the RPS that could result in additional combustion of biomass until the Clean Energy and Climate Plan for 2030 is completed. Development of any revisions to the RPS so resulting from the Clean Energy and Climate Plan for 2030 should only be undertaken following a stakeholder process that includes climate and environmental justice advocates.

The Regulatory Amendments, in stark contrast to the emissions reduction mandates of the GWSA, further incentivize the inefficient combustion of materials such as solid waste and biomass. In addition to the rollback of certain efficiency requirements, noted above, the Regulatory Amendments' proposed changes to the RPS Class II "waste-to-energy" provisions would adjust the RPS to prop up outdated incinerators that pollute Massachusetts communities, and particularly environmental justice communities. The Regulatory Amendments are premised on the incorrect assumption that there are no lower-emission alternatives for disposing of these materials. In fact, there are less impactful alternatives for disposing of such materials. For

example, zero waste policies such as source reduction, recycling, and composting of waste can significantly reduce net life-cycle greenhouse gas emissions compared to incineration. Any claim that the Regulatory Amendments represent a positive step for achieving the emissions reduction goals established by the GWSA are, therefore, unfounded. The continued incentivizing of incineration and combustion will only hinder Massachusetts' ability meet its emissions reduction goals.

D. The Regulatory Amendments contain critical procedural flaws.

In addition to the environmental justice policy procedural violations noted above, the Regulatory Amendments run afoul of numerous additional procedural requirements. The Regulatory Amendments' proposed changes to the Alternative Compliance Payment ("ACP") rates are procedurally deficient. These amendments were not included in the proposal that DOER released in April of 2019. Accordingly, interested persons did not receive notice or have an opportunity to comment on these proposed changes. Furthermore, as RENEW Northeast, Inc. ("RENEW") discusses in the letter it submitted to the Committee on December 18, 2020, the proposed changes will not achieve the Commonwealth's policy goals of increasing the availability of renewable energy and making such energy affordable. Instead, the proposed scheme would disincentivize the building of renewable energy in Massachusetts. For these reasons, we join RENEW in respectfully requesting that the Committee exercise its discretion to hold a public hearing on the Regulatory Amendments.

The Regulatory Amendments proposed in April of 2019 similarly did not provide notice of a significant amendment to the definition of "Forest Salvage." Interested parties had an opportunity to comment on the originally proposed changes, which would expand the term to include trees that are removed due to the presence of an "injurious agent." The final Regulatory Amendments add that trees harvested through a DCR approved cutting plan also constitute forest salvage. This latter change represents a significant expansion of the materials that can be used as fuel sources for Class I renewable generation units. Due to the potential ramifications of this change, it is important that stakeholders be afforded an opportunity to review and express their views, data, and arguments in regards to the proposed change.

Finally, when DOER released the final Regulatory Amendments on December 4, 2020, it also provided a "Renewable Energy Portfolio Standard Technical Analysis of Biomass" (the "Analysis"). The purpose of the Analysis was to evaluate the potential impacts of the Regulatory Amendments on "the future operations and development of biomass generation units in the region." This Analysis was not provided when the Regulatory Amendments were first proposed in April of 2019, and accordingly, impacted stakeholders were not provided with an opportunity to review or respond to the new findings and justifications offered in the Analysis. Moreover, several of the justifications and assumptions put forth in the Analysis appear to be incorrect or inadequately supported. For instance, the Analysis justifies the deregulation of generation units that utilize certain feedstocks by asserting that such change will reduce greenhouse gas



emissions. However, it fails to provide a plausible basis or reasoning for this significant claim. Importantly, DOER's conclusions about emissions "reductions" from burning biomass rely on a single-year analysis to determine net emissions, which is only valid if a facility operates for a single year, then shuts down. For facilities in continuous operation, DOER should employ a multiyear analysis. The multiyear analysis reveals that the actual cumulative emissions disqualify electric-only plants from meeting the required standard. However, DOER has not included this analysis in its reports, representing another failure of transparency.

* * *

Thank you for your attention to this matter. Please contact Johannes Epke, jepke@clf.org, with any questions.

Sincerely,

Caitlin Peale Sloan
Interim Director, CLF Massachusetts

Adele Franks
Steering Committee, Climate Action Now, Western Mass

Andra Rose
Massachusetts Leadership Team Member, Mothers Out Front

Andrea Nyamekye
Co-Executive Director, Neighbor to Neighbor

Claire Müller
Movement Building Director, Unitarian Universalist Mass Action

Cynthia Luppi
New England Director, Clean Water Action

Deb Pasternak
Chapter Director, Sierra Club Massachusetts

Eben Bein
New England Field Coordinator, Our Climate

Eugenia T. Gibbons
Boston Director of Climate Policy, Health Care Without Harm



Fran Ludwig
Chair, Boston Catholic Climate Movement

Gail Page
Chair, Green Sanctuary, Climate Justice Group of the Unitarian Universalist Church of Reading

Heidi Ricci
Director of Policy, Mass Audubon

Jacqueline Velez
Western Massachusetts Racial Justice Organizer, Massachusetts Jobs with Justice

James O. Michel
Co-Founder, Resist the Pipeline

Jeanne Krieger
Progressive Democrats of Massachusetts (PDM)

Karry Muzzey
Co-chair, Take Back the Grid

Kathryn R. Eiseman
President, Pipe Line Awareness Network for the Northeast

Ken McDonnell
Member Representative, 350 Central Mass

Kimberly French and Sandra Smiley
Leadership Team, Sustainable Middleborough

The Reverend Lauren J. Holm
Reverend, Greater Springfield Campaign Nonviolence

Rev. Dr. Margaret Bullitt-Jonas
Missioner for Creation Care, Social Justice Commission (Episcopal Diocese of Western Massachusetts)

Maria Belen Power
Associate Executive Director, GreenRoots



Dr. Mark Pohlman
Chairman, Environmental Justice Team of First Church of Christ Longmeadow UCC

Mary S. Booth
Director, Partnership for Policy Integrity

Michele Marantz
Chair, Longmeadow Pipeline Awareness Group

Nancy Goodman
Vice President for Policy, Environmental League of Massachusetts

Ricki Pappo
Chair, Lexington Global Warming Action Coalition

Roger Luckmann
Leadership Team Representative, Elders Climate Action Massachusetts

Rosemary Wessel
Program Director, No Fracked Gas in Mass., Berkshire Environmental Action Team

Sarah Dooling
Executive Director, Massachusetts Climate Action Network

Steve Long
Director of Government Relations, The Nature Conservancy in Massachusetts

Sylvia Broude
Executive Director, Community Action Works

Verne McArthur
Springfield Climate Justice Coalition

Appendix D

Request for new public comment period and associated correspondence,
May 10 - May 14, 2021

RE: Request for new comment period - Phase 2 RPS proposed amendments

Laura Haight <lhaight@pfpi.net>

Fri 5/14/2021 10:04 AM

To: 'Steltzer, Eric (ENE)' <eric.steltzer@mass.gov>**Cc:** 'Tepper, Rebecca (AGO)' <rebecca.tepper@mass.gov>; 'Theoharides, Kathleen (EEA)' <kathleen.theoharides@mass.gov>; Johannes Epke <jepke@clf.org>; Andrew Yarrows <ayarrows@clf.org>; 'Susan Theberge' <susantheberge@icloud.com>; keiseman@pfpi.net <keiseman@pfpi.net>; Caitlin Peale Sloan <cpeale@clf.org>; 'Mary S. Booth' <mbooth@pfpi.net>; 'Woodcock, Patrick (ENE)' <Patrick.C.Woodcock@mass.gov>; 'Strong, Jane (ENE)' <jane.b.strong@mass.gov>

CAUTION: Email from outside CLF.

Dear Eric,

Thank you for your letter. On behalf of PFPI, I am writing to acknowledge your response and request that when DOER corrects the materials and posts them to the website that you clearly mark that they are revised documents and date them, as it is already terribly confusing navigating the various drafts that are posted. Also, please notify stakeholders when the revisions are posted.

Thank you,

Laura Haight

LAURA HAIGHT

U.S. Policy Director

Partnership for Policy Integrity

518-949-1797 lhaight@pfpi.net

From: Steltzer, Eric (ENE) <eric.steltzer@mass.gov>**Sent:** Friday, May 14, 2021 7:34 AM**To:** Laura Haight <lhaight@pfpi.net>**Cc:** Tepper, Rebecca (AGO) <rebecca.tepper@mass.gov>; Theoharides, Kathleen (EEA) <kathleen.theoharides@mass.gov>; 'Johannes Epke' <jepke@clf.org>; 'Andrew Yarrows' <ayarrows@clf.org>; 'Susan Theberge' <susantheberge@icloud.com>; keiseman@pfpi.net; 'Caitlin Peale Sloan' <cpeale@clf.org>; 'Mary S. Booth' <mbooth@pfpi.net>; Woodcock, Patrick (ENE) <Patrick.C.Woodcock@mass.gov>; Strong, Jane (ENE) <jane.b.strong@mass.gov>**Subject:** RE: Request for new comment period - Phase 2 RPS proposed amendments

Dear Laura Haight,

On behalf of the Commissioner, thank you for your email. We appreciate you bringing to our attention the anomalies in the redlines. We will work to correct the materials and post to our website.

Regarding your request, DOER has determined not to suspend or postpone the public comment period for the two new provisions of the Phase 2 regulations. The public comment period will end at 5:00pm on Monday May 17th, 2021.

Regards,

Eric

Eric Steltzer
Director- Renewable and Alternative Energy Division
Massachusetts Department of Energy Resources
100 Cambridge Street, Suite 1020, Boston, MA 02114
O: 617.626.7361 C: 857.276.3948



Creating a Clean, Affordable and Resilient Energy Future for the Commonwealth

From: Laura Haight <lhaight@pfpi.net>
Sent: Monday, May 10, 2021 12:46 PM
To: Woodcock, Patrick (ENE) <Patrick.C.Woodcock@mass.gov>; Strong, Jane (ENE) <jane.b.strong@mass.gov>
Cc: Steltzer, Eric (ENE) <eric.steltzer@mass.gov>; Tepper, Rebecca (AGO) <rebecca.tepper@mass.gov>; Theoharides, Kathleen (EEA) <kathleen.theoharides@mass.gov>; 'Johannes Epke' <jepke@clf.org>; 'Andrew Yarrows' <ayarrows@clf.org>; 'Susan Theberge' <susantheberge@icloud.com>; keiseman@pfpi.net; 'Caitlin Peale Sloan' <cpeale@clf.org>; 'Mary S. Booth' <mbooth@pfpi.net>
Subject: Request for new comment period - Phase 2 RPS proposed amendments
Importance: High

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

To: Commissioner Patrick Woodcock, MA Department of Energy Resources
Re: RPS Class I & II Rulemaking, Phase 2 Public Comment Period
May 10, 2021

Dear Commissioner Woodcock,

We write to request that the Department of Energy Resources (the "Department") suspend the current comment period on the "Phase 2" proposed amendments to the Renewable Portfolio Standard ("RPS") regulations (the "Phase 2 Proposed Amendments") because of anomalies detected in the Department's posting regarding the proposed changes and other procedural shortcomings described below. We request that a new comment period on the Phase 2 Proposed Amendments be commenced once these procedural shortcomings have been rectified.

First, in an initial review of the Phase 2 Proposed Amendments, we discovered that the existing provisions in section 225 C.M.R. 14.05(8) regarding the Advisory Panel do not appear in the redlined version of the amendments posted on April 16, 2021 (not in strikeout format or otherwise). Upon further review, it is evident that this provision was also missing from the December 4, 2020 redline. Similarly missing in all respects from both redline versions are paragraphs preceding this provision, addressing Biomass Fuel Certificates and Tonnage Reports in the currently operable regulations (225 CMR 14.05(8) (a)2-6 and (b)1).

Stakeholders and the public should be able to trust an agency's redline to accurately reflect any and all changes that are proposed to regulations. The public should not be required to conduct a meticulous comparison of multiple redlines to see what provisions were omitted from the Department's postings,

whether inadvertently or otherwise. A complete and transparent record of the Phase 2 regulations is necessary to allow the public to fully review and comment on these proposed changes."

Moreover, the Department's April 16th notice limits its request for comment to only the two provisions that changed between the December 4, 2020 iteration and the April 16th iteration of proposed amendments to the RPS regulations pertaining to biomass, despite extensive changes reflected in the December 4th iteration and embedded in accompanying revised Guidelines (Guideline on Biomass Fuel Report, Guideline on Overall Efficiency and GHG Analysis, and Guideline on Eligible Biomass Fuel for Renewable Generation Units (together, the "Guidelines"). The manner in which the Guideline on Biomass Fuel Report and the Guideline on Overall Efficiency and GHG Analysis are posted on the state website creates the impression that the Department might now consider operable these two of the December 4, 2020 Guidelines, which substantively impact the RPS regulations without any public comment opportunity having been provided. Finally, there has been no previous opportunity for the public to comment on the Technical Analysis of Biomass or Forest Impact Assessment, which were first uploaded December 2020.

Between the sweeping changes proposed in December 2020 and the extensive accompanying documents to support those changes, which were not available for review in 2019, a thirty-day comment period is not sufficient. The public should be provided at least 60 days to review and comment on the totality of the changes in the Phase 2 Proposed Amendments, including the associated Guidelines and supporting documentation. Furthermore, given the strong interest from stakeholders in environmental justice communities and around the Commonwealth more broadly, we ask for a public hearing (via Zoom) to facilitate maximum public participation.

In light of the foregoing, we request that the current public comment period on the Phase 2 Proposed Amendments be postponed until DOER posts a proper redline of the current proposal versus the current regs -- either indicating the pending Phase 1 changes in some easily understood fashion, or waiting until the Phase 1 changes are adopted as final before posting the proposed Phase 2 changes and commencing the comment period (the latter of which would be the most transparent and understandable approach). Furthermore, the new comment period must be open to comments on all proposed changes to the current biomass regulations, including the changes that are embedded in the December 4, 2020 Guidelines.

We look forward to your prompt reply.

Sincerely,

Johannes Epke, Staff Attorney
Conservation Law Foundation
jepke@clf.org

Laura Haight, U.S. Policy Director
Partnership for Policy Integrity
lhaight@pfpfi.net

Susan Theberge
Springfield Climate Justice Coalition
susantheberge@icloud.com

Cc:
Eric Steltzer, DOER
Kathleen Theoharides, EOEEA
Rebecca Tepper, AGO

LAURA HAIGHT
U.S. Policy Director

5/17/2021

Mail - Andrew Yarrows - Outlook

Partnership for Policy Integrity
518-949-1797 lhaight@pfpi.net



Appendix E

MassDEP letter revoking Palmer Renewable Energy Air Permit, April 2, 2021



Commonwealth of Massachusetts
Executive Office of Energy & Environmental Affairs

Department of Environmental Protection

Western Regional Office • 436 Dwight Street, Springfield MA 01103 • 413-784-1100

Charles D. Baker
Governor

Karyn E. Polito
Lieutenant Governor

Kathleen A. Theoharides
Secretary

Martin Suuberg
Commissioner

April 2, 2021

Dr. Victor Gatto
Palmer Renewable Energy, LLC
40 Shawmut Road
Suite 200
Canton, MA 02021

Re: Revocation of Plan Approval
dated September 11, 2012 for Palmer Renewable
Energy, LLC 35 MW Biomass-Fired Power Plant
Application #1-P-08-036 Transmission #
X224282

Dear Dr. Gatto:

I am writing in regard to the above-referenced Conditional Approval of the Comprehensive Plan Approval issued by Massachusetts Department of Environmental Protection (MassDEP) for the proposed Palmer Renewable Energy, LLC facility ("PRE" or "facility") at 1000 Page Boulevard in Springfield, MA on September 11, 2012 (PRE Final Plan Approval).

As you are aware, MassDEP had undertaken a review of the construction status of the proposed PRE facility to determine if PRE has commenced a continuous program of physical on-site construction of the facility or emission unit that is permanent in nature. Pursuant to 310 CMR 7.02(3)(k) Plan Approval Revocation: "The Department may revoke any plan approval if construction has not commenced within two years of the date of a plan approval or, if during construction, construction is suspended for a period of one year or more. For purposes of 310 CMR 7.02(3)(k), construction has commenced if the owner or operator of the facility has begun a continuous program of physical on-site construction of the facility or emission unit that is permanent in nature."

In reviewing this matter, we have considered the information provided by you both in terms of documents submitted as well as information provided in a call you requested with the Commissioner and MassDEP staff to further explain activities at the site. For the reasons discussed herein, MassDEP hereby revokes the PRE Final Plan Approval.

Project Background

On November 21, 2008, MassDEP's Western Regional Office received a Major Comprehensive Plan Application from PRE for the proposed construction and operation of a 35 megawatt (MW) (nominal

net output) biomass-fired power plant to be located at 1000 Page Boulevard, aka 440 Cadwell Drive, in Springfield. During the application review process, the facility altered the proposal to include only forest-derived wood fuel. This project change and the related proposed air pollution controls reduced the required application to a Non-Major Comprehensive Plan Application. After extensive review of the application by MassDEP and a public participation process, a decision on PRE's application was issued by the MassDEP Western Regional Office on June 30, 2011. That decision was appealed within the applicable deadline to the Commissioner of MassDEP, who issued a final agency decision on September 11, 2012, the PRE Final Plan Approval. Not counting the appeals that followed, this means that PRE needed to have commenced construction by September 11, 2014. The facility, however, had strong opposition from residents and other groups within Springfield, and that opposition continued during appeals of the PRE Final Plan Approval in the Massachusetts courts. The PRE Final Plan Approval was upheld with no further appeals on March 6, 2017. Even granting PRE the most generous interpretation of delays in proceeding with the implementation of the PRE Final Plan Approval resulting from the court appeals, PRE needed to commence construction no later than March 6, 2019.

Project Status

In response to MassDEP contacting you to inquire about the status of construction in March 2019, you stated that you had commenced construction and had executed a purchase agreement for the facility boiler. MassDEP requested a copy of the purchase agreement but was never provided one.

On January 13, 2021, MassDEP received a letter from counsel for PRE, which supplemented a letter dated December 30, 2020, from consultants to PRE, Epsilon Associates, Inc. The January 13, 2021 letter represented to MassDEP that "PRE had engaged in significant activities essential and specific to the construction of the plant." The letter also stated, "To the extent that the MassDEP may disagree with the foregoing timeline, PRE hereby requests that the Department extend the subject two-year period." The January 13, 2021 letter appeared to have been prompted by a letter to Commissioner Suuberg from Senators Edward J. Markey and Elizabeth Warren, received on December 24, 2020, regarding the proposed facility, in which the Senators requested, on behalf of the Springfield community and residents, suspension of the PRE Final Plan Approval issued for the facility. In January 2021, MassDEP again requested documentation to demonstrate construction, as defined in 310 CMR 7.02(3)(k). On February 2, 2021, MassDEP inspected the site to verify the construction status, as represented by PRE. MassDEP reviewed the submitted information and site observations.

MassDEP has determined that PRE purchased property near and adjacent to the facility, created an earthen berm, demolished an existing building, and allegedly negotiated with Eversource to include a switchyard near the facility instead of at a different location. In addition, there is currently a large pile of recycled asphalt on the site within the proposed footprint of the PRE biomass-fired facility, which precludes construction of the actual PRE biomass-fired power plant, the air emission source, until that pile is moved and underlying property is prepared for construction. MassDEP has determined that PRE has performed certain site modifications for the facility but has not commenced construction within two years of the date of a plan approval within the meaning of 310 CMR 7.02(3)(k).

As noted, in accordance with 310 CMR 7.02(3)(k) Plan Approval Revocation, the Department may revoke any plan approval if construction has not commenced within two years of the date of a plan approval or, if during construction, construction is suspended for a period of one year or more.

Revocation of PRE Final Plan Approval

It is clear that 310 CMR 7.02(3)(k) provides MassDEP with the discretionary authority to revoke the PRE Final Plan Approval for PRE's failure to commence construction within two years of the date of the Final Plan Approval. MassDEP has determined to exercise this authority due to the amount of time that has elapsed since issuance of the PRE Final Plan Approval, more recent health-related information, and the heightened focus on environmental and health impacts on environmental justice populations from sources of pollution during the intervening years, all as discussed below.

In 2017, the Massachusetts Executive Office of Energy and Environmental Affairs (EEA) issued an Environmental Justice Policy pursuant to Executive Order No. 552 and M.G.L. c. 21A § 2. This Policy directed all EEA agencies to make environmental justice "an integral consideration to the extent applicable and allowable by law in the implementation of all EEA programs, including but not limited to...the implementation and enforcement of laws, regulations, and policies..." EEA further directed all EEA agencies to take direct action "to address environmental and health risks associated with existing and potential new sources of pollutions by..."ensuring that existing facilities in these [environmental justice] neighborhoods comply with state environmental, energy, and climate change rules and regulations." As stated in the EEA 2017 Environmental Justice Policy, environmental justice communities face "existing large and small sources of pollution ..., which can pose risks to public health and the environment." Finally, the Policy stated the need for increased agency attention "on communities that are built in and around the state's oldest areas with a legacy of environmental pollution, particularly in areas with residents who have elevated rates of disease and health burdens."¹

The proposed PRE facility is located in Springfield, which is an environmental justice community² with many contaminated sites and sources of air and water pollution, and high rates of respiratory illness and other diseases that can be caused by air and other types of pollutants.³ In addition, with COVID-19 rates particularly high in Springfield, there is increased concern, given multiple studies establishing a relationship between low-income and minority communities with elevated air

¹ Note that the Legislature and Governor have reinforced these directives in recent amendments to the Global Warming Solutions Act and the Massachusetts Environmental Policy Act through Chapter 8 of the Acts of 2021. Those amendments direct EEA to "establish programs and promulgate regulations regarding sources of greenhouse gases "in a manner that protects low- and moderate-income persons and environmental justice populations." Amendments to Section 6 of M.G.L. c. 21N, and also direct EEA that "[a]n environmental impact report shall be required for any project that is likely to cause damage to the environment and is located within a distance of 1 mile of an environmental justice population; provided, that for a project that impacts air quality, such environmental impact report shall be required if the project is likely to cause damage to the environment and is located within a distance of 5 miles of an environmental justice population." Section 102C of Chapter 8 also directs MassDEP to "evaluate and seek public comment on the incorporation of cumulative impact analyses in the assessment and identification of certain categories of permits and approvals" and to implement amendments to the air quality regulations to incorporate cumulative impact analysis into air quality permit approvals. These statutory directives underscore the importance of requiring updated and expanded assessment of the air pollution impacts of the proposed PRE facility.

² <https://www.mass.gov/doc/ej-2010-pdf-map-western/download>

³ See multiple studies and data documenting high asthma and other air pollution related disease and mortality rates in Springfield, including: Massachusetts Department of Public Health Study, "Prevalence of Asthma Among Adults and Children in Massachusetts (2017), <https://www.mass.gov/files/documents/2018/05/09/burden-in-mass.pdf> (Highest current asthma prevalence estimates in Massachusetts were seen in densely populated areas, including Springfield); Asthma and Allergy Foundation of America, "Asthma Capitals 2019," <https://www.aafa.org/media/2426/aafa-2019-asthma-capitals-report.pdf> (Springfield is the first on the list of most affected communities with asthma).

pollution levels and increased severity of disease and/or mortality for COVID-19 patients in these communities.⁴

The PRE Final Plan Approval was issued for this facility on September 11, 2012, almost nine years ago. Taking into consideration the heightened focus on environmental and health impacts on environmental justice populations since 2012 and more recent health-related information, an updated review of technologies involved in the burning of biomass, Best Available Control Technology for air pollution mitigation, modeling that considers changes in the surrounding ambient air quality, and the impact on the community that would result from the facility's emissions is warranted. As a result, and in accordance with 310 CMR 7.02(3)(k), MassDEP hereby revokes the Air Plan Approval for the Palmer Renewable, LLC biomass facility.

Permit Extension Act and COVID-19 Executive Order No. 42

MassDEP also received a letter from counsel for PRE dated March 18, 2021 which argues that both the Permit Extension Acts of 2010 and 2012 and COVID-19 Executive Order No. 42 prevent MassDEP from revoking the Plan Approval at this time. Neither the statutes cited nor the COVID-19 order apply to the PRE Final Plan Approval.

The Permit Extension Acts of 2010 and 2012 (PEA), intended to help people through the financial challenges of the Great Recession, is inapplicable now. The PEA automatically extended for four years the expiration date of any approval that was "in effect or existence" between August 15, 2008 and August 15, 2012. Since the PRE Final Plan Approval was issued after this period, on September 11, 2012, the approval does not qualify for extension of its deadlines under the PEA. Even if it did apply to the PRE Plan Approval – by, for example, qualifying through the date of the Western Regional Office's original decision in June of 2011 – its four-year extension period ended years ago. Moreover, the PEA, by its very terms, preserved the right of agencies to revoke permits ("Nothing in this section shall affect the ability of . . . an agency . . . to revoke or modify a specific permit or approval . . . under this section, when that specific permit or approval or the law or regulation under which the permit or approval was issued contains language authorizing the modification or revocation of the permit or approval.").

COVID-19 Executive Order No. 42 is also inapplicable. As noted above, taking into account the court appeals of the PRE Final Plan Approval, the latest possible running of the two-year deadline for commencement of construction was March 7, 2019. This deadline expired well before the issuance of the Governor's declaration of a State of Emergency on March 10, 2020, which is the start of the effective date for applicability of the permit tolling provision of COVID-19 Executive Order No. 42. Even if the construction deadline had not expired prior to March 10, 2020, COVID-19 Executive Order No. 42 does not apply. It was intended to extend the time period for a permit that otherwise would lapse or expire by its stated or regulatorily mandated term; it was not intended to prevent an agency from using its authority to revoke a permit for other reasons. Moreover, the Order provides:

To the extent that any such approval contains or is subject to other deadlines or conditions, the state permitting agency may extend such deadlines or waive such conditions if an approval holder is not able to abide by the deadlines or conditions due to the state of emergency. This section shall not apply to a holder of an approval

⁴ See multiple studies cited at <https://www.hsph.harvard.edu/c-change/subtopics/coronavirus-and-pollution/>

who was in violation of the terms and conditions of the approval as of March 10, 2020.

Thus, even if this Order were applicable, the regulation providing that the PRE Final Plan Approval was revocable if construction were not commenced by a specific date is an “other deadline or condition,” that MassDEP could extend or waive under this Order only if PRE was unable to abide by the deadline or condition “due to the state of emergency.” There is no evidence that this is the case and, even if it were the case, MassDEP would not exercise its discretion to do so. Finally, since construction had not commenced as of March 10, 2020, PRE was “in violation of the terms and conditions” of its approval as of that date, and the tolling provisions of this order are inapplicable by their own terms.

Notice of Right to an Adjudicatory Hearing

This letter shall constitute an Order revoking the Final Plan Approval. You may request an adjudicatory hearing on this revocation of the PRE Final Plan Approval within ten days of the date of issuance of this decision by filing a notice of claim in accordance with 310 CMR 7.51 and 310 CMR 1.01.

Sincerely,



Michael Gorski
Regional Director
Department of Environmental Protection
Western Regional Office

Attachment 2

**Email Correspondence from 2020 and 2021 between DOER
and Isaac Schlenker, et al., obtained by PFPI on March 24,
2022**

From: [Isaac Schlenker](#)
To: [Wassam, John \(ENE\)](#)
Cc: [David Lamis](#)
Subject: RE: EXT: RE: REC Questions
Date: Monday, December 14, 2020 4:35:00 PM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John,

I hope you're doing well.

David and I are starting to fill out the application for our client's biomass facility in Maine and we would like to run a few questions by you before we meet with our client on Friday. Would you be available for a quick call on Wednesday or Thursday of this week? I'm available any time before 3pm EST.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Tuesday, December 8, 2020 3:39 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Sign Up Link

<https://www.mass.gov/forms/subscribe-to-doer-email-lists>

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Monday, December 7, 2020 6:01 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Perfect. I will call you at 2pm EST and loop David into the call.

Thanks!

Isaac

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Monday, December 7, 2020 5:35 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

2 works.

339.222.1241

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Monday, December 7, 2020 5:26 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Thanks, John!

I just found out David has doctor appointment at 10:30am tomorrow and can't reschedule. Could we do sometime after 12pm so David can join the conversation?

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Monday, December 7, 2020 5:20 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

How about 10 a.m.?

339.222.1241

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Monday, December 7, 2020 4:02 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John,

Thanks again for the insight on this application. We'd like to submit it by the end of this week at the latest. This is my first time qualifying a facility for the MA RPS and I have a few key questions on how to fill out the application (ex: do we need a NEPOOL ID beforehand?).

Would you be able to hop on a call tomorrow to quickly talk through the application process with David and I? I'd really appreciate it. Anytime works for me.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



Europe • North America • Asia



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Isaac Schlenker

Sent: Friday, December 4, 2020 2:24 PM

To: Wassam, John (ENE) <john.wassam@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Thanks, John! We'll be submitted the application ASAP.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275
M +1 414 306 0739
W www.actcommodities.com

437 Madison Avenue Suite 17A
New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Friday, December 4, 2020 2:18 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Hi Isaac,

Yes, you can apply and receive approval before the commercial operation date of the facility. I have not gone through all of your materials, but go ahead and submit your application. DOER can meet your February 1 deadline with a decision on qualification if you submit now.

Regards,

John Wassam

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Wednesday, November 25, 2020 4:07 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>; zzzKelly, Kaitlin (ENE) <kaitlin.kelly@mass.gov>; McGuire, Amy (ENE) <Amy.McGuire@mass.gov>; Space, William (DEP) <william.space@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John – Also, I just looked in the NEPOOL GIS registry. The same facility (unit ID MSS429) was previously generating MA Class 1 RECs in 2008.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275
M +1 414 306 0739
W www.actcommodities.com

437 Madison Avenue Suite 17A
New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Isaac Schlenker

Sent: Wednesday, November 25, 2020 2:52 PM

To: 'Wassam, John (ENE)' <john.wassam@state.ma.us>; 'Kelly, Kaitlin (ENE)' <kaitlin.kelly@state.ma.us>; 'McGuire, Amy (ENE)' <amy.mcguire@state.ma.us>; 'Space, William (DEP)' <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Hi John,

Please see my previous email and let me know if it's possible to obtain eligibility for MA Class 1 (or Class 2) RECs before the facility is online. We would like to obtain certification prior to Feb 1, 2021 in order to obtain the debt financing required to bring the project online. It would be a huge help to the Greenville biomass plant and their local community if we can determine MA RPS eligibility prior to Feb 1.

Thanks a lot, and I hope you have a healthy and happy Thanksgiving!

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



Europe • North America • Asia



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Isaac Schlenker

Sent: Thursday, November 19, 2020 2:36 PM

To: Wassam, John (ENE) <john.wassam@state.ma.us>; Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Hi John,

Thank you for the feedback. I think Gallop Power Greenville bought the facility from NextEra in 2009 and made various upgrades to increase MW capacity and also achieve MA Class 1 eligibility:

<https://bangordailynews.com/2010/01/05/news/texas-clean-energy-company-buys-greenville-biomass-plant/>.

I believe the facility was generating MA Class 1s around 2005 after major investments/upgrades were made – “ The plant was refit for wood-firing only with a BFB boiler from EPI and new back-end emissions control equipment from Mobotec.” - <http://www.energyjustice.net/map/displayfacility-68445.htm>. This article also mentions that it was MA Class 1 qualified: <https://www.renewableenergyworld.com/2006/02/14/biomass-power-plant-upgrade-in-maine-43419/>.

Is it possible to receive a statement of qualification for MA Class 1 (or 2) before the facility is online? We expect it to come online in June 2022, but we'd like to get a statement of qualification by Feb 1st, 2021. We could organize a site visit and provide all the information possible for DOER to make a decision. Let me know please if this is possible and your thoughts on MA 1 eligibility.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A
New York, NY 10022



Europe • North America • Asia



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Thursday, November 19, 2020 3:13 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>; Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Hi Isaac,

Sorry for the delay in response.

Whether it qualifies for Class I now depends primarily on whether the boiler has been substantially replaced. DOER would need documentation, such as an engineering report, that this was done.

Upgrades to controls and other peripheral upgrades would not qualify the facility as Class I.

It likely earned Class I in the past because it was grandfathered under the current RPS regulations, but the eligibility would have expired in 2016 if the facility could not meet current eligibility requirements (i.e., 50% efficiency or better). However, a brief combing of the evidence does not show the facility generating Class I RECs back to 2013. Can you ascertain when the unit last generated Class I RECs?

NEPOOL-GIS does show two entries for Greenville

MSS429	GALLOP POWER GREENVILLE	Gallop Power Greenville, LLC	MAINE	1986/12	16.774	Biomass
--------	---	--	-------	---------	--------	---------

NON32406	Greenville Steam Company - Greenville Steam Company	Gallop Power Greenville, LLC	MAINE	1986/12	16.000	Biomass
----------	---	--	-------	---------	--------	---------

Can you explain the differences between the two meters (but not the difference between MSS and NON)? Note the Unit Names and Capacities are different between the two entries.

At this point, it is likely that the facility could potentially receive Class II qualification without attestation to boiler upgrades. As a reminder, there are substantial reporting requirements for burning forest derived material, including forest derived residues. Cutting plan numbers and other information would be required.

Regards,

John

RPS and APS Program Manager

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Thursday, November 5, 2020 6:13 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>; Kelly, Kaitlin (ENE) <kaitlin.kelly@mass.gov>; McGuire, Amy (ENE) <Amy.McGuire@mass.gov>; Space, William (DEP) <william.space@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John,

I have some more information on my clients biomass facility.

The boiler was originally built in 1986, but new equipment has recently been installed and some removed (over the past couple of years). My client has also been performing significant instrument and control upgrades, totaling about \$3.5M in capital investment.

The efficiency is 85% or better and the fuel will be low grade forest residue left after higher value products have been extracted. The plant was formerly known as Greenville Steam and I believe it has generated MA Class 1s in the past: <http://www.energyjustice.net/map/displayfacility-68445.htm>.

Would you say we can expect this facility to qualify as MA Class 1s? I don't need anything official, but any kind of indication would be great.

Thank you,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Isaac Schlenker

Sent: Wednesday, November 4, 2020 3:40 PM

To: Wassam, John (ENE) <john.wassam@state.ma.us>; Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Ok, sounds good. Thanks again John!



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Wednesday, November 4, 2020 3:39 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>; Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

We try to have them approved within 30 days depending on the completeness of the submittal.
Hydro facilities may take longer due to the increased requirements.

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Wednesday, November 4, 2020 1:40 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>; Kelly, Kaitlin (ENE) <kaitlin.kelly@mass.gov>; McGuire, Amy (ENE) <Amy.McGuire@mass.gov>; Space, William (DEP) <william.space@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

John,

One more quick question - say I submit a Statement of Qualification Application that meets the

below criteria for MA RPS Class 1. Would you have an estimate as to how long it would take to get approved/rejected? Is it days, weeks, months? I've never done it before so am not sure.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Isaac Schlenker

Sent: Wednesday, November 4, 2020 1:24 PM

To: Wassam, John (ENE) <john.wassam@state.ma.us>; Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: REC Questions

Thanks, John! This is extremely helpful. I really appreciate it.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Wednesday, November 4, 2020 1:02 PM

To: Isaac Schlenker <ISchlenker@actcommodities.com>; Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: EXT: RE: REC Questions

That depends.

If the boiler is substantially new (built after 1997), it might qualify for Class I. If the boiler is vintage pre-1998, it might qualify for RPS Class II.

However, under current regulations the unit must meet an efficiency level of 60% or better. It would lose AECs for an efficiency between 50% and 60%. It also must hold a valid air permit.

Under proposed regulations, the efficiency requirements are:

A Generation Unit utilizing an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has 5% or more of its fuel sourced from Forest Derived Residues and Forest Derived Thinnings must achieve an overall efficiency of at least 50% on a quarterly basis. A Generation Unit utilizing an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has over 95% or more of its fuel sourced from Forest Salvage and Non-Forest Derived Residues on a quarterly basis shall have no applicable overall efficiency requirement."

Note that there are substantial reporting requirements for burning forest derived material. In addition, the proposed regulations would prohibit land clearing material, which is currently allowed.

John

From: Isaac Schlenker <ISchlenker@actcommodities.com>

Sent: Wednesday, November 4, 2020 12:11 PM

To: Kelly, Kaitlin (ENE) <kaitlin.kelly@mass.gov>; McGuire, Amy (ENE) <Amy.McGuire@mass.gov>; Space, William (DEP) <william.space@mass.gov>; Wassam, John (ENE) <John.Wassam@mass.gov>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: RE: REC Questions

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi all – Looping in John here. Thanks for answering my hydro questions John!

I just one more question I'm still curious about...

Without having more information, do you think that a 17.5MW Biomass facility in Maine that's coming back online in June 2022 and delivering power to ISO-NE be eligible for MA Class 1s?

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error,

please erase all copies of the message and its attachments and notify us immediately.

From: Isaac Schlenker

Sent: Wednesday, November 4, 2020 12:05 PM

To: Kelly, Kaitlin (ENE) <kaitlin.kelly@state.ma.us>; McGuire, Amy (ENE) <amy.mcguire@state.ma.us>; Space, William (DEP) <william.space@state.ma.us>

Cc: David Lamis <DLamis@actcommodities.com>

Subject: REC Questions

Hi all,

I have a few questions regarding MA RPS and I'm not sure who the best point of contact is so I've included all three of you on this email. Please see below for my questions...

What are the power delivery requirements for MA Class 1?

Is there a COD requirement? If so, are there any concessions?

What would a hydro facility in NEPOOL need to qualify as MA Class 1 aside from being LIHI certified?

Also – Without having more information, do you think that a 17.5MW Biomass facility in Maine that's coming back online in June 2022 and delivering power in Maine be eligible for MA Class 1s?

Please let me know who the best POC is to answer these questions and feel free to give me a call sometime today. I'm available.

Best regards,

Isaac



Isaac Schlenker

Trading – Renewable Energy and CO2 Certificates

T +1 212 803 1275

M +1 414 306 0739

W www.actcommodities.com

437 Madison Avenue Suite 17A

New York, NY 10022



[Europe • North America • Asia](#)



Before Printing, think about the environment

This message is intended only for the use of the Addressee and may contain information that is privileged and confidential. If you are not the intended recipient, you are hereby notified that any dissemination of this communication is strictly prohibited. If you have received this communication in error, please erase all copies of the message and its attachments and notify us immediately.

From: [Wassam, John \(ENE\)](#)
To: [Steltzer, Eric \(ENE\)](#)
Subject: RE: Greenville Biomass SQA 22457
Date: Thursday, January 21, 2021 1:36:00 PM

Eric,

Correct, they are applying for a Air Permit. However, as a reminder, the current and proposed guidelines allow for conditional approval without the possession of a Valid Air Permit

GUIDELINE ON ELIGIBLE BIOMASS FUEL FOR RENEWABLE GENERATION UNITS

7. C. If such Valid Air Permit has not yet been obtained by the applicant and provided to DOER by the time the Statement of Qualification Application review has been successfully completed, DOER may, in its sole discretion, issue a Statement of Qualification in which providing DOER with a copy of its Valid Air Permit is a condition of the RPS qualification.

John

From: Steltzer, Eric (ENE) <eric.steltzer@mass.gov>
Sent: Thursday, January 21, 2021 10:45 AM
To: Wassam, John (ENE) <John.Wassam@mass.gov>
Subject: RE: Greenville Biomass SQA 22457

John,

I just happened to look at the email regarding the air permit. It appears that they don't even have an air permit. Correct? Regulations require an air permit, and that it must meet our requirements. This is captured in 14.05(1)(a)7.b. I would also flag for them that they must also meet our air emission thresholds which are listed in our low emission guideline. I believe the latest version of this guideline is located here (<https://www.mass.gov/files/documents/2016/08/sx/guideline-for-rps-low-emissions-10-19-07.pdf>). Please double check this though. I double checked that the thresholds in the guideline linked here are consistent with the proposed air emission limits in the draft guidelines we look to finalize with the new RPS regulations.

Thanks,

Eric

From: Wassam, John (ENE) <John.Wassam@mass.gov>
Sent: Tuesday, January 19, 2021 4:33 PM
To: Steltzer, Eric (ENE) <eric.steltzer@mass.gov>
Subject: Greenville Biomass SQA 22457

Eric,

Here is the main data on Greenville, a woody biomass system, SQA 22457. They have applied as RPS Class I. The facility was qualified for Class I previously (2006?). I have not found information on its original application in the W drive; it may reside in files in the office. It is not on the SQA list, nor on the Qualified Units List. It ceased operation in 2012, so it was never tested to meet the efficiency requirements of the current regs at 14.05 (8) (e) 3.

As I understand it, the boiler remains the same but the bed has been changed from vibrator to circulating fluidized bed and back to a (proposed) flat vibrating grate. The generator has been rewound (but that is not the consideration of the technology type here). I do not have any idea on

why it was classified as Class I.

Most of the fuel will be forest-derived. I have tried to warn them about the reporting requirements of forest derived material.

Greenville is seeking approval by February 1 for financial backing purposes. The unit is slated to be online in 2022.

John

From: [David Lamis](#)
To: [Wassam, John \(ENE\)](#)
Cc: [Isaac Schlenker](#)
Subject: RE: EXT: RE: Update on CMC Application
Date: Tuesday, February 9, 2021 6:13:11 PM
Attachments: [image001.png](#)
[image002.png](#)
[Emissions Narrative.pdf](#)

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John,

Good evening.

Please find attached a copy of the CMC emission narrative including a detailed description of the CEMS (Continuous Electric Monitoring System) that will report PM and NOx levels. We are also working on getting a statement in writing from the plant operator that the facility will meet the emission criteria necessary.

Will be in touch shortly with additional information.

Thank you,

David Lamis

From: David Lamis

Sent: Tuesday, February 9, 2021 2:04 PM

To: Wassam, John (ENE) <john.wassam@state.ma.us>

Cc: Isaac Schlenker <ISchlenker@actcommodities.com>

Subject: RE: EXT: RE: Update on CMC Application

Ah yes – apologies I misread the level you provided with the extra 0 – long day!

Nevertheless – it shows the facility is much closer than 10 lbs/mmbtu which we had originally submitted – I believe we had pulled that 10 value from a historical air permit for your reference. We will get you an answer on this as soon as we can.

Thank you,

David

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Tuesday, February 9, 2021 2:01 PM

To: David Lamis <DLamis@actcommodities.com>

Subject: RE: EXT: RE: Update on CMC Application

NOx at 0.44 does not meet 0.065 required for Massachusetts qualification

From: David Lamis <DLamis@actcommodities.com>

Sent: Tuesday, February 9, 2021 1:32 PM

To: Wassam, John (ENE) <John.Wassam@mass.gov>

Cc: Isaac Schlenker <ISchlenker@actcommodities.com>

Subject: RE: EXT: RE: Update on CMC Application

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John,

We are working to get you an exact figure and plan on the emission monitoring.

What I am attaching here is a copy of the environmental permit regulations from the state of Maine that the facility will comply under. As we have discussed – the facility is in the process of obtaining an air permit from the state of Maine.

The emission levels for this facility will be below the levels required by Maine – the figures are on the table of page 2. The NOx requirement in Maine is more strict than the NOx requirement in Mass and the PM requirement in Maine is slightly above that of Mass. From the table on the attached you will see - The NOx emission requirements for Maine are NOx 1.5 lbs/MWh and PM 0.07 lbs/MWh for generators with COD after 2009.

1.5 lbs/mwh = ~0.44 lbs/MMbtu

0.07lbs/mwh = ~.02 lbs/MMbtu

So to us this shows the facility will meet the NOx requirement by obtaining a valid air permit and we will get you exact info on PM.

But wanted to send this along so you have a sense of how close CMC is to meeting this requirement from Maine.

We will keep working on this! Let me know if you have any questions.

Thanks,
David



David Lamis
Strategy & Development Analyst –
Renewable Energy

T +1 212 803 1267

M +1 646 369 9944

W www.actcommodities.com

437 Madison Avenue
Suite 17A
New York, NY 10022

[Europe • North America • Asia](#)



Before Printing, think about the
environment

This message is confidential and is for the sole use of the intended recipient(s). It may also be privileged or otherwise protected by copyright or other legal rules. If you have received it by mistake please let us know by reply and delete it from your system. It is forbidden to copy it or disclose its content to anyone. Any confidentiality or legal professional privilege is not waived or lost by any mistaken delivery of the message. All messages sent to and from ACT Commodities B.V. may be monitored to ensure compliance with internal policies, to protect the company's interests and to remove potential malware. Electronic messages are not secure nor error free as they can be intercepted, amended, lost or deleted, or contain viruses. Anyone who communicates with our company by electronic messaging accepts these risks. Delegations of power and authority have to be verified and are available upon request.

ACT Commodities B.V., a company registered in the Netherlands with the company registration number 27336523, VAT number NL820413537B01 and whose registered office is Gustav Mahlerlaan 1009, 1082 MK Amsterdam, Netherlands

From: David Lamis

Sent: Tuesday, February 9, 2021 11:57 AM

To: Wassam, John (ENE) <john.wassam@state.ma.us>

Cc: Isaac Schlenker <ISchlenker@actcommodities.com>

Subject: RE: EXT: RE: Update on CMC Application

Hey John,

Those 10 values were an error on our part - let us work on our end to get you some information.

Thanks,
David

From: Wassam, John (ENE) <john.wassam@state.ma.us>

Sent: Tuesday, February 9, 2021 11:47 AM

To: David Lamis <DLamis@actcommodities.com>

Cc: Isaac Schlenker <ISchlenker@actcommodities.com>

Subject: EXT: RE: Update on CMC Application

Hi guys,

Another 4 to 6 inches of snow today expected.

I am concerned about the NOx and PM limits you put in the SQA of 10 pounds per MMBtu. The requirement is for .065 lbs/MMBu and 0.012 lbs per MMBtu respectively, so there's quite a distance between.

The Continuous Emissions Monitoring System (CEMS) would have to show compliance every month.

Can you explain? Any information would be appreciated.

Thanks,

John

From: David Lamis <DLamis@actcommodities.com>

Sent: Tuesday, February 2, 2021 10:45 AM

To: Wassam, John (ENE) <John.Wassam@mass.gov>

Cc: Isaac Schlenker <ISchlenker@actcommodities.com>

Subject: Update on CMC Application

CAUTION: This email originated from a sender outside of the Commonwealth of Massachusetts mail system. Do not click on links or open attachments unless you recognize the sender and know the content is safe.

Hi John,

Hope you had a good weekend. How much snow do you have up in Mass? We have over a foot here in NY!

I wanted to quickly check in and see if there has been any progress on our MA RPS Class 1 application for Clean Maine Carbon. Is there any update?

Thank you,

David



David Lamis

Strategy & Development Analyst –
Renewable Energy

T +1 212 803 1267

M +1 646 369 9944

W www.actcommodities.com

437 Madison Avenue

Suite 17A

New York, NY 10022

[Europe • North America • Asia](#)



Before Printing, think about the
environment

This message is confidential and is for the sole use of the intended recipient(s). It may also be privileged or otherwise protected by copyright or other legal rules. If you have received it by mistake please let us know by reply and delete it from your system. It is forbidden to copy it or disclose its content to anyone. Any confidentiality or legal professional privilege is not waived or lost by any mistaken delivery of the message. All messages sent to and from ACT Commodities B.V. may be monitored to ensure compliance with internal policies, to protect the company's interests and to remove potential malware. Electronic messages are not secure nor error free as they can be intercepted, amended, lost or deleted, or contain viruses. Anyone who communicates with our company by electronic messaging accepts these risks. Delegations of power and authority have to be verified and are available upon request.

ACT Commodities B.V., a company registered in the Netherlands with the company registration number 27336523, VAT number NL820413537B01 and whose registered office is Gustav Mahlerlaan 1009, 1082 MK Amsterdam, Netherlands