

225 CMR 15.00: RENEWABLE ENERGY PORTFOLIO STANDARD - CLASS II

Section

- 15.01: Purpose
- 15.02: Definitions
- 15.03: Administration
- 15.04: Applicability
- 15.05: Eligibility Criteria for RPS Class II Renewable Generation Units
- 15.06: Qualification Process for RPS Class II Renewable Generation Units
- 15.07: Renewable Energy Portfolio Standard
- 15.08: Compliance Procedures for Retail Electricity Suppliers
- 15.09: Annual Compliance Filings for Retail Electricity Suppliers
- 15.10: Reporting Requirements
- 15.11: Inspection
- 15.12: Noncompliance
- 15.13: Severability

15.01: Purpose

The purpose of 225 CMR 15.00 is to establish requirements for every Retail Electricity Supplier to provide a minimum percentage of kilowatt-hour sales, as determined by the Department, to End-use Customers in the Commonwealth from eligible renewable energy technologies.

15.02: Definitions

Aggregation. A group of one or more Generation Units that receives a single Statement of Qualification from the Department under criteria and procedures set forth in 225 CMR 15.05(4).

Alternative Compliance Credit. A credit obtained by a Retail Electricity Supplier upon making an Alternative Compliance Payment. Such credit is used to document compliance with 225 CMR 15.07. One unit of credit shall be equivalent to the RPS Class II Renewable Generation Attribute associated with one MWh of electrical energy output from an RPS Class II Renewable Generation Unit, excluding Waste Energy Generation Units, and one unit of credit shall be equivalent to the RPS Class II Waste Energy Generation Attribute associated with one MWh of electrical energy output from an RPS Class II Waste Energy Generation Unit.

Alternative Compliance Payment (ACP). A payment of a certain dollar amount per MWh, resulting in the issuance of Alternative Compliance Credits, which a Retail Electricity Supplier may submit to the Department in *lieu* of providing RPS Class II Renewable Generation Attributes or RPS Class II Waste Energy Generation Attributes required under 225 CMR 15.07.

Biomass Fuel Certificate. A certificate issued in accordance with rules established by the Department in the Guideline on Eligible Biomass Fuel for Renewable Generation Units that:

- (a) quantifies the supply of Eligible Biomass Woody Fuel or Manufactured Biomass Fuel;
- (b) specifies the source of the Eligible Biomass Woody Fuel or Manufactured Biomass Fuel; and
- (c) specifies the eligibility of the Eligible Biomass Woody Fuel or Manufactured Biomass Fuel as Forest Derived Residues, Forest Derived Thinnings, Forest Salvage, Non-forest Derived Residues, or Dedicated Energy Crops.

Blended Fuel. A liquid or gaseous fuel that is blended from both Eligible RPS Class II Renewable Fuel(s) and ineligible fuel(s), a portion of whose electrical energy output may qualify as RPS Class II Renewable Generation under criteria set forth in 225 CMR 15.05(2).

Business Day. A business day shall mean Monday through Friday, exclusive of state and federal legal holidays.

Certificates Obligation. A term defined in the NEPOOL GIS Operating Rules at Rule 4.1(b), or any successor rule.

15.02: continued

Clean Wood. As defined in 310 CMR 19.006: *Clean Wood*.

Commercial Operation Date. The date that a Generation Unit first produced electrical energy for sale within the ISO-NE Control Area or within an adjacent Control Area. In the case of a Generation Unit that is connected to the End-use Customer's side of the electric meter or produces Off-grid Generation, the date that such Generation Unit first produced electrical energy.

Compliance Filing. A document filed annually by a Retail Electricity Supplier with the Department documenting compliance with 225 CMR 15.07, consistent with the format set forth in the Guidelines and submitted no later than July 1st, or the first Business Day thereafter, of the subsequent Compliance Year.

Compliance Year. A calendar year beginning January 1st and ending December 31st, for which a Retail Electricity Supplier must demonstrate that it has met the requirements of 225 CMR 15.07 and 15.08.

Control Area. A geographic region in which a common generation control system is used to maintain scheduled interchange of electrical energy within and without the region.

Current Use Program. A state administered program that permits a property owner to have a parcel of land taxed at a rate based on the current use of the land including, but not limited to, open space, active forestry, or agriculture as opposed to the fair market or development value of the property.

DCR. The Massachusetts Department of Conservation and Recreation (DCR) established by M.G.L. c. 21, § 1.

Department. The Massachusetts Department of Energy Resources (DOER) established by M.G.L. c. 25A, § 1.

Distribution Company. A distribution company as defined in M.G.L. c. 164, § 1.

Eligible Biogas Fuel. A gaseous fuel that is produced by the contemporaneous bacterial decomposition or thermal gasification of Eligible Biomass Fuel. Eligible Biogas Fuel does not include natural gas, but does include renewable natural gas, which is Eligible Biogas Fuel upgraded to a quality similar to natural gas.

Eligible Biomass Fuel. Fuel sources consisting of the following:

- (a) Eligible Biomass Woody Fuel;
- (b) Manufactured Biomass Fuel;
- (c) Eligible Biomass Fuel;
- (d) by-products or waste from animals or agricultural crops;
- (e) food or vegetative material;
- (f) algae;
- (g) organic refuse-derived fuel; and
- (h) Eligible Liquid Biofuel.

Eligible Biomass Woody Fuel. Woody fuels that are derived from the following sources, consistent with the requirements of 225 CMR 15.05(5):

- (a) Forest Derived Residues.
 - 1. Tops, crooks, and other portions of trees produced as a byproduct, and trees collaterally damaged, during the normal course of harvesting material, such as timber, pulpwood, or cordwood in the implementation of a silvicultural prescription as administered by a licensed or certified forester as prescribed in the Department's Guideline on Eligible Biomass Fuel for Renewable Generation Units.
 - 2. Trees and portions of trees harvested for the purpose of the restoration and management of habitat for rare and endangered species as listed by the Massachusetts Division of Fisheries and Wildlife. Qualifying harvest areas must be approved by the Massachusetts Division of Fisheries and Wildlife Natural Heritage Program.

15.02: continued

3. Other woody vegetation that interferes with regeneration or the natural growth of the forest, limited to locally invasive native species and non-native invasive woody vegetation.
- (b) Forest Derived Thinnings.
1. Unacceptable growing stock which is defined as trees considered structurally weak or have low vigor and do not have the potential to eventually yield an eight-foot sawlog or survive for at least the next ten years.
 2. Trees removed during thinning operations, the purpose of which is to reduce stand density and enhance diameter growth and volume of the residual stand.
- (c) Forest Salvage.
1. Damaged, dying, or dead trees removed due to injurious agents, such as wind or ice storms or the spread of invasive epidemic forest pathogens, insects, and diseases or other epidemic biological risks to the forest, but not removed due to competition. Such eligible trees may be removed without limitation for biomass fuel, only if the injurious agent is a threat to forest health or risk to private or public resources, and if the United States Department of Agriculture Animal and Plant Health Inspection Service, the United States Department of Agriculture Forest Service, or appropriate federal or state governmental agency has issued a declaration, rule, or order declaring a major threat to forest health or risk to private or public resources, or if they are harvested through a DCR approved cutting plan.
 2. Trees removed to reduce fire hazard within fire-adapted forest ecosystems, as certified by a letter to the Department from the state agency responsible for forestry in consultation with the appropriate environmental state agencies.
- (d) Non-forest Derived Residues.
1. Primary Forest Products Industry. Residues derived from wood products manufacturing consisting of Clean Wood.
 2. Land Use Change – Agricultural. Trees cut or otherwise removed in the process of converting forest land to agricultural usage, either for new or restored farm land.
 3. Wood Waste. Post-consumer wood products from Clean Wood; pruned branches, stumps, and whole trees removed during the normal course of maintenance of public or private roads, highways, driveways, utility lines, rights of way, and parks.
 4. Agricultural Wood Waste. Pruned branches, stumps, and whole trees resulting from maintenance activities directly related to the production of an agricultural product that is not Clean Wood.

Eligible Liquid Biofuel. A liquid fuel that is derived from organic waste feedstock and meets the standards for advanced biofuels under the Environmental Protection Agency's Renewable Fuel Standard (RFS2) program. Organic waste feedstocks shall include, but not be limited to, waste vegetable oils, waste animal fats, or grease trap waster. Eligible Liquid Biofuel shall not include petroleum-based waster or Hazardous Waste as defined in 310 CMR 40.0006: *Terminology, Definitions, and Acronyms*, unless otherwise determined by the Department in consultation with MassDEP.

Eligible RPS Class II Renewable Fuel. An Eligible Biomass Fuel, municipal solid waste, hydrogen derived from such fuels or hydrogen derived from water using the electrical output of a Renewable Generation Unit, but not hydrogen derived using RPS Class I or Class II Renewable Generation if the RPS Class I or Class II Renewable Generation Attributes of such Generation are sold, retired, claimed, used or represented as part of electrical energy output or sales, or used to satisfy regulatory obligations in any jurisdictions, and not hydrogen derived directly or indirectly from ineligible fuels.

End-use Customer. A person or entity in Massachusetts that purchases electrical energy at retail from a Retail Electricity Supplier, except that a Generation Unit taking station service at wholesale from ISO-NE or self-supplying from its owner's other generating stations, shall not be considered an End-use Customer.

Generation Attribute. A non-price characteristic of the electrical energy output of a Generation Unit including, but not limited to, the Generation Unit's fuel type, emissions, vintage and RPS eligibility.

15.02: continued

Generation Unit. A facility that converts a fuel or an energy resource into electrical energy.

Geothermal Energy. Heat energy stored in the Earth's crust that can be accessed for electric power generation.

GIS Certificate. An electronic record produced by the NEPOOL GIS that identifies Generation Attributes of each MWh accounted for in the NEPOOL GIS.

Guidelines. A set of clarifications, interpretations, and procedures, including forms, developed by the Department to assist in compliance with the requirements of 225 CMR 15.00. The Department may issue new or revised Guidelines from time to time. Each Guideline shall be effective on its date of issuance or on such date as is specified therein, except as otherwise provided in 225 CMR 15.00.

Hydroelectric Energy. Electrical energy from a Generation Unit that uses flowing freshwater as the primary energy resource, with or without a dam structure or other means of regulating water flow, and that is not located at a facility that uses mechanical or electrical energy to pump water into a storage facility.

Impacted Watershed. All water bodies or areas of land hydrologically connected to a hydroelectric facility, whether located upstream or downstream, which may experience any alteration of their physical, biological, or ecological characteristics as a result of the operation or increased capacity expansion of a Generation Unit.

ISO-NE. ISO New England Inc., the independent system operator for New England, the regional transmission organization for most of New England, which is authorized by the Federal Energy Regulatory Commission (FERC) to exercise for the New England Control Area the functions required pursuant to the FERC's Order No. 2000, the FERC's corresponding regulations, and any successor FERC orders and regulations.

ISO-NE Settlement Market System. The ISO-NE's electronic database system into which all real-time load and generation data are entered and from which such data are provided to the NEPOOL GIS.

Low Impact Hydro Power Institute (LIHI). A nonprofit 501(c)(3) organization, whose stated purpose is to reduce the impacts of hydropower generation through the certification of hydropower projects that have avoided or reduced their environmental impacts pursuant to the Low Impact Hydropower Institute's criteria.

Manufactured Biomass Fuel. A biomass fuel that is prepared, other than by means of fuel drying, through a fuel processing facility that is separate from a Generation Unit and that utilizes Eligible Biomass Woody Fuel for production. Examples include, but are not limited to, the mechanical production of wood pellets or bio-dust, and the refinement of bio-oil through pyrolysis.

Marine or Hydrokinetic Energy. Electrical energy derived from waves, tides and currents in oceans, estuaries and tidal areas; free-flowing water in rivers, lakes, streams, and human-made channels, provided that such water is not diverted, impounded, or dammed; or differentials in ocean temperature, called ocean thermal energy conversion.

Massachusetts Clean Energy Technology Center (MassCEC). The center established in M.G.L. c. 23J, § 2.

MassDEP. The Massachusetts Department of Environmental Protection established by M.G.L. c. 21A, § 7.

Megawatt-hour (MWh). A unit of electrical energy or work equivalent to one million watts of power operating for one hour, or, for the purpose of thermal energy, a unit of energy equal to 3,412,000 British Thermal Units (Btu).

15.02: continued

Merchantable Bio-products. Products that are refined from a biomass fuel by a bio-refinery project in which the Generation Unit is integral. Products include, but are not limited to, merchantable chemicals such as additives, lubricants, or specialty chemicals, and other products which can be permanently sequestered for carbon reductions.

NEPOOL GIS. The NEPOOL Generation Information System, which includes a generation information database and certificate system, operated by the New England Power Pool (NEPOOL), its designee or successor entity, that accounts for Generation Attributes of electrical energy consumed within, imported into, or exported from the ISO-NE Control Area.

Off-grid Generation. The electrical energy produced by a Generation Unit that is not connected to a utility transmission or distribution system.

Operator. Any person or entity who has charge or control of a Generation Unit subject to 225 CMR 15.00, including without limitation a duly authorized agent or lessee of the Owner, or a duly authorized independent contractor.

Owner. Any person or entity who, alone or in conjunction with others, has legal ownership, a leasehold interest, or effective control over the real property or property interest upon which a Generation Unit is located, or the airspace above said real property, including without limitation a duly authorized agent of the Owner. For the purposes of 225 CMR 15.02, Owner does not mean a person or entity holding legal title or security interest solely for the purpose of providing financing.

Relevant Hydroelectric Agency. A federal, state or provincial agency with oversight over fish and wildlife, water quality, river flows, fish passage and protection, mitigation and enhancement opportunities, related to a hydroelectric facility located in the Impacted Watershed or that impacts downstream or upstream passage of fish and wildlife.

Renewable Generation. The electrical energy output of a Renewable Generation Unit.

Renewable Generation Attribute. The Generation Attribute of the electrical energy output of a specific Generation Unit that derives from the Generation Unit's production of Renewable Generation.

Renewable Generation Unit. A Generation Unit that uses an Eligible RPS Class II Renewable Fuel, Hydroelectric Energy, waste-to-energy that is a component of conventional municipal solid waste plant technology in commercial use, or any of the fuels, energy resources or technologies set forth in 225 CMR 15.04(1)(a).

Retail Electricity Product. An electrical energy offering that is distinguished by its Generation Attributes and that is offered for sale by a Retail Electricity Supplier to End-use Customers.

Retail Electricity Supplier. A person or entity that sells electrical energy to End-use Customers in Massachusetts including, but not limited to, electric utility Distribution Companies supplying basic service or any successor service to End-use Customers. A Municipal Lighting Plant shall be considered a Retail Electricity Supplier; however, it shall be exempt from the obligations of a Retail Electricity Supplier under 225 CMR 15.00 so long as and insofar as it is exempt from the requirements to allow competitive choice of generation supply pursuant to M.G.L. c. 164, § 47A.

RPS Class II Renewable Generation. The electrical energy output of an RPS Class II Renewable Generation Unit, or that portion of the electrical energy output of an RPS Class II Generation Unit that qualifies under:

- (a) a Co-firing and Blended Fuel Waiver, pursuant to 225 CMR 15.05(2);
- (b) the Special Provisions for a Generation Unit Located in a Control Area Adjacent to the ISO-NE Control Area, pursuant to 225 CMR 15.05(3); or
- (c) any other applicable provision of 225 CMR 15.00.

15.02: continued

RPS Class II Renewable Generation Attribute. The Generation Attribute of the electrical energy output of a specific RPS Class II Generation Unit that derives from the Generation Unit's production of RPS Class II Renewable Generation, excluding Attributes derived from the production of Waste Energy.

RPS Class II Renewable Generation Unit. A Generation Unit or Aggregation that has received an RPS Class II Statement of Qualification from the Department.

RPS Class II Waste Energy Generation Attribute. The Generation Attribute of the electrical energy output of a specific Waste Energy Generation Unit that derives from the Generation Unit's production of Waste Energy.

Statement of Qualification (SQ). A written document from the Department that qualifies a Generation Unit or Aggregation as an RPS Class II Qualified Generation Unit, or that qualifies a portion of the annual electrical energy output of a Generation Unit or Aggregation as RPS Class II Renewable Generation.

Sustainable Forestry Management. Practicing a land stewardship ethic that integrates the reforestation, managing, growing, nurturing, and harvesting of trees for useful products with the conservation of soil, air and water quality, wildlife and fish habitat, and aesthetics and the stewardship and use of forests and forest lands in a way, and a rate, that maintains their biodiversity, productivity, regeneration capacity, vitality, and potential to fulfill, now and in the future, relevant ecological, economic, and social functions at local, national, and global levels, and that does not cause damage to other ecosystems. Criteria for sustainable forestry include:

- (a) conservation of biological diversity;
- (b) maintenance of productive capacity of forest ecosystems;
- (c) maintenance of forest ecosystem health and vitality;
- (d) conservation and maintenance of soil and water resources;
- (e) maintenance of forest contributions to global carbon cycles;
- (f) maintenance and enhancement of long-term multiple socioeconomic benefits to meet the needs of societies; and
- (g) a legal, institutional, and economic framework for forest conservation and sustainable management.

Useful Thermal Energy. Energy in the form of direct heat, steam, hot water, or other thermal form that is used in production and beneficial measures for heating, cooling, humidity control, process use, or other valid thermal end use energy requirements, for which fuel or electricity would otherwise be consumed. Thermal energy used to produce a dried or refined biomass fuel shall not be considered Useful Thermal Energy if the biomass fuel produced is used to fuel the Generation Unit that dried or refined the biomass fuel.

Valid Air Permit. Within the United States, a current and effective authorization, license, certificate, or like approval to construct and/or operate a source of air pollution, issued or required by the regulatory agency designated in the applicable State Implementation Plan to issue permits under the Clean Air Act, 42 U.S.C. § 7401, *et seq.* In jurisdictions outside of the United States, it shall be a document demonstrating an equivalent authorization.

Waste Energy. Electrical energy generated from the combustion of municipal solid waste.

Waste Energy Generation Unit. A Generation Unit that utilizes conventional municipal solid waste plant technology in commercial use to generate Waste Energy.

15.03: Administration

225 CMR 15.00 shall be administered by the Department.

15.04: Applicability

225 CMR 15.00 applies to Retail Electricity Suppliers and to the Owners or Operators of RPS Class II Generation Units.

15.05: Eligibility Criteria for RPS Class II Generation Units

(1) Eligibility Criteria. A Generation Unit may qualify as an RPS Class II Generation Unit subject to the limitations in 225 CMR 15.05.

(a) Fuels, Energy Resources and Technologies. The Generation Unit shall use one or more of the fuels, energy resources and/or technologies listed in 225 CMR 15.05(1)(a)1. through 10.

1. Solar photovoltaic or solar thermal electric energy.
2. Wind energy.
3. Ocean thermal, wave or tidal energy.
4. Fuel cells using an Eligible RPS Class II Renewable Fuel.
5. Landfill methane gas, provided that such gas is collected and conveyed directly to the Generation Unit without use of facilities used as common carriers of natural gas.
6. Hydroelectric. A Generation Unit that uses Hydroelectric Energy may qualify as an RPS Class II Generation Unit, subject to the limitations in 225 CMR 15.05(1)(a)6.
 - a. The Generation Unit has a nameplate capacity up to 7.5 megawatts.
 - b. The Generation Unit does not involve any dam or water diversion structure constructed after December 31, 1997, or pumped storage of water.
 - c. The Generation Unit does not generate Marine or Hydrokinetic Energy.
 - d. The Generation Unit meets appropriate and site-specific standards that address adequate and healthy river flows, water quality standards, fish passage and protection measures and mitigation and enhancement opportunities in the Impacted Watershed, as determined by the Department in consultation with Relevant Hydroelectric Agencies. The Generation Unit shall demonstrate compliance with such standards by submitting the documentation required in either 225 CMR 15.05(1)(a)6.d.i. or ii.
 - i. LIHI Certification of the Generation Unit; except that in either of the two circumstances provided in 225 CMR 15.05(1)(a)6.d.i., the Department may request further information from the applicant and the Relevant Hydroelectric Agencies as part of its review of the applicant's Statement of Qualification Application. The Department shall notify the applicant of any such input from a Relevant Hydroelectric Agency not later than 30 days after receiving such input and shall provide the applicant an opportunity to respond to the Department not later than 30 days after the applicant's receipt of such notice from the Department.
 - (i) If a Relevant Hydroelectric Agency identified an environmental concern and a proposed remedy to LIHI during the LIHI certification process, and such concern was not addressed in the LIHI certification to the satisfaction of the Agency, and the Agency consulted with the Owner or Operator of the Generation Unit; or
 - (ii) If, between issuance of the LIHI certification and the Department's determination of the Generation Unit's eligibility, a Relevant Hydroelectric Agency submits to the Department evidence of a significant environmental problem not previously known by such Agency, after consulting with the Owner or Operator of the Generation Unit.
 - ii. A denial of certification from LIHI specifying the reasons the certification was denied and the applicant's proposed rationale for why the project should nevertheless receive a Statement of Qualification. In this instance, the Department shall notify and seek input from the Relevant Hydroelectric Agencies, which shall have 30 days from the date of their receipt of such notification to provide feedback to the Department. The Owner or Operator of the Generation Unit shall be notified of any such input and shall have 30 days from receipt of such notice to respond to the satisfaction of the Department as to why its Statement of Qualification Application should be approved. The Department thereafter shall make finding of whether the Generation Unit meets appropriate environmental safeguards despite the lack of LIHI certification.

15.05: continued

- e. The Owner or Operator of the Generation Unit must serve notice to all Relevant Hydroelectric Agencies of its application for LIHI certification. The Owner or Operator of the Generation Unit also must serve notice to all Relevant Hydroelectric Agencies, and provide opportunity for comment within 30 days of such notice, with regard to its submission of a Statement of Qualification Application. Notice of such service must be provided to the Department.
- f. If LIHI fails to act to certify or deny certification within 180 days from the date of submission of the Generation Unit's application to LIHI, the Owner or Operator shall file notice of such event with the Department. The Department shall review the federal, state or provincial permits for the Generation Unit and any submissions to LIHI by Relevant Hydroelectric Agencies, and shall make a final determination as to whether the Generation Unit meets environmental standards specified in 225 CMR 15.05(1)(a)6.d.
- g. If LIHI is unable to review for certification a Generation Unit that is located in a Control Area adjacent to the ISO-NE Control Area and outside the United States of America, the Owner or Operator of such Generation Unit may petition the Department for certification using the LIHI standards by an independent third-party acceptable to the Department.
7. Waste to Energy. A Generation Unit that uses Waste Energy may qualify as an RPS Class II Generation Unit subject to the following limitations:
- Has received approval from the MassDEP of the Unit's participation in or operation of an authorized recycling program;
 - Maintains participation in or operation of such recycling program and confirms this maintenance by submitting an annual report to the Department and MassDEP of its compliance;
 - Complies with the applicable requirements of 310 CMR 7.08(2): *Municipal Waste Combustors*; and
 - Complies with the applicable requirements of 310 CMR 19.000: *Solid Waste Management*.
8. Low-emission, biomass power conversion technologies using an Eligible Biomass Fuel. A Generation Unit may qualify as an RPS Class II Generation Unit, provided it uses an Eligible Biomass Fuel, subject to the limitations in 225 CMR 15.05(1)(a)8.
- Pursuant to St. 2022, c. 179, §§ 33 through 36 and § 88, starting January 1, 2022, Eligible Biomass Woody Fuel Generation Units shall no longer be eligible to submit a Statement of Qualification Application under 225 CMR 14.06: *Qualification Process for RPS Class I, Solar Carve-out Renewable Generation Units, and Solar Carve-out II Renewable Generation Units*.
 - A Generation Unit utilizing an Eligible Biomass Fuel that is required to obtain an air permit in its jurisdiction must possess a Valid Air Permit.
 - The Department shall set forth in Guidelines low-emission eligibility criteria which will become effective on their date of issuance. Any emission eligibility criteria in subsequently revised regulations or Guidelines shall become effective 12 months from their date of issuance. A Generation Unit utilizing an Eligible Biomass Fuel that is not a solid fuel, such as Eligible Liquid Biofuel, or does not use a steam boiler, shall follow the low-emission eligibility criteria process described in the Departments' Guideline on Eligible Biomass Fuel for Renewable Generation Units. In the case of a Generation Unit for whose size, type, or fuel the Department's Guidelines do not provide applicable emission limits, the Department will determine appropriate limits in consultation with the MassDEP.
 - A Generation Unit utilizing an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has 5% or more of its fuel sourced from Forest Derived Residues, Forest Derived Thinnings and Forest Salvage must achieve an overall efficiency of at least 60% on a quarterly basis. A Generation Unit utilizing an Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has over 95% or more of its fuel sourced from Non-forest Derived Residues on a quarterly basis shall have no applicable overall efficiency requirement. The procedure for calculating whether the Generation Unit meets the 60% overall efficiency requirement can be found in the Department's Guideline on Overall Efficiency and Greenhouse Gas Analysis.

15.05: continued

e. A Generation Unit utilizing an Eligible Biogas Fuel, Eligible Biomass Woody Fuel, Eligible Liquid Biofuel or Manufactured Biomass Fuel shall reduce lifecycle greenhouse gas emissions, over a 20-year lifecycle, by at least 50% compared to the operation of a new combined cycle natural gas electric generating facility using the most efficient commercially available technology as of the date of the Statement of Qualification Application for the portion of electricity delivered by the Generation Unit and, if applicable, the operation of the fossil fuel fired thermal energy unit being displaced, or in the case of new Useful Thermal Energy, a gas-fired thermal energy unit using the most efficient commercially available technology as of the date of Statement of Qualification Application for the portion of the Useful Thermal Energy delivered by the Generation Unit. The procedure for calculating whether a Generation Unit meets the 50% reduction can be found in the Department's Guideline on Overall Efficiency and Greenhouse Gas Analysis.

A Generation Unit that does not achieve a lifecycle greenhouse gas emissions reduction of at least 50% over a 20-year lifecycle in a particular calendar quarter of the Compliance Year, pursuant to 225 CMR 15.05(1)(a)8.d., shall not be eligible to report RPS Class II Renewable Generation Attributes to the NEPOOL GIS for that calendar quarter.

f. In the case of a Generation Unit that uses Eligible Biogas Fuel, the Eligible Biogas Fuel may be either conveyed directly to the Generation Unit without the use of facilities used as common carriers of natural gas, or transported to a Generation Unit within the ISO-NE Control Area or an adjacent Control Area *via* a common carrier of natural gas, in which instance the gas would be subject to the following provisions:

- i. the gas is produced entirely within the ISO-NE Control Area or an adjacent Control Area;
- ii. documentation is provided, satisfactory to the Department, regarding the gas transportation and related contracts; and
- iii. demonstration is provided, satisfactory to the Department, that the gas can be physically delivered to the Generation Unit.

9. Marine or Hydrokinetic Energy.

10. Geothermal Energy.

(b) Commercial Operation Date. The Commercial Operation Date shall be on or before December 31, 1997.

(c) Metering. The electrical energy output from a Generation Unit shall be verified by the ISO-NE or by an independent verification system or person participating in the NEPOOL GIS accounting system as an independent Third Party Meter Reader, as defined in Rule 2.5(j) of the NEPOOL GIS Operating Rules, or any successor rule, and approved by the Department.

(d) Location. The Generation Unit location is subject to the following limitations:

1. Off-grid Generation. If the Generation Unit produces Off-grid Generation, such Generation Unit must be located in Massachusetts.
2. Behind-the-meter Generation. If the Generation Unit is wired to the electrical system on the End-use Customer's side of a retail electric meter, such Generation Unit must be located inside the ISO-NE Control Area and have a nameplate capacity of 25 megawatts or less.

(2) Co-firing and Blended Fuel Waiver. All or a portion of the electrical energy output of a Generation Unit that uses ineligible fuel in conjunction with an Eligible RPS Class II Renewable Fuel, whether by co-firing such fuels or by using a Blended Fuel, may qualify as RPS Class II Renewable Generation, provided the Generation Unit meets the eligibility requirements of 225 CMR 15.05, subject to the limitations in 225 CMR 15.05(2).

(a) The portion of the total electrical energy output that qualifies as RPS Class II Renewable Generation in a given time period shall be equal to the ratio of the net heat content of the Eligible RPS Class II Renewable Fuel consumed to the net heat content of all fuel consumed in that time period.

(b) If using a Blended Fuel of which the eligible portion is an Eligible Biomass Fuel or if co-firing an ineligible fuel with an Eligible Biomass Fuel, the entire Generation Unit must meet the requirements of an advanced biomass Power Conversion Technology as set forth in 225 CMR 15.05(1)(a)8.

15.05: continued

(c) If using an Eligible Biomass Fuel, the Generation Unit must demonstrate to the satisfaction of the Department that the emission rates for the entire Generation Unit are consistent with rates prescribed by the MassDEP for comparably fueled Generation Units in the Commonwealth. The Department may require the Generation Unit Owner or Operator to retain at its own expense a third-party consultant deemed satisfactory to the Department, to provide the Department and the MassDEP with assistance in this determination.

(d) The Generation Unit must provide with its Statement of Qualification Application a fuel supply plan that specifies each and every fuel that it intends to use, in what relative proportions either in co-firing or in a Blended Fuel, and with what individual input heat values. Such plan shall include the procedures by which the Unit will document to the satisfaction of the Department its compliance with the plan.

(e) The provisions of 225 CMR 15.05(2) shall not apply to the incidental use of ineligible fuels for the purpose of cold starting a Generation Unit that otherwise exclusively uses an Eligible RPS Class II Renewable Fuel.

(3) Special Provisions for a Generation Unit Located in a Control Area Adjacent to the ISO-NE Control Area. The portion of the total electrical energy output of an RPS Class II Generation Unit located in a Control Area adjacent to the ISO-NE Control Area that qualifies as RPS Class II Renewable Generation shall meet the requirements in Rule 2.7(c) and all other relevant sections of the NEPOOL GIS Operating Rules or any successor rule, and the following requirements:

(a) The Generation Unit Owner or Operator shall provide documentation, satisfactory to the Department, that the RPS Class II Renewable Generation Attributes or RPS Class II Waste Energy Generation Attributes have not otherwise been, nor will be, sold, retired, claimed, used or represented as part of electrical energy output or sales, or used to satisfy obligations in jurisdictions other than Massachusetts.

(b) The Generation Unit Owner or Operator must provide an attestation in a form to be provided by the Department that it will not itself or through any affiliate or other contracted party, engage in the process of importing RPS Class II Renewable Generation into the ISO-NE Control Area for the creation of RPS Class II Renewable GIS Certificates, and then exporting that energy or a similar quantity of other energy out of the ISO-NE Control Area during the same hour.

(c) The quantity of electrical energy output from an RPS Class II Generation Unit outside the ISO-NE Control Area that can qualify as RPS Class II Renewable Generation at the NEPOOL GIS during each hour is limited to the lesser of the RPS Class II Renewable Generation actually produced by the Unit or the RPS Class II Renewable Generation actually scheduled and delivered into the ISO-NE Control Area.

(4) Special Provisions for Aggregations. An Aggregation of Generation Units that are located behind the customer meter or that are Off-grid Generation Units, each of which could independently meet the relevant requirements of 225 CMR 15.05, may receive a single Statement of Qualification and be treated as a single RPS Class II Renewable Generation Unit under the following criteria and procedures:

(a) Each Generation Unit in such Aggregation must use the same fuel, energy resource and technology as all other Generation Units in the Aggregation.

(b) Each of the Owners or Operators of Generation Units within the Aggregation must enter into an agreement with a person or entity that serves as the Authorized Agent for the Aggregation in all dealings with the Department and with the NEPOOL GIS, and such agreement must include procedures by which the electrical energy output of each Generation Unit shall be monitored and reported to the NEPOOL GIS.

(c) The Authorized Agent of the Aggregation must establish and maintain a Generator account at the NEPOOL GIS under the NEPOOL GIS Operating Rules, including all provisions for Non-NEPOOL Generator Representatives, as that term is defined in Rule 2.1(a)(vi) of those Rules, or any successor rules.

(d) The electrical energy output of each of the Generation Units in the Aggregation must be individually monitored and recorded, and it must be reported to the NEPOOL GIS as part of an aggregated total for the Aggregation, by an independent Third Party Meter Reader, as defined in Rule 2.5(j) of the NEPOOL GIS Operating Rules, or any successor rule, and approved by the Department.

15.05: continued

(5) Special Provisions for Generation Units Using Eligible Biomass Woody Fuels, or Manufactured Biomass Fuels. An Owner, Operator, or Authorized Agent of a Generation Unit that uses an Eligible Biomass Woody Fuel or a Manufactured Biomass Fuel must meet the following provisions:

(a) Sustainable Forest Management. Forest Derived Residues and Thinnings shall only be sourced from forests meeting Sustainable Forestry Management practices, as independently verified through the attestation of a licensed forester, certified forester or independent certification.

(b) Overall Efficiency. A Generation Unit utilizing Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that does not comply with the overall efficiency requirements in 225 CMR 15.05(1)(a)8.c. shall be subject the following:

1. A Generation Unit utilizing Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has 5% or more of its fuel sourced from Forest Derived Residues, Forest Derived Thinnings and Forest Salvage and does not achieve an overall efficiency of at least 60% in a particular calendar quarter of the Compliance Year, pursuant to 225 CMR 15.05(1)(a)8.c., shall not be eligible to report RPS Class II Renewable Generation Attributes to the NEPOOL GIS for that calendar quarter.

2. A Generation Unit utilizing Eligible Biomass Woody Fuel or Manufactured Biomass Fuel that has more than 95% of its fuel sourced from Non-forest Derived Residues in a particular calendar quarter of the Compliance Year, shall only be eligible to receive RPS Class II Renewable Generation Attributes at NEPOOL GIS in a proportion equal to the percentage of fuel sourced from Non-forest Derived Residues for that calendar quarter.

(c) Reporting Requirements for Generation Units Using Eligible Biomass Woody Fuel or Manufactured Biomass Fuel. An Owner, Operator, or Authorized Agent of a Generation Unit using Eligible Biomass Woody Fuel or Manufactured Biomass Fuel shall provide to the Department on a quarterly basis the Biomass Fuel Report as prescribed in the Department's Guideline on Eligible Biomass Fuel for Renewable Generation Units.

(d) Verification of Eligible Biomass Woody Fuel. In order to verify the use of Eligible Biomass Woody Fuel, an RPS Class I Renewable Generation Unit utilizing Eligible Biomass Woody Fuel shall report the following to the Department on a quarterly basis in a manner outlined in the Department's Guideline on Eligible Biomass Fuel for Renewable Generation Units:

1. Supplier of the fuel;
2. Amount of fuel delivered; and
3. Date of delivery.

(e) Biomass Fuel Certificate. The tonnage of all Eligible Biomass Woody Fuel or Manufactured Biomass Fuel reported in the Quarterly Biomass Fuel Report shall be documented by ownership of the Biomass Fuel Certificates. The tonnage input for Eligible Biomass Fuel noted on the Biomass Fuel Certificate shall equal or be greater than the tonnage of Eligible Biomass Fuel consumed at the Generation Unit. For Manufactured Biomass Fuel, the Biomass Fuel Certificates shall be for the required tonnage of Eligible Biomass Woody Fuel necessary for the production of the delivered volume of Manufactured Biomass Fuel. The Biomass Fuel Certificates shall be originated, procured, and transacted in accordance with the Guideline on Eligible Biomass Fuel for Renewable Generation Units.

15.06: Statement of Qualification Process for RPS Class II Renewable Generation Units

(1) Statement of Qualification Application (SQA). An SQA shall be submitted to the Department by the Owner or Operator of the Generation Unit or Aggregation. The applicant must use the most current forms and associated instructions provided by the Department, and must include all information, documentation, and assurances required by such forms and instructions.

(2) Review Procedures.

(a) The Department will notify the applicant when the SQA is administratively complete or if additional information is required pursuant to 225 CMR 15.06(1).

(b) The Department may, in its sole discretion, provide an opportunity for public comment on any SQA.

15.06: continued

(3) Issuance or Non-issuance of an SQ.

(a) If the Department finds that all or a portion of the electrical energy output of a Generation Unit or of an Aggregation meets the requirements for eligibility as RPS Class II Renewable Generation pursuant to 225 CMR 15.05, the Department will provide the Owner or Operator of such Generation Unit or Aggregation with an SQ.

(b) The Statement of Qualification shall include any applicable restrictions and conditions that the Department deems necessary to ensure compliance by a particular Generation Unit or Aggregation with the provisions of 225 CMR 15.00.

(c) If the Generation Unit or Aggregation does not meet the requirements for eligibility as an RPS Class II Renewable Generation Unit, the Department shall provide written notice to the Owner or Operator, including the Department's reasons for such finding.

(4) RPS Effective Date. The RPS Effective Date shall be the earliest date on which electrical energy output of an RPS Class II Renewable Generation Unit or Waste Energy Generation Unit can result in the creation of RPS Class II GIS Certificates, with the following limitations:

(a) In the case of a Generation Unit using Eligible Biomass Fuel, the RPS Effective Date shall not be earlier than the date on which the Department determines that the Biomass Generation Unit has commenced compliance with the low-emission conditions in its SQ;

(b) In the case of a Hydroelectric Energy Generation Unit, the RPS Effective Date shall not be earlier than the date on which the Department determined that the Generation Unit has commenced compliance with the environmental conditions in its SQ; and

(c) In the case of a Waste Energy Generation Unit, the RPS Effective Date shall not be earlier than the date on which the Department determines that the Waste Energy Generation Unit has commenced compliance with the recycling program conditions in its SQ.

In no instance shall the RPS Effective Date occur before January 1, 2009.

(5) Notification Requirements for Change in Eligibility Status. The Owner or Operator of an RPS Class II Renewable Generation Unit or Waste Energy Generation Unit shall notify the Department of any changes in the technology, operation, emissions, fuel sources, energy resources, or other characteristics of the Generation Unit that may affect the eligibility of the Generation Unit as an RPS Class II Renewable Generation Unit or Waste Energy Generation Unit. The Owner or Operator shall submit the notification to the Department no later than five days following the end of the month during which such changes were implemented. The notice shall state the date the changes were made to the RPS Class II Renewable Generation Unit or Waste Energy Generation Unit and describe the changes in sufficient detail to enable the Department to determine if a change in eligibility is warranted.(6) Notification Requirements for Change in Ownership, Generation Capacity, or Contact Information. The Owner or Operator of an RPS Class II Renewable Generation Unit or Waste Energy Generation Unit shall notify the Department of any changes in the ownership, operating entity, generation capacity, NEPOOL GIS account, independent verification system for the Generation Unit's or Aggregation's electrical energy output, or contact information for the Generation Unit or Aggregation. The Owner or Operator shall submit the notification to the Department no later than five days following the end of the month during which such changes were implemented.(7) Suspension or Revocation of Statement of Qualification. The Department may suspend or revoke a Statement of Qualification if the Owner or Operator of an RPS Class II Renewable Generation Unit or Waste Energy Generation Unit fails to comply with 225 CMR 15.00 or if a Generation Unit does not operate during a consecutive 12-month period.15.07: Renewable Energy Portfolio Standard – Class II(1) RPS Class II Renewable Generation Minimum Standard. The total annual sales of each Retail Electricity Product sold to Massachusetts End-use Customers by a Retail Electricity Supplier, under contracts executed or extended on or after January 1, 2009, shall include a minimum percentage of electrical energy sales with RPS Class II Renewable Generation Attributes. The RPS Class II Renewable Generation Minimum Standard shall be calculated as follows:

15.07: continued

(a) The following table reflects the RPS Class II Renewable Generation Minimum Standards in effect from 2009 through 2021:

Compliance Year	RPS Class II Renewable Generation Minimum Standard
2009	3.60%
2010	3.60%
2011	3.60%
2012	3.60%
2013	1.50%
2014	1.75%
2015	2.00%
2016	2.5319%
2017	2.5909%
2018	2.6155%
2019	2.6883%
2020	3.2056%
2021	3.5634%

(b) For each Compliance Year after 2021, the Department shall announce the RPS Class II Renewable Generation Minimum Standard no later than August 31st two years prior to the Compliance Year. The RPS Class II Renewable Generation Minimum Standard shall be determined by the following formula:

The RPS Class II Renewable Generation Minimum Standard for each Compliance Year (CY) shall be equal to the RPS Class II Renewable Generation Minimum Standard for the prior Compliance Year (CY-1), plus the number of RPS Class II Renewable Generation Attributes settled for compliance in Compliance Year three years prior (CY-3), divided by the total MWh of electrical energy sales by Retail Electricity Suppliers to End-use Customers in Compliance Year three years prior (CY-3), minus the number of RPS Class II Renewable Generation Attributes settled for compliance in Compliance Year four years prior (CY-4) divided by the total MWh of electrical energy sales by Retail Electricity Suppliers to End-use Customers in Compliance Year four years prior (CY-4). For the purpose of these calculations, the total MWh of electrical energy sales by Retail Electricity Suppliers to End-use Customers shall be determined in the manner specified in 225 CMR 15.09(2)(a), and Attributes settled for compliance in a given Compliance Year shall be represented by the total of all RPS Class II qualified GIS Certificates that are determined by the Department to qualify for RPS Class II Renewable Energy compliance in the Compliance Year in which the energy that they signify was generated.

(c) Notwithstanding the calculation in 225 CMR 15.07(1)(b), the RPS Class II Renewable Generation Minimum Standard shall not exceed 3.6% of the Total Electrical Energy Sales to End-use Customers, as provided in 225 CMR 15.09(2)(a).

15.07: continued

(2) RPS Class II Waste Energy Minimum Standard. The total annual sales of each Retail Electricity Product sold to Massachusetts End-use Customers by a Retail Electricity Supplier, under contracts executed or extended on or after January 1, 2009, shall include a minimum percentage of electrical energy sales with RPS Class II Waste Energy Generation Attributes. The RPS Class II Waste Energy Minimum Standard shall be equal to 3.5% of electrical energy sales in the Compliance Years 2009 through 2020. In Compliance Years 2021 through 2025, the RPS Class II Waste Energy Minimum Standard shall be equal to 3.7% of electrical energy sales. In 2026 and all subsequent Compliance Years, the RPS Class II Waste Energy Minimum Standard shall be equal to 3.5% of electrical energy sales. Beginning in 2025 and every five years thereafter, the Department shall conduct a review of the RPS Class II Waste Energy Minimum Standard and consult with MassDEP on the standard to ensure consistency with the solid waste master plan. Following stakeholder comment and input on the review of the RPS Class II Waste Energy Minimum Standard, the Department may modify the Minimum Standard for the following five years.

15.08: Compliance Procedures for Retail Electricity Suppliers

(1) Standard Compliance. Each Retail Electricity Supplier shall be deemed to be in compliance with 225 CMR 15.00 if the information provided in the Compliance Filing submitted pursuant to 225 CMR 15.09 is true and accurate and demonstrates compliance with 225 CMR 15.07. A Retail Electricity Supplier shall demonstrate to the satisfaction of the Department that RPS Class II Renewable Generation Attributes and RPS Class II Waste Energy Generation Attributes used for compliance have not otherwise been, nor will be, sold, retired, claimed, used or represented as part of electrical energy output or sales, or used to satisfy obligations in jurisdictions other than Massachusetts.

(2) Banked Compliance. A Retail Electricity Supplier may use RPS Class II Renewable Generation Attributes and RPS Class II Waste Energy Generation Attributes produced in one Compliance Year for compliance over the course of the following two subsequent Compliance Years, subject to the limitations in 225 CMR 15.08(2) and provided that the Retail Electricity Supplier is in compliance with 225 CMR 15.00 for all previous Compliance Years. In addition, the Retail Electricity Supplier shall demonstrate to the satisfaction of the Department that such Attributes:

- (a) were in excess of the RPS Class II Renewable Generation Attributes and RPS Class II Waste Energy Generation Attributes needed for compliance in the Compliance Year in which they were generated, and that such excess Attributes have not previously been used for compliance with 225 CMR 15.00;
- (b) do not exceed 30% of the RPS Class II Renewable Generation Attributes and 30% of the RPS Class II Waste Energy Generation Attributes needed by the Retail Electricity Supplier for compliance with the RPS Class II Renewable Generation Minimum Standard, and RPS Class II Waste Energy Minimum Standard in the year they were generated, subject to 225 CMR 15.09(2)(d) and subject to the following limitations:
 1. In Compliance Years 2014 and 2015 no excess RPS Class II Waste Energy Generation Attributes shall be available as Banked Compliance; and
 2. Commencing with Compliance Year 2016, bankable excess RPS Class II Waste Energy Generation Attributes shall not exceed 5% of the RPS Class II Waste Energy Generation Attributes needed by the Retail Electricity Supplier for compliance with the RPS Class II Waste Energy Minimum Standard in the year they were generated.
- (c) were produced during the Compliance Year in which they are claimed as excess by the generation of electrical energy sold to End-use Customers in the ISO-NE Control Area, by the generation of electrical energy on End-use Customers' sides of retail meters in the ISO-NE Control Area, or by the generation of electrical energy from Off-grid Generation Units in Massachusetts; and
- (d) have not otherwise been, nor will be, sold, retired, claimed or represented as part of electrical energy output or sales, or used to satisfy obligations in jurisdictions other than Massachusetts.

15.08: continued

(3) Alternative Compliance for RPS Class II Renewable Generation Minimum Standard. A Retail Electricity Supplier may discharge its obligations under 225 CMR 15.07(1), in whole or in part, for any Compliance Year by making an ACP to the MassCEC. Such funds shall be held in an account separate from other accounts of the MassCEC.

(a) Procedures. A Retail Electricity Supplier shall receive Alternative Compliance Credits from the Department, subject to the following:

1. The quantity of Credits, specified in MWhs, that can be applied to its obligations under 225 CMR 15.07(1) shall be determined by calculating the ratio of the total of ACPs paid for the Compliance Year to the ACP Rate for that Compliance Year.

2. The ACP Rate for the RPS Class II Renewable Generation Minimum Standard shall be \$25 per MWh for Compliance Year 2009. For each subsequent Compliance Year, the Department shall publish the ACP Rate by January 31st of the Compliance Year. The ACP Rate shall be equal to the previous year's ACP Rate adjusted up or down according to the previous year's Consumer Price Index. The ACP Rate for the RPS Class II Renewable Generation Minimum Standard shall not exceed \$35 per MWh for any given Compliance Year.

3. The Retail Electricity Supplier shall include with its Annual Compliance Filing copies of any ACP receipt(s) for ACPs made to the MassCEC during the Compliance Year.

(b) Use of Funds. The Department shall oversee the use of ACP funds by the MassCEC.

(4) Alternative Compliance for RPS Class II Waste Energy Minimum Standard. A Retail Electricity Supplier may discharge its obligations under 225 CMR 15.07(2), in whole or in part, for any Compliance Year by making an ACP to the MassCEC. Such funds shall be held in an account separate from other accounts of the MassCEC.

(a) Procedures. A Retail Electricity Supplier shall receive Alternative Compliance Credits from the Department, subject to the following:

1. The quantity of Alternative Compliance Credits, specified in MWhs, that can be applied to its obligations under 225 CMR 15.07(2) shall be determined by calculating the ratio of the total of ACPs paid for the Compliance Year to the ACP Rate for that Compliance Year.

2. The ACP Rate for the RPS Class II Waste Energy Minimum Standard shall be \$10 per MWh for Compliance Year 2009. For each subsequent Compliance Year, the Department shall publish the ACP Rate by January 31st of the Compliance Year. The ACP Rate shall be equal to the previous year's ACP Rate adjusted up or down according to the previous year's Consumer Price Index. In Compliance Year 2021 through 2025, the ACP Rate for the RPS Class II Waste Energy Minimum Standard shall be equal to the ACP Rate for the RPS Class II Renewable Energy Minimum Standard set pursuant to 225 CMR 15.08(3)(a)2., but shall be \$11.50 per MWh beginning in 2026.

3. The Retail Electricity Supplier shall include with its Annual Compliance Filing copies of any ACP receipt(s) for ACPs made to the MassCEC during the Compliance Year.

(b) Use of Funds. The Department shall oversee the use of ACP funds by the MassCEC.

(5) Beginning in 2025 and every five years thereafter, the Department shall conduct a review of the ACP Rate and consult with DEP on the ACP Rate for the RPS Class II Waste Energy Minimum Standard to ensure consistency with the solid waste master plan. Following stakeholder comment and input on the review of the ACP Rate, the Department may modify the rate for the following five years.

15.09: Annual Compliance Filings for Retail Electricity Suppliers

(1) Date of Annual Compliance Filing. For each Compliance Year, the Retail Electricity Supplier annually shall file an annual Compliance Filing with the Department no later than the first day of July, or the first Business Day thereafter, of the subsequent Compliance Year.

(2) Contents of Annual Compliance Filing. For each Retail Electricity Product, the Filing shall document compliance with the provisions of 225 CMR 15.07 and 15.08 to the satisfaction of the Department and shall include, but not be limited to, the following:

15.09: continued

- (a) Total Electrical Energy Sales to End-use Customers. Documentation of the total MWhs of electrical energy allocated by the Retail Electricity Supplier to End-use Customers in the Compliance Year. Such allocation is defined as the total quantity of the Supplier's Certificates Obligation that the Retail Electricity Supplier correctly allocated or should have allocated to all of the Retail Electricity Supplier's Massachusetts retail subaccounts in the NEPOOL GIS, in compliance with all relevant provisions of Part 4 of the NEPOOL GIS Operating Rules, or any successor rules, as specified in the Department's Guideline on the Determination of Sales to End-use Customer.
- (b) Electrical Energy Sales to End-use Customers by Product. Documentation of the total MWhs of each Retail Electricity Product allocated to End-use Customers in the Compliance Year, verified by an independent third-party satisfactory to the Department, consistent with the Guidelines. Such allocation is defined as the quantity of the Supplier's Certificates Obligation that the Retail Electricity Supplier correctly allocated or should have allocated to each of the Retail Electricity Supplier's Massachusetts retail subaccounts at the NEPOOL GIS, in compliance with all relevant provisions of Part 4 of the NEPOOL GIS Operating Rules, or any successor rules, as specified in the Department's Guideline on the Determination of Sales to End-use Customer. The Department shall keep product information confidential to the extent permitted by law.
- (c) Attributes Allocated from the Compliance Year. Documentation of the total MWhs of each Retail Electricity Product allocated to End-use Customers that were derived from both RPS Class II Renewable Generation and RPS Class II Waste Energy generation during the Compliance Year, and which may include electrical energy generated on End-use Customers' sides of retail meters in the ISO-NE Control Area or by Off-grid Generation Units in Massachusetts in the Compliance Year, shall be as follows:
1. For electrical energy transactions included in the ISO-NE Settlement Market System, the Compliance Filings shall include documentation from the NEPOOL GIS administrator of the Retail Electricity Supplier's ownership of GIS Certificates representing both RPS Class II Renewable Generation and RPS Class II Waste Energy generation during the Compliance Year.
 2. For electrical energy transactions not included in the ISO-NE Settlement Market System, but for which the Retail Electricity Supplier has secured GIS Certificates from the NEPOOL GIS, the Compliance Filings shall include documentation from the NEPOOL GIS of the Retail Electricity Supplier's ownership of GIS Certificates representing both RPS Class II Renewable Generation and RPS Class II Waste Energy generation during the Compliance Year.
- (d) Attributes Allocated from Banked Compliance. Allocation by Retail Electricity Product of any quantity of Attributes banked from one or both of the two previous years pursuant to 225 CMR 15.08(2) that are used to demonstrate compliance in the current Compliance Year, except that banked RPS Class II Waste Energy Generation Attributes cannot be used for compliance with the RPS Class II Renewable Generation Minimum Standard and banked RPS Class II Renewable Generation Attributes cannot be used for compliance with the RPS Class II Waste Energy Generation Minimum Standard.
- (e) Alternative Compliance Credits. Allocation by Retail Electricity Product of any Alternative Compliance Credits claimed pursuant to 225 CMR 15.08(3), along with a copy of any ACP receipt(s).
- (f) Attributes Banked for Future Compliance. Identification of any quantity of RPS Class II Renewable Generation Attributes and of any RPS Class II Waste Energy Generation Attributes that the Retail Electricity Supplier anticipates claiming for purposes of Banked Compliance in subsequent years under the Banked Compliance provisions of 225 CMR 15.08(2), except that RPS Class II Waste Energy Generation Attributes that are in excess of the quantity of such Attributes needed for the RPS Class II Waste Energy Minimum in Compliance Years 2014 and 2015 cannot be used for Banked Compliance.
- (g) Exempt Contracts under the RPS Class II Renewable Generation Minimum Standard and the RPS Class II Waste Energy Minimum Standard. Identification of any contract for a specific term of years that was executed before January 1, 2009, and its terms including but not limited to, the execution and expiration dates of the contract and the annual volume of electrical energy supplied.

15.10: Reporting Requirements

- (1) Certification. Any person required by 225 CMR 15.00 to submit documentation to the Department shall provide:
 - (a) the person's name, title and business address;
 - (b) the person's authority to certify and submit the documentation to the Department; and
 - (c) the following certification: "I hereby certify, under the pains and penalties of perjury, that I have personally examined and am familiar with the information submitted herein and based upon my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties, both civil and criminal, for submitting false information, including possible fines and imprisonment."

- (2) Annual Renewable Energy Resource Report. The Department shall produce an annual report that summarizes information submitted to the Department by Retail Electricity Suppliers in the Annual Compliance Filing submitted to the Department pursuant to 225 CMR 15.09(2). Such report shall include nonconfidential data that provides the following:
 - (a) the extent to which the Retail Electricity Suppliers complied with the RPS Class I Minimum Standard, the Solar Carve-out Minimum Standard, and Solar Carve-out II Minimum Standard, both separately and combined; and
 - (b) the extent to which the Retail Electricity Suppliers used Standard Compliance, Banked Compliance, and Alternative Compliance in meeting the Minimum Standards.

15.11: Inspection

- (1) Document Inspection. The Department may audit the accuracy of all information submitted pursuant to 225 CMR 15.00. The Department may request and obtain from any Owner or Operator of an RPS Class II Renewable Generation Unit, Waste Energy Generation Unit, supplier of Eligible Biomass Fuel, and any Retail Electricity Supplier information that the Department determines necessary to monitor compliance with and enforcement of 225 CMR 15.00.

- (2) Audit and Site Inspection. Upon reasonable notice to a Retail Electricity Supplier, supplier of Eligible Biomass Fuel, Waste Energy Generation Unit Owner or Operator, or RPS Class II Renewable Generation Unit Owner or Operator, the Department may conduct audits, which may include inspection and copying of records and/or site visits to an RPS Class II Renewable Generation Unit, Waste Energy Generation Unit, supplier of Eligible Biomass fuel, or a Retail Electricity Supplier's facilities including, but not limited to, all files and documents that the Department determines are related to compliance with 225 CMR 15.00.

15.12: Noncompliance

Any Retail Electricity Supplier or Owner or Operator of an RPS Class II Renewable Generation Unit that fails to comply with the requirements of 225 CMR 15.00 shall be subject to the following provisions:

- (1) Notice of Noncompliance. A failure to comply with the requirements of 225 CMR 15.00 shall be determined by the Department. A written Notice of Noncompliance shall be prepared and delivered by the Department to any Retail Electricity Supplier or Owner or Operator of an RPS Class II Renewable Generation Unit that fails to comply with the requirements of 225 CMR 15.00. The Notice of Noncompliance shall describe the Requirement(s) with which the Retail Electricity Supplier, Owner, or Operator failed to comply and the time period of such noncompliance.

- (2) Publication of Notice of Noncompliance. A Notice of Noncompliance may be published on the Department's website and in any other media deemed appropriate by the Department. Such publication may remain posted until the Retail Electricity Supplier or Owner or Operator returns to compliance as determined by the Department.

15.12: continued

(3) Planning Requirement. A Retail Electricity Supplier that fails to meet the requirements of 225 CMR 15.07 during a Compliance Year shall submit a plan for achieving compliance for the subsequent three years. The plan shall be filed with the Department no later than the first day of September of the Compliance Year subsequent to the Compliance Year for which the Retail Electricity Supplier was out of compliance or such date as the Department may specify.

(4) Suspension or Revocation of License. The Department shall refer its findings of noncompliance to the Massachusetts Department of Public Utilities. A Retail Electricity Supplier that fails to comply with 225 CMR 15.00 may be subject to the Massachusetts Department of Public Utilities Licensure Action under 220 CMR 11.07(4)(c)1: *Licensure Action*.

(5) Collection of Financial Security. In the event that a Retail Electricity Supplier fails to discharge its annual obligations by September 1st under 225 CMR 15.07, by the means described in 225 CMR 15.08(1) through (4), the Department will notify the Retail Electricity Supplier that it must provide the Department with a payment using the financial security of which it provided pursuant to 225 CMR 14.08(4): *Financial Security Requirements for Retail Electricity Suppliers*, unless a Retail Electricity Supplier has an approved alternative payment plan to discharge its annual obligations in full that has been approved by the Department prior to September 1st. The payment shall, within 30 days of notification by the Department, be deposited into the Alternative Compliance Payment fund established in 225 CMR 14.08(3): *Alternative Compliance* pursuant to the provisions of 225 CMR 14.12(5): *Collection of Financial Security*.

(6) Partial Compliance. In the event that the collection of financial security under 225 CMR 14.12(5): *Collection of Financial Security* results in the collection of an amount of Alternative Compliance Payments that is insufficient to discharge a Retail Electricity Supplier's full annual obligations under 225 CMR 15.07, the Retail Electricity Supplier will remain in a state of noncompliance, and the Department will take the necessary actions to document and enforce this noncompliance, pursuant to 225 CMR 15.12(1) through (4).

(7) The Department reserves all rights to take any and all appropriate actions to ensure the collection of all Alternative Compliance Payments owed to ensure annual compliance obligations are fully discharged by a Retail Electricity Supplier including, but not limited to, filing a petition with the Department of Public Utilities requesting an investigation into a supplier that is deemed to be in noncompliance by the Department.

15.13: Severability

If any provision of 225 CMR 15.00 is declared invalid, such invalidity shall not affect other provisions or applications that can be given effect without the invalid provision or application.

REGULATORY AUTHORITY

225 CMR 15.00: M.G.L. c. 25A, § 11F.