

521 CMR: ARCHITECTURAL ACCESS BOARD

521 CMR 47.00: GROUP 2 BEDROOMS

**47.1 BEDROOMS IN GROUP 2 UNITS**

*Group 2A* units shall provide or be capable of providing wheelchair turning *space* in compliance with **521 CMR 6.3, Wheelchair turning space**. Said wheelchair turning space shall be or capable of being *clear* of the door swing and located at one side of the bed in the primary bedroom (based on a full size bed). Where more than one bedroom is provided, an additional bedroom shall also provide or be capable of providing such wheelchair turning *space* (based on one twin size bed).

*In Group 2B units, the bedrooms shall provide wheelchair turning space in compliance with 521 CMR 6.3, Wheelchair Turning Space. Said wheelchair turning space shall be provided, clear of the door swing and located at one side of the bed in the primary bedroom, (based upon a full size bed). Where more than one bedroom is provided, an additional bedroom shall also provide such wheelchair turning space (based on one twin size bed).*

**47.2 DOORS**

Doors to all bedrooms shall comply with **521 CMR 26.00: DOORS AND DOORWAYS**.

**47.3 CLOSETS**

All closets in bedrooms required to be *accessible* shall comply with **521 CMR 9.5.9, Closets**.

**47.4 ELECTRICAL OUTLETS AND CONTROLS**

Shall comply with **521 CMR 39.00: CONTROLS**.

**47.5 ALARMS**

Shall comply with **521 CMR 40.00: ALARMS**.