Carrier-to-Carrier Guidelines Performance Standards and Reports

Verizon Reports

Connecticut
Delaware
District of Columbia
Maine
Maryland
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania¹
Rhode Island
Vermont
Virginia
West Virginia

¹ Not Applicable to former GTE Territory

GENERAL	EXCLUSIONS	11
RETAIL AN	ALOG COMPARE TABLE	13
PRODUCT	CODE INFORMATION	15
PO-1 RESI	PONSE TIME OSS PRE-ORDERING INTERFACE	20
PO-1-01 PO-1-02 PO-1-03 PO-1-04 PO-1-05 PO-1-06 PO-1-07 PO-1-08 PO-1-09	AVERAGE RESPONSE TIME – CUSTOMER SERVICE RECORD (CSR) AVERAGE RESPONSE TIME – DUE DATE AVAILABILITY AVERAGE RESPONSE TIME – ADDRESS VALIDATION AVERAGE RESPONSE TIME – PRODUCT & SERVICE AVAILABILITY AVERAGE RESPONSE TIME – TELEPHONE NUMBER AVAILABILITY & RESERVATION AVERAGE RESPONSE TIME – MECHANIZED LOOP QUALIFICATION – XDSL AVERAGE RESPONSE TIME – REJECTED QUERY % TIMEOUTS AVERAGE RESPONSE TIME- PARSED CSR	22 22 23 23 23
	INTERFACE AVAILABILITY	
PO-2-02 PO-2-03	OSS Interface Availability – Prime-Time	26
PO-3 CON	TACT CENTER AVAILABILITY	27
PO-3-02 PO-3-04	% Answered within 30 Seconds – Ordering	
PO-4 TIME	LINESS OF CHANGE MANAGEMENT NOTICE	29
PO-4-01 PO-4-02 PO-4-03	% Change Management Notices sent on Time	30
PO-5 PERC	ENT ON TIME NOTICE OF INTERFACE OUTAGE	31
PO-5-01	% ON TIME NOTICE OF INTERFACE OUTAGE	31
PO-6 SOFT	WARE VALIDATION	32
PO-6-01	SOFTWARE VALIDATION	32
PO-7 SOF	TWARE PROBLEM RESOLUTION TIMELINESS	
PO-7-01 PO-7-02 PO-7-03 PO-7-04 WORKARO	% SOFTWARE PROBLEM RESOLUTION TIMELINESS	3 ²
PO-8 MANU	JAL LOOP QUALIFICATION	35
PO-8-01 PO-8-02	% On TIME – MANUAL LOOP QUALIFICATION	
OR-1 ORD	ER CONFIRMATION TIMELINESS	37
OR-1-02 OR-1-04 OR-1-06 OR-1-08 OR-1-10 OR-1-12	% On TIME LSRC – FLOW-THROUGH % ON TIME LSRC/ASRC - NO FACILITY CHECK (ELECTRONIC – NO FLOW-THROUGH) % ON TIME LSRC/ASRC – FACILITY CHECK (ELECTRONIC – NO FLOW-THROUGH) % ON TIME ASRC - NO FACILITY CHECK (FAX/MAIL) % ON TIME ASRC - FACILITY CHECK (FAX/MAIL) % ON TIME FOC % ON TIME DESIGN LAYOUT RECORD (DLR)	41 42 42 43
OR-1-13 OR-1-19	% ON TIME DESIGN LAYOUT RECORD (DLR)	

OR-2 REJE	CT TIMELINESS	44
OR-2-02 OR-2-04 OR-2-06 OR-2-08 OR-2-10 OR-2-12	% On Time LSR Reject (Flow-through)	47 48 49 49
OR-3 PERC	ENT REJECTS	50
OR-3-01 OR-3-02	% REJECTS % LSR RESUBMISSION NOT REJECTED	
OR-4 TIME	LINESS OF COMPLETION NOTIFICATION	51
OR-4-11 OR-4-16 OR-4-17	% COMPLETED ORDERS WITH NEITHER A PCN NOR BCN SENT	52
OR-5 PERC	ENT FLOW-THROUGH	53
OR-5-01 OR-5-03	% FLOW-THROUGH – TOTAL % FLOW-THROUGH ACHIEVED	
OR-6 ORDE	R ACCURACY	54
OR-6-01 OR-6-03 OR-6-04	% SERVICE ORDER ACCURACY	55
OR-7 % ORI	DER CONFIRMATION/REJECTS SENT WITHIN THREE (3) BUSINESS DAYS	57
OR-7-01	% ORDER CONFIRMATION/REJECTS SENT WITHIN THREE (3) BUSINESS DAYS	57
OR-8 ACKN	OWLEDGEMENT TIMELINESS	58
OR-8-01	% ACKNOWLEDGEMENTS ON TIME	58
OR-9 ORDE	R ACKNOWLEDGEMENT COMPLETENESS	59
OR-9-01	% ACKNOWLEDGEMENT COMPLETENESS	59
OR-10 PON	NOTIFIER EXCEPTION RESOLUTION TIMELINESS	60
OR-10-01 OR-10-02	% OF PON Exceptions Resolved Within Three (3) Business Days	61 61
OR-11 TIME	LINESS OF PROVIDER NOTIFICATION REPORT	
OR-11-01	% RESALE PROVIDER NOTIFICATIONS IN DAYS	
OR-12 % AC	CURACY WHITE PAGES DIRECTORY LISTINGS (APPLICABLE TO RI ONLY)	63
OR-12-01	% ACCURACY WHITE PAGES DIRECTORY LISTINGS	63
OR-13 % OF	LARGE JOB HOT CUT PROJECT NEGOTIATIONS COMPLETED	64
OR-13-01	% OF LARGE JOB HOT CUT PROJECT NEGOTIATIONS COMPLETED	64
PR-1 AVER	AGE INTERVAL OFFERED	66
PR-1-01 PR-1-02 PR-1-03 PR-1-04 PR-1-05 PR-1-06 PR-1-07	AVERAGE INTERVAL OFFERED – TOTAL NO DISPATCH	67 68 68 68

PR-1-08	AVERAGE INTERVAL OFFERED – SPECIALS DS3	
PR-1-09	AVERAGE INTERVAL OFFERED – TOTAL	
PR-1-12	AVERAGE INTERVAL OFFERED – DISCONNECTS	
PR-1-13	AVERAGE INTERVAL OFFERED – HOT CUTS – NO DISPATCH	69
PR-3 COMP	PLETED WITHIN SPECIFIED NUMBER OF DAYS	70
PR-3-01	% COMPLETED IN ONE (1) DAY ONE (1) TO FIVE (5) LINES – NO DISPATCH	71
PR-3-06	% COMPLETED IN THREE (3) DAYS ONE (1) TO FIVE (5) LINES - DISPATCH	
PR-3-08	% COMPLETED IN FIVE (5) DAYS NO DISPATCH	
PR-3-09	% COMPLETED IN FIVE (5) DAYS ONE (1) TO FIVE (5) LINES – DISPATCH	
PR-3-10	% COMPLETED IN SIX (6) DAYS ONE (1) TO FIVE (5) LINES - TOTAL	
PR-3-11	% COMPLETED IN 10 BUSINESS DAYS	
PR-3-12	% COMPLETED IN 15 BUSINESS DAYS	72
PR-3-13	% COMPLETED IN 26 BUSINESS DAYS	72
PR-4 MISSE	ED APPOINTMENTS	73
PR-4-01	% MISSED APPOINTMENT – VERIZON – TOTAL	7/
PR-4-01	AVERAGE DELAY DAYS – TOTAL	
PR-4-03	% MISSED APPOINTMENT – CUSTOMER	
PR-4-04	% MISSED APPOINTMENT — VERIZON — DISPATCH	
PR-4-05	% MISSED APPOINTMENT - VERIZON - NO DISPATCH	
PR-4-07	% On Time Performance – LNP Only	
PR-4-08	% MISSED APPOINTMENT – CUSTOMER – DUE TO LATE ORDER CONFIRMATION	
PR-4-14	% COMPLETED ON TIME – 2-WIRE XDSL	77
PR-4-15	% On Time Provisioning – Trunks	
DD-5 EACH	ITY MISSED ORDERS	
PR-5-01	% MISSED APPOINTMENT – VERIZON – FACILITIES	
PR-5-02	% ORDERS HELD FOR FACILITIES > 15 DAYS	
PR-5-03	% Orders Held for Facilities > 60 Days	
PR-5-04	% ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	
PR-6 INSTA	ALLATION QUALITY	
PR-6-01	% Installation Troubles reported within 30 Days	82
PR-6-02	% Installation Troubles reported within seven (7) Days	
PR-6-03	% Installation Troubles reported within 30 Days – FOK/TOK/CPE	82
PR-8 PERC	ENT OPEN ORDERS IN A HOLD STATUS	83
PR-8-01	PERCENT OPEN ORDERS IN A HOLD STATUS > 30 DAYS	8/
PR-8-02	PERCENT OPEN ORDERS IN A HOLD STATUS > 90 DAYS	
	CUT LOOPS	
PR-9-01	% On Time Performance – Hot Cut	88
PR-9-02	% EARLY CUTS – LINES (APPLICABLE TO MD AND VA ONLY)	88
PR-9-04	% ON TIME BATCH DUE DATE	
PR-9-08	AVERAGE DURATION OF HOT CUT INSTALLATION TROUBLES	
MR-1 RESP	ONSE TIME OSS MAINTENANCE INTERFACE	91
MR-1-01	AVERAGE RESPONSE TIME – CREATE TROUBLE	93
MR-1-02	AVERAGE RESPONSE TIME – STATUS TROUBLE	
MR-1-03	AVERAGE RESPONSE TIME – MODIFY TROUBLE	93
MR-1-04	AVERAGE RESPONSE TIME - REQUEST CANCELLATION OF TROUBLE	
MR-1-05	AVERAGE RESPONSE TIME -TROUBLE REPORT HISTORY (BY TN/CIRCUIT)	
MR-1-06	AVERAGE RESPONSE TIME – TEST TROUBLE (POTS ONLY)	93
MR-1-07	% On-TIME TICKET CLOSURE ON BONDED OPEN TICKETS	
MR-1-08	% On-Time – Create Trouble	-
MR-1-09	% On-Time – Status Trouble	94

MR-1-10	% On-Time – Modify Trouble	
MR-1-11	% On-TIME – REQUEST CANCELLATION OF TROUBLE	
MR-1-12	% On-TIME – TEST TROUBLE (POTS ONLY)	
MR-2 TROU	JBLE REPORT RATE	
MR-2-01	NETWORK TROUBLE REPORT RATE	
MR-2-02	NETWORK TROUBLE REPORT RATE - LOOP	
MR-2-03	NETWORK TROUBLE REPORT RATE – CENTRAL OFFICE	
MR-2-04 MR-2-05	% SUBSEQUENT REPORTS AS A PERCENT OF TOTAL REPORTS	
	ED REPAIR APPOINTMENTS	
MR-3-01	% MISSED REPAIR APPOINTMENT – LOOP	
MR-3-02 MR-3-03	% MISSED REPAIR APPOINTMENT – CENTRAL OFFICE	
	JBLE DURATION INTERVALS	
MR-4-01	MEAN TIME TO REPAIR – TOTAL	
MR-4-02	MEAN TIME TO REPAIR – LOOP TROUBLE	102
MR-4-03 MR-4-04	WEAN TIME TO REPAIR – CENTRAL OFFICE TROUBLE	102
MR-4-04	% Out of Service > 2 Hours	
MR-4-06	% Out of Service > 2 Hours	
MR-4-07	% Out of Service > 12 Hours	
MR-4-08	% Out of Service > 24 Hours	
MR-5 REPE	AT TROUBLE REPORTS	105
MR-5-01	% Repeat Reports within 30 Days	106
NP-1 PERC	ENT FINAL TRUNK GROUP BLOCKAGE	108
NP-1-01	% FINAL TRUNK GROUPS EXCEEDING BLOCKING STANDARD	100
NP-1-01	% FINAL TRUNK GROUPS EXCEEDING BLOCKING STANDARD (NO EXCLUSIONS)	
NP-1-03	Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months	109
NP-1-04	NUMBER FINAL TRUNK GROUPS EXCEEDING BLOCKING STANDARD - THREE (3) MONTHS	
NP-2 COLL	OCATION PERFORMANCE	110
NP-2-01	% On Time Response to Request for Physical Collocation	111
NP-2-02	% On Time Response to Request for Virtual Collocation	
NP-2-03	AVERAGE INTERVAL – PHYSICAL COLLOCATION	
NP-2-04	AVERAGE INTERVAL – VIRTUAL COLLOCATION	111
NP-2-05	% On Time – Physical Collocation	
NP-2-06	% On TIME – VIRTUAL COLLOCATION	
NP-2-07	AVERAGE DELAY DAYS – PHYSICAL COLLOCATION	
NP-2-08	AVERAGE DELAY DAYS – VIRTUAL COLLOCATION	
	JPDATES (APPLICABLE TO NJ ONLY)	
NP-6-01	% OF NXX UPDATES INSTALLED BY THE LERG EFFECTIVE DATE	
BI-1 TIMEL	INESS OF DAILY USAGE FEED	115
BI-1-02	% DUF IN FOUR (4) BUSINESS DAYS	115
BI-2 TIMEL	INESS OF CARRIER BILL	116
BI-2-01	TIMELINESS OF CARRIER BILL	116
BI – 3 BILL	ING ACCURACY & CLAIMS PROCESSING	117
BI-3-04	% CLEC BILLING CLAIMS ACKNOWLEDGED WITHIN TWO (2) BUSINESS DAYS	
BI-3-05	% CLEC BILLING CLAIMS RESOLVED WITHIN 28 CALENDAR DAYS AFTER ACKNOWLEDGEMENT	119

BI-3-07 BI-3-08	% FULL OR PARTIAL DENIALS	
	ACCURACY (APPLICABLE TO NJ ONLY)	
BI-4-01	% Usage Accuracy	
_	URACY OF MECHANIZED BILL FEED (APPLICABLE TO NJ ONLY)	
	•	
BI-5-01	% ACCURACY OF MECHANIZED BILL FEED	
	PLETENESS OF USAGE CHARGES (APPLICABLE TO NJ & PA ONLY)	122
BI-6-01 DISCREPA	% COMPLETENESS OF USAGE CHARGES – INCLUDING ORDER ACTIVITY POST COMPLETION NCY DELAYED CHARGES	122
BI-6-02	% COMPLETENESS OF USAGE CHARGES – EXCLUDING ORDER ACTIVITY POST COMPLETION NCY DELAYED CHARGES * APPLICABLE TO PA ONLY*	
BI - 7 COM	PLETENESS OF FRACTIONAL RECURRING CHARGES (APPLICABLE TO NJ & PA ONL	_Y)123
	% COMPLETENESS OF FRACTIONAL RECURRING CHARGES – INCLUDING ORDER ACTIVITY POST ON DISCREPANCY DELAYED CHARGES	123
BI-7-02 Completi	% COMPLETENESS OF FRACTIONAL RECURRING CHARGES – EXCLUDING ORDER ACTIVITY POST ON DISCREPANCY DELAYED CHARGES *METRIC IS APPLICABLE TO PA ONLY*	123
BI – 8 NON	-RECURRING CHARGE COMPLETENESS (APPLICABLE TO NJ & PA ONLY)	124
	% COMPLETENESS OF NON-RECURRING CHARGES – INCLUDING ORDER ACTIVITY POST COMPLETING PLAYED CHARGES	124
DISCREPA	6 COMPLETENESS OF NON-RECURRING CHARGES – EXCLUDING ORDER ACTIVITY POST COMPLETION NCY DELAYED CHARGES *APPLICABLE TO PA ONLY*	124
BI – 9 BILL	ING COMPLETENESS	
BI-9-01	% BILLING COMPLETENESS IN TWELVE BILLING CYCLES	125
OD-1 OPER	RATOR SERVICES/DIRECTORY ASSISTANCE – SPEED OF ANSWER	127
OD-1-01 OD-1-02	AVERAGE SPEED OF ANSWER – OPERATOR SERVICES	
OD-2 LIDB,	ROUTING AND OS/DA PLATFORMS	128
OD-3 DA D	ATABASE UPDATE ACCURACY (APPLICABLE TO NJ ONLY)	129
OD-3-01 COMPLETI	% DIRECTORY ASSISTANCE UPDATE ACCURACY – INCLUDING SERVICE ORDER (ORDER ACTIVITY ON DISCREPANCY) ERRORS	
GE-1 DIREC	CTORY LISTING VERIFICATION REPORTS (APPLICABLE TO NJ ONLY)	131
GE-1-01	% OF DIRECTORY LISTING VERIFICATION REPORTS FURNISHED ON-TIME	131
GE-2 POLE	S, DUCTS, CONDUIT AND RIGHTS OF WAY (APPLICABLE TO NJ ONLY)	132
GE-2-01	% OF ACCESS REQUEST RESPONSES TRANSMITTED ON-TIME	132
GE-3 BONA	A FIDE REQUEST RESPONSES (APPLICABLE TO NJ ONLY)	133
GE-3-01	% of BFR Responses Furnished On-Time	
GE-5 DIRE	CTORY LISTING VERIFICATION REPORTS (APPLICABLE TO PA ONLY)	134
GE-5-01	% of Directory Listing Verification Reports Furnished On-Time	
GE-5-02	% ACCURACY OF DSR/LSR INCLUSION IN DLVRS	
GE-5-03 GE-5-04	% DLVR CORRECTIONS FURNISHED ON TIME	
GE-5-05	WHITE PAGES ERRORS AND OMISSIONS	

Appendix	Topic
Α	Specials and Trunk Maintenance Code Descriptions
В	Provisioning Codes
С	Pre-Ordering Details
D	Reserved for Future Use
E	Local Number Portability Process
F	E911 Updates
G	Repair Disposition Codes
Н	Flow-Through Order Scenarios
I	Reserved for Future Use
J	Reserved for Future Use
K	Statistical Methodology (NY, CT, MA, RI, NH, ME, PA, DE, NJ, MD, DC, VA, VT, WV)
L	Example of C2C performance reports in ascii format
M	Order Accuracy Details
N	Verizon Wholesale Metrics Change Control Notification process
0	Test Deck – Weighted transaction Matrix
Р	Collocation 45 Day and 76 Day Augment Milestone Chart
Q	Changes to the Carrier-to-Carrier Guidelines Performance Standards and Reports
R	NY Carrier Working Group Statement of Purpose and Guidelines for Participation
S	Projects Requiring Special Handling
T	Provisioning Cooperative Continuity Testing – UNE 2-Wire xDSL Loop
U	Interconnection Trunks Provided Over Loop Transport Facilities (MD only)
Exhibit 1	Additional Provisions (NJ, MD, VA, WV only)

INTRODUCTION

This section of the Verizon Carrier-to-Carrier (C2C) Guidelines Performance Standards and Reports provides the metrics and performance standards applicable to Verizon's state level operating entities in Connecticut, Delaware, the District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania², Rhode Island, Vermont, Virginia, and West Virginia.. Comprehensive explanations of the standard's definitions, measurement methodologies, reporting levels, geography covered, and the current product intervals are included within this document. In addition, this section includes a glossary and appendices that provide explanatory material related to the metrics and standards. The appendices also include a description of a statistical methodology that will be applied to help assess whether there is any difference between the delivery of Verizon retail services and its wholesale products and services.

Verizon will provide Performance Reports on a monthly basis. Any CLEC that wants to obtain reports produced pursuant to the Guidelines must update their CLEC profiles with Verizon to make the appropriate arrangements to receive the reports.

Verizon will report at state level for metrics PR-1, PR-3, PR-4, PR-5, PR-6, PR-8, PR-9, MR-2, MR-3, MR-4, and MR-5. Verizon will provide disaggregated geographical reports in New York, to CLECs that have existing interconnection agreements which require these reports. Additionally, for New York only, CLECs may initiate a request for disaggregated geographical reports through the CLEC's Verizon Account Manager. Once the request is received, Verizon provides that CLEC with disaggregated reports, and will continue to do so until the CLEC issues a discontinue notice through the Account Manager.

² Not Applicable to former GTE Territory.

Introduction- Applicable to Verizon Maine only

Changes to the C2C Guidelines may impact the measurements used in the Verizon Performance Assurance Plan ("PAP"). The following are the filing procedures for all C2C changes that affect the PAP. To the extent that a filed amendment to the C2C Guidelines reflects a final order of the NY PSC adopting "consensus" items recommended by the New York Carrier Working Group, such amendments are to become effective in the PAP in Maine immediately upon filing. Verizon Maine will file, along with the amendment, the report of the New York Carrier Working Group recommending such changes to the NY PSC.

If, however, the filed amendment reflects a final order of the NY PSC adopting "non-consensus" items submitted by the New York Carrier Working Group, such amendments will become effective in Maine immediately upon filing; provided, however, that within 30 days after Verizon Maine files the amendment with the Commission, any Party may file written comments recommending that the Commission adopt in Maine non-consensus items that the NY PSC considered and rejected in its final order, or that the Commission modify the non-consensus items that the NY PSC considered and adopted in its final order, or that the Commission modify the non-consensus items that the NY PSC considered and adopted, rejected or altered in any manner in its final order. Any Party may file reply comments within 20 days after the end of the 30-day period for initial comments. The Commission will then determine within 30 days of the filing of reply comments whether to adopt in Maine the non-consensus items that the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and adopted, or to modify the non-consensus items that the NY PSC considered and adopted, rejected or altered in any respect in its final order. Verizon Maine will amend the Guidelines to conform with the Commission's decision within 20 days following the later of: (1) the period for filing motions for rehearing and/or reconsideration has expired with no motions having been filed; or (2) the date of a Commission order on reconsideration.

Since the PAP uses the measures and standards defined by the C2C Guidelines, once the procedures described above for an amendment to the C2C are complete, any adopted changes in the definition or standard for a C2C measurement that also appears in the PAP, will flow through to the PAP. Examples of some common changes are as follows:

- If a definition or standard is revised in the C2C Guidelines, the PAP will use the revised definition and standard for reporting results for a measure.
- If a measure is deleted in the C2C and specifically replaced with another measure, the new measure with its new definition and standard will be reported in the PAP.
- If a measure in the C2C is deleted and not replaced, the measure will continue to be reported in the PAP using the last existing definition that appeared in the Guidelines.
- If a change in the C2C includes additional product disaggregation for an existing
 measure, the PAP reports will continue to show the measure as a single measure using
 the revised definitions of the components. (any disaggregation in the PAP must wait for
 the annual review as associated weighting assignments must be determined).

Changes in the statistical methods in Appendix K of the C2C Guidelines are not automatically adopted in Appendix D of the PAP. Changes in the statistical methodologies in Appendix D are likely to affect the performance scores, weighting, and other procedures in the PAP that are used in the final calculation of bill credits. For the PAP to maintain its self-executing nature, these issues must be handled in the PAP review to assure that the revisions correspond with any changes in the statistical methods in Appendix D.

URL References

Verizon references URLs, as sources of information, throughout the Carrier to Carrier Guidelines. Wherever a URL is referenced, Verizon utilizes the information published on the URL at the time of the compliance filing. The table below lists the URL referenced, the metrics impacted and a General Description of the information found on the URL.

URL	Impacted Metrics	General description of URL Information
http://www22.verizon.com/wholesale/attachmen ts/2004 east holiday schedule.pdf Note: this URL will be in effect in 2004.	PO-1, PO-2, PO-3-02, PO-8, OR-1, OR-2, BI- 1, BI-3	The list of the current year Holidays that Verizon recognizes.
http://www22.verizon.com/wholesale/clecsuppor t/content/0,16835,east-wholesale-html- national market centers,00.html	PO-3	Lists the center hours
http://www22.verizon.com/wholesale/systemsmeasures/local/systems/avail/east	OR-1-02 & OR-2-02	Lists the hour of Operations.
http://www22.verizon.com/wholesale/attachments/RESALEINV.pdf	OR-1, OR-2, PR-1, PR-3	Lists the product intervals.
http://www22.verizon.com/wholesale/attachments/UNE_INTERVALS.xls		
http://www22.verizon.com/wholesale/attachmen ts/Collocation_Intervals.xls		
http://www22.verizon.com/wholesale/clecsuppor t/content/1,16835,East%20east-wholesale- customer_docs- verizon_east_cust_docs,00.html	MR-2	Lists disposition codes.
http://www22.verizon.com/wholesale/local/collocation/portal/1,20615,capplications instructions, 00.html	NP-2	Lists the collocation application instructions.
https://retailgateway.bdi.gte.com:1490/	NP-2	Lists the state tariffs.
http://www22.verizon.com/wholesale/local/billing/content/1,20531,e_inquiries,00.html	BI-3	Provides information on billing Inquiries, Claims and Adjustments
Verizon North: http://www.verizon.com/wholesale/clecsupport/east/business rules/downloads/vznorth ft032103.pdf	OR – Appendix H	List of Generic Order Flow-Through scenarios
Verizon South: http://www.verizon.com/wholesale/clecsupport/east/business_rules/downloads/vzsouth_ft_032103.pdf		
http://www22.verizon.com/wholesale/clecsuppor t/content/1,16835,East%20east-wholesale- customer_docs- verizon_east_cust_docs,00.html	MR	Description of Front End Close Outs

GENERAL EXCLUSIONS

Test IDs

Test IDs are excluded from all Carrier to Carrier metric calculations.

Verizon Affiliate Reporting

Verizon affiliate reporting is always excluded from CLEC aggregate data for all metrics.

Internally generated LSRs and Service Orders

Internally Generated LSRs are excluded from the Ordering metrics.

Internally Generated Service Orders are excluded from the Provisioning metrics.

Verizon Official Services

Verizon official (administrative) lines are lines used by Verizon employees or contractors to conduct official company business.

PARTS Orders

Orders for Packet at the Remote Terminal Service are excluded from the OR-1 through OR-7 metrics, and all Provisioning metrics.

Unbundled Network Elements (UNE)

Ordering, Provisioning, and Maintenance:

UNE products do not include Wholesale Advantage (formerly UNE-P), Line Sharing or Line Splitting transactions.

Billing:

UNE products do not include Wholesale Advantage (formerly UNE-P), or Line Splitting transactions.

UNE Port

Orders for UNE Port service (not to be confused with Local Number Portability (LNP)), are excluded from the Provisioning metrics.

GENERAL NOTES

Verizon North includes: CT, MA, ME, NH, NY, RI and VT Verizon Mid-Atlantic includes: DC, DE, MD, NJ, PA, VA and WV

Verizon East includes: CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA³, RI, VA, VT,

and WV

For OR-1-12, OR-2-12, and NP-2

Refer to industry letters on the Verizon Partner Solutions Website for further details related to Trunk and Collocation forecasting.

UNE Platform

Effective with the April, 2006 data month, UNE Platform arrangements that have not been migrated to other services will be counted as Resale.

CLEC Performance Reports and Raw Data

CLECs interested in receiving monthly performance reports and raw data should contact the Verizon Metric Help Desk (e-mail WQAT@verizon.com or phone (800) 959-9995). CLECs must update the Local Services Profile data via the Customer Profile Self-Service Tool (CPSST) http://www22.verizon.com/wholesale/elearning/cpsst/customeprofile2.html, and have established connectivity to the Wholesale Internet Search Engine (WISE). Please provide the following information with the request:

- The state(s) you would like to receive reports or data
- The CLEC IDs (e.g. ACNA/AECN/RSIDs) in those states
- The specific reports you would like to receive (e.g. Carrier to Carrier)

URL for the above help desk information:

http://www22.verizon.com/wholesale/systemsmeasures/local/measures/performance_measures/1,,perf_meas_ug-pmhomepage,00.html

³ Not applicable to the territory in former GTE.

Retail Analog Compare Table

The table below illustrates the retail⁴ compare group for the Provisioning and Maintenance metrics.

	Wholesale Service	Retail Analog
Provisioning metrics -	Resale POTS – Residence	Retail POTS – Residence
ALL where parity is standard	Resale POTS – Business	Retail POTS – Business
Exceptions Noted below:	Resale POTS – Total	Retail POTS – Total
·	Resale 2-Wire Digital Services	Retail ISDN (2-Wire Digital)
	UNE POTS Loop New	Retail POTS – Total
	UNE POTS Total	Retail POTS Total
	UNE POTS Loop Total	Retail POTS – Total
	UNE 2-Wire Digital Loop	Retail ISDN (2-Wire Digital)
	UNE 2-Wire xDSL Loop	Retail Line Sharing
	Resale DS0	Retail DS0
	Resale DS1	Retail DS1
	Resale DS3	Retail DS3
	UNE DS0	Retail DS0 _
	UNE DS1	Retail DS1 ⁵
	UNE DS3	Retail DS3
	UNE IOF	Retail DS3
	UNE EEL – Back bone	Retail DS1 5
	UNE EEL – Loop	Retail DS1 5
	UNE EEL	Retail DS1 5
	Interconnection Trunks (CLEC)	
	Specials – Total	Retail Specials – Total
	Resale Specials Other	Retail Specials Other
	UNE Specials Other	Retail Specials Other
	POTS Loop Hot Cut Total	Retail POTS (N&T Orders excluding feature
		troubles)
Exceptions for provisioning:		
PR-1-09	UNE EEL and IOF	No retail compare. Refer to the EEL and IOF
		legends on the C2C report template for the
		performance standards.
PR-1-12	Resale POTS/Complex ⁶	Retail POTS – Total plus Complex
PR-1-12	UNE POTS/Complex	Retail POTS – Total plus Complex
PR-4-02	UNE 2-Wire xDSL Loop	Retail Specials DS0
PR-6	UNE 2-Wire xDSL Loop	Retail POTS – Dispatched
PR-6	UNE 2-Wire Digital	Retail POTS – Dispatched
PR-6-01	UNE POTS Loop-New	Retail POTS – Dispatched
PR-8	UNE 2-Wire xDSL Loop	Retail Specials DS0

⁴ Transactions provided to the former MCI entities are included in Retail. ⁵ Retail DS1 should exclude feature changes on PRI ISDN (no dispatch) ⁶ Resale POTS/Complex does not include 2-Wire xDSL Loops

Retail Analog Compare Table, continued

Maintenance Measures:	Resale POTS – Residence	Retail POTS – Residence
ALL where parity is standard	Resale POTS – Business	Retail POTS – Business
	Resale POTS – Total	Retail POTS – Total (Business and Residence)
	Resale 2-Wire Digital Services	Retail ISDN (2-Wire Digital)
	UNE Loop	Retail POTS – Total (Business and Residence)
	UNE 2-Wire Digital Loop	Retail POTS – Total plus ISDN BRI
	UNE 2-Wire xDSL Loop	Retail POTS – Total plus ISDN BRI
	Resale Specials DS0 & below	Retail Specials DS0 & below
	Resale Specials DS1 & above	Retail Specials DS1 & above
	Resale Specials (Total)	Retail Specials (Total)
	UNE Specials DS0 & below	Retail Specials DS0 & below
	UNE Specials DS1 & above	Retail Specials DS1 & above
	UNE Specials (Total)	Retail Specials (Total)
	Interconnection Trunks (CLEC)	IXC Feature Group D Trunks
Exceptions for Maintenance		
MR-2, MR-3, MR-4	UNE POTS Loop	Retail POTS- Total & Retail POTS – Total plus ISDN
	UNE 2-Wire Digital Loop	BRI Note: excludes translation and switch troubles
	UNE 2-Wire xDSL Loop	

Product Code Information

The table below defines the product codes listed on the monthly C2C and associated reports.

Sub Code	Product
1000	Resale & UNE combined
1020	Stand-Alone Directory Listings
1021	Operator Service Center
1030	Other Directory Listings
1040	All Directory Listings (combined Standalone and Other)
1200	Resale & UNE Combined Specials
1210	Resale & UNE Combined Specials DS0
1211	Resale & UNE Combined Specials DS1
1213	Resale & UNE Combined Specials DS3
1214	Resale & UNE Combined Specials (Non DS0, DS1 & DS3)
1216	Resale & UNE Combined Specials (Non DS0 & DS0)
1217	Resale & UNE Combined Specials (DS1 & DS3)
1341	Resale & UNE Combined 2-Wire Digital Services
2000	Resale
2100	Resale POTS
2103	Resale POTS/Complex
2110	Resale POTS Business
2120	Resale POTS Residence

Sub Code	Product
2200	Resale Specials
2210	Resale Specials DS0
2211	Resale Specials DS1
2213	Resale Specials DS3
2214	Resale Specials (Non DS0, DS1 & DS3)
2216	Resale Specials (Non DS0 & DS0)
2217	Resale Specials (DS1 & DS3)
2300	Resale Complex
2320	Resale POTS + Complex / Pre-qualified
2341	Resale 2-Wire Digital Services
3000	UNE
3112	UNE POTS – Loop
3113	UNE POTS – Loop New
3121	UNE POTS – Other
3133	UNE POTS & Complex
3200	UNE Specials
3210	UNE Specials DS0
3211	UNE Specials DS1
3213	UNE Specials DS3
3214	UNE Specials (Non DS0, DS1 & DS3)
3216	UNE Specials (Non DS0 & DS0)
3217	UNE Specials (DS1 & DS3)

Sub Code	Product
3300	UNE Complex
3331	UNE Loop/Pre-qualified Complex/LNP
3341	UNE 2-Wire Digital Services
3342	UNE 2-Wire xDSL Loops
3500	Additional UNE Services
3510	UNE EEL
3511	UNE EEL - Backbone
3512	UNE EEL – Loop
3520	Loop Basic Hot Cut (all line size)
3523	Loop Large Job Hot Cut (all line size)
3525	Loop Batch Hot Cut (all line size)
3528	Loop – Basic Hot Cut (11-20 Lines)
3529	Loop – Basic Hot Cut (21 lines and greater)
3530	UNE IOF
3531	Loop – Large Job Hot Cut (1-5 lines)
3532	Loop – Large Job Hot Cut (6 or more lines)
3533	Loop – Hot Cut Total (includes Basic, Large and Batch)
3534	Loop Basic Hot Cut (1-10 lines)
3540	UNE LNP
5000	CLEC Trunks
5020	CLEC Trunks (<= 192 Forecasted Trunks)
5030	CLEC Trunks (> 192 and Unforecasted Trunks)

Sub Code	Product	
6000	Systems Metrics	
6010	Wholesale Provisioning and Tracking System (WPTS)	
6020	EDI	
6030	CORBA	
6050	Pre-order/Order Web GUI aka LSI/W	
6060	Maintenance - Electronic Bonding Interface	
6080	Retail Maintenance Web GUI(RETAS) & Retail Pre-order/Order Web GUI (LSI/W) combined	
6095	TAXI	
6600	Change Notification & Confirmation Combined	
6622	Change Confirmation - Regulatory	
6660	Change Notification & Confirmation - Industry Standard, Verizon Originated and TC Originated	
6661	Change Notification - Industry Standard, Verizon Originated and TC Originated	
6662	Change Confirmation - Industry Standard, Verizon Originated and TC Originated	
6671	Change Notification - Emergency Maintenance and Regulatory	
6700	Collocation	
6701	Collocation - New Applications	
6702	Collocation - Augment Applications - 45 days and 76 days combined	
6711	Collocation - Augment Applications - 76 days	
6712	Collocation - Augment Applications - 45 days	

Section 1

Pre-Ordering Performance

(PO)

	Function	Number of Sub-metrics
PO-1	Response Time OSS Pre-Ordering Interface	9
PO-2	OSS Interface Availability	2
PO-3	Contact Center Availability	2
PO-4	Change Management Notice	3
PO-5	Percent On Time Notice of Interface Outage	1
PO-6	Software Validation	1
PO-7	Software Problem Resolution and Timeliness	4
PO-8	Manual Loop Qualification	2

19

PO-1 Response Time OSS Pre-Ordering Interface

Definition:

This metric measures the response time of the OSS Pre-Ordering Interface.

Response Time: For metrics PO-1-01 through 1-06, and PO-1-09, response time is the amount of time, rounded to the nearest 1/100th of a second for a successful Pre-Order transaction. **Note:** Successful transactions are those where the requested information was returned to the requestor, and errors are those responses that did not contain the requested information.

For CLEC transactions, response time is measured from receipt of the request at Verizon's interface to the time that the response is sent to the CLEC. For Verizon retail simulated transactions, performance is measured between the issuance of a Pre-Ordering query and the successful receipt of the requested information in a specific field and screen.

For PO-1-07, response time is the amount of time, rounded to the nearest 1/100th of a second, between the issuance of a Pre-Ordering query and the receipt of an error message associated with a rejected query.

Average Response Time: Average Response Time is the sum of the response times divided by the number of Pre-Ordering queries in the report period. It is calculated separately for PO-1-01 through PO-1-07, and PO-1-09. Queries that time-out are excluded from the calculation of Average Response Time.

Rejected Query: A rejected query is a query that cannot be processed successfully due to incomplete or invalid information submitted by the sender, which results in an error message back to the sender.

Time-out: % Timeouts are measured in PO-1-08. A query is considered to be a time-out when the requested information (or an error message) is not provided within 60 seconds. Time-outs are set at long intervals to ensure that average response times include long response times but do not include queries that will never complete.

For sub-metric PO-1-09, there is no Parsed CSR for retail, therefore basic CSR will be reported for retail performance.

Exclusions:

Normal exclusions include Saturday, Sunday, and major holidays, as well as hours outside of the normal report period.

The major holidays are: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.

Refer to the URL matrix at the beginning of the C2C guidelines to obtain the URL for the current year's holiday schedule in effect at the time of the compliance filing. The information contained on the URL identifies the actual date the holiday is observed. **Note:** The file is an adobe acrobat file, Acrobat Reader is necessary to read the pdf file.

Note: If response time aberrations occur due to EnView robot failures or network failures between EnView and the VZ Operations Support Systems (OSS), VZ notes such failure times, and reports the data without exclusion in a footnote on the report.

Performance Standard:

The Performance Standards for the PO-1 metrics are as follows:

For PO-1-01 through PO-1-03, and PO-1-05 through PO-1-07:

- EDI and CORBA (application to application interfaces): Parity with Retail plus not more than four (4) seconds. The four (4) second difference allows for variations in functionality and additional security requirements of interface.
- WEB GUI / Local Service Interface / Wholesale (LSI/W): Parity with Retail plus not more than seven (7) seconds. The seven (7) second difference allows for variations in functionality and additional security requirements of interface.

For PO-1-04, Product & Service Availability, and PO-1-09, Parsed CSR: Parity with Retail, plus not more than 10 seconds.

For PO-1-08: Not greater than 0.33%.

Methodology:

The measurements for all PO-1 metrics (except PO-1-07) are derived from actual production transactions for CLEC transactions and from simulated Pre-Ordering queries generated by Verizon's EnView (formerly referred to as Sentinel) system for VZ retail transactions and CLEC PO-1-07 transactions.

For retail (and CLEC PO-1-07) transactions, EnView replicates the keystrokes a VZ Service Representative would enter for a valid Pre-Ordering inquiry transaction, and measures the response time from when the *Enter* key is hit until a response from the Pre-Ordering OSS is received back on the display screen.

At least ten VZ retail (and CLEC PO-1-07) simulated queries are generated per hour for each type of query.

The total number of simulated queries depends on the average response times.

Each query has a unique name that is based on time and date. The EnView robot monitors for a matching response, and identifies successful responses by the file extension names. The file extension varies according to whether the transaction was successful or experienced an error or time-out condition. Successful response for an Address Validation request is identified by a file extension of *ada*. The file is then read to ensure it starts and ends with the appropriate indicators for a successful transaction.

EnView also generates at least ten simulated incomplete or invalid Pre-Ordering queries per hour to enable measurement of PO-1-07 Average Response Time – Rejected Query.

Data is reported based on transactions occurring between 8:00AM and 9:00PM Monday through Friday, *excluding* New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, and Christmas Day.

Formula:

 Σ Response Times for each transaction divided by the Number of Transactions for each transaction type.

Note: For all PO-1 Retail sub-metrics, and for sub-metric PO-1-07, the formula is: Response times for each transaction divided by the number of simulated transactions for each transaction type.

Report Dimensions:

Company:

Geography:

· State Specific

- CLEC Aggregate
- CLEC Specific (PO-1-09 only)
- CLEC Aggregate: **Products**

- EDI
- CORBA (Except PO-1-04)
- WEB GUI / LSI/W

Note: Metric PO-1-09 Parsed CSR does not go through the WEB GUI/LSI/W interface, therefore, sub-metric PO-1-09 does not report WEB GUI /LSI/W results.

Sub-Metrics – PO-1 Response Time OSS Pre Ordering Interface

-			
PO-1-01	Average Response Time – Customer Ser	rvice Record (CSR)	
Calculation	Numerator	Denominator	
	Sum of all response times for CSR transactions.	Number of CSR transactions.	
PO-1-02	Average Response Time – Due Date Ava	ilability	
Calculation	Numerator	Denominator	
	Sum of all response times for Due Date (DD) Availability.	Number of DD Availability transactions.	
PO-1-03	PO-1-03 Average Response Time – Address Validation		
Calculation	Numerator	Denominator	
	Sum of all response times for Address Validation.	Number of Address Validation transactions.	
PO-1-04	PO-1-04 Average Response Time – Product & Service Availability		
Calculation	Numerator	Denominator	
	Sum of all response times for Product and Service Availability.	Number of Product and Service availability transactions.	
PO-1-05	Average Response Time – Telephone Number Availability & Reservation ⁷		
Calculation	Numerator	Denominator	
	Sum of all response times for Telephone Number Availability/Reservation.	Number of Telephone Number Availability/Reservation transactions.	

⁷ While Address Validation can be completed on a stand-alone basis, Telephone Number reservation is always combined with Address Validation. For VZ retail representatives this is a required two step process requiring two separate transactions.

Sub-Metrics – PO-1 Response Time OSS Pre Ordering Interface, continued		
PO-1-06 Average Response Time – Mechanized Loop Qualification – xDSL		
Numerator	Denominator	
Sum of all response times for Mechanized Loop Qualification.	Number of Mechanized Loop Qualification transactions.	
Average Response Time - Rejected Que	ry	
Numerator	Denominator	
Sum of all response times for a rejected query.	Number of rejected query transactions.	
% Timeouts		
Numerator	Denominator	
Number of transactions that timeout.	Total number of transactions.	
PO-1-09 Average Response Time- Parsed CSR		
Numerator	Denominator	
Sum of all response times for Parsed CSR transactions.	Number of Parsed CSR transactions.	
	Average Response Time – Mechanized L Numerator Sum of all response times for Mechanized Loop Qualification. Average Response Time – Rejected Que Numerator Sum of all response times for a rejected query. % Timeouts Numerator Number of transactions that timeout. Average Response Time- Parsed CSR Numerator Sum of all response times for Parsed	

PO-2 OSS Interface Availability

Definition:

This metric measures the OSS Interface Availability. The OSS Interface Availability metric is a measurement of the time during which the electronic OSS Interface is actually available as a percentage of scheduled availability. Verizon Service Representatives and CLEC Service Representatives obtain Pre-Ordering/Provisioning/Maintenance & Repair information from the same underlying OSS. Thus, if a particular OSS is down, it is equally unavailable to both Verizon employees and CLEC employees. Any difference in availability, therefore, is caused by unavailability of the OSS interface.

Scheduled Availability is as follows:

EDI, WEBGUI/LSI, CORBA, EB and WPTS:

- Prime Time: 06:00:00 to 23:59:59 EST Monday through Saturday, excluding major Holidays
- Non-Prime Time: 00:00:00to 05:59:59 EST Monday through Saturday, and all day Sundays and Holidays.

Note: The number of downtime hours is noted in the Carrier to Carrier (C2C) reports under the **Observations** column heading.

Separate measurements are performed for each of the following: Pre-Ordering/Ordering EDI, Pre-Ordering/Ordering/Maintenance Web GUI (Local Services Interface/Wholesale (LSI/W)), CORBA, Maintenance Electronic Bonding Interface (EB) and Wholesale Provisioning and Tracking System (WPTS). Each availability interface is measured separately with each interface having its own set of processing complexes. A processing complex consists of a set of servers that serve as primary and backup. The number of processing complexes associated with each interface (EDI, CORBA or WEB GUI (also known as LSI/W)) varies as needed, however, the metric calculations performed for each interface includes the number of processing complexes associated with the individual interface. For example, when determining the number of Prime-Time minutes scheduled for the month, for the EDI interface, the number of processing complexes associated with EDI is factored into the calculation. The EnView process will be expanded/updated to monitor and report on future OSS processes.

Exclusions:

The following exclusions apply:

- Troubles reported but not found in VZ's interfaces.
- Troubles reported by a CLEC that were not reported to VZ's designated trouble reporting center.
- Scheduled interface downtime for major system releases where CLECs were provided with advanced notification of the downtime in compliance with VZ Change Management Guidelines.
- Major Holidays. The major holidays are: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.

Refer to the URL matrix at the beginning of the C2C guidelines to obtain the URL for the current year's holiday schedule in effect at the time of the compliance filing. The information contained on the URL identifies the actual date the holiday is observed.

Performance Standard:

PO-2-02: ≥ 99.5% **PO-2-03**: no standard

Methodology - PO-2 OSS Availability

Verizon calculates the PO-2 OSS Availability metric by combining CLEC reported outages (received via the Wholesale Customer Care Center (WCCC)) with EnView reported outages. Verizon measures CLEC reported outages, based on actual reported time frames as well as any outages captured by EnView (and not reported by CLECs).

The Wholesale Customer Care Center receives OSS availability trouble reports from CLECs, and logs each trouble in to a tracking system. Verizon reviews data from the tracking system each week to determine which troubles were interface outages, and thus included in the PO-2 calculation. This data is supplemented with outages captured by EnView or other Verizon similar affirmative monitoring (for WPTS) to calculate the final metric results.

The EnView methodology is as follows: EnView is used as an alarm for system availability and supplements CLEC reported outages for EDI, LSI/W and CORBA only. If no CLEC reported an outage, but EnView detected an outage, the EnView outage is included as if the entire CLEC population experienced the outage.

EnView measurement of the EDI, CORBA and WEB GUI aka LSI/W interfaces availability is as follows: The mechanized OSS interface availability process is based on the transactions created by the EnView Robots. The program determines whether the EnView transactions were successful or unsuccessful, or if no transactions were issued (not polled). Transactions are processed by transaction type separately for each interface type and OSS. The hours of the day are divided into six (6) minute measurement periods.

If the Verizon interface, for any Pre-Order transaction type, in a six (6) minute measurement period has at least one successful transaction, then that interface is considered available. Individual interface unavailability is calculated only when all its transactions are unsuccessful and at least one of the corresponding OSS transactions is successful. This indicates that the interface was not available while at least one OSS was available. In this case, the six (6) minute measurement period is counted as unavailable. If it is determined that no Enview transactions were issued, then the six minute measurement period is excluded from all calculations since this is an indication of an EnView problem and not a specific Verizon interface problem.

The EnView data is compared to the actual CLEC reported outages, and matched up according to the outage's reported time frame. If the EnView time frame matches the actual reported outage (from the WCCC) time-frame, the outage is included (once) in the metric based on the reported time-frame.

If the comparison of the EnView results with the CLEC reported outages indicates that a time-frame is overlapping, then Verizon uses the earliest start time of the outage, and the latest end-time of the outage to calculate the metric result.

Availability is calculated by dividing the total number of six (6) minute measurement periods in a 24-hour day (excluding unmeasured six (6) minute measurement periods) into the number of periods with no successful transactions for the day and subtracting this from 1 and multiplying by 100.

For example, there are potentially 180 six (6) minute measurement periods in an 18-hour period. If two six (6) minute measurement periods lack successful transactions, then availability equals $(1-(2/180)) \times 100 = 98.89\%$ Availability.

Trouble Logs: Verizon will make Verizon's trouble logs (which contain CLEC reports that the interface is not available) available to the CLECs for inspection.

PO-2 Formula:

(Number of hours scheduled minus the number of scheduled hours not available) divided by (Number of hours scheduled) multiplied by 100.

For example (assuming all processing complexes are scheduled to be operational for the entire month):

Step One: Determine prime-time scheduled minutes in a month. This is accomplished by [(number of days (Monday through Saturday) in the report month) x (scheduled prime-time hours per day) x (sixty (60) minutes)] x the number of processing complexes.

Step Two: Determine number of outage minutes in a month.

 $\textbf{Step Three:} \ \ [(prime-time \ scheduled \ minutes \ in \ a \ month \ minus \ outage \ minutes \ in \ a \ month) \ / \ (prime-time \ scheduled \ minutes \ in \ a \ month)] \ x \ 100 = Prime-Time \ Availability \ \%$

Report Dime	ensions:	,	
Company: • CLEC Aggregate		Geography: All interfaces except WPTS: NY, CT (Combined) MA, VT, RI, NH, ME (Combined) PA, DE (Combined) NJ MD, DC, VA, WV (Combined) WPTS: Verizon National	
Products	Maintenance (RETAS) / Pre-Orde EDI CORBA Maintenance – Electronic Bonding WPTS		
Sub-Metrics	Sub-Metrics – OSS Interface Availability		
PO-2-02	OSS Interface Availability – Prime-Time		
Calculation	Numerator	Denominator	
	Total number of scheduled prime-time hours in the month for all available processing complexes minus the total number of unscheduled outage hours during prime-time in the month for all available processing complexes.	Total number of scheduled prime-time hours in the month for all available processing complexes.	
PO-2-03 OSS Interface Availability – Non-Prime-Time			
Calculation	Numerator	Denominator	
	Total number of scheduled non-primetime hours in the month for all available processing complexes minus the total number of unscheduled outage hours during non-prime-time hours in the month for all available processing complexes.	Total number of scheduled non-prime-time hours in the month for all available processing complexes.	

PO-3 Contact Center Availability

Definition:

The PO-3 sub-metrics measure Contact Center Availability. Contact Center Availability is the hours of operation for the Centers that support CLECs for Ordering and Maintenance. Contact with CLECs is designed to take place via direct access systems. Carrier Support Centers are designed to handle fall-out and not large call volumes.

This metric also includes **Speed of Answer – CLEC** centers. Speed of Answer is measured for Ordering and Repair queues. This measure is reported out of the Automated Call Distributor (ACD). The Speed of Answer measure includes calls that go to the main number in the center, either directly or from overflow (CLECs choosing the option of the main number).

Note: % within 30 seconds includes 15% of Abandons and 10% of Busies in the denominator.

Speed of Answer is measured in seconds from the time a call enters the VZ ACD until a representative answers the call. CLECs have the choice of calling the order processing 800 number, in which case the call is directed to the next available representative through ACD, or CLECs can call their dedicated representatives on the representative's direct line. If the representative is not available, the CLEC can leave a voice mail or press 0 and be transferred to a pool of representatives. VZ measures speed of answer for calls to the 800 number and for calls where the CLEC presses 0 to speak to the next available representative.

The Speed of Answer measurements begin as follows: For calls to the 800 number, the measurement begins when the call enters VZ's ACD. For calls to a dedicated representative, the measurement begins when the CLEC presses 0. In each case, the measurement ends when a representative answers the call.

Exclusions:

Calls directed to and answered by dedicated representatives.

Performance Standard:

PO-3-02 and PO-3-04: 80% within 30 seconds

Center Hours of Operation:

Repair Help Desk: 24 hours per day – seven (7) days a week

National Marketing Center (Ordering): 8:00AM to 6:00PM Monday through Friday, excluding

major holidays.

Note: The Repair Help Desk is measured in metric PO-3-04.

The Order Processing Assistance Center is measured in metric PO-3-02.

Refer to the URL matrix at the beginning of the C2C guidelines to obtain the URL that provides the various center hours of operation schedules. After accessing the web-site, select a center to receive center-specific information. Also refer to the URL matrix at the beginning of the C2C guidelines for the current year's holiday schedule in effect at the time of the compliance filing. The information contained on the URL identifies the actual date the holiday is observed.

Report Dime	ensions		
Company:		Geography:	
• CLEC	Aggregate	PO-3-02: • Verizon North NY, CT, MA, NH, RI, VT and ME: UNE & Resale combined • Verizon Mid-Atlantic PA, DE, NJ, DC, MD, VA, WV: UNE & Resale combined PO-3-04: Verizon East: UNE & Resale combined	
Products	Resale	• UNE	
Sub-Metrics	Sub-Metrics		
PO-3-02	% Answered within 30 Seconds – Orderi	ng	
Calculation	Numerator	Denominator	
	Number of calls to main number answered within 30 seconds after the call was received by the ACD.	Total calls answered by Ordering Center plus 15% of abandoned calls plus 10% of busy calls.	
PO-3-04 % Answered within 30 Seconds – Repair			
Calculation	Numerator	Denominator	
	Number of calls to main number answered within 30 seconds after the call was received by the ACD.	Total calls answered by Repair Center plus 15% of abandoned calls plus 10% of busy calls.	

PO-4 Timeliness of Change Management Notice

Definition:

Sub-metric PO-4-01 measures the percent of Change Management Notices and associated documentation availability, sent before implementation according to prescribed timeliness standards within prescribed timeframes. Sub-metrics PO-4-02 and PO-4-03 measure the amount of cumulative delay days (as documented in the sub-metric) for Change Management notices sent. Change Management notices are notices sent to the CLECs to notify CLECs of scheduled interface software-affecting changes with a "Type" designation (Type 1, 2, 3, 4, 5).

Documentation is not considered available until all material changes are made.

Exclusions:

None.

Performance Standard:

PO-4-01: 95%

PO-4-02: No standard

PO-4-03: No delayed notices and documentation over eight (8) calendar days.

The Timeliness standards for the PO-4 sub-metric products are listed below and are in accordance with those set forth in the Change Management Processes and Procedures. VZ will comply with applicable Change Management Processes and Procedures.

* Regulatory changes will vary based on application law/regulatory rules.

Timeliness Stand	dards:	
Change type	Change Notification: Interval between notification and implementation	Change Confirmation: Final Documentation Availability before implementation ⁸
Type 5 – CLEC origina	ated ≥ 73 calendar days for business rules, ≥ 66 calendar days for technical specifications or Verizon/CLEC agreed upon timeframes	>= 45 calendar days or Verizon/CLEC agreed upon timeframes
Type 4 – Verizon originated	≥ 73 calendar days for business rules, ≥ 66 calendar days for technical specifications or Verizon/CLEC agreed upon timeframes	>= 45 calendar days or Verizon/CLEC agreed upon timeframes
Type 3 – Industry Star	ndard ≥ 73 calendar days for business rules, ≥ 66 calendar days for technical specifications or Verizon/CLEC agreed upon timeframes	>= 45 calendar days or Verizon/CLEC agreed upon timeframes
Type 2 – Regulatory	Time periods established in Regulatory Order. If no time periods set, default to above time period.	Time periods established in Regulatory Order. If no time periods set, change notification and change confirmation is negotiated on an individual case basis through the Change Management Process.
Type 1 – Emergency Maintenance	Notification before implementation	N/A
Report Dimen	sions	
Company: • CLEC Ag	gregate	Geography: Verizon North: NY, CT, MA, NH, RI, VT, ME (Combined) Verizon Mid-Atlantic: PA, DE, NJ, DC, MD, VA, WV (Combined)
	Change Notification: Type 1 – Emergency Maintenance and Type 2 Regulatory (combined) Type 3 – Industry Standard, Type 4 VZ originated, and Type 5 – CLEC originated (combined)	Change Confirmation Type 2 – Regulatory Type 3 – Industry Standard, Type 4 VZ originated, and Type 5 – CLEC originated (combined)

⁸ Type one (1) change confirmation is not applicable.

PO-4-01 9	/ Change Management Nations cont on	-	
	% Change Management Notices Sent on	% Change Management Notices sent on Time	
Calculation	Numerator	Denominator	
	Change Management Notifications sent within required time frames.	Total number of Change Management Notices sent.	
PO-4-02 C	Change Management Notice – Delay one (1) to seven (7) days		
Calculation	Data Value Cumulative delay days for all notices sent one (1) to seven (7) days late.		
PO-4-03 C	Change Management Notice – Delay eight (8) plus days		
Calculation	Data Value		
	Cumulative delay days for all notices sent eight (8) or more days late.		

PO-5 Percent On Time Notice of Interface Outage

Definition:

This metric measures the amount of time that elapses between VZ identification of a Verizon interface outage and VZ notification to CLECs that an outage exists. Notification is sent via electronic mail when a Verizon system outage occurs that prevents the CLECs from performing transactions for Pre-Ordering, Ordering, or Maintenance through any of the production interfaces and the outage affects more than one

Note: Notification of Network Outages (different than Interface Outages) are covered in the Network Performance section. Detailed information on network outages can also be found on the Verizon Partner Solutions website. For the purpose of this measure, scheduled interface downtime where CLECs were provided with advanced notification (> 24 hours) of the downtime in compliance with Verizon Change Management Guidelines is not considered an outage.

Exclusions:

- Troubles reported by a CLEC that were not reported to Verizon's designated trouble reporting center, which is the WCCC.
- Outages exclusively identified at month-end EnView reconciliation process.

Performance Standard:

Report Dimensions

Company:

Geography: CLEC Aggregate

Verizon East

Sub-Metrics

PO-5-01	% On Time Notice of Interface Outage	
Calculation	Numerator	Denominator
	Number of outage notifications sent where the date and time of outage notification to CLECs minus date and time the interface outage was identified by VZ is less than or equal to 20 minutes.	Total number of interface outages.

PO-6 Software Validation

Definition:

This metric measures software validation for CLEC-affecting major releases where Verizon offers a test deck in the CLEC Test Environment (CTE). Verizon installs CLEC impacting major software releases three (3) times per year (usually during the months of February, June and October). Verizon tests the software release functionality by executing a test deck of transactions to validate that functionality in a software release works as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics in any Performance Assurance Plan (PAP). Within the software validation metric, weight factors will be allocated among transaction types (e.g., Pre-Order, Resale-Order, UNE-Order) and then equally distributed across specific transactions within type. The initial array-of-weights for the transaction types are displayed in Appendix O. If test transactions are added to the test deck, the distribution of weights between transaction types will be retained, and then equally re-distributed across specific transactions within type. The allocation of weight factors among transaction types may be adjusted as part of the annual review process.

Verizon will execute the test deck at the start of the Quality Assurance (QA) and at the completion of QA. Within one (1) business day, following a non-emergency software release to production as communicated through Change Management, Verizon will begin to execute the test deck in production using training mode. Upon completion of the test, Verizon will report the number of test deck transactions that were rejected or otherwise failed during execution of the test. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data.

This software validation metric is defined as the ratio of the sum of the weights of failed transactions in production using training mode to the sum of the weights of all transactions in the test deck.

For those months that Verizon executes the test deck, the observations column on the C2C report is populated with the combined total of the two most current LSOG versions. The performance is populated with the score Verizon received based on the weights.

For those months that Verizon does not execute the test deck, the C2C report Is populated with the notation **R3** to indicate the test deck is executed three (3) times per year.

Exclusions:

None.

Performance Standard:

PO-6-01: < = 5%

Report Dimensions:

Company:

CLEC Aggregate

Geography:

- Verizon North: NY, CT, MA, NH, RI, VT and ME [Combined]
- PA, DE & NJ: Verizon PA, DE, NJ [Combined]
- MD, DC, VA & WV: Verizon MD, DC, VA, WV [Combined]

Sub-Metrics

PO-6-01 Software Validation		
Calculation	Numerator	Denominator
	Sum of weights of failed transactions.	Sum of weights of all transactions in the test deck.

PO-7 Software Problem Resolution Timeliness

Definition:

This metric measures Software Problem Resolution Timeliness. Verizon installs software CLEC-affecting releases three (3) times per year (usually during the months of February, June, and October). After each major CLEC-affecting software release, Verizon tracks the number of rejected Pre-Order and Order transactions reported to the Wholesale Customer Care Center (WCCC), those rejected transactions resulting from the test deck execution, and the time frame to resolve the problem. For the purposes of this metric, rejected transactions caused by Verizon code or documentation errors or omissions that result in Type 1 changes are production referrals.

PO-7-01 is defined as the ratio of production referrals resolved within target response intervals to the total number of production referrals, during the 30 calendar days following a major CLEC-affecting software release.

For those months that Verizon installs software releases, (usually February, June and October) the PO-7-04 sub-metric is populated on the C2C report with data in accordance with the sub-metric definition. R3 is reported in all other months for PO-7-04 to indicate CLEC-affecting software releases are installed three (3) times per year.

For sub-metrics PO-7-01, PO-7-02, and PO-7-03, the C2C report is populated with data in the month *following* the software release (usually March, July and November). R3 is reported in all other months for PO-7-01, PO-7-02, and PO-7-03 to indicate CLEC affecting software releases are installed three (3) times per year.

Note: In the event any of the three major CLEC-affecting software releases are installed outside the usual schedule, the data will be populated in accordance with the rules documented above. For example, if the February release was installed in March, PO-7-04 data would be populated in March, and PO-7-01, PO-7-02 and PO-7-03 data would be populated in April.

Exclusions:

Failed Pre-order and Order transactions reported to the WCCC after 6:00PM on Friday and before 9:00AM on Monday will be treated as though they were received at 9:00 AM Monday.

Performance Standard:

PO-7-01: >= 95%

PO-7-02 and PO-7-04: 48 Hours

PO-7-03: 10 days

Note: The data value populated on the C2C report for PO-7-02, 7-03 and 7-04 represents the number of hours (or days) beyond the standard. *For example,* a 50 hour resolution for metric PO-7-02 and 7-04 would have a two (2) hour delay populated in the performance column to indicate the performance was two hours beyond the 48 hour standard.

Problem Resolution Timeliness Standard measured from time the trouble was reported to the WCCC (see Appendix O).

Report Dimensions:			
Company:		Geography:	
• CLEC	Aggregate	PO-7-01, PO-7-02, and PO-7-03: • Verizon East	
		PO-7-04: Verizon North: NY, CT, MA, NH, RI, VT and ME [Combined] PA, DE & NJ: Verizon PA, DE, NJ [Combined] MD, DC, VA & WV: Verizon MD, DC, VA, WV [Combined]	
Sub-Metrics			
PO-7-01	% Software Problem Resolution Timeliness		
Calculation	Numerator	Denominator	
	Number of production referrals resolved within timeliness standard.	Total number production referrals.	
PO-7-02	Delay Hours – Software Resolution – Change – Transactions failed, no workaround		
Calculation	Data Value		
	Number of cumulative delay hours (beyond the 48-hour standard) for identified software resolution changes associated with transaction rejects with no workaround.		
PO-7-03	Delay Days - Software Resolution - Change - Transactions failed with workaround		
Calculation	Data Value		
	Number of cumulative delay days (beyond the 10-day standard) for identified software resolution changes associated with transaction rejects with a workaround.		
PO-7-04 workaround ⁹			
Calculation	Data Value		
	Number of cumulative delay hours (beyond the 48-hour standard) for software resolution changes associated with transaction rejects with no workaround for Test Deck Transactions.		

⁹ This performance measure addresses the resolution timeliness for failed or rejected test deck transactions that are executed in production using training mode.

PO-8 Manual Loop Qualification

Definition:

The PO-8 Manual Loop Qualification metric measures the response time for the provision of Loop Qualification information required to provision more complex services (e.g. 2-Wire-xDSL), when such information is requested through an available interface.

Exclusions:

- Weekend and Holidays are excluded from the interval count. Refer to the URL matrix at the beginning of the C2C guidelines for the URL which contains the holiday schedule.
- Digital Design Loops that require loop conditioning (HXMU code)
- Test CLEC IDs

Note: Weekend hours are from 5:00PM Friday to 8:00AM Monday. Holiday Hours are from 5:00PM of the business day preceding the holiday to 8:00AM of the first business day following the holiday.

Performance Standard:

PO-8-01: 95% within 48 Hours **PO-8-02**: 95% within 72 Hours

Report Dimensions:

Company:

CLEC Aggregate

Geography:

State Specific

Sub-Metrics

Sub-Metrics		
PO-8-01	% On Time – Manual Loop Qualification	
Calculation	Numerator	Denominator
	Sum of manual loop qualification requests where the time from receipt of request for a manual loop qualification to the distribution of the loop qualification information is less than or equal to 48 hours.	Number of manual loop qualification transactions.
PO-8-02	% On Time- Engineering Record Reques	st
Calculation	Numerator	Denominator
	Sum of Engineering Record Requests where the time from the receipt of a Engineering Record Request to the time of the distribution of the Engineering Record is less than or equal to 72 hours.	Number of Engineering Record Request transactions.

Section 2

Ordering Performance

(OR)

Function	Number of
	Sub-metrics
Order Confirmation Timeliness	8
Reject Timeliness	6
Percent Rejects	2
Timeliness of Completion Notification	3
Percent Flow-Through	2
Order Accuracy	3
Order Confirmation/Rejects sent within three (3)	1
business days	
Acknowledgement Timeliness	1
Order Acknowledgement Completeness	1
PON Notifier Exception Resolution Timeliness	2
Timeliness of Provider Notification Report	1
% Accuracy White Pages Directory Listings	1
% of Large Job Hot Cut Project Negotiations	1
Completed	
	Order Confirmation Timeliness Reject Timeliness Percent Rejects Timeliness of Completion Notification Percent Flow-Through Order Accuracy Order Confirmation/Rejects sent within three (3) business days Acknowledgement Timeliness Order Acknowledgement Completeness PON Notifier Exception Resolution Timeliness Timeliness of Provider Notification Report % Accuracy White Pages Directory Listings % of Large Job Hot Cut Project Negotiations

*OR-12 is applicable to Rhode Island only.

OR-1 Order Confirmation Timeliness

Definition:

This metric measures Order Confirmation Timeliness.

Resale and UNE

Order Confirmation Response Time: The amount of elapsed time (in hours and minutes) between receipt of a valid order request (VZ Ordering Interface) (or fax date and time stamp) and distribution of a Service Order confirmation. Rejected orders will have the clock re-started upon receipt of a valid order. **Note:** Orders are considered distributed at the time Verizon sends an order confirmation. If an order confirmation is resent, and the problem with sending the confirmation was within Verizon's systems, then the time stamp will be the last time stamp. If the order confirmation was resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the order confirmation was sent. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC.

Partial migrations for less than six (6) lines – with accounts that include six (6) or more lines, that must be rearranged, will be treated as six (6) lines or greater.

Percent of Orders Confirmed On Time: The percentage of orders confirmed within the agreed upon timeframes as specified in the Performance Standards.

Physical Facility Checks – are completed on orders (submitted via LSR) with more than five (5) lines. Note: Effective October 2001, orders for UNE Specials DS0 EELs (Loop and Backbone) will change from the LSR format to the ASR format. The UNE DS0 EEL orders submitted via ASRs will still require physical facility checks on orders with more than five (5) lines. All other UNE Specials DS0 orders are still submitted using the LSR format.

Facility Checks; Orders for UNE Specials DS1 and above are submitted via ASR. All of these ASR orders get facility checks through the REQNET system. Verizon does not require a facility check on ASR orders for specials if the order is for a disconnect.

Related PONs: When a CLEC designates RPONs, the FOC/LSC time-stamp used for receipt of all RPONs is the date/time the last RPON is received. The FOC/LSC returned date/time would be the actual returned date/time of each RPON.

Note: Effective October 2001, orders for UNE Specials DS0 EELs (Loop and Backbone) will be submitted via ASRs. All other UNE Specials DS0 orders are still submitted using the LSR format. UNE Specials DS0 EELs do not automatically require facility checks through REQNET. UNE Specials DS0 EELs will require facility checks if the order is for more than five (5) lines.

Trunks

The amount of time in business days between receipt of a clean Access Service Request (ASR) and distribution of a Firm Order Confirmation (FOC). Measures Service Orders completed between the measured dates. **Note:** The received date is restarted for each SUPP.

Inbound Augment Trunks: For CLECs e-mailing a Trunk Group Service Request (TGSR), VZ will respond with an ASR, or provide a negative response requesting additional data if it believes traffic does not support the request. Orders for inbound trunks that are for a new trunk group, are in excess of 192 trunks or that require T-3 construction, performance will be captured in the > 192 category.

OR-1 Definition, continued:

Notes

- (1) Rejected Orders (orders that fail basic front-end edits) submitted via LSR are not placed in the NEWREC; therefore, they are not included in the calculation.
- (2) Verizon includes resent confirmations when the confirmation is sent due to Verizon error. The measurements are based on confirmed orders. Cancelled orders are also included.
- (3) If no order confirmation time exists due to a missing order confirmation, Verizon will use the completion notification time.
- (4) The Ordering sub-metrics data reported in the monthly C2C reports only include orders confirmed in the calendar month.
- (5) The Pre-Qualified Complex category includes 2-Wire Digital, and 2-Wire xDSL Loop, orders that were pre-qualified.
- (6) In the North states: ASR requests that have the RTR field populated with a code that indicates the CLEC requested that no confirmation/response be sent are not counted in the OR-1 confirmation timeliness metrics.
- (7) If the Specials product is not a DS0, DS1, or DS3, it is classified as Specials Other and is reported under the product Specials (Non DS0, Non DS1 & Non DS3).
- (8) For OR-1-19, TGSRs received after 5 PM Eastern Time are counted as received the next business day
- (9) Flow Through Orders are received electronically through the ordering interface and are entered into SOP and confirmed with no manual intervention
- (10)Negative intervals for trunk service orders caused by clerical timestamp errors are excluded from OR-1.

Exclusions:

Deleted: CLEC requests for resent confirmations that are submitted electronically as well as resent confirmations due to Verizon's error in initial confirmation

Deleted: ¹⁰ in the Order Confirmation Timeliness measurement

Formatted: Bullets and Numbering

Resale and UNE:

VZ Test Orders 11

- Weekend and holiday hours (other than flow-through):
 - Weekend hours are from 5:00PM Friday to 8:00AM Monday.
 - Holiday hours are from 5:00PM of the business day preceding the holiday to 8:00AM of the first business day following the holiday. These hours are excluded from the elapsed time when calculating the response times for non-flow-through requests.
- The following RTR exclusion applies to the Mid-Atlantic states:
 - ASR requests that have the RTR field populated with a code that indicates the CLEC requested
 that no confirmation/response be sent
- For OR-1-19 Inbound Augment trunks not requested via e-mail TGSR
- Special Project PONs (if applicable) per the process documented in Appendix S.
- If a reject and a confirmation are sent on the exact same PON/Version, Verizon will not count the
 incorrect notifier.
- For OR-1-02: SOP scheduled downtime hours (flow-through).
 Verizon SOP scheduled hours are as follows:

Verizon North

Monday through Friday 12:30AM to 11:30PM Saturday 12:30AM to 7:30PM Sunday 7:30 AM to 11:30PM.

NJ

Sunday, 7:00 AM to 11:30 PM Monday-Friday, 1:35 AM to 11:30 PM Saturday, 1:35 AM to 10:00 PM

PA, DE

SOP scheduled downtime hours

11:30 p.m. to 12:30 a.m. each night, and 7:30 p.m. Saturday to 7:30 a.m. Sunday

MD, DC, VA, WV

SOP scheduled downtime hours

Monday 11:30 PM to Tuesday 4 AM Tuesday 11:30 PM to Wednesday 4 AM Wednesday 11:30 PM to Thursday 4 AM Thursday 11:30 PM to Friday 4 AM Friday 11:30 PM to Saturday 5 AM Saturday 9 PM to Sunday 8 AM Sunday 8 PM to Monday 4 AM

Exception: SOP downtime may be extended for significant SOP releases, (e.g. NPA splits). All downtime extensions will be communicated to CLECs in advance of the release through VZ Change Management Guidelines. For NY/NE, the 3rd Saturday of each month is a scheduled release. SOP will have a late start the following Sunday at 9:00 AM

¹¹ VZ-Test Orders – see Glossary.

Report Dimensions			
Company:		Geography:	
CLEC Aggregate CLEC Specific		State Specific	
Performance Standard: OR	-1 Order Co	onfirmation Timel	iness
OR-1-02, 1-04, 1-06, 1-08, 1-10, 1			
OR-1-13: 95%			
Resale:	UNE:		Interconnection Trunks (CLEC):
Electronically Submitted		ly Submitted	Electronically Submitted
Orders:	Orders:		Orders:
POTS/Pre-Qualified Complex:	POTS/Pre-Q		Firm Order Confirmation:
 Flow-through orders: two (2) hours Orders with no facility check: 24 	Complex/LNI		≤ 192 Trunks: 10 Business Days
hours	• Flow- hours	Through Orders: two (2)	 > 192 Trunks: Negotiated Process Design Layout Record
Orders with facility check: 72 hours		s with no facility check: 24	≤ 192 Trunks: 10 Business Days
Complex Services (requiring Manual Loop Qualification)	hours • Order	s with facility check: 72	 > 192 Trunks: Negotiated Process
2- wire Digital Services: 72 hours	hours	3 With racinty check. 72	7 102 Trainio. Negotiated 1 10000
Special Services:		vices (requiring	Verizon Inbound Augment
Orders with no facility check :		Qualification)	Trunks:
48 hours Verizon Mid-Atlantic and CT,	• 2-Wire hours	e Digital Services: 72	• ≤ 192 Trunks accepted TGSRs: 10
MA, NY, RI, and VT:		e xDSL Loops: 72 hours	Business Days <= 192 Trunks: denied responses
 Order with facility check: 72 			for TGSRs received via e-mail: less
hours ¹⁰ Verizon NH and ME only:	Special Services:		than or equal to seven (7) business days.
Orders with facility check: five	Order	s with no facility check: 48	 > 192 Trunks: Negotiated Process
(5) business days		Note: The 48 hour ard does not apply to	-
m	UNE	specials (UNE DS0 EELs	Faxed/Mailed Orders: Add 24
Faxed/Mailed Orders: Not available for Resale		es, UNE DS1 and above) ed via ASR.	hours to intervals above
Not available for Regale		Atlantic and CT, MA,	
	NY, RI and V	T	
		s with facility check: 72	
		(includes UNE Specials ELs > 6 lines, and UNE	
	Specia	als DS1 and above)	
	Verizon NH a		
		s with facility check: five siness days. (includes	
	ÙŃES	Specials DS0 EELs > 6	
	lines, and al	and UNE Specials DS1	
		,	
		d Orders: Add 24	
		s above. Fax/Mail is not R orders: (UNE POTS	
		-Wire Digital, 2-Wire	

¹⁰ Also includes orders requiring facility verification as listed in the interval guides. Refer to the URL matrix at the beginning of the guidelines for the URL on specific products and intervals.

Sub-Metrics					
OR-1-02	OR-1-02 % On Time LSRC – Flow-through				
Products	Resale: POTS/Pre-qualified Complex	UNE: Loop/Pre-Qualified Complex/LNP			
Calculation	Numerator	Denominator			
	Number of electronic LSRCs sent where the confirmation date and time minus the submission date and time is less than or equal to two (2) hours for specified product.	Total number of flow-through LSRs confirmed for specified product.			
OR-1-04	% On Time LSRC/ASRC - No Facility Chec	ck (Electronic – No Flow-through)			
Products	Resale: POTS/Pre-Qualified Complex 2-Wire Digital Services Specials (Non DS0, Non DS1 & Non DS3) Specials DS0 Specials DS1 Specials DS3 Note: Resale DS1s and DS3s are received via LSRs.	UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops Specials DS0			
Calculation Numerator		Denominator			
	Number of electronic LSRCs/ASRCs not requiring a facility check, sent where confirmation date and time minus submission date and time is less than or equal to the standard for specified product.	Total number of electronic LSRs/ASRs not requiring a facility check confirmed for specified product.			

Sub-Metrics OR-1 Order Confirmation Timeliness (continued)				
OR-1-06 % On Time LSRC/ASRC – Facility Check (Electronic – No Flow-through)				
Products	Resale: POTS/Pre-qualified Complex 2-Wire Digital Services Specials (Non DS0, Non DS1 & Non DS3) Specials DS0 Specials DS1 Specials DS3 Note: Resale DS1s and DS3s are received via LSRs. UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops Specials (Non DS0, Non DS1 & Non DS3) Specials (Non DS0, Non DS1 & Non DS3) Specials DS0 ¹² Specials DS1 Specials DS1 Specials DS3			
Calculation	Numerator Number of electronic LSRCs/ASRCs requiring a facility check, sent where confirmation date and time minus submission date and time is less than or equal to the standard for specified product.	Denominator Total number of electronic LSRs/ASRs requiring a facility check, confirmed for specified product.		
OR-1-08				
Products	UNE: • Specials DS0			
Calculation	Numerator	Denominator		
	Number of faxed or mailed ASRCs, not requiring a facility check, sent where the confirmation date and time minus the submission date and time is less than or equal to the standard for the specified product.	Total number of faxed or mailed ASRs, not requiring a facility check, confirmed for specified product.		

UNE DS0 EELs (Loop and Backbone) are ordered via ASR. All other UNE DS0s are ordered via LSR. Orders >= 6 lines require a facility check.

Sub-Metrics OR-1 Order Confirmation Timeliness (continued)					
OR-1-10	OR-1-10 % On Time ASRC - Facility Check (Fax/Mail)				
Products	UNE: Specials (Non DS0, Non DS1 & Non DS3) Specials DS0 ¹³ Specials DS1 Specials DS3				
Calculation	Numerator	Denominator			
	Number of faxed or mailed ASRCs requiring a facility check sent where the confirmation date and time minus the submission date and time is less than or equal to the standard for the specified product.				
OR-1-12	% On Time FOC ¹⁴				
Products	Trunks: ■ Interconnection Trunks (CLEC) (≤ 192 ■ Interconnection Trunks (CLEC) (> 192	Forecasted Trunks) and Unforecasted Trunks and Projects)			
Calculation	Numerator Denominator				
	lumber of orders confirmed within the pecified interval for the product type. Number of orders received (electronically and faxed) confirmed by product type.				
OR-1-13	% On Time Design Layout Record (DLR)				
Products	Trunks: Interconnection Trunks (CLEC)				
Calculation Numerator Denomin		Denominator			
	Number of DLRs completed on or before DLRD date in TIRKS. Number of DLRs completed.				
OR-1-19	% On Time Response - Request for Inbo	und Augment Trunks			
Note: This metric is a combined measure including both; denied TGSRs that have a seven (7)-day performance standard, and accepted TGSRs that have a 10-day performance standard.					
Products	 Verizon Inbound Augment Trunks (≤ 192 Trunks) Verizon Inbound Augment Trunks (>192 Trunks) 				
Calculation	Numerator	Denominator			
	Number of requests for Inbound Augment Trunks with responses sent within the specified interval for product type.	Number of requests for Inbound Augment Trunks requested on a TGSR received via e-mail.			

Orders for UNE DS0 EELs (Loop and Backbone) for > = 6 lines require a facility check. ¹⁴ For OR-1-12, Verizon measures the confirmation on the last ASR PON version received

OR-2 Reject Timeliness

Definition:

This metric measures Reject Timeliness.

Reject Response Time: The amount of elapsed time (in hours and minutes) between receipt of an order request and distribution of a Service Order reject, both based on Ordering Interface System (Request Manager) or Fax date and time stamp. Note: Orders are considered distributed at the time Verizon sends an order reject/query. If an order reject/query is resent, and the problem with sending the reject/query was within Verizon's systems, then the time stamp will be the last time stamp. If the order reject/query was resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the order reject/query was sent. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC.

Percent of Orders Rejected On Time:

The percentage of orders rejected within the agreed-upon timeframes as specified in the Performance Standards.

Related PONs: When a CLEC designates RPONs, the FOC/LSRC time-stamp used for receipt of all RPONs is the date/time the last RPON is received. The reject/query returned date/time would be the actual returned date/time of each RPON.

Notes

- (1) Rejected Orders (Orders failing basic front-end edits) submitted via LSR are not placed in the NEWREC; therefore, they are not included in the calculation.
- (2) Measurements are based on rejected orders.
- (3) For LSRs and non-trunk ASRs, all rejects are counted. For trunk ASRs, rejects are not counted for cancelled ASRs.
- (4) The Ordering sub-metrics data reported in the monthly C2C reports only include confirmed rejects in the calendar month.
- (5) The Pre-Qualified Complex category includes 2-Wire Digital, and 2-Wire xDSL Loop orders that were pre-qualified.
- (6) If the Specials product is not a DS0, DS1, or DS3, it is classified as Specials Other and is reported under the product Specials (Non DS0, Non DS1 & Non DS3).
- (7) For OR-2, Flow Through Orders are received electronically through the ordering interface and are rejected or queried back with no manual intervention.

Exclusions:

- VZ Test Orders
- Duplicate Rejects Rejects issued against a unique PON (PON + Version Number + CLEC ID), identical and subsequent to the first reject.
- Any reject/query that occurs on an ASR that has the RTR field populated with a code that indicates
 the CLEC did not require a response (and the first notification for the ASR would have been a
 confirmation).
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Weekend and Holiday Hours (other than flow-through):
 - Weekend Hours are from 5:00PM Friday to 8:00AM Monday.
 - Holiday Hours are from 5:00PM of the business day preceding the holiday to 8:00AM of the first business day following the holiday. These hours are excluded from the elapsed time when calculating the response times for non flow-through requests.
- If a reject and a confirmation are sent on the exact same PON/Version, Verizon will not count the incorrect notifier.

OR-2 Exclusions, continued:

For OR-2-02: SOP scheduled downtime hours (Flow-through).
 Verizon SOP Scheduled hours are as follows:

Verizon North

Monday through Friday 12:30AM to 11:30PM Saturday 12:30AM to 7:30PM Sunday 7:30 AM to 11:30PM.

N.I

Sunday, 7:00 AM to 11:30 PM Monday-Friday, 1:35 AM to 11:30 PM Saturday, 1:35 AM to 10:00 PM

PA, DE SOP scheduled downtime hours

11:30 PM to 12:30 AM each night, and 7:30 PM Saturday to 7:30 AM Sunday

MD, DC, VA, WV SOP scheduled downtime hours

Monday 11:30 PM to Tuesday 4:00 AM Tuesday 11:30 PM to Wednesday 4:00 AM Wednesday 11:30 PM to Thursday 4:00 AM Thursday 11:30 PM to Friday 4:00 AM Friday 11:30 PM to Saturday 5:00 AM Saturday 9 PM to Sunday 8:00 AM Sunday 8 PM to Monday 4:00 AM

Exception: SOP downtime may be extended for significant SOP releases, (e.g. NPA splits). All extensions will be communicated to CLECs in advance of the release through VZ Change Management Guidelines. For NY/NE, the 3rd Saturday of each month is a scheduled release. SOP will have a late start the following Sunday at 9:00 AM

Report Dimensions :

C	Company:	Geography:
•	CLEC Aggregate	State Specific
•	CLEC Specific	

Performance Standard - Reject Timeliness OR-2-02, 2-04, 2-06, 2-08, 2-10, and 2-12: 95% On Time According to schedule below: Resale: UNE: Interconnection Trunks (CLEC): **Electronically Submitted Electronically Submitted Electronically Submitted Orders:** Orders: Orders: POTS/Pre-Qualified Complex: POTS/Pre-Qualified ≤ 192 Trunks: less than or equal to Flow-Through Orders: two (2) Complex/LNP: seven (7) Business Days hours Flow-Through Orders: two (2) > 192 Trunks: Negotiated Process Orders with no facility check: hours Faxed/Mailed Orders: Add 24 hours to 24 hours Orders with no facility check: 24 intervals above Orders with facility check: 72 hours hours Orders with facility check: 72 Complex Services (2- Wire hours Digital Services ISDN): Complex Services (requiring Orders: 72 hours Manual Loop Qualification): Special Services: 15 2-Wire Digital Services 72 Orders with no facility check: hours 2-Wire xDSL Loop: 72 hours 48 hours Verizon Mid-Atlantic and CT, Special Services: 16 MA, NY, RI and VT: Orders with facility check: 72 Orders with no facility check: 48 hours Note: The 48 hour hours standard does not apply to Verizon NH and ME: UNE Specials (DS0 EELs > 6 Orders with facility check: five (5) lines, DS1 and above) received business days via ASR. Faxed/Mailed Orders: Verizon Mid-Atlantic and CT, MA, Not available for Resale NY, RI and VT Orders with facility check: 72 hours (includes UNE DS0 EELs > 6 lines and UNE DS1s and above) Verizon NH and ME Orders with facility check: five (5) business days (includes UNE DS0 EELs > 6 lines and UNE DS1s and above) Faxed/Mailed Orders: Add 24 hours to intervals above. Fax/Mail is not available for LSRs: UNE POTS and Complex (2-

¹⁵ Also includes orders requiring facility verification as listed in the interval guides. Refer to the URL matrix at the beginning of the guidelines for the URL on specific products and intervals.

Wire Digital, 2-Wire xDSL Loop).

¹⁶ Also includes orders requiring facility verification as listed in the interval guides. Refer to the URL matrix at the beginning of the guidelines for the URL on specific products and intervals.

Sub-Metrics – OR-2 Reject Timeliness				
OR-2-02	% On Time LSR Reject (Flow-through)			
Products	Resale: POTS/Pre-qualified Complex	UNE: Loop/Pre-Qualified Complex/LNP		
Calculation	Numerator	Denominator		
Number of electronic rejects sent where the reject date and time minus the submission date and time is less than or equal to two (2) hours for specified product.		Total number of flow-through LSRs rejected for specified product.		
OR-2-04	% On Time LSR/ASR Reject - No Facility (Check (Electronic – No Flow-through)		
Products	Resale: POTS/Pre-qualified Complex 2-Wire Digital Services Specials	UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops Specials		
Calculation Numerator		Denominator		
	Number of electronic rejects sent where the reject date and time minus the submission date and time is within the standard for orders not requiring a facility check for the specified product.	Total number of electronically submitted LSRs/ASRs, not requiring a facility check rejected for specified product.		

Sub-Metrics	Sub-Metrics – OR-2 Reject Timeliness				
OR-2-06	% On Time LSR/ASR Reject - Facility Check (Electronic – No Flow-through)				
Products	Resale: POTS/Pre-qualified Complex 2-Wire Digital Services Specials	UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops NY, CT, MA, ME, RI, PA, NJ, DE, MD, DC, VA, VT & WV report on the following Specials disaggregation: Specials NH reports on the following Specials disaggregation: Specials DS0 Specials DS1 Specials DS3 Specials Other (Non-DS0, Non-DS1, and Non-DS3)			
Calculation	Numerator	Denominator			
	Number of electronic rejects sent where reject date and time minus the submission date and time is within the standard for orders requiring a facility check for the specified product.	Total number of LSRs/ASRs electronically submitted requiring a facility check rejected for specified product.			

Sub-Metrics – OR-2 Reject Timeliness				
OR-2-08	% On Time Reject - No Facility Check (Fax)			
Products	UNE:			
	Specials			
Calculation	Numerator	Denominator		
	Number of faxed rejects not requiring a facility check, sent where reject date and	Total number of faxed rejects not requiring a facility check confirmed for specified		
	time minus submission date and time is less than or equal to the standard for specified product.	product.		
OR-2-10	% On Time Reject – Facility Check (Fax)			
Products	UNE:			
	Specials			
Calculation	Numerator Denominator			
	Number of faxed rejects requiring a facility check, sent where reject date and time minus submission date and time is less than or equal to the standard for specified product.	Total number of faxed rejects requiring a facility check rejected for specified product.		
OR-2-12	% On Time Trunk ASR Reject			
Products	Trunks: Interconnection Trunks (CLEC) (≤ 192 Forecasted Trunks) Interconnection Trunks (CLEC) (> 192 and Unforecasted Trunks and Projects)			
Calculation	Numerator Denominator			
	Number of rejected trunk orders that meet reject trunk standard (less than or equal to seven (7) business days).	Number of rejected trunk orders for less than or equal to 192 trunks.		

OR-3 Percent Rejects

Definition:

This metric measures the percent of orders received (including supplements and re-submissions) by Verizon that are rejected or queried. Orders are rejected due to omission or error of required order information. Orders that are queried are considered rejected.

The percent reject measure is reported against all submitted order transactions processed in the Verizon Ordering System (Request Manager (for LSRs), CAFÉ and EXACT (for ASRs)), not just those with associated CRIS completions.

Note: Edit Rejects (orders failing basic front-end edits) submitted via LSR are not placed in the NEWREC; therefore, they are not included in the calculation of OR-3-01.

Exclusions:

VZ Test Orders

Performance Standard:

OR-3-01: No standard.

OR-3-02: 95%

Report Dimensions

Company:

Geography:

CLEC Aggregate

Aggregate • State Specific

CLEC Specific

Sub-Metrics

OR-3-01	% Rejects	
Products	Resale	UNE
Calculation Numerator		Denominator
	Sum of all rejected LSR/ASR transactions for specified product.	Total number of LSR/ASR records received for specified product.
OR-3-02	% LSR Resubmission Not Rejected	
Products	EDI	
Calculation	Numerator	Denominator
	Total EDI PONs resubmitted at Verizon's request that are not rejected by Verizon's systems as duplicative of EDI PONs already in Verizon's systems.	Total number of EDI PONs resubmitted at Verizon's request.

OR-4 Timeliness of Completion Notification

Definition:

Refer to the *Definition* listed next to each OR-4 sub-metric (OR-4-11, OR-4-16, and OR-4-17) for a description of the measurement included in the sub-metrics. If the Provisioning Completion Notifier / Billing Completion Notifier (PCN/BCN) is resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the PCN/BCN was sent.

Exclusions:

- · Verizon Test Orders
- Orders not received through the Verizon NetLink EDI system. This includes orders transmitted manually, and orders submitted through the WEB GUI (LSI/W)
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Sub-metric OR-4-11 *only* includes the following additional exclusion: Any product that is not designed to generate a PCN and a BCN.

Performance Standard:

Metric OR-4-11; 0.25% of PONs that received neither a PCN nor a BCN within two (2) business days from the SOP posting of the provisioning of the last service order associated with a specific PON.

Metric OR-4-16: 95% of PCNs sent within one (1) business day.

Metric OR-4-17: 95.5% of BCNs sent within:

Two (2) business days for EDI BCNs on order(s) not in bill cycle hold Four (4) business days for EDI BCNs on order(s) in bill cycle hold

Report Dimensions

Company:		Geography:	
•	CLEC Aggregate	•	State Specific
	CLEC Specific		

CLEC Specific				
Sub-Metrics Timeliness of Completion Notification				
OR-4-11	% Completed orders with neither a PCN	nor BCN sent		
Description	The percent of EDI PONs for which the last service order has been <i>provisioning completed</i> in the Verizon Service Order Processing (SOP) system. The elapsed time begins with the Provisioning completion in SOP of the last service order associated with a specific PON. The PCN and the BCN are considered sent when the Verizon Netlink system initiates the send of the completed notifier to the CLEC. The notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC. If no PCN and no BCN have been sent in two (2) business days after <i>provisioning completion</i> , the order will be captured here in this measure.			
Products	CLEC Aggregate:			
	• EDI			
Calculation	Numerator Denominator			
	Number of EDI PONs completed that have produced neither a PCN nor a BCN within two (2) business days after the last service order has been updated as provisioning completed in SOP.	Total number of EDI PONs for which the last service order has been updated as provisioning completed in SOP in a month.		

Sub-Metrics Timeliness of Completion Notification, continued					
OR-4-16	OR-4-16 % Provisioning Completion Notifiers sent within one (1) Business Day				
Description	The percent of EDI Provisioning Completion Notifiers (PCNs) sent within one business day of work order completion (WFA completion date) in the Verizon Service Order Processing (SOP) system. The elapsed time begins with the Provisioning work completion (in WFA as noted in the Verizon SOP system) of the last service order associated with a specific PON. The PCN is considered sent when the Verizon Netlink system initiates the send of the completed notifier to the CLEC. The notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to the transmission to the CLEC. The PCNs shall be considered to be timely if Verizon provides them within one business day of the Work Order Completion (WFA completion date) in SOP.				
Products	CLEC Aggregate: • EDI				
Calculation	Numerator	Denominator			
	Number of EDI PONs completed that produce a PCN within one (1) business day after Work Completion in WFA. Total number of EDI PONs for which the last service order has been updated as provisioning completed in the Service Order Processor (SOP) in a month.				
	OR-4-17 % Billing Completion Notifiers sent on time				
Products	 The percent of EDI Billing Completion Notifiers (BCNs) sent within the following intervals: For EDI BCNs on order(s) not in bill cycle hold: Two (2) business days from the provisioning order completion in the Verizon SOP system. For EDI BCNs on order(s) in bill cycle hold: Four (4) business days from the provisioning order completion in the Verizon SOP system. The elapsed time begins with the completion in the Verizon SOP system of the last service order associated with (provisioning) a specific PON. The BCN is considered sent when the Verizon Netlink system initiates the send of the completed notifier to the CLEC. The notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLECs. The BCNs shall be considered to be timely if Verizon provides them within the intervals specified above. 				
Products	CLEC Aggregate: • EDI				
Calculation	Numerator	Denominator			
	Number of EDI PONs completed that produce a BCN within the specified intervals after SOP provisioning completion update.	Total number of EDI PONs for which the last service order has been updated as provisioning completed in the Service Order Processor (SOP) in a month.			

OR-5 Percent Flow-Through

Definition:

This metric measures the percent of valid orders (submitted via LSR in the report month) received through the electronic ordering interface (example includes: Request Manager) that processed directly through to the legacy Service Order Processor system (SOP) and were confirmed without manual intervention. These confirmations require no action by a Verizon service representative to input an order into SOP. This is also known as Ordering flow-through.

% Flow-through Achieved: Percent of valid orders received through the electronic ordering interface (Request Manager) that are designed to flow-through and actually flow-through, but excluding those orders that do not flow-through due to CLEC errors.

Appendix H contains a summary of order types that flow-through for VZ and CLECs. Orders designed to flow-through may also fall-out for both VZ and CLECs. Non-flow-throughs include orders that require manual intervention to ensure that the correct action is taken.

Note: Rejected Orders (orders failing basic front-end edits) submitted via LSR are not considered to be a valid confirmed order, and therefore are not included in the calculation. ASRs do not flow-through by design, and are not included in the OR-5 metric.

Exclusions:

- VZ Test Orders
- Special Project PONs (if applicable) per the process documented in Appendix S.

From Achieved Flow-through:

- Orders not eligible to flow-through
 - **Note:** Order types that are designed to flow-through are specified in the scenarios documented in Appendix H.
- · Orders with CLEC input errors in violation of published business rules

renonnance Standard.			
OR-5-01: No standard			
OR-5-03: 95%			
Report Dime	ensions		
Company:		Geography:	
 CLEC Agg 	regate	State Specific	
Sub-Metrics			
OR-5-01 % Flow-through – Total			
Products	Resale	UNE POTS Loop	
		UNE POTS Other	
Calculation	Numerator	Denominator	
	Sum of all orders that flow-through for specified product.	Total number of LSR records (confirmed orders) for specified product.	
OR-5-03 % Flow-through Achieved			
Products	Resale	UNE POTS Loop	
		UNE POTS Other	
Calculation	Numerator	Denominator	
	Number of orders that flow-through for specified product.	Number of confirmed flow-through eligible orders.	

OR-6 Order Accuracy

Definition:

This metric measures the percent of orders completed as ordered by the CLEC. Two (2) dimensions are measured. The first is a measure of order confirmations sent from Verizon to the CLEC with error. The second measure is focused on the percent of fields populated correctly on the Verizon order.

Methodology:

For sub-metric OR-6-01, VZ uses a manual audit process of sampled orders. A random sample of approximately 400 orders for Resale and 400 orders for UNE Loop/Complex/LNP each month, (20 orders randomly sampled each business day for Resale and UNE respectively) are pulled from Request Manager (for Order Accuracy). VZ compares required fields on the latest version of the LSR to the completed Verizon Service Order(s). Refer to Appendix M for a list of fields reviewed by Verizon.

Verizon samples by centers that process CLEC orders and pulls 20 LSRs per center. Samples are identified using random number generation from Verizon's Wholesale Ordering systems. Verizon then prints a copy of the FOC within 24 hours (or later if the standard is later for that service type) for that PON and manually evaluates the FOC to determine if the information included is accurate.

For sub-metric OR-6-03, the measure is a percentage of all confirmations sent due to Verizon error against the total number of confirmations sent in the reporting month.

The OR-6-04 sub-metric is reported in the following states only: DC, MD, NH, RI, VA and WV.

Exclusions:

Orders entered by the CLEC that flow-through.

Performance Standard:

OR-6-01: 95% orders without Verizon errors.

OR-6-03: not more than 5% of LSRCs resent due to Verizon error.

OR-6-04: The state specific standards for sub-metric OR-6-04 are as follows:

VA & WV: 98% DC, NH & RI: 95%

MD: September 2004 through August 2005: 97%

MD: September 2005: 98%

Report Dime	Report Dimensions				
' '		Geography:			
CLEC Aggre	egate	OR-6-01: Verizon North: NY, CT, MA, NH, RI, VT and ME PA, DE: PA/DE [Combined] NJ: State Specific MD, DC, VA, WV: MD, DC, VA, WV [Combined] OR-6-03: State Specific			
		OR-6-04: • MD, DC, VA, WV, RI, NH: State Specific Note 1: OR-6-03 is reported at a state specific level for both Resale and UNE			
Sub-Metrics					
Products	Resale	UNE: Loop/Complex/LNP			
OR-6-01	OR-6-01 % Service Order Accuracy				
Calculation	Numerator	Denominator			
	Number of orders sampled minus orders with errors for specified product.	Number of orders sampled for specified product.			
OR-6-03	OR-6-03 % Accuracy – LSRC				
Calculation	Numerator	Denominator			
	Number of LSRCs resent due to error.	Number of LSRCs.			

OR-6-04	% Accuracy – Directory Listing ¹⁷		
Definition	A statistically valid random sample of approximately 400 Directory Listing Orders (20 orders randomly sampled each business day) per product are pulled from Request Manager.		
Products	MD, WV & VA: Standalone Directory Listings 18 Other Directory Listing Orders (orders other than stand-alone directory listing orders) DC, NH & RI: All orders with Directory Listing Modifications		
Calculation	Numerator Denominator		
	Number of orders sampled for Directory	Number of Directory Listing orders	
	Listings minus orders with errors.	sampled.	

¹⁷ Refer to a list of the fields that are reviewed for the Directory Listing measurement is set out in Appendix M.
¹⁸ Stand-alone Directory Listing Orders are orders that are issued by a CLEC for directory listings only and that do not include a request with regard to other services. Verizon will begin to report the separate measurement for Stand-alone Directory Listing Orders when Verizon has deployed the ability to perform this measurement on a mechanized basis. Prior to the time that Verizon begins to report the separate measurement for Stand-alone Directory Listing Orders, Verizon will include Stand-alone Directory Listing Orders in its measurement of Other Directory Listing Orders.

OR-7 % Order Confirmation/Rejects Sent Within Three (3) Business Days

Definition:

The percent of Resale and UNE Loop LSRs confirmed or rejected by Verizon within three (3) business days of receipt as a percent of total LSRs received. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC. If the confirmation/reject notifier is resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the confirmation/reject notifier was sent.

Related PONs: When a CLEC designates RPONs, the FOC/LSC time-stamp used for receipt of all RPONs is the date/time the last RPON is received. The FOC/LSC and/or reject/query returned date/time would be the actual returned date/time of each RPON.

Note: This is a measure of completeness not timeliness.

Source: NEWREC.

Exclusions:

- Cancelled orders.
- LSRs that were supplemented prior to confirmation or rejection.
- Edit Rejects (negative 99s) that are not eligible for confirmation or rejection.
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Test IDs

Report Dimensions

Company:		Ge	Geography:	
•	CLEC Aggregate	•	State Specific	
•	CLEC Specific		•	

Performance Standard

Metric OR-7-01: 95%.

Sub-Metrics

OR-7-01 % Order Confirmation/Rejects Sent Within Three (3) Business Days		
Products	Resale	UNE:
		• Loop
Calculation	Numerator	Denominator
	Total LSR confirmations and/or rejections sent within three (3) business days of LSR submission.	Total LSRs received during the reporting period.

OR-8 Acknowledgement Timeliness

Definition:

Percent of LSRs Acknowledged On Time: The percentage of LSR acknowledgements within the timeframe specified in the Performance Standard. Time starts with receipt of LSR and ends when an acknowledgement is sent. An electronic acknowledgement indicates that the file met basic edits with valid and complete data and will be processed by VZ. Applies to orders submitted via EDI. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC. If the acknowledgement is resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the acknowledgement was sent.

Exclusions

• Orders submitted by Web GUI / aka LSI/W Interface.

Number of LSR acknowledgements sent

within two (2) hours of LSR receipt.

- Orders not submitted electronically.
- Orders neither confirmed nor rejected

Report Dimensions

Company:	any: Geography:			
 CLEC Aggre 	ggregate • State Specific			
 CLEC Spec 	CLEC Specific			
Performance Standard				
Metric OR-8-01: 95% within two (2) hours.				
Sub Metrics				
OR-8-01 % Acknowledgements on Time				
Products	Resale	• UNE		
Calculation	Numerator	Denominator		

Total number of LSR acknowledgements.

Formatted: Bullets and Numbering

OR-9 Order Acknowledgement Completeness

Definition:

This metric measures order acknowledgement completeness. The number of LSR acknowledgments sent the same day the LSR is received as a percent of total LSRs received. Orders with invalid or incomplete data are not acknowledged. Orders failing basic front-end edits are excluded.

This metric applies to orders submitted via EDI. LSRs received after 10:00PM Eastern Time are considered received the next day. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC. If the acknowledgement is resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the acknowledgement was sent.

Exclusions

- Orders submitted by Web GUI / aka LSI/W Interface.
- Orders not submitted electronically.
- · Orders in unreadable files.
- Orders neither confirmed nor rejected

Report Dimensions

Company:CLEC AggregateCLEC Specific

Geography:

State Specific

Performance Standard

Metric OR-9-01: 99%.

Sub-Metrics

OR-9-01	% Acknowledgement Completeness		
Products	Resale UNE		
Calculation	Numerator	Denominator	
	Number of acknowledgements sent the same day the LSR was received.	Total number of LSRs received.	

Deleted: included in the denominator

Formatted: Bullets and Numbering

OR-10 PON Notifier Exception Resolution Timeliness

Definition:

The OR-10 sub-metrics measure the percent of Netlink EDI PON Notifier Exceptions resolved within three (3) business days and ten (10) business days from the day of receipt of the completed PON Notifier Exception trouble ticket template with the PONs in question enumerated with the appropriate identification.

The elapsed time begins with receipt at the Verizon Wholesale Customer Care Center of a completed PON Notifier Exception trouble ticket template with the PONs in question enumerated with the appropriate identification for EDI notifiers (i.e., order acknowledgement (ACK), order confirmation (LSC), provisioning completion (PCN), or billing completion (BCN) notices).

PON Notifier Exceptions received after 5:00PM will be considered received the next business day.

The PON Notifier Exception is considered resolved when Verizon has either:

- Sent or resent the requested notifier or higher notifier. If the notifier cannot be resent due to CLEC system availability or capacity, then the PON Notifier Exception shall be considered resolved when the resend was attempted as demonstrated in Verizon's log files (copies of these files will be available to CLECs on request).
- 2. Requested the CLEC to resubmit the PON if no Verizon notifiers have been generated.
- Completed the investigation showing that the next action is a CLEC action and that the CLEC has been sent or resent the notifier for the action required (E.g. Query, Jeopardy), or Status File for Duplicate, earlier or later version of PON has been worked, PON previously cancelled, invalid PON number.
- 4. Completed work that will allow the PON to proceed to the next step in the business process, and sent the appropriate notifier to the CLEC.
- 5. Notified the CLEC that the Confirmed Due Date plus the notifier production interval has not yet passed for requested PON Notifier (PCNs, and BCNs) and provided the current work status of the PON (i.e. Provisioning Completed, Notifier not yet produced). For PCNs and BCNs, Trouble Tickets are not to be initiated prior to or on the Confirmed Due Date; any Trouble Ticket initiated prior to the Confirmed Due Date is automatically considered resolved when the CLEC is provided with electronic notification that the initiation date is prior to the Confirmed Due Date.

CLEC notification for items 2, 3, 4, and 5, will be accomplished via a daily file sent from Verizon to the individual CLEC. This notification file will be sent every day by 5:00PM. For the purposes of this metric the PON Notifier Exception(s) trouble ticket templates for Acknowledgements must be submitted within five (5) business days of the PON sent date. PON Notifier Exceptions for confirmations must be reported within 30 business days of the PON sent date. PON Notifier Exceptions for PCNs, and BCNs must be reported to Verizon within 30 business days of the PON Confirmed Due Date.

Exclusions:

- Non NetLink EDI PON Exception Notifier Trouble Tickets.
- Any request for Notifier for orders due/complete more than 30 business days old.
- Orders for Products/Services that are not designed to produce the requested notifier (e.g. LIDB).

Performance Standard:

OR-10-01: 95% resolved within three (3) business days. **OR-10-02**: 99% resolved within ten (10) business days.

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific

Geography:

State Specific

These sub-metrics are reported at a state specific level.

than ten (10) business days.

Sub-Metrics			
OR-10-01 % of PON Exceptions Resolved Within Three (3) Business Days			
Products for	All combined		
OR-10-01 and OR-10-02			
Calculation	Numerator	Denominator	
OD 40 02	Number of PON Notifier Exceptions resolved within three (3) business days.	Total number of PON Notifier Exceptions resolved in the Wholesale Customer Care Center (WCCC) in the reporting month less resolved PON Notifier Exceptions that were included as unresolved PON Notifier Exceptions in the previous month's denominator for metric OR-10-02.	
OR-10-02	% of PON Exceptions Resolved Within to	en (10) Business Days	
Calculation	Numerator	Denominator	
	Number of PON Notifier Exceptions resolved within ten (10) business days.	Total Number of PON Notifier Exceptions resolved in the Wholesale Customer Care Center (WCCC) in the reporting month plus unresolved PON Notifier Exceptions greater	

OR-11 Timeliness of Provider Notification Report

Definition:

The number of transmission days from the effective date of the line loss to the date that the notification information is made available to the CLEC on the Provider Notification (PN) Report. Measured in percentage of notification records transmitted within the time standard, this measurement indicates whether the CLEC was promptly notified that a customer migrated to another provider. The interval measured starts with the SOP update that the physical/provisioning migration to the gaining carrier has been completed and ends when a loss notification is transmitted to the losing CLEC. PN Reports will be provided to CLECs each transmission day by one of the three alternatives specified below. The PN process starts with collection of the previous calendar day's completed service orders with disconnect activity from the SOP. Information is then held from two (2) to five (5) days for a matching order with new connect activity prior to being included in a PN Report. Non-transmission day and holiday PN is reported on the next transmission day. PN for CLECs is reported at the same time as Verizon's. Orders with disconnect activity held greater than five (5) days are moved to the Provider Notification report.

Note:

Verizon offers its CLEC customers the option of receiving PN Reports through the Network Data Mover (NDM) /Connect Direct, EDI, and Customer Wholesale Portal (CWP) processes. The time of report delivery will be defined as:

- For the NDM and EDI processes, the delivery time will be considered to be the date/time stamp in the message header. This date/time stamp represents Verizon's first attempt to send the report to the CLEC.
- For CWP, the delivery time will be considered to be the create time shown in the file directory.

Exclusions:

Verizon Test Orders

Formula:

(Total loss records in "y" transmission days divided by the total records on file) multiplied by 100

Performance Standard:

OR-11-01: 95% in two (2) Calendar Days

Report Dimensions

Company:

CLEC AggregateCLEC Specific

Geography:

• State Specific

Sub-Metrics

OR-11-01	% Resale Provider I	Notificat	ions in l	Jays

Products	Resale	
Calculation	Numerator	Denominator
	Number of Joss notices sent on daily PN reports processed during month, where the difference between the Effective Date and the report date is equal to or less than two (2) calendar days.	Number of Loss Records on PN Reports transmitted during the month.

Deleted: n accurate

Deleted: Inaccurate and missing notices are considered late.

Deleted: accurate

OR-12 % Accuracy White Pages Directory Listings (Applicable to RI only)

This metric measures the accurate provisioning of LSR and DL orders (LSR/DL) that result in the update of Directory Listings in the Verizon White Pages. Changes to the White Pages Directory Listings that were not authorized by a LSR/DL are also measured and counted as errors. The measurement is based on CLEC Directory Listings without CLEC reported errors as a percent of CLEC Directory Listings.

"Directory Listing" means a CLEC customer's name, address and telephone number.

"Error" means: the omission from the directory of a Directory Listing that the CLEC requested be included in the directory; the inclusion in the directory of a Directory Listing that the CLEC requested be excluded from the directory; incorrect telephone number; incorrect address; or, incorrect name. "Errors" include only errors that are attributable to Verizon and that are reported by a CLEC to Verizon's applicable Directory Listing error reporting interface, along with a copy of the applicable LSR/DL.¹⁹ "Errors" do not include any Directory Listing that was provisioned in accordance with the applicable LSR

The data included each month are for directories published in the third calendar month prior to the current data month. CLECs have at least three months after book publishing to report errors for inclusion in this metric.20

Exclusions:

- VZ Test Orders
- Directory Listing errors that were in the previous published directory and for which the CLEC did not submit a correcting LSR/DL after the publication of the previous published directory.
- Directory Listing errors that were incorrect on the LVR and not reported by the CLEC to Verizon for correction by the close out date for the Directory.

Performance Standard:

OR-12-01:	97%	Accuracy
-----------	-----	----------

Report Dimensions

Company: Geography: · CLEC Aggregate on a per directory basis State Specific

Sub Metrics

OR-12-01 % Accuracy White Pages Directory Listings

Products	ALL	
Calculation	Numerator	Denominator
	Number of Published Directory Listings	Number of Published Directory Listings in
	in White Pages plus CLEC reported	White Pages plus CLEC reported Directory
	Directory Listings omitted in error plus	Listings omitted in error plus Non-Published
	Non-Published Directory Listings, minus	Directory Listings.
	number of Directory Listings with CLEC	
	reported Verizon errors.	

Note: OR-12-01 is a tracking metric for a trial period after which it will be evaluated to determine if it captures both the appropriate performance and measures it meaningfully.

¹⁹ If a listing changed from the prior directory and should not have changed (for example, there was no LSR/DL activity), then the prior directory would be referenced.

20 For example, all directories published in June could have errors reported in June, July, August and September and the % accuracy for the

directories published in June would be reported in the report for the September data month.

OR-13 % of Large Job Hot Cut Project Negotiations Completed

Definition:

This sub-metric measures the time between a request for a Large Job and a Verizon response with a proposed schedule. The proposed schedule includes the count of lines by wire center by due date. The CLEC request will contain three elements:

- the Central Office(s) of the Hot Cuts,
- the number of lines to be cut,
- and the requested date and start time of the cut.

Verizon is required to respond by 5:00PM on the fourth business day after receipt of the CLEC request.

Exclusions:

- VZ Test Orders
- Verizon Administrative orders
- For Verizon North only: Additional segments on orders (parts of a whole order are included in the whole)

Negotiations that are not complete. (Negotiations are included in the month that they are complete)

Performance Standard:

OR-13-01: 98% within four business days

	Report	Dimensions
--	--------	------------

Comp	any
------	-----

CLEC Aggregate

Geography: State Specific

CLEC Specific

Sub Metrics

Calculation

OR-13-01 % of Large Job Hot Cut Project Negotiations Completed

Loop- Large Job Hot Cut

Products	UNE:
----------	------

request.

Numerator Number of negotiations completed within four (4) business days from receipt of email

Denominator Number of requests sent for negotiation request.

Section 3

Provisioning Performance

(PR)

Function	Sub-metrics
PR-1 Average Interval Offered	11
PR-3 Completed within Specified Number of Days (1-5 Lines)	9
PR-4 Missed Appointments	9
PR-5 Facility Missed Orders	4
PR-6 Installation Quality	3
PR-8 Percent Open Orders in a Hold Status	2
PR-9 Hot Cut Performance	4

PR-1 Average Interval Offered

Definition:

This metric measures the average interval offered for completed and cancelled orders. The PR-1 submetric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in PR-1 calculations). For **POTS and Specials**, the Average Interval Offered is also known as the Average Appointed Interval. The average number of business days between order application date and committed due date (appointment date). The application date is the date that a valid service request is received. **Note:** Orders received after 5:00PM are counted as received the next business day.

Complex Orders include:

- 2-Wire Digital Services (ISDN)
- 2-Wire xDSL Loops for UNE.

Specials Orders include: All Designed circuits which include (but are not limited to) such services as high capacity services (DS1 or DS3), primary rate ISDN, 4-Wire xDSL services, digital services, and private lines or foreign served services (a line physically in one exchange, served by another through a circuit). EEL and IOF are reported separately from Specials in sub-metric PR-1-09.

Trunks: The amount of time in business days between receipt of a clean ASR (received date restarted for each SUPP) and DD committed to from FOC. Measures service orders completed between the measured dates.

Notes:

- (1) The offered intervals for cancelled orders are counted in the month during which the cancellation occurs.
- (2) Sub-metrics reported according to line size groupings will be based on the total lines in the orders.
- (3) For PR-1-13 Batch Hot Cuts; the interval measured is the WPTS due date.

Exclusions:

- VZ Test Orders.
- Orders with the X appointment code. The X appointment code is used for customer requested or negotiated intervals beyond the standard appointment interval. <u>For PR-1-12, Verizon excludes only</u> 'Y' appointment codes
- Verizon Administrative orders.
- Orders with invalid intervals (e.g. Negative intervals or intervals over 200 business days indicative
 of typographical error).
- For Verizon North only: Additional segments (pages or sections on individual orders) on orders (parts of a whole order are included in the whole).
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Orders requiring manual loop qualification (does not apply to disconnect orders).
 - **Note:** 2-Wire Digital and 2-Wire xDSL orders that require manual loop qualification have an **R** populated in the **Required** field of the LR (indicating that a manual loop qualification is required).
 - Disconnects are excluded from all sub-metrics except sub-metric PR-1-12 which measures disconnects.

Performance Standard:

PR-1-01 through PR-1-09 and PR-1-12 (except for both PR-1-01 and PR-1-02 UNE 2-Wire xDSL Loops, and PR-1-09 UNE IOF, EEL – Backbone, and EEL – Loop); Parity with VZ Retail.

PR-1-01 and 1-02, UNE 2-Wire xDSL Loops: No Standard.

PR-1-09 UNE IOF, UNE EEL – Backbone and EEL – Loop: No standard. Refer to the EEL and IOF legends on the C2C report templates.

PR-1-13: No Standard

The published interval for one (1) to five (5) xDSL loops is six (6) business days (pre-qualified) Refer to the URL matrix at the beginning of the guidelines to obtain the specific URLs for Resale, UNE, and Collocation product interval guides.

Report Dimensions Company: Geography: **CLEC Aggregate** State Specific **CLEC Specific** Sub-Metrics - PR-1 Average Interval Offered PR-1-01 Average Interval Offered - Total No Dispatch **Products** Resale: UNE: POTS: Residence 2-Wire Digital Services POTS: Business 2-Wire xDSL Loops 2-Wire Digital Services Calculation Numerator Denominator Sum of committed DD minus the Number of orders without an outside application date for orders without an dispatch in product groups. outside dispatch in product groups. PR-1-02 Average Interval Offered - Total Dispatch Products Resale: UNE: 2-Wire Digital Services 2-Wire Digital Services 2-Wire xDSL Loops Calculation **Numerator Denominator** Sum of committed DD minus application Number of orders with an outside dispatch in product groups. date for orders with an outside dispatch in product groups.

Sub-Metrics – PR-1 Average Interval Offered (continued)		
PR-1-03 Average Interval Offered – Dispatch one (1) to five (5) Lines		
Products	Resale:	UNE:
	POTS: Residence	POTS – Loop – Total
	POTS: Business	
Calculation	Numerator	Denominator
	Sum of committed DD minus application	Number of POTS orders with an outside
	date for POTS orders with an outside	dispatch in product groups for orders with
	dispatch in product groups for orders with one (1) to five (5) lines.	one (1) to five (5) lines.
PR-1-04	Average Interval Offered – Dispatch six (6) to nine (9) Lines
Products	Resale:	UNE:
1 Todasio	POTS – Total	POTS – Loop – Total
Calculation	Numerator	Denominator
	Sum of committed DD minus application	Number of POTS orders with an outside
	date for POTS orders with an outside	dispatch in product groups for orders with
	dispatch in product groups for orders	six (6) to nine (9) lines.
	with six (6) to nine (9) lines.	
PR-1-05	Average Interval Offered - Dispatch (≥ 10	
Products	Resale:	UNE:
	POTS – Total	POTS – Loop – Total
Calculation	Numerator	Denominator
	Sum of committed DD minus application	Number of POTS orders with an outside
	date for POTS orders with an outside	dispatch in product groups for orders with
	dispatch in product groups for orders with 10 or more lines.	10 or more lines.
PR-1-06	Average Interval Offered – Specials DS0	
Products		
1100000	I Resale:	UNE.
	Resale: DS0	UNE: DS0
Calculation	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Calculation	• DS0	• DS0
Calculation	DS0 Numerator	DS0 Denominator
	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services.	Denominator Number of Special Services orders for DS0
PR-1-07	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services. Average Interval Offered – Specials DS1	Denominator Number of Special Services orders for DS0 services.
	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services. Average Interval Offered – Specials DS1 Resale:	Denominator Number of Special Services orders for DS0 services. UNE:
PR-1-07 Products	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services. Average Interval Offered – Specials DS1	Denominator Number of Special Services orders for DS0 services. UNE: DS1
PR-1-07	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services. Average Interval Offered – Specials DS1 Resale: DS1 Numerator	Denominator Number of Special Services orders for DS0 services. UNE: DS1 Denominator
PR-1-07 Products	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services. Average Interval Offered – Specials DS1 Resale: DS1 Numerator Sum of committed DD minus application	Denominator Number of Special Services orders for DS0 services. UNE: DS1 Denominator Number of Special Services orders for DS1
PR-1-07 Products	Numerator Sum of committed DD minus application date for Special Services orders for DS0 services. Average Interval Offered – Specials DS1 Resale: DS1 Numerator	Denominator Number of Special Services orders for DS0 services. UNE: DS1 Denominator

Sub-Metrics – PR-1 Average Interval Offered (continued)		
PR-1-08 Average Interval Offered – Specials DS3		
Products	Resale: DS3	UNE: • DS3
Calculation	Numerator	Denominator
	Sum of committed DD minus application date for Special Services orders for DS3 services.	Number of Special Services orders for DS3 services.
PR-1-09	Average Interval Offered – Total	
Products	UNE: IOF EEL – Backbone EEL – Loop	 CLEC Trunks: Interconnection Trunks ((CLEC) ≤ 192 Trunks) Interconnection =Trunks ((CLEC) > 192 and Unforecasted Trunks)
Calculation	Numerator	Denominator
	Sum of committed DD minus application date for product group orders.	Number of orders for product group.
PR-1-12	Average Interval Offered – Disconnects	
Products	Resale: POTS (including Complex ²¹) Specials - Total	UNE: POTS (including Complex) Specials – Total
Calculation	Numerator	Denominator
	Sum of committed DD minus application date for product group disconnect orders.	Number of orders for product group.
PR-1-13 Average Interval Offered – Hot Cuts – No Dispatch		
Products	 UNE: POTS Loop – Basic Hot Cut (21 lines and greater) POTS Loop – Batch Hot Cut (all line size) 	
Calculation	Numerator	Denominator
	Sum of committed DD minus application date for product group.	Number of orders for product group.

²¹ Resale POTS/Complex does not include xDSL Loops

PR-3 Completed within Specified Number of Days

Definition:

This metric measures the percent of POTS orders completed in specified number (by metric) of business days, between application and work completion dates. The application date is the date (day zero (0)) that a valid service request is received. **Note:** Orders received after 5:00PM are counted as received the next business day.

The PR-3 sub-metric calculations for the report month include orders that are complete in the billing system. (Orders that are not billing completed are not included in PR-3 calculations). Note: For PR-3-08 UNE Basic Hot Cut Loops, orders in the calculation are based on physical work completion.

Exclusions:

- VZ Test Orders.
- Disconnect Orders.
- Orders with the X appointment code. The X appointment code is used for customer requested or negotiated intervals beyond the standard appointment interval..
- Verizon Administrative orders.
- Orders with invalid intervals (e.g. Negative Intervals or intervals over 200 business days indicative
 of typographical error).
- For Verizon North only: Additional Segments on orders (parts of a whole order are included in the whole).
- Orders completed late due to any end-user or CLEC caused delay.
- Coordinated cut-over Unbundled Network Elements such as loops or number portability orders. (This
 exclusion applies to all PR-3 sub-metrics except PR-3-08, PR-3-11, PR-3-12, and PR-3-13).
- Special Project PONs (if applicable) per the process documented in Appendix S.
- For sub-metrics PR-3-10 2-Wire Digital, and 2-Wire xDSL Loop, orders that require a manual loop qualification (does not apply to disconnect orders).

Note: 2-Wire Digital and 2-Wire xDSL Loop orders that require manual loop qualification have an **R** populated in the *Required* field of the LSR (indicating that a manual loop qualification is required).

For 2-Wire Digital and 2-Wire xDSL Loop only:

• Orders missed due to facility reasons.

Performance Standard:

PR-3-01, PR-3-06, and PR-3-09: Parity with VZ Retail.

PR-3-08: Basic Hot Cut Loops (1-10 lines): 95%

PR-3-10: 2-Wire Digital Loops: Parity with Retail

PR-3-10: 2-Wire xDSL Loops: 95%

PR-3-11: 95%

PR-3-12: No Standard

PR-3-13: 98%

Refer to the URL matrix at the beginning of the C2C guidelines for the specific URLs for products and intervals in effect at the time of the compliance filing.

Report Dime	Report Dimensions		
Company:		Geography:	
 CLEC Aggre 	egate	State Specific	
 CLEC Spec 	ific	·	
Sub-Metrics			
PR-3-01	% Completed in one (1) Day one (1) to fi	ve (5) Lines – No Dispatch	
Products	Resale: POTS – Total		
Calculation	Numerator	Denominator	
Calculation		2011011111101101	
	Number of No Dispatch POTS orders	Number of No Dispatch POTS orders with	
	with one (1) to five (5) lines where completion date minus application date	one (1) to five (5) lines.	
	is one (1) or fewer days.		
PR-3-06	% Completed in three (3) Days one (1) to	o five (5) Lines – Dispatch	
Products	Resale:	UNE:	
	POTS – Total	POTS Loop - New	
Calculation	Numerator	Denominator	
	Number of Dispatch POTS orders with	Number of Dispatch POTS orders with one	
	one (1) to five (5) lines where completion	(1) to five (5) lines.	
	date minus application date is three (3)		
	or fewer days.		
PR-3-08 % Completed in five (5) days No Dispatch			
Products			
	Basic Hot Cut Loops (1-10 lines)		
Calculation	Numerator	Denominator	
	Number of No Dispatch POTS Basic Hot	Number of No Dispatch POTS Basic Hot	
	Cut Loop orders with one (1) to ten (10)	Cut Loop orders with one (1) to ten (10)	
	lines where completion date minus	lines.	
	application date is five (5) or fewer days.		

Sub-Metrics PR-3 % Completed within Specified Number of Days (1-5 Lines)			
(continued)			
PR-3-09	% Completed in five (5) Days one (1) to 1	1	
Products	Resale: POTS – Total	UNE: • POTS Loop – New	
Calculation	Numerator	Denominator	
	Number of POTS orders with one (1) to five (5) lines where completion date minus application date is five (5) or fewer days.	Number of Dispatch POTS orders with one (1) to five (5) lines.	
PR-3-10	% Completed in six (6) Days one (1) to fi	ive (5) Lines – Total	
Products	UNE: 2-Wire xDSL Loops 2-Wire Digital Loops		
Calculation	Numerator	Denominator	
	Number of orders (by specified product) with one (1) to five (5) lines where completion date minus application date is six (6) or fewer days.	Number of orders (by specified product) with one (1) to five (5) lines.	
PR-3-11	% Completed in 10 Business Days		
Products			
Calculation	Numerator	Denominator	
	Number of Basic Hot Cut Loop (11 to 20 lines) orders where the completion date minus application date is 10 or fewer business days.	Number of Basic Hot Cut Orders for 11 to 20 lines.	
PR-3-12	% Completed in 15 Business Days		
Products			
Calculation	Numerator	Denominator	
	Number of Large Job Hot Cut Loop orders (by line size group above) where the completion date minus the application date is 15 or fewer business days.	Number of Large Job Hot Cut Loop orders (by lines size group above).	
PR-3-13 % Completed in 26 Business Days			
Products	 UNE: POTS Loop Large Job Hot Cut (1-5 lines) POTS Loop Large Job Hot Cut (6 or more lines) 		
Calculation	Numerator	Denominator	
	Number of Large Job Hot Cut Loop orders (by line size group above) where the completion date minus the application date is 26 or fewer business days.	Number of Large Job Hot Cut Loop orders (by lines size group above).	

PR-4 Missed Appointments

Definition:

This metric measures the Percent of Orders completed after the <u>due</u> date. The <u>PR-4</u> sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-4 calculations). **Note:** This does **not** apply to the following metrics, which are calculated based on physical work completion: Interconnection Trunks (CLEC) PR-4-02, PR-4-03, and PR-4-15.

For LNP: The percent of orders completed on time (not early)

xDSL Loops are considered complete if completed on time on the due date. After completing the installation of a UNE 2-Wire xDSL Loop, Verizon will perform a cooperative continuity test for those CLECs that participate, as described in Appendix T of the C2C guidelines. The use of a DD-2 test or a CLECs 800 #, or a CLEC's serial number has no impact in the determination of a completed xDSL Loop.

Trunks: Includes reciprocal trunks from VZ to CLEC. For PR-4-03, the percentage of trunks completed for which there was a missed appointment due to CLEC reasons. For PR-4-15, the percentage of trunks completed on or before the order due date.

Metric PR-4-15 includes orders that were Customer Not Ready (CNR), and were completed in the report month.

Exclusions:

- VZ Test Orders
- Disconnect Orders (does not apply to PR-4-07)
- Verizon Administrative orders
- For Verizon North only: Additional Segments on orders (parts of a whole order are included in the whole)
- For PR-4-07, LNP orders without office equipment which do not have a trigger placed on the line.
- For PR-4-04 2-Wire Digital, and PR-4-14 UNE 2-Wire xDSL Loop only exclude orders missed for facility reasons.

Performance Standard:

Metrics PR-4-01, 4-02, 4-04 and 4-05 (except PR-4-02 Interconnection Trunks (CLEC)): Parity with VZ Retail 22

PR-4-02 Interconnection Trunks (CLEC): None – Analysis only.

PR-4-03 and 4-08: No standard

PR-4-07 LNP: 95% on Time

PR-4-14 UNE 2-Wire xDSL Loop: 95% on Time.

PR-4-15 Interconnection Trunks (CLEC): 95% on Time

22 % Missed Appointment Customer – No Standard – Not in Control of Verizon

Deleted: VZEAST200703-NY200610Version 13.0

Report Dime	Report Dimensions			
Company:	Geography:			
CLEC Aggre	egate	State Specific		
CLEC Speci				
Sub-Metrics				
PR-4-01	PR-4-01 % Missed Appointment – Verizon – Total			
Description	The percent of orders completed after the	due date, due to Verizon reasons.		
Products	Resale:	UNE:		
	• DS0	• EEL		
	• DS1	IOF		
	• DS3	• DS0		
	Specials Other	• DS1		
		• DS3		
	Specials Other			
Calculation	Numerator	Denominator		
	Number of orders where the Order	Number of orders completed for product		
	completion date is greater than the order	group.		
	DD due to Verizon reasons for product			
	group.			
PR-4-02	Average Delay Days – Total			
Description		easons, the average number of business day	ys	
Products	between the order DD and actual work colline Resale:	Trunks:		
Products		1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		· · · · · · · · · · · · · · · · · · ·		
		Digital Services. Trunks (CLEC) DSL Loops		
	l ' l <u>a</u>	•		
	Specials EEL	Total		
	• IOF			
Calculation	Numerator	Denominator		
	Sum of the completion date minus DD	Number of orders/trunks missed for		
	for orders/trunks missed due to company	company reasons, by product group.		
	reasons by product group.	company rodoons, by product group.		

Sub-Metrics (continued) PR-4 Missed Appointments				
PR-4-03				
Description	The percent of orders/trunks completed after the <u>due</u> date, <u>due</u> to <u>CLEC</u> or end-user delay. (Refer to Appendix B for Customer Miss Codes)			
Products	Resale: POTS - Total 2-Wire Digital Services. Specials Total	UNE: POTS - Loc 2-Wire Digi 2-Wire xDS EEL IOF Specials -	ital Services. SL Loops	Trunks: • Interconnection Trunks (CLEC)
Calculation	Numerator		De	nominator
	Number of orders/trunks where the order completion date is greater than the order DD due to customer reasons for product group.		Number of orders product group.	s/trunks completed for
PR-4-04	% Missed Appointment – Ve	rizon – Dispatc	h	
Description	The Percent of Dispatched reasons.	Orders comple	eted after the <u>due</u>	date, due to Verizon
Products	Resale:		UNE: • Loop – New • 2-Wire Digita	ıl Services
Calculation	Numerator		De	nominator
	Number of Dispatched Order order completion date is great order DD due to Verizon reast product group.	ter than the	Number of Dispa for product group	tched Orders completed o.

Sub-Metrics (continued) PR-4 Missed Appointments			
PR-4-05 % Missed Appointment – Verizon – No Dispatch			
Description	The Percent of No-Dispatch Orders completed after the due date, due to Verizon		
	reasons.		
Products	Resale:	UNE:	
	POTS - Total	2-Wire Digital Services.	
	2-Wire Digital Services.	• Loop - New	
Calculation	Numerator	Denominator	
	Number of No Dispatch Orders where the	Number of No Dispatch Orders	
	Order completion date is greater than the	Completed for product group.	
	order DD due to Company Reasons for		
	product group.		
PR-4-07	% On Time Performance – LNP Only		
Description	Percent of all LNP orders (including both		
	disconnect order) where trigger is in place or		
	date and disconnect is completed on or afte		
	orders, the percent of LNP (retail disconnect) due date on the order. Telephone Numb	ers disconnected early at the customer's	
	request are considered met. Orders whe		
	business day prior to the disconnect due da	te but before the number is ported by the	
	CLEC are not scored as missed triggers.		
	I CLEC AIR HULSCUIRU AS IIIISSRU HIUURIS.		
Products	UNE:		
Products	99		
Products Calculation	UNE: • LNP Numerator	Denominator	
	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger	Number of LNP orders completed (1	
	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port	Number of LNP orders completed (1 order = Trigger message and disconnect	
	UNE: Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day	Number of LNP orders completed (1	
	UNE: Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail	Number of LNP orders completed (1 order = Trigger message and disconnect	
	UNE: Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after	Number of LNP orders completed (1 order = Trigger message and disconnect	
Calculation	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date.	Number of LNP orders completed (1 order = Trigger message and disconnect order).	
Calculation	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment – Customer – Due to	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation	
Calculation	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment – Customer – Due to the percent of orders completed after the percent of orders after the percent of orders after the percent of orders after the percent of the percent o	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay,	
Calculation	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment – Customer – Due to	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay,	
Calculation PR-4-08 Description	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment – Customer – Due to the percent of orders completed after the where the reason for customer delay is identification.	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation.	
Calculation PR-4-08 Description	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment – Customer – Due to the percent of orders completed after the where the reason for customer delay is identification. Resale: • 2-Wire Digital Services.	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation. UNE: • 2-Wire Digital Services.	
Calculation PR-4-08 Description	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment – Customer – Due to the percent of orders completed after the where the reason for customer delay is identification.	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation. UNE: • 2-Wire Digital Services.	
Calculation PR-4-08 Description	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment - Customer - Due to the percent of orders completed after the where the reason for customer delay is identification. Resale: • 2-Wire Digital Services. • Specials Total	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation. UNE: 2-Wire Digital Services. 2-Wire xDSL Loops Specials – Total Denominator	
PR-4-08 Description Products	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment - Customer - Due to the percent of orders completed after the where the reason for customer delay is identification. Resale: • 2-Wire Digital Services. • Specials Total Numerator Number of orders where the order	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation. UNE: 2-Wire Digital Services. 2-Wire xDSL Loops Specials – Total	
PR-4-08 Description Products	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment - Customer - Due to the percent of orders completed after the where the reason for customer delay is identificable: • 2-Wire Digital Services. • Specials Total Numerator Number of orders where the order completion date is greater than the order	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation. UNE: 2-Wire Digital Services. 2-Wire xDSL Loops Specials – Total Denominator	
PR-4-08 Description Products	UNE: • LNP Numerator Number of LNP orders (1 order = Trigger message and disconnect order), where port trigger is completed one (1) business day before the due date and the retail disconnect is completed on or after 11:59PM of the due date. % Missed Appointment - Customer - Due to the percent of orders completed after the where the reason for customer delay is identification. Resale: • 2-Wire Digital Services. • Specials Total Numerator Number of orders where the order	Number of LNP orders completed (1 order = Trigger message and disconnect order). o Late Order Confirmation ue date, due to CLEC or end-user delay, fied as a late order confirmation. UNE: 2-Wire Digital Services. 2-Wire xDSL Loops Specials – Total Denominator Number of orders completed for product	

Formatted: Bullets and Numbering

Sub-Metrics	Sub-Metrics (continued) PR-4 Missed Appointments		
PR-4-14	% Completed On Time – 2-Wire xDSL		
Description	% of 2-Wire xDSL Loop completed on time.		
Products	UNE		
	 2-Wire xDSL Loop 		
Calculation	Numerator	Denominator	
	Number of all orders completed on or	Number of completed orders minus any	
	before the DD. orders delayed for customer reasons		
PR-4-15	% On Time Provisioning – Trunks		
Description	The percent of trunks completed on or before the order due date.		
Products	Trunks		
	Interconnection Trunks (CLEC)		
Calculation	Numerator	Denominator	
	The number of trunks where the order	The number of trunks completed within	
	completion date is less than or equal to the	the month.	
	order due date.		

PR-5 Facility Missed Orders

Definition:

These sub-metrics measure facility missed orders. Additionally, PR-5-04 measures orders that were cancelled five (5) days after the due date. **Note:** The likely reason for such cancellations included in PR-5-04 would be due to a lack of facilities.

The PR-5 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-5 calculations). Orders completed on the Due Date are considered to be completed on-time regardless of the time of day the order was actually completed.

Facility Missed Orders: The Percent of Dispatched Orders completed after the <u>due</u> date, where the cause of the delay is lack of facilities.

Facility Missed Orders > 15 or 60 Days: The percent of Dispatched orders missed for lack of facilities where the completion date minus the appointment date is greater than 15 or 60 calendar days.

Facility Missed Trunks: The percentage of trunks completed after the due date, where the cause of the delay was due to lack of facilities. **Note:** trunks are not dispatched.

Exclusions:

- VZ Test Orders
- Disconnect Orders
- Verizon Administrative orders
- For Verizon North only: Additional Segments on orders (parts of a whole order are included in the whole)
- From PR-5-04: Orders missed or delayed due to customer reasons.

Performance Standard:

PR-5-01 through PR-5-03: Parity with VZ Retail.

PR-5-04: No Standard. This is a diagnostic measure.

Report Dimensions

Company

Geography:

CLEC Aggregate

State Specific

CLEC Specific

Deleted: commitment

Sub-Metrics				
PR-5-01	PR-5-01 % Missed Appointment – Verizon – Facilities			
Description	The percent of Dispatched Orders or trunks completed after the <u>due</u> date, <u>due</u> to <u>lack of</u> Verizon facilities.			
Products	Resale: POTS - Total Specials - Total 2-Wire Digital Services. UNE: POTS Loop - Total Specials - Total 2-Wire Digital Ser 2-Wire xDSL Loop	Trunks (CLEC) vices.		
Calculation	Numerator	Denominator		
	Number of dispatched orders or trunks where the order completion date is greater than the order DD due to Verizon Facility reasons for product group.	Number of dispatched orders or trunks completed for product group.		
PR-5-02	% Orders Held for Facilities > 15 Days			
Description	The Percent of Dispatched Orders or trunks completed more than 15 days after the <u>due</u> date, due to lack of Verizon facilities.			
Products	Resale: POTS - Total Specials - Total 2-Wire Digital Services. UNE: POTS Loop - Total Specials - Total 2-Wire Digital Ser 2-Wire xDSL Loop	Trunks (CLEC) vices.		
Calculation	Numerator	Denominator		
	Number of dispatched orders or trunks where the completion date minus DD is 15 or more days for Company Facility reasons for product group. Number of dispatched orders or trunks completed for product group.			
PR-5-03	% Orders Held for Facilities > 60 Days			
Description	The Percent of trunks completed more than 60 days after the <u>due</u> date, due to lack of Verizon facilities. Note: trunks are not dispatched.			
Products	Trunks:			
	Interconnection Trunks (CLEC)			
Calculation	Numerator	Denominator		
	Number of trunks where the completion date minus DD is 60 or more days for Company Facility reasons for product group.	Number of trunks completed for product group.		

Deleted: commitment

Sub-Metrics (continued) Facility Missed Orders			
PR-5-04	% Orders Cancelled (> five (5) days) after D	ue Date – Due to Facilities	
Description	The percent of total orders (completed and cancelled) that are cancelled five (5) or more business days after the due date, exclusive of those orders with a customer miss jeopardy code.		
Products	UNE: POTS Loop - Total 2-Wire Digital Services 2-Wire xDSL Loops Specials – Total		
Calculation	Numerator Denominator		
	Number of cancelled orders cancelled due to facilities five (5) or more business days after the due date (excluding those orders that missed due to customer reasons).	Number of orders completed or cancelled for the product group within the report month.	

PR-6 Installation Quality

Definition:

This metric measures the percent of lines/circuits/trunks installed where a reported trouble was found in the Verizon network within 30 days of order completion. Any additional trouble received after the initial I-code is closed out, and is within the specified time period (7 or 30 days) is counted as a repeater.

For sub-metric PR-6-03 only, the UNE POTS Loop Total product includes UNE Loop Hot Cuts. The PR-6 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-6 calculations). **Note:** This does **not** apply to Hot Cuts and Interconnection Trunks (CLEC) which are calculated based on physical work completion.

Trunks: Includes reciprocal trunks from VZ to CLEC.

Note: For POTS services, the percent of lines/circuits/trunks installed where a reported trouble was found in the network within seven (7) days. This includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). Disposition Code 05 includes translation troubles automatically cleared via Switch to Order Compare (STORC) for Verizon North and SERVICE for Verizon Mid-Atlantic (or other similar record verification system utilized by Verizon) by CLEC. The source system: NMP-Mai.

Exclusions:

- Subsequent reports (additional customer calls while the trouble is pending).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer has reported a trouble.
- Special Project PONs (if applicable) per the process documented in Appendix S.

Formula:

Installation Troubles (within seven (7) or 30 days) with Disposition Codes 03, 04 and 05 divided by Lines completed multiplied by 100.

Performance Standard:

PR-6-01: Parity with VZ Retail For Found Troubles

PR-6-02: % Installation Troubles Reported within seven (7) Days: 2%

PR-6-03: No standard

Report Dimensions

CC	лпра	uıy.		
	\sim 1	-	A	

Geography:

CLEC AggregateCLEC Specific

State Specific

Sub-Metrics				
PR-6-01	PR-6-01 % Installation Troubles reported within 30 Days			
Description	The percent of lines/circuits/trunks installed where a reported trouble was found in Verizon's network within 30 days of order completion. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office).			
Products	Resale: UNE: Trunks:		Interconnection Trunks	
Calculation	Nume	erator		Denominator
	Number of Central Off loop (Disposition Code troubles with installation days of trouble report.	es 03, 04 and 05) on activity within 30		installed in calendar month.
PR-6-02	% Installation Trouble			
Description	The percent of lines installed where a reported trouble was found in the network within seven (7) days of order completion. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office).			
Products	UNE: • Loop Basic Hot Cut (all line size) • Loop – Large Job Hot Cut (all line size) • Loop – Batch Hot Cut (all line size)			
Calculation	Nume	erator		Denominator
	Number of Central Office and outside plant loop (Disposition Codes 03, 04 and 05) troubles with installation activity within seven (7) days of trouble report.			
PR-6-03	% Installation Trouble	s reported within 30 D	ays – FOK/	TOK/CPE
Description	The percent of lines/circuits/trunks installed where a reported trouble was not found in the network within 30 days of order completion. Includes Disposition Codes 07, 08, and 09 (Found OK/Test OK) and Disposition Codes 12 and 13 (CPE).			
Products	Resale: POTS – Total 2-Wire Digital Services (ISDN) Specials - Total	 UNE: POTS – Loop - To 2-Wire Digital Service 2-Wire xDSL Loop Specials - Total 	tal vices.	Trunks: Interconnection Trunks (CLEC)
Calculation	Nume	erator		Denominator
	Number of Not Found, Test OK and CPE troubles with installation activity within 30 days of trouble report. Total Lines installed in calendar more days of trouble report.		installed in calendar month.	

PR-8 Percent Open Orders in a Hold Status

Definition:

This metric measures the number of open orders that at the close of the reporting period have been in a hold status for more than 30 or 90 calendar days, as a percentage of orders completed in the reporting period.

The PR-8 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-8 calculations). **Note:** This does **not** apply to the following metrics, which are calculated based on physical work completion: PR-8-01 and PR-8-02 Interconnection Trunks (CLEC).

An **open order** is a valid order that has not been completed or cancelled. Open orders in a hold status include:

1. Open orders that have passed the originally committed completion date due to VZ reasons

Measurement of the 30 and 90 day intervals for open orders that have passed the originally committed completion date due to VZ reasons will commence with such passed originally committed completion date (passed originally committed completion date = Day 0).

Exclusions:

- VZ Test Orders.
- · Disconnect Orders.
- · Verizon Administrative orders.
- For Verizon North only: Additional segments on orders (parts of a whole order are included in the whole).
- Orders that are complete or cancelled.
- Orders that have passed the committed completion date, or whose completion has been delayed, due to CLEC or end user delay. (including VZ requests for cancellation)
- Orders that at the request of the CLEC or VZ Retail customer have not been assigned a completion date.

Performance Standard:

Parity with Verizon Retail.

Report Dimensions

Company

CLEC Aggregate

CLEC Specific

Geography:

• State Specific

Sub-Metrics	Sub-Metrics			
PR-8-01	Percent Open Orders in a Hold Status > 30 Days			
Products	Resale: POTS – Total 2-Wire Digital Services Specials - Total	UNE: POTS - Loop 2-Wire Digital Serv 2-Wire xDSL Loop Specials - Total EEL IOF		Trunks: • Interconnection Trunks (CLEC)
Calculation	Nume	erator		Denominator
	Number of open orders that at the close of the reporting period have been in a hold status for more than 30 days.		reporting per	r of orders completed in the iod.
PR-8-02	<u> </u>	in a Hold Status > 90	Days	
Products	Resale: POTS - Total 2-Wire Digital Services Specials - Total	UNE: POTS - Loop 2-Wire Digital Serv 2-Wire xDSL Loop Specials - Total EEL IOF		Trunks: • Interconnection Trunks (CLEC)
Calculation	Nume	erator		Denominator
	Number of open orders that at the close of the reporting period have been in a hold status for more than 90 days.		Total numbe reporting per	r of orders completed in the iod.

PR-9 Hot Cut Loops

Definition:

The PR-9-01 sub-metric measures the percent on-time performance for UNE Hot Cut Loops. The PR-9-02 sub-metric measures the total number of lines cut before the frame due time.

For sub-metric PR-9-08, troubles are counted in the month the trouble report is closed. This metric measures Average Duration of Hot Cut Installation Troubles where a reported trouble was found in the Verizon network within 7 days of order completion. Any additional trouble received after the initial I-code that is closed and is within the specified time period (7 days) is counted as a repeater.

There are three types of Hot Cut Loops: Basic Hot Cuts, Large Job Hot Cuts and Batch Hot Cuts.

A Basic or Large Job Hot Cut is considered complete when the following situation occurs:

- Work is done at the appointed Frame Due Time (FDT) as noted on the LSRC or the work is done
 at a time mutually agreed upon by the RCCC/CLEC. For Basic, the time within a prescribed
 interval as noted in the C2C guidelines. For Large Jobs, it is a mutually accepted interval agreed
 upon by Verizon and the CLEC (e.g. project completes by a certain date). Work is complete
 when the order is completed in WPTS.
- 2. Orders missed for customer reasons, where there is no Verizon miss, will be counted as completed on-time once completed.

Note: If Verizon re-institutes the acceptance testing process, the percent on time measure will include the time it takes to complete acceptance testing.

A Basic or Large Job Hot Cut is considered **missed** when one of the following occurs:

- Premature disconnect called in to 1-877-HotCuts (otherwise the disconnect would be captured as a Retail trouble).
- 2. Work was not done (e.g. work was not turned up to CLEC by some means (WPTS, e-mail, VMS, direct phone call)) by close of intervals noted under Met Hot Cuts definition due to a Verizon reason (e.g. HFC, late turn-up, due date pushed out due to Verizon action).

A Batch Hot Cut is considered **complete** when the following occurs:

- All required cross wiring is complete and Verizon sends the Port activation notice to the Number Portability Administration Center (NPAC).
- 2. Work is complete when the order is completed in WPTS.
- 3. Orders missed for customer reasons, where there is no Verizon miss, will be counted as completed on-time once completed.

A Batch Hot Cut is considered **missed** when one of the following occurs:

- 1. If the cross-wire work was not done on the WPTS due date due to Verizon action.
- 2. If the Port activation notice is not sent by Verizon.
- 3. A premature disconnect is called into 1-877-HotCuts.
- 4. The completion date is greater than 26 days (except if delayed for CLEC reasons).

Definition:

Note: For Batch Hot Cuts, NPAC failures may require rescheduling and will not be counted as a Verizon miss

Note: For all types of Hot Cuts:

- Verizon will not complete a Hot Cut if there is no dial tone at either the Old Switch Provider or the New Switch Provider. If Verizon cannot verify the Telephone number (ANI), the cut will not be done and the New Switch provider will be required to resolve the problem. The Hot Cut will be scored as a customer miss. However, if Verizon is the Old Switch Provider and there is no dial tone at the Old Switch, this will not be a customer miss.
- Any errors on the LSR that result in a problem with the Hot Cut will not be attributable to Verizon.
- Verizon will not be responsible for a premature disconnect that is caused by another Switch Provider.
- Verizon can not guarantee a throwback if there is no dial tone on the Old Switch Provider (other than Verizon).

Exclusions:

- VZ Test Orders
- Verizon Administrative orders
- For Verizon North only: Additional segments on orders (parts of a whole order are included in the whole)
- Orders that are not complete. (Orders are included in the month that they are complete)
- If a CLEC cancels an order before the start of a Hot Cut window and VZ performs the Hot Cut, this VZ error will result in a retail//Resale/UNE-L trouble report and need not be reflected elsewhere.

For PR-9-02 applicable to MD & VA only:

Early cuts not reported by CLEC

Performance Standard:

PR-9-01: 95% completed within window

PR-9-02: (Applicable to MD & VA only)

- MD: Not more than 2% of lines cut early
- VA: Not more than 1% of lines cut early

PR-9-04: 95% within six business days.

PR-9-08: Parity with Verizon Retail

Standard for Basic Cut-Over Window: Amount of time from start to completion of physical cut-over of lines:

one (1) to nine (9) lines: one (1) Hour 10 to 49 lines: two (2) Hours 50 to 99 lines: three (3) Hours

If IDLC is involved – Four (4) hour window (8:00AM to 12:00PM (Noon) or 1:00PM to 5:00PM). Four (4) hour window applies to start time. This is only applicable if Verizon notified the CLEC by 2:30PM EST on DD-2 that the service was on IDLC.

Note: Large Job Hot Cuts may be completed over multiple days per agreement with the CLEC. Large Jobs are completed in the order specified by the CLEC, starting at a specified time.

The window for a Batch Hot Cut is the due date.

Standard for Batch Cut-Over window: Amount of time from completion of physical cut-over of lines, counted back to the start time:

one (1) to nine (9) lines: one (1) hour 10 to 49 lines: two (2) hours 50 to 99 lines: three (3) hours

Note: For Batch Hot Cuts, the start time for an order is selected by Verizon and is variable within the day

of the cut.

Report Dimensions				
Company:	Geography:			
CLEC Aggr	edate	State Specific		
CLEC Speci		Glate opecine		
	- Hot Cut Loops			
PR-9-01	% On Time Performance – Hot Cut			
Description	Percent of all UNE Loop orders completed wi			
	includes both Loop only and Loop & Number considered not met.	Portability. Orders disconnected early are		
Products	UNE:			
Products				
	Loop – Basic Hot Cut (all line size)			
	Loop – Large Job Hot Cut (all line size)			
	Loop – Batch Hot Cut Loop (all line size)			
Calculation	Numerator	Denominator		
	Number of Hot Cut (coordinated loop)	Number of Hot Cut (coordinated loop		
	orders (with or without number portability)	orders) completed.		
	completed within commitment window (as			
	scheduled on order) on DD.			
PR-9-02	% Early Cuts – Lines (Applicable to MD and			
Description	The total number of lines cut before the frame			
	over window) or cut before mutually agreed u			
	divided by the total number of hot cut lines completed in the month.			
Products	UNE:			
	Loop- Hot Cut (Coordinated Cut-over)			
Calculation	Numerator	Denominator		
	Count of hot cut (coordinated loop) lines	Count of hot cut lines completed.		
	(With or without number portability) cut			
	before frame due time or cut before			
	mutually agreed upon time between Verizon			
	and the CLEC.			

Deleted:, and orders cancelled during or after a defective cut due to Verizon reasons

88

Sub-Metrics	- Hot Cut Loops, continued			
PR-9-04	% On Time Batch Due Date			
Description	This sub-metric measures the number of Loop Batch Hot Cut orders where the creation of the batch is six (6) or more days prior to the batch due date as a percent of Loop Batch Hot Cut orders. If the Batch due date is a 26 day interval, then the creation of the batch due date will be the LSRC date. Batch orders where the batch due date is a six (6) day interval may be counted on time if the batch due date is set on day one (1) of the order.			
Products	UNE: • Loop- Batch Hot Cut			
Calculation	Numerator	Denominator		
	Number of WPTS Batch Hot Cut due date amendments updated within six (6) business days or more of due date.	Number of WPTS Batch Hot Cuts.		
PR-9-08	Average Duration of Hot Cut Installation Troubles			
Description	The average repair time (Mean Time to Repair - (MTTR)) for Hot Cut Installation troubles.			
Products	UNE: • POTS – Loop – Hot Cut Total			
Calculation	Numerator	Denominator		
	The sum of the trouble clear date and time minus the trouble receipt date and time for Central Office and Loop troubles (disposition codes 03, 04, and 05) for HotCut Installation troubles reported within seven (7) calendar days.	Number of Central Office and Loop troubles (disposition codes 03, 04, and 05) for HotCut Installation troubles reported within seven (7) calendar days.		

Section 4

Maintenance & Repair Performance

(MR)

Function	Number of
	Sub-metrics
Response Time OSS Maintenance Interface	12
Trouble Report Rate	5
Missed Repair Appointments	3
Trouble Duration Intervals	8
Repeat Trouble Reports	1
	Response Time OSS Maintenance Interface Trouble Report Rate Missed Repair Appointments Trouble Duration Intervals

MR-1 Response Time OSS Maintenance Interface

Definition:

Local Service Interface – Trouble Administration (LSI-TA): These sub-metrics measure the response time defined as the time, in seconds, that elapses from receipt of a request at Verizon's access platform to issuance of a response from Verizon's access platform. Only POTS Total transactions are included in this measure.

<u>Electronic Bonded Interfaces (EBTA and TAXI)</u>: These sub-metrics measure the response time, defined as the time in seconds, that elapses from receipt of a request submitted by CLEC to issuance of a response from Verizon.

Exclusions:

LSI-TA

- CLEC Create Transactions complex create trouble transactions not available to retail including:
 - Feature fix create
 - Transactions on circuits with recent change activity requiring Service Order lookup
- Other CLEC Transactions functions not available to Verizon Retail including:
 - Transactions on circuits with recent change activity requiring Service Order look-up
- Create transaction for multiple circuits on one trouble ticket.

LSI-TA and Electronic Bonded Interfaces (EBTA and TAXI):

 Excluded from MR-1-06 and MR-1-12: transactions that are incomplete due to Line In Use (LIU); specifically, all MR-1-06 and MR-1-12 transactions with a VER code response of "6" or "61".

Methodology:

LSI-TA:

8:00AM to 5:00PM seven (7) days per week, no holiday exclusions.

For VZ retail transactions, retail performance is reported directly from Verizon's access platform. Measurements begin when Verizon's access platform receives a request from the GUI, and end when Verizon's access platform sends a response to the GUI. The retail trouble transaction measurements, are the sum of the averages of the response times of the initial inquiry transaction and trouble report transaction. If the user cancels the transaction between the first and second measurement, the time from the first measurement is still included in the calculation of the average for the first measurement.

For VZ wholesale transactions, actual response times are reported by Verizon's access platform. CLEC modify transactions also include close/cancel transactions with an error code of 0302 (ticket cannot be closed due to pending work in progress).

Electronic Bonded Interfaces (EBTA and TAXI):

System Availability is 24 x 7

Measurement includes all successful transactions. Successful transactions are those transactions where the requested information was returned to the requestor, and errors are those responses that did not contain the requested information.

For VZ wholesale transactions, the performance is measured from the point of entry, after the firewall, to the point of exit, prior to the firewall, of the Verizon interface application.

For MR-1-06 and MR-1-12, the transaction response contains the line test information.

MR-1-07 measures the electronic closure rate for opened E-Bonded trouble tickets. It measures the % of E-Bonded trouble tickets that actually received an electronic closeout notification on the day that the ticket was closed.

Performance Standard:

Metrics MR-1-01 through MR-1-06:

 $\underline{\text{LSI-TA}}$: Parity with Retail plus not more than four (4) seconds. Four (4)-second difference allows for variations in functionality.

Metric MR-1-07:

EBTA: 98% TAXI: 98%

Metrics MR-1-08 through MR-1-12:

EBTA: 95% within 2 minutes TAXI: 95% within 2 minutes

Report Dimensions					
Company:	Geography:				
 CLEC Aggregate 		LSI-TA and Electronic Bonded Interfaces (EBTA and TAXI)			
	New York/Connecticut				
	 New England (Maine, New Hampshire, Vermont, Massachusetts, 				
	Rhode Island)				
	New Jersey				
	Pennsylvania/Delaware				
	Maryland, Washington, D.C., Virginia, West Virginia				
Products	LSI-TA:	EBTA:	TAXI:		
	 MR-1-01 through MR-1-06 	MR-1-07, MR-1-08 through MR-1-12	MR 1-07, MR 1-08 through MR 1-12		
	WIIX 1 00	unough Mix-1-12	unough Wilt 1-12		

Sub-Metrics					
MR-1-01	Average Response Time – Create Trouble				
Calculation	Numerator	Denominator			
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Create Trouble transactions.			
MR-1-02	Average Response Time – Status Trouble				
Calculation	Numerator	Denominator			
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Status Trouble transactions.			
MR-1-03	Average Response Time – Modify Trouble				
Calculation	Numerator	Denominator			
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Modify Trouble transactions.			
MR-1-04	MR-1-04 Average Response Time – Request Cancellation of Trouble				
Calculation	Numerator	Denominator			
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Close/Cancel Trouble transactions.			
MR-1-05	Average Response Time –Trouble Report H	listory (by TN/Circuit)			
Calculation	Numerator	Denominator			
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Trouble History transactions.			
MR-1-06	Average Response Time – Test Trouble (PC	TS Only)			
Calculation	Numerator	Denominator			
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Trouble Test transactions.			
MR-1-07	% On-Time Ticket Closure on Bonded Oper	Tickets			
Calculation	Numerator	Denominator			
	Number of trouble tickets where a Notification of Ticket Closure was sent on the date the ticket was closed.	Number of trouble tickets that were closed within the reporting period.			

Numerator te Trouble transactions nse time is less than or cified standard. atus Trouble Numerator s Trouble transactions nse time is less than or cified standard. dify Trouble	Denominator Number of Create Trouble transactions. Denominator Number of Status Trouble transactions.			
nse time is less than or cified standard. ttus Trouble Numerator s Trouble transactions nse time is less than or cified standard.	Denominator			
cified standard. atus Trouble Numerator s Trouble transactions nse time is less than or cified standard.	=			
Numerator s Trouble transactions nse time is less than or cified standard.	=			
Numerator s Trouble transactions nse time is less than or cified standard.	=			
s Trouble transactions nse time is less than or cified standard.	=			
nse time is less than or cified standard.	Number of Status Trouble transactions.			
cified standard.				
dify Trouble				
	•			
Numerator	Denominator			
fy Trouble transactions	Number of Modify Trouble transactions.			
nse time is less than or	,			
cified standard.				
quest Cancellation of Trou	ble			
Numerator	Denominator			
ellation Trouble	Number of Cancellation Trouble			
ere the response time is	transactions.			
al to the specified standard.				
MR-1-12 % On-Time – Test Trouble (POTS Only)				
Numerator	Denominator			
	Number of Test Trouble transactions.			
Trouble transactions where				
Trouble transactions where ne is less than or equal to				
	relation Trouble ere the response time is al to the specified standard. st Trouble (POTS Only) Numerator Trouble transactions where			

MR-2 Trouble Report Rate

Definition:

This metric measures the total initial Customer Direct (CD) or Customer Referred (CR) troubles (Category 1) reported, where the trouble disposition was found to be in the network, per 100 lines/circuits/trunks in service. Loop equals Drop Wire plus Outside Plant Loop. Network Trouble means a trouble with Disposition Codes of 03 (Drop-wire), 04 (Outside Plant Loop), 05 (Central Office) FAC, CO and STN. Troubles are reported in the month the trouble ticket is closed.

Category 1 consists of:

- Customer Direct (CD): A customer contacts Verizon, using standard trouble reporting procedures about a trouble with a Residence, Business or Other company provided service.
- Customer Referred (CR): A customer refers a trouble report, outside the standard trouble reporting procedures, to a Verizon employee and the Verizon employee then refers the trouble to Verizon for processing.

Subsequent Reports: Additional customer trouble calls while an existing trouble report is pending -typically for status or to change or update information.

The Disposition Codes can be found on the Verizon Partner Solutions website. Refer to the URL matrix at the beginning of the C2C guidelines for the URL to find disposition codes in effect at the time of the compliance filing.

Exclusions:

- Except for MR-2-04: Report rate excludes subsequent reports (additional customer calls while the trouble is pending)
- Troubles reported on VZ official (administrative lines)
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer has reported a trouble
- Switch and Translation troubles from the Retail compare of UNE POTS Loop, UNE 2-Wire Digital Loop, and UNE 2-Wire xDSL Loop.

Excluded from Total and Loop/CO report rates:

- Customer Premises Equipment (CPE) troubles
- Troubles reported but not found (Found OK, Test OK, Non-Plant Classified (NPC) and Came Clear(CC)).

Excluded from MR-2-02 and MR-2-03 for 2-Wire xDSL Loops: Installation troubles

Performance Standard:

MR-2-01, MR-2-02, MR-2-03 Report Rate: Parity with Verizon Retail

Trunk Retail Equivalent = IXC FGD. Parity should be assessed in conjunction with MTTR

MR-2-04, % Subsequent Reports as a Percent of Total Reports: No standard Parity to be assessed in conjunction with missed appointments.

MR-2-05, % CPE/TOK/FOK Reports: (Customer Premises Equipment, Test OK, Found OK, Non-Plant Classified and Came Clear)

No standard. Used for root cause analysis. For CLEC troubles a not found trouble is coded as CPF

Report Dime	ensions				
Company:			Geography:		
 CLEC Aggr 	regate		State Specific		
 CLEC Spec 	cific				
Sub-Metrics					
MR-2-01	Network Trouble Report				
Products	Resale:	UNE:		Trunks:	
	Specials	 Specials 		 Interconnection Trunks (CLEC) 	
Calculation	Numer	ator		Denominator	
POTS:	Number of all trouble reports with found network troubles (disposition codes FAC, CO, and STN).		Number of specials or trunks in service.		
MR-2-02	Network Trouble Report	rt Rate – Loop			
Products	Resale:		UNE	:	
	POTS Loop		•		
	2-Wire Digital Services (ISDN)		2-Wire Digital Loop		
	2-Wire xDSL Loops				
Calculation	Numerator			Denominator	
	Number of all loop trouble reports N		Num	Number of Lines in service.	
	(Disposition Codes of 03 and 04).				
MR-2-03	Network Trouble Repo	rt Rate – Centra			
Products	Resale:		UNE	:	
	POTS		• [_oop	
	2-Wire Digital service	ces (ISDN)	2-Wire Digital Loop		
			2-Wire xDSL Loops		
Calculation	Numerato	or		Denominator	
	Number of all Central O	ffice trouble	Num	ber of Lines in service.	
	reports (Disposition Cod	de of 05).			

MR-2-04	% Subsequent Reports as a Percent o	f Total Reports
Products	Resale:	UNE: Loop 2-Wire Digital Loop 2-Wire xDSL Loops
Calculation	Numerator	Denominator
	Number of subsequent reports (Disposition Codes, 03, 04 and 05).	Number of Total Disposition Codes 03, 04, and 05 troubles reported.
MR-2-05	% CPE/TOK/FOK/NPC/CC Trouble Rep	oort Rate
Products	Resale: POTS 2 Wire Digital Services (ISDN) Specials	UNE: Loop 2-Wire Digital Loop 2-Wire xDSL Loops Specials
Calculation	Numerator	Denominator
	Number of all CPE (Disposition Codes 12/13), Test OK, and Found OK troubles (Disposition Codes 07, 08, and 09), No Trouble Found (NTF), Non Plant Classified (NPC), and Came Clear (CC) for Specials.	Number of lines in service.

MR-3 Missed Repair Appointments

Definition:

These metrics measure the percent of reported Network Troubles not repaired and cleared by the date and time committed. Also referred to as percent of customer troubles not resolved within estimate. Appointment intervals vary with force availability in the POTS environment. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). Troubles are reported in the month the trouble ticket is closed

Loop is defined as Disposition Codes 03 plus 04. These troubles are always dispatched out.

Verizon uses a single ticket process for misdirected troubles on UNE POTS voice loops (only). This process enables Verizon to redirect a trouble to the opposite end of the circuit after a CLEC made an error in the initial dispatch direction.

Exclusions:

- Troubles reported on VZ official (administrative lines)
- Missed appointments where the CLEC or end-user causes the missed appointment or required access was not available during appointment interval
- Excludes subsequent reports (additional customer calls while the trouble is pending)
- *Customer Premises Equipment (CPE) troubles
- *Troubles reported but not found (Found OK (FOK) and Test OK (TOK)).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer reported a trouble.
- Switch and Translation troubles from the Retail compare of UNE POTS Loop, UNE 2-Wire Digital Loop, and UNE 2-Wire xDSL Loop.
- Sub-metric MR-3-02 POTS Loop Only: exclude redirected troubles. A trouble ticket is considered a
 redirect if it was dispatched IN and OUT, and the trouble was found in the opposite direction from the
 CLEC's reported trouble direction. Reports with multiple dispatches in the same direction are not
 excluded.

Note: The following *No Access Rule* applies to MR-3 *Missed Repair Appointments* sub-metrics: Exclude records where Verizon dispatches a technician prior to the appointment date, and encounters a *No Access* situation.

* The CPE and FOK/TOK exclusions do not apply to sub-metric MR-3-03.

Performance Standard:

MR-3-01 and MR-3-02 - Parity with VZ Retail.

MR-3-03: No standard

	nsions

Company:

CLEC Aggregate

Geography:

CLEC Specific

State Specific

Sub-Metrics	Sub-Metrics				
MR-3-01	% Missed Repair Appointment – Loop				
Products	Resale:	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops			
Calculation	Numerator	Denominator			
MD a co	Number of Loop troubles where clear time is greater than commitment time (Disposition Codes 03 and 04).	Number of Loop troubles (Disposition Codes 03 and 04).			
MR-3-02 Products	% Missed Repair Appointment – Centra Resale:	UNE:			
Fiducts	 POTS- Business POTS- Residence 2 Wire Digital Services (ISDN) 	 Loop 2-Wire Digital Loop 2-Wire xDSL Loops 			
Calculation	Numerator	Denominator			
	Number of Central Office troubles where clear time is greater than commitment time (Disposition Code 05).	Number of Central Office Troubles (Disposition Code 05).			
MR-3-03	% CPE/TOK/FOK - Missed Appointmen				
Products	Resale: POTS 2 Wire Digital Services (ISDN)	UNE: Loop 2-Wire Digital Loop 2-Wire xDSL Loops			
Calculation	Numerator	Denominator			
	Number of CPE, FOK and TOK troubles where clear time is greater than appointment time for (Disposition Codes 07, 08, 09, 12, and 13).	Number of CPE, FOK and TOK troubles (Disposition Codes 07,08, 09, 12, and 13).			

MR-4 Trouble Duration Intervals

Definition:

This metric measures trouble duration intervals. Mean Time to Repair: (MTTR) For Network Trouble reports, the average duration time from trouble receipt to trouble clearance. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). Troubles are reported in the month the trouble ticket is closed.

For **POTS** and **Resale**, trouble duration intervals are measured on a *running clock* basis. Run clock includes weekends and holidays.

For **UNE Loop**, **UNE 2-Wire Digital Loop**, **and UNE 2-Wire xDSL Loop** products, trouble duration intervals are measured on a limited *stop clock* basis. A *stop clock* is used when the customer premises access, provided by the CLEC and its end user, is after the offered repair interval. *For example*, if customer premises access is not available on a weekend, the clock stops at 5:00PM Friday, and resumes at 08:00AM Monday. This applies to dispatch out tickets only.

For **Special Services** and Interconnection Trunks (CLEC), this is measured on a *stop clock* basis (e.g., the clock is stopped when CLEC testing is occurring, VZ is awaiting carrier acceptance, or VZ is denied access).

Out of Service Intervals: The percent of Network Troubles that indicate an Out-Of-Service (OOS) condition which was repaired and cleared more than "y" hours after receipt of trouble report. OOS means that there is no dial tone, the customer cannot call out, or the customer cannot be called. The OOS period commences when the trouble is logged into VZ's designated trouble management system after the trouble is entered via a trouble reporting interface. OOS intervals are measured using the same duration calculations that apply to Mean Time to Repair metrics for the products listed above. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). **Note:** "y" equals hours OOS (2, 4, 12 or 24 hours).

For Special Services: An OOS condition is defined as follows: Troubles where, in the initial contact with the customer, it is determined that the circuit is completely OOS (osi = "y") and not just an intermittent problem, and the trouble completion code indicated that a trouble was found within the Verizon network.

Verizon uses a single ticket process for misdirected troubles on UNE POTS voice loops (only). This process enables Verizon to redirect a trouble to the opposite end of the circuit after a CLEC made an error in the initial dispatch direction.

Exclusions:

- Troubles reported on VZ official (administrative lines)
- Subsequent reports (additional customer calls while the trouble is pending)
- Customer Premises Equipment (CPE) troubles
- Troubles reported but not found (Found OK and Test OK).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer reported a trouble.
- Switch and Translation troubles from the Retail compare of UNE POTS Loop, UNE 2-Wire Digital Loop, and UNE 2-Wire xDSL Loop.
- For, Sub-metric MR-4-03 POTS Loop Only: exclude redirected troubles. A trouble ticket is
 considered a redirect if it was dispatched IN and OUT, and the trouble was found in the opposite
 direction from the CLEC's reported trouble direction. Reports with multiple dispatches in the same
 direction are not excluded.

For troubles where the stop clock is used:

• The time period from when the *stop clock* is initiated until the time when the clock resumes.

Performance Standard:

Parity with VZ Retail

Report Dimensions	
Company:	Geography:
CLEC Aggregate	State Specific
CLEC Specific	
Sub-Metrics – Trouble Duration Intervals	
MR-4-01 Mean Time To Repair – Total	

Sub-Metrics – Trouble Duration Intervals					
MR-4-01	R-4-01 Mean Time To Repair – Total				
Products	Resale: POTS Vire Digital Services (ISDN) Specials non DS0 and DS0 Specials DS1 and DS3	UNE: Loop 2-Wire Digit Specials no DS0 Specials DS	n DS0 and	Trunks: • Interconnection Trunks (CLEC)	
Calculation	Numerator		Denominator		
	Sum of trouble clear date and time minus trouble receipt date and time for Central Office and Loop troubles (Disposition Codes 03, 04 and 05, FAC, CO, and STN).		s Number of Central Office and Loop troubles (Disposition Codes 03, 04 and 05, FAC, CO, and STN).		

Sub-Metrics – Trouble Duration Intervals, continued						
MR-4-02						
Products	Resale:	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops				
Calculation	Numerator	Denominator				
	Sum of the trouble clear date and time minus the trouble receipt date and time for Loop troubles (Disposition Codes 03 and 04).	Number of Loop troubles (Disposition Codes 03 and 04).				
MR-4-03	Mean Time To Repair - Central Office Tro	ouble				
Products	Resale: POTS- Business POTS- Residence 2 Wire Digital Services (ISDN)	UNE: POTS - Loop 2-Wire Digital Loop 2-Wire xDSL Loops				
Calculation	Numerator	Denominator				
	Sum of trouble clear date and time minus trouble receipt date and time for Central Office troubles (Disposition Code 05).	Number of Total Central Office troubles (Disposition Codes 05).				
MR-4-04	% Cleared (all troubles) within 24 Hours					
Products	Resale: POTS 2 Wire Digital Services (ISDN) Specials non DS0 and DS0 Specials DS1 and DS3 UNE: 2-Wire Digital 2-Wire xDSL L Specials non Specials DS1 and DS3	oops SO and DS0				
Calculation	Numerator	Denominator				
	Number of troubles, where the trouble clear date and time minus trouble receipt date and time is less than or equal to 24 hours (Disposition Codes 03, 04, and 05, FAC, CO, and STN).	Number of Central Office and Loop troubles (Disposition Codes 03, 04 and 05, FAC, CO, and STN).				

Sub-Metrics	Sub-Metrics – Trouble Duration Intervals, continued					
MR-4-05	% Out of Service > 2 Hours	3				
Products	Trunks: Interconnection Trunks (CLEC)					
Calculation	Numerator Denominator			enominator		
	Number of trunk troubles OOS, where the trouble clear date and time minus the trouble receipt date and time is greater than two (2) hours.		Number of Total OOS trunk troubles (Loop and Central Office).			
MR-4-06	% Out of Service > 4 Hours	}				
Products	Resale: POTS – Business POTS - Residence Specials non DS0 and DS0 Specials DS1 and DS3	DS0	als non DS0 and als DS1 and	Trunks: • Interconnection Trunks (CLEC)		
Calculation	Numerator Denominator			enominator		
	Number of troubles OOS, where the trouble clear date and time minus trouble receipt date and time is greater than four (4) hours. Number of OOS troubles (Loop and Central Office).			troubles (Loop and Central		
MR-4-07	% Out of Service > 12 Hour					
Products	Resale: POTS – Business POTS - Residence Wire Digital Services (ISDN)	• Loop • I		Trunks: • Interconnection Trunks (CLEC)		
Calculation	Numerator		D	enominator		
	Number of troubles OOS, where the trouble clear date and time minus trouble receipt date and time is greater than 12 hours. Number of OOS trouble Office).		troubles (Loop and Central			

Sub-Metrics – Trouble Duration Intervals						
MR-4-08 % Out of Service > 24 Hours						
Products	Resale: POTS- Business POTS- Residence 2 Wire Digital Services (ISDN) Specials non DS0 and DS0 Specials DS1 and DS3	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops • Specials non DS0 and DS0 • Specials DS1 and DS3		Trunks: • Interconnection Trunks (CLEC)		
Calculation	Numerator		Denominator			
	Number of troubles OOS, where the rouble clear date and time minus trouble eceipt date and time is greater than 24 nours.		Number of OOS troubles (Loop and Central Office).			

MR-5 Repeat Trouble Reports

Definition:

This metric measures the percent of troubles closed that have an additional trouble closed within 30 days for which a network trouble (Disposition Codes 03, 04, or 05, FAC, CO, and STN) is found. A repeat trouble report is defined as a trouble on the same line/circuit/trunk as a previous trouble report that occurred within the last 30 calendar days of the previous trouble. Any trouble, regardless of the original Disposition Code, that repeats as a Disposition Code 03, 04, or 05 will be classified as a repeat report with the exception of those exclusions listed in Section A below.

The identification of a repeat report and the scoring (number of days since original report) is based on the Close Date of the original report (often referred to as the "OR") to the Close Date of the repeater. Troubles are reported in the month the trouble ticket is closed.

Exclusions:

Section A:

A report is not scored as a *repeat* when the original reports are:

- For Loop troubles (e.g. analog loop, 2-Wire Digital Loops, and 2-Wire xDSL Loops) a repeat is not scored when the original report is no access or misdirected.
 - 1. An initial trouble may only be closed to a *No Access* disposition code if access is not available within the appointment window.
 - 2. An original report that was closed to No Trouble Found (NTF), Found OK (FOK), or Customer Premises Equipment (CPE) is deemed to have been *misdirected* if the trouble is found in the opposite direction from the direction reported by the CLEC.

Section B:

Excluded from the *repeat* reports are:

- Troubles reported on VZ official (administrative lines)
- Subsequent reports (additional customer calls while the trouble is pending)
- CPE troubles
- Troubles reported but not found upon dispatch (Found OK and Test OK).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer reported a trouble.
- Troubles that are reported in the PR-6-01 % Installation Troubles Reported within 30 Days metric.

Performance Standard:

Parity with VZ Retail

Report Dimensions

Company.				
•	CLEC Aggregate			
•	CLEC Specific			

Geography:

State Specific

MR-5 Sub-Metrics						
MR-5-01 % Repeat Reports within 30 Days						
Products	Resale: POTS 2-Wire Digital Services (ISDN) Specials	UNE: Loop 2-Wire Digital Loo 2-Wire xDSL Loop Specials	•	Trunks: Interconnection Trunks (CLEC)		
Calculation	Numerator Number of Central Office and Loop troubles that had previous troubles within the last 30 days. (Disposition Codes 03, 04, and 05, FAC, CO, and STN that repeated from Disposition Codes < 14). (Repeat Flag is set)		Denominator Total Central Office and Loop Found troubles (Disposition Codes 03, 04 and 05, FAC, CO, and STN) within the calendar month.			

Section 5

Network Performance

(NP)

	Function	Number of
		Sub-metrics
NP-1	Percent Final Trunk Group Blockage	4
NP-2	Collocation Performance	8
NP-6	NXX Updates *Applicable to NJ only*	1

Network Performance (NP)

Function:

NP-1 Percent Final Trunk Group Blockage

Definition:

These sub-metrics measure percent of dedicated one-way Final Trunk Groups (FTGs) carrying traffic from Verizon's tandem to the CLEC that exceed blocking design threshold. Monthly trunk blockage studies are based on a time consistent busy hour. The percentage of VZ trunk groups exceeding the applicable blocking design threshold will be reported. Data collected in a single study period to monitor trunk group performance is a sample and is subject to statistical variation based upon the number of trunks in the group and the number of valid measurements. With this variation, for any properly engineered trunk group, the measured blocking for a trunk group for a single study may exceed the design-blocking threshold. [Verizon uses blocking threshold tables (Service Threshold) to determine the statistical probability that the design blocking standard is not being met; with the resulting trunk group requiring service action. For the NP-1 metrics, trunk groups exceeding a 2% threshold require action to prevent future blocking].

The NP-1-01 and NP-1-02 sub-metrics include all FTGs provisioned per CLEC request regardless of whether or not the CLEC utilizes the FTG.

For this measure, VZ Retail Trunks are defined as Common Final Trunks carrying Local Traffic between offices. Typical common final trunks are between end-offices and access tandems. CLEC Trunks are dedicated final trunks carrying traffic from the VZ tandem to the CLEC. Trunks not included:

- IXC Dedicated Trunks
- Common Trunks carrying only IXC traffic

Exclusions:

Verizon will electronically notify CLECs (operational trunk staffs), of the following situations for blocked trunks. The notification states that Verizon identified a blocked trunk group due to CLEC reasons and that the trunk group will be excluded from Verizon performance. Verizon will make the exclusion automatically, unless the CLEC responds back within two business days from the date the e-mail notification was sent with valid documentation that the information presented by Verizon for the trunk group blockage is inaccurate.

- Trunks blocked due to CLEC network failure
- Trunks that actually overflow to a final trunk, but are not designated as an overflow trunk
- Trunks blocked where CLEC order for augmentation is overdue
- Trunks blocked where CLEC has not responded to or has denied VZ request for augmentation
- Trunks blocked due to other CLEC trunk network rearrangements.

Performance Standard:

Metrics NP-1-01, 02, and 03: No standard (Note: Because common trunks carry both retail and CLEC traffic, there will be parity with Retail on common trunks.)

For individual trunk groups carrying traffic between VZ and CLECs, VZ will provide an explanation (and action plan if necessary) on individual trunks blocking for two months consecutively.

Metric NP-1-04: An individual trunk should not be blocked for three consecutive months.

Report Dimensions – NP-1 Percent Final Trunk Group Blockage		
Company:		Geography:
 CLEC Aggre 	egate	State Specific
 CLEC Spec 	ific	
Products	Trunks:	
	CLEC Trunks	
Sub-Metrics		
NP-1-01	% Final Trunk Groups Exceeding Blocking	Standard
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed	Total number of final trunk groups.
	blocking threshold for one (1) month exclusive of trunks that block due to CLEC	
	network problems as agreed by CLECs.	
NP-1-02	% Final Trunk Groups Exceeding Blocking	Standard (No Exclusions)
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed blocking threshold.	Total number of final trunk groups.
NP-1-03	Number Final Trunk Groups Exceeding Blo	cking Standard – Two (2) Months
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed	Not applicable.
	blocking threshold, for two (2) consecutive	
	months, exclusive of trunks that block due	
	to CLEC network problems as agreed by CLECs.	
NP-1-04	Number Final Trunk Groups Exceeding Blo	L cking Standard – Three (3) Months
Calculation	Numerator	Denominator
Caloulation	Number of Final Trunk Groups that exceed	Not applicable.
	blocking threshold, for three (3) consecutive	
	months, exclusive of trunks that block due	
	to CLEC network problems as agreed by	
	CLECs.	

NP-2 Collocation Performance

Definition:

This metric includes physical and virtual collocation arrangement products ordered and provisioned via the state tariffs and virtual collocation arrangement products ordered and provisioned via the federal tariff. Products ordered include new arrangements and augments to existing arrangements where Verizon is required to perform work to add capacity for space, cable termination or DC power. Both state and federal collocation arrangements are provisioned in accordance with the intervals listed in the state tariff.

Interval: The average number of business days between order application date and completion or between order application date and response (notification of space availability) date. If a CLEC delays the collocation installation, the collocation interval is extended by the same number of days as the CLEC-caused delay. The application date is the date that a valid service request is received. A valid service request is a service request that was populated in accordance with the collocation application instructions found in the URL matrix listed at the beginning of the C2C guidelines.

Verizon and the CLECs may negotiate shorter or longer intervals after Verizon completes an initial space assessment and determination of the collocation request. In these cases, the NP-2 % On-time submetrics measure whether or not Verizon met the negotiated due date. The negotiated due date is documented on the initial response form. If Verizon is not able to provide a due date on the initial response form because space is not immediately available to accommodate the CLEC request, but space is pending, rather than reject the CLEC request (because no space is immediately available) Verizon will provide a negotiated due date on a subsequent letter to the CLEC.

Refer to the state tariff in effect for interval information. Refer to the URL matrix listed at the beginning of the C2C guidelines for the URL for specific collocation intervals (specific timelines and stop clocks are listed in the tariff). After accessing the referenced URL, select the desired state to access the state-specific tariffs.

Completions: VZ will not be deemed to have completed work on a collocation case until the arrangement is suitable for use by the CLEC, and the cable assignment information necessary to use the facility has been provided to the CLEC.

Exclusions:

None

NP-2 Collocation Formula:

<u>Interval</u>: (Completion Date minus the Application Date (adjusted for milestone misses)) divided by the Number of Arrangements Completed.

<u>% On Time</u>: (Number of Arrangements completed on or before DD (adjusted for milestone misses) divided by Number of Arrangements completed) multiplied by 100.

<u>Delay Days</u>: (Actual Completion Date minus the Committed DD (adjusted for milestone misses) for arrangements where the DD was missed) divided by the Number of Arrangements where DD is missed. <u>Milestone misses</u>: The Milestone timeline is attached in Appendix P.

Performance Standard:

The collocation performance standards are based on the state tariff in effect for collocation. Refer to the URL matrix at the beginning of the C2C guidelines for the state tariff URL to obtain specific collocation intervals.

NP-2-01, NP-2-02, NP-2-05 and NP-2-06 Physical and Virtual: 95% On Time NP-2-03, NP-2-04, NP-2-07 and NP-2-08: No standard. Average metric calculations do not have a standard. These metrics show the average interval; the actual standards are listed in the state tariff.

Report Dimensions		
Company: CLEC Aggr CLEC Spec		Geography: State Specific
Products NP-2-01 and NP-2-02	New Applications Augment Applications	
Sub-Metrics		
NP-2-01	% On Time Response to Request for Physic	al Collocation
Calculation	Numerator	Denominator
	Number of requests for Physical Collocation arrangements where a response to the request was due in report period and was answered on time.	Number of requests for Physical Collocation where the initial response was due in report period.
NP-2-02	% On Time Response to Request for Virtual	Collocation
Calculation	Numerator	Denominator
	Number of requests for Virtual Collocation arrangements where a response to the request was due in report period and was answered on time.	Number of requests for Virtual Collocation where the initial response was due in report period.
NP-2-03	Average Interval – Physical Collocation	
Products	 New Applications Augment Applications not subject to the 45 business day interval Augment Applications subject to the 45 business day interval 	
Calculation	Numerator	Denominator
	Sum of duration from application date to completion date for Physical Collocation arrangements completed during report period. (Excludes time for CLEC milestone misses).	Number of Physical Collocation arrangements completed.
NP-2-04	Average Interval – Virtual Collocation	
Products	New Applications Augment Applications	
Calculation	Numerator	Denominator
	Sum of duration from application date to completion date for Virtual Collocation arrangements completed during report period. (Excludes time for CLEC milestone misses).	Number of Virtual Collocation arrangements completed.

Sub-Metrics NP-2 Collocation Performance (continued)			
NP-2-05	NP-2-05 % On Time – Physical Collocation		
Products	New Applications Augment Applications		
Calculation	Numerator	Denominator	
	Number of Physical Collocation arrangements completed on or before DD (including DD extensions resulting from CLEC milestone misses).	Number of Physical Collocation arrangements completed.	
NP-2-06	% On Time – Virtual Collocation		
Products	New Applications		
	Augment Applications		
Calculation	Numerator	Denominator	
	Number of Virtual Collocation arrangements completed on or before DD (including DD extensions resulting from CLEC milestone misses).	Number of Virtual Collocation arrangements completed.	
NP-2-07	Average Delay Days - Physical Collocation		
Products	New Applications Augment Applications		
Calculation	Numerator	Denominator	
	Sum of duration between actual Physical Collocation arrangement completion date and DD for missed Physical Collocation arrangements (including DD extensions resulting from CLEC milestone misses).	Number of missed Physical Collocation arrangements.	
NP-2-08	IP-2-08 Average Delay Days – Virtual Collocation		
Products	New Applications Augment Applications		
Calculation	Numerator	Denominator	
	Sum of duration between actual Virtual Collocation arrangement completion date and DD for missed Virtual Collocation arrangements (including DD extensions resulting from CLEC milestone misses).	Number of missed Virtual Collocation arrangements.	

NP-6 NXX Updates (Applicable to NJ Only)

Definition:

This metric measures the percentage of NXX updates that were installed in Verizon's switches by the Local Exchange Routing Guide ("LERG") effective date. This metric will be measured and reported on a calendar quarterly basis and will be included in Performance Standards calculations for the final month of the quarter.

Exclusions:

- NXX updates where the interval between Verizon receipt of the CLEC request for the NXX update
 and the CLEC requested NXX update installation date is less than the industry standard interval
 specified by ATIS for requesting an NXX update (including, but not limited to, a requested activation
 date that is less than 45 days from input of code request information into the LERG).
- Delays in installation of NXX updates caused by the CLEC (including, but not limited to, activation
 requests with errors or omissions in the LERG, RDBS or BRIDS, changes in the information entered
 in the LERG, RDBS or BRIDS, or delays in assignment of NXX codes or installation of NXX codes
 caused by the CLEC).

Performance Standard:

Parity with Verizon Retail.

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific

Geography:

State Specific

Sub-Metrics:

NP-6-01 % of NXX Updates Installed by the LERG Effective Date		
Calculation	Numerator	Denominator
	Number of NXX updates in the reporting period that were installed by the LERG effective date.	Total number of NXX updates in the reporting period.

Section 6

Billing Performance

(BI)

	Function	Number of Sub-metrics
BI-1	Timeliness of Daily Usage Feed	1
BI-2	Timeliness of Carrier Bill	1
BI-3	Billing Accuracy and Claims Processing	4
BI-4	DUF Accuracy* (*Applicable to NJ Only)	1
BI-5	Accuracy of Mechanized Bill Feed* (*Applicable to NJ Only)	1
BI-6	Completeness of Usage Charges* (*Applicable to NJ & PA Only)	2
BI-7	Completeness of Fractional Recurring Charges* (*Applicable to NJ & PA Only)	2
BI-8	Non-Recurring Charge Completeness* (*Applicable to NJ & PA Only)	2
BI-9	Billing Completeness	1

Billing Performance (BI)

Function:

BI-1 Timeliness of Daily Usage Feed

Definition:

This metric measures the number of business days from the creation of the message to the date that the usage information is made available to the CLEC on the Daily Usage Feed (DUF). Measured in percentage of usage records transmitted within four (4) business days. One report covers both UNE and Resale. For CLECs requesting this service, usage records will be provided to CLECs each business day. The usage process starts with collection of usage information from the switch. Most offices have this information teleprocessed to the data center. Not all offices poll usage every business day. Weekend and holiday usage is captured on the next business day. Usage for all CLECs is collected at the same time as VZ's.

Exclusions:

- Verizon Test Orders
- Long Duration Calls*

*Long Duration calls are defined as those calls that remain connected through two successive midnights. On all such calls, the call assembly process may output up to three record types indicating the beginning, continuation, or end of a long duration call. An annual study will be performed each December to determine the current volume of long duration calls.

Formula:

(Total usage records on DUF made available to CLEC in "y" business days divided by the total records on file) multiplied by 100

Note: y = 4

Performance Standard:

BI-1-02: 95% in Four (4) Business Days

Report Dimensions

Company:

Geography: **CLEC Aggregate** State Specific

CLEC Specific

Sub-Metrics

BI-1-02	% DUF in four (4) Business Days

	21 1 02		
Calculation	Numerator	Denominator	
	Number of usage records on daily usage feed processed during month, where the difference between current date and call date is four (4) business days or less.	Number of Usage Records on DUF processed during month.	

BI-2 Timeliness of Carrier Bill

Definition:

The percent of carrier bills sent to the carrier, unless the CLEC requests special treatment, within 10 business days of the bill date. The bill date is the end of the billing period for recurring, non-recurring and usage charges.

Exclusions:

Verizon Test Orders

Formula:

(Number of Bills sent within 10 business days divided by Number of Bills sent) multiplied by 100.

Performance Standard:

98% in 10 Business Days

Report Dimensions

Company:		Geography:
•	CLEC Aggregate	State Specific

Sub-Metrics

BI-2-01 Timeliness of Carrier Bill		
Calculation	Numerator	Denominator
	Number of carrier bills sent to CLEC ²³ within 10 business days of bill date.	Number of Carrier Bills distributed.

²³ Sent to Carrier, unless other arrangements are made with CLEC

BI - 3 Billing Accuracy & Claims Processing

Definition:

For sub-metrics BI-3-04, BI-3-05, BI-3-07 and BI-3-08:

These sub-metrics measure the promptness with which Verizon acknowledges and resolves CLEC billing adjustment claims processed in the Verizon Bill Claim Center. These sub-metrics include CLEC claims relating to a Wholesale Local bill presented by Verizon to the CLECs and is the CLEC's bill of record. These sub-metrics apply to CLEC claims that are submitted within 60 calendar days of the bill date and that are related to bill periods beginning on or after April 1st, 2003 in Verizon NY, CT and MA²⁴. Procedural Issues:

- Business hours for receipt of billing claims and transmission of responses are Monday through Friday, 8:00AM to 5:00PM Eastern Time, excluding Verizon Holidays;
- CLEC claims for billing errors or Verizon responses received outside these business hours shall be considered received at 8:00AM Eastern Time on the first business day thereafter.
- Claims must be submitted by e-mail to the appropriate claims organization. Refer to the URL
 matrix at the beginning of the C2C guidelines for the URL on Inquiries, Claims and Adjustments
 in effect at the time of the filing. All requested information must be provided. Only claims
 submitted via e-mail are included in the BI-3 metric calculations. Claims submitted via fax or US
 mail or any means other than email are not included in the BI-3 metric calculations.

Acknowledgment

- Acknowledgement is defined as the transmission of a specifically formatted message
 acknowledging receipt of the claim with required information or transmission of a message
 informing the CLEC that the (numbered) claim cannot be processed for a specified reason(s) (for
 example, if additional detail or information is needed) by e-mail to the e-mail address from which
 the CLEC sent the claim. The message will contain both the Verizon claim number and the
 associated CLEC claim number (when provided by the CLEC).
- Day of receipt shall be considered Day zero (0) for computing acknowledgement performance. The e-mail date/time stamp on the CLEC e-mail of claim submission will determine Day 0.
- The date/time stamp on the e-mail containing the Acknowledgement message will be considered the Acknowledgement time of record.

Resolution

 A claim is considered "resolved" when Verizon transmits an e-mail (in a predefined standard format) to the e-mail address from which the CLEC sent the claim and that either 1) denies the claim, 2) grants the claim or 3) denies the claim in part and grants the claim in part.

- Day of acknowledgement of a billing claim (as evidenced by the e-mail date/time stamp on the acknowledgement message) shall be considered Day "0"
- If the 28th calendar day falls on a weekend or Verizon Holiday, resolution will be considered timely if returned on the next business day.

²⁴ The April 1, 2003 start date applies to New York, Connecticut, and Massachusetts. The start dates for the remaining VZ East states are as follows: New Hampshire, Maine, Rhode Island and Vermont: December 1st, 2001; Pennsylvania: April 1st, 2003; Delaware: July 1st, 2002; New Jersey: Contingent on Guideline approval; Maryland: Jan 1st, 2003; District of Columbia: Sept 1st, 2002; Virginia: June 1st, 2002, West Virginia: Feb 1st, 2003.

Definition, continued:

Closure

 A claim is considered "closed" when the credit appears (with both the Verizon and CLEC claim numbers) in the adjustment section of the Verizon invoice or when the CLEC agrees (via e-mail with Verizon's denial of the claim.

Scope

For each master billing account number (BAN), each reason code submitted by a CLEC will
count as a separate claim. There is no limitation on the number of claims by BAN or by reason
code.

Note: Sub-metric BI-3-08 is reported on a two (2) month delayed basis.

Exclusions:

 For sub-metrics BI-3-04, and BI-3-05, BI-3-07 and BI-3-08: CLEC claims for adjustments such as: charges for directories, incentive regulation credits, credits for performance remedies, out-of-service credits, and special promotional credits.

Performance Standard:

BI-3-04: 95% within two (2) business days after receipt **BI-3-05**: 95% within 28 calendar days after acknowledgement

BI-3-07: No standard

BI-3-08: 97.5% within 45 calendar days

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific (applicable to MD for BI-3-04 and BI-3-05 only)
- MD Only: Verizon Affiliate Aggregate
- · MD Only: Verizon Affiliate Specific

Geography:

State Specific

Sub-Metrics			
BI-3-04	BI-3-04 % CLEC Billing Claims Acknowledged within two (2) Business Days		
Calculation	Numerator	Denominator	
	Number of billing adjustment claims received during the month that are acknowledged within two business days after receipt.	Total number of billing adjustment claims received during the month.	
	Billing Claims Resolved within 28 Calend		
Calculation	Numerator	Denominator	
	Number of billing adjustment claims where the resolution was due in the report month and are resolved within 28 calendar days after acknowledgement.	Total number of billing adjustment claims where the resolution was due during the month.	
BI-3-07	% Full or Partial Denials		
Calculation	Numerator	Denominator	
	Number of claims for which the Verizon resolution is a full or partial denial in a month.	Total number of current month resolved claims.	
BI-3-08	% CLEC Billing Claim Adjustments Appea	ring on the Bill within 45 days	
Calculation	Numerator	Denominator	
	Number of resolved billing claims in the report month where the adjustment has appeared on an invoice in 45 or less days from the resolution date.	Total number of resolved billing claims in the report month where adjustment is granted.	

BI – 4 DUF Accuracy (Applicable to NJ Only)

Definition:

This measure captures the accuracy of the usage records transmitted from Verizon to the CLEC on the Daily Usage Feed ("DUF"). The measure is derived by dividing the number of usage records delivered in the reporting period that had complete information content and proper formatting by the total number of usage records delivered in the reporting period. The CLEC must report to Verizon within thirty (30) days after receipt usage records that do not have complete information content or proper formatting.

In order to allow CLECs thirty (30) days to report DUF errors, the measurement for a reporting period will be reported and used for Performance Standards purposes on a one-month delayed basis (e.g., the measurement for the January reporting period will be included with measurements for February that are reported in March).

Exclusions:

For Metric BI-4-01, any usage record with incomplete information content or improper formatting that is not reported to Verizon by CLEC within thirty (30) days after CLEC receipt of the usage record.

Performance Standard:

Metric BI-4-01: 95%

Report Dimensions:

Company:

CLEC Aggregate

• CLEC Specific

State Specific

Geography:

Sub-Metrics

BI-4-01 % Usage Accuracy		
Calculation	Numerator	Denominator
	Number of usage records delivered in the reporting period that had complete information content and proper formatting	Total number of usage records delivered in the reporting period

BI - 5 Accuracy of Mechanized Bill Feed (Applicable to NJ Only)

Definition:

This measure captures the accuracy of the mechanized bill feed for CRIS bills. The measure is derived by dividing the total number of mechanized bill feed files delivered in the reporting period that had complete information content and proper formatting by the total number of files delivered in the reporting period. The CLEC must report to Verizon within thirty (30) days after receipt mechanized bill feed files that do not have complete information content or proper formatting.

In order to allow CLECs thirty (30) days to report mechanized bill feed errors, the measurement for a reporting period will be reported and used for Performance Standards purposes on a one-month delayed basis (e.g., the measurement for the January reporting period will be included with measurements for February that are reported in March).

Exclusions:

Any file with incomplete information content or improper formatting not reported to Verizon by CLEC within thirty (30) days after CLEC receipt of the file.

Performance Standard:

95%

Report Dimensions:

Company:

Geography:

CLEC Aggregate

CLEC Specific

State Specific

Sub-Metrics

BI-5-01	% Accuracy of Mechanized Bill Feed	
Calculation	Numerator	Denominator
	Total number of files delivered in the reporting period that had complete information content and proper formatting	Total number of files delivered in the reporting period

BI - 6 Completeness of Usage Charges (Applicable to NJ & PA Only)

Definition:

This measure captures the completeness of VZ usage charges and VZ usage billing errors that are itemized by date on the carrier bill of record. It is derived by dividing the count of date itemized usage charges on the bill that were recorded during the last two billing cycles by the total count of date itemized usage charges that appear on the bill.

For VZ Retail, VZ may elect to perform this measurement by using a statistically valid sampling methodology.

The BI-6-01 metric is applicable to both NJ and PA. The BI-6-02 metric is applicable to PA only.

Exclusions:

Metric BI-6-02: A usage charge that accrued prior to the last two billing cycles and whose billing was delayed because of an order activity post completion discrepancy.

Formula:

[(Usage charges shown on the bill that were recorded during the last two billing cycles) / (Total usage charges shown on the bill)] x = 100

Performance Standard:

BI-6-01:

NJ: Parity with VZ Retail PA: No standard

BI-6-02: Parity with VZ Retail.

Report Dimensions:

CLEC Aggregate

• CLEC Specific

Geography:

BI-6-01: State Specific
 BI-6-02: BA: State Specific

BI-6-02: PA: State Specific

Sub-Metrics

BI-6-01 % Completeness of Usage Charges – Including Order Activity Post Completion Discrepancy Delayed Charges

Calculation	Numerator	Denominator	
	Usage charges shown on the bill that were recorded during the last two billing cycles	Total usage charges shown on the bill	

BI-6-02 % Completeness of Usage Charges – Excluding Order Activity Post Completion Discrepancy Delayed Charges * applicable to PA only*

Calculation	Numerator	Denominator
	Usage charges shown on the bill that were recorded during the last two billing cycles	Total usage charges shown on the bill

BI – 7 Completeness of Fractional Recurring Charges (Applicable to NJ & PA Only)

Definition

This measure captures the completeness of VZ fractional recurring charges shown on the carrier bill of record. The measure is derived by dividing the fractional recurring charges shown on the bill that accrued in the last two billing cycles by the total fractional recurring charges shown on the bill.

A "fractional recurring charge" is a recurring charge for a service that was subscribed to by a CLEC for only a portion of a billing cycle (e.g., the monthly recurring charge for a service that was installed or terminated on 15th day of a 30 day bill cycle).

For VZ Retail, VZ may elect to perform this measurement by using a statistically valid sampling methodology.

The BI-7-01 metric is applicable to both NJ and PA. The BI-7-02 metric is applicable to PA only.

Exclusions:

Metric BI-7-02: A fractional recurring charge that accrued prior to the last two billing cycles and whose billing was delayed because of an order activity post completion discrepancy.

Formula:

[(Fractional recurring charges shown on the bill that accrued in the last two billing cycles) / (Total fractional recurring charges shown on the bill)] x 100

Performance Standard:

BI-7-01:

NJ: Parity with VZ Retail PA: No standard.

BI-7-02: Parity with VZ Retail.

Report Dimensions:

\sim			
Co	mn	าวท	

CLEC Aggregate

CLEC Specific

Geography:

BI-7-01: State SpecificBI-7-02: PA: State Specific

Sub-Metrics

BI-7-01 % Completeness of Fractional Recurring Charges – Including Order Activity Post Completion Discrepancy Delayed Charges

Calculation	Numerator	Denominator			
	Fractional recurring charges shown on the bill that accrued in the last two billing cycles	Total fractional recurring charges shown on the bill			

BI-7-02 % Completeness of Fractional Recurring Charges – Excluding Order Activity Post Completion Discrepancy Delayed Charges *metric is applicable to PA only*

Calculation	Numerator	Denominator
	Fractional recurring charges shown on the bill that accrued in the last two billing cycles	Total fractional recurring charges shown on the bill

BI - 8 Non-Recurring Charge Completeness (Applicable to NJ & PA Only)

Definition:

This measure captures the completeness of VZ non-recurring charges shown on the carrier bill of record. The measure is derived by dividing the non-recurring charges shown on the bill that accrued in the last two billing cycles by the total non-recurring charges shown on the bill.

For VZ Retail, VZ may elect to perform this measurement by using a statistically valid sampling methodology.

The BI-8-01 metric is applicable to both NJ and PA. The BI-8-02 metric is applicable to PA only.

Exclusions:

Metric BI-8-02: A non-recurring charge that accrued prior to the last two billing cycles and whose billing was delayed because of an order activity post completion discrepancy.

Formula:

[(Non-recurring charges shown on the bill that accrued in the last two billing cycles) / (Total non-recurring charges shown on the bill)] x 100

Performance Standard:

BI-8-01:

NJ: Parity with VZ Retail PA: No standard.

BI-8-02: Parity with VZ Retail.

Report Dimensions:

Company:	Geography:		
CLEC Aggregate	 BI-8-01: State Specific 		
CLEC Specific	BI-8-02: PA: State Specific		

Sub-Metrics

BI-8-01 % Completeness of Non-Recurring Charges – Including Order Activity Post Completion Discrepancy Delayed Charges

Calculation	Numerator	Denominator
	Non-recurring charges shown on the bill	Total non-recurring charges shown on
	that accrued in the last two billing cycles	the bill

BI-8-02 % Completeness of Non-Recurring Charges – Excluding Order Activity Post Completion Discrepancy Delayed Charges *Applicable to PA only*

Calculation	Numerator	Denominator
	Non-recurring charges shown on the bill	Total non-recurring charges shown on
	that accrued in the last two billing cycles	the bill

BI - 9 Billing Completeness

Definition:

This measure captures the completeness of the absolute value of the Verizon charges and credits shown on the Carrier bill of record (issued during the reporting month). The measure is derived by dividing the charges shown on the bill of record that accrued in the last twelve monthly billing cycles by the total charges shown on the bill.

Maintenance of service charges are billed three billing cycles after trouble ticket close date.

Billing adjustments (i.e. rate changes, rate restructures) as a result of a regulatory order (including but not limited to retroactive regulatory orders) are considered timely if billed within twelve billing cycles from the date the order is effective, unless otherwise ordered.

Exclusions:

- Performance Credits including PAP, IP, or ICA credits that are delayed by arbitration/contract signature
- · Charges attributable to fraud
- Charges delayed by a third party carrier (e.g., meet point billing)

Performance Standard:

Metric BI-9-01: 96% Report Dimensions:

Company:

CLEC Aggregate

CLEC Specific

Geography:

State Specific

Sub-Metrics

BI-9-01	% Billing	g Comp	leteness	in Twe	elve Bi	lling C	ycles
---------	-----------	--------	----------	--------	---------	---------	-------

Calculation	Numerator	Denominator	
	Current charges shown on the bill that accrued in the last twelve billing cycles	Total current charges shown on the bill	

Section 7

Operator Services & Directory Assistance

(OD)

	Function	Number of Sub-metrics
OD-1	Operator Services/Directory Assistance – Speed of Answer	2
OD-2	LIDB, Routing and OS/DA Platforms	0
OD-3	DA Database Update Accuracy* (*Applicable to NJ Only)	1

Operator Services and Databases (OD)

Function:			
	OD-1 Operator Services/Directory Assistance – Speed of Answer Performance Standard:		
		vinna votail	
	age Speed of Answer provided at parity with Ve	nzon retaii.	
Exclusions:			
• None			
Report Dime	ensions		
	-01 Operator Services – Speed of Answer	Geography:	
		State Specific ²⁶	
State Speci	fic Retail/Resale combined	, i	
 State Speci 	fic CLEC (facility based)		
For motric OD 1	02 Directory Assistance Cheed of Anguer		
For metric OD-1	-02 Directory Assistance – Speed of Answer		
State Speci	fic Retail/Resale combined		
	State or regional Specific Operator Service Centers ²⁵		
Sub-Metrics			
OD-1-01	Average Speed of Answer – Operator Servi	ces	
Calculation	Numerator	Denominator	
	Sum of call answer time from the time the	Number of Calls Answered.	
	calls enter the queue for an operator to the		
time the calls are answered by an operator.			
OD-1-02 Average Speed of Answer – Directory Assistance			
Calculation	Numerator	Denominator	
	Sum of call answer time from the time the	Number of Calls Answered.	
	calls enter the queue for an operator to the		
	time the calls are answered by an operator.		

²⁵ If no Ny CLEC traffic is handled by these centers, the data will not be reported.
²⁶ The operator service and directory assistance call centers that serve Verizon Virginia do not serve Verizon South. The operator service and directory assistance call centers that serve Verizon South for Virginia also serve other Verizon states. Since Verizon is unable to measure Verizon South operator service and directory assistance call center performance for Virginia separately from call center performance for other states, Metric OD-1, "Operator Services/Directory Assistance – Speed of Answer," applies only to the Verizon Virginia service area.

OD-2 LIDB, Routing and OS/DA Platforms

Performance Standard:

- LIDB reply rate to all query attempts: Bellcore produced standard
 LIDB query time out: Bellcore produced standard
- Unexpected data values in replies for all LIDB queries: 2%
- Group troubles in all LIDB queries Delivery to OS Platform: 2%

800 Database: Bellcore produced standard

AIN: Bellcore produced standard

Metrics Not Reported:

Verizon does not have the capability to report this performance area.

OD-3 DA Database Update Accuracy (Applicable to NJ only)

Definition:

Directory Assistance. For Directory Assistance updates completed during the reporting period, the update order that the CLEC sent to Verizon is compared to the Directory Assistance database following completion of the update by Verizon. An update is "completed without error" if the Directory Assistance database accurately reflects the new listing, listing deletion or listing modification, submitted by the

Methodology:

This measurement will be performed using statistically valid samples.

None.

Performance Standard:

OD-3-01: Parity with Verizon Retail.

Report Dimensions:

Company:

CLEC Aggregate

CLEC Specific

• State Specific

Geography:

Sub-Metrics

OD-3-01 % Directory Assistance Update Accuracy - Including Service Order (Order

Activity Post Completion Discrepancy) Errors

Calculation	Numerator	Denominator
	Number of updates completed without error	Total number of updates.

Section 8

General and Miscellaneous Standards

(GE)

	Function	Number of Sub-metrics
GE-1	Directory Listing Verification Reports* (*Applicable to NJ Only)	1
GE-2	Poles, Ducts, Conduit and Rights of Way* (*Applicable to NJ Only)	1
GE-3	Bona Fide Request Responses* (*Applicable to NJ Only)	1
GE-5	Directory Listing Verification Reports* (*Applicable to PA Only) Timely and Accurate Provisioning of White Page	5
GE-6	Directory Listings LSRs and DSRs* (*Applicable to PA Only)	2

General (GE)

Function:

GE-1 Directory Listing Verification Reports (Applicable to NJ Only)

Definition:

This metric measures the percentage of directory listing verification reports transmitted on or before the due date. For the purposes of this metric, the due date for a directory listing verification report will be deemed to be the date 30 business days prior to the close out date for the directory. The process for obtaining listing verification reports is documented in Verizon's CLEC and Reseller Handbooks.

Exclusions:

• Reports that the CLEC has requested be transmitted less than 30 business days prior to the close out date for the directory.

Performance Standard:

95% of directory listing verification reports transmitted on or before the due date.

Report Dimensions

Com	nanı	,.
COIII	parr	/.

- CLEC Aggregate
- CLEC Specific

Geography:

• State Specific

Sub-Metrics

GE-1-01	GE-1-01 % of Directory Listing Verification Reports Furnished On-Time	
Calculation Numerator Denominator		Denominator
	Number of directory listing verification reports due in the reporting period that are transmitted on or before the due date.	Total number of directory listing verification reports due in the reporting period.

GE-2 Poles, Ducts, Conduit and Rights of Way (Applicable to NJ Only)

Definition:

This metric measures the percentage of requests for access to Verizon poles, ducts, conduit and rights of way, for which a response stating whether access will be granted is transmitted on or before the due date. For the purposes of this metric, the due date for a response to a request for access will be deemed to be the date 45 days after Verizon's receipt of a complete and accurate request for access.

Exclusions

- Requests for access where the requesting party has agreed to receive a response to the request more than 45 days after Verizon's receipt of the request.
- Delays in Verizon's response to the request caused by the CLEC (including, but not limited to, a
 failure by the CLEC to submit a reasonably complete and accurate request [application] for access, a
 failure by the CLEC to timely provide information needed to process its request for access, and
 changes in the CLEC's request for access).

Performance Standard:

95% of responses transmitted on or before the due date.

Report Dimensions

Company:

CLEC Aggregate

• CLEC Specific

Geography:

State Specific

Sub-Metrics

GE-2-01	GE-2-01 % of Access Request Responses Transmitted On-Time	
Calculation Numerator Denominator		Denominator
	Number of access request responses due in the reporting period that are transmitted on or before the due date.	Total number of access request responses due in the reporting period.

GE-3 Bona Fide Request Responses (Applicable to NJ Only)

Definition:

This metric measures the percentage of bona fide requests ("BFRs") for access to UNEs, for which a response stating whether the requested access will be offered is transmitted on or before the due date. For the purposes of this metric, the due date for a response to a request for access will be deemed to be the due date specified in the CLEC's interconnection agreement with Verizon or such later date as may have been agreed to by the CLEC and Verizon.

Exclusions:

None

Performance Standard:

No standard.

Report Dimensions

Company:

CLEC AggregateCLEC Specific

Geography:

• State Specific

Sub-Metrics

GE-3-01	% of BFR Responses Furnished On-Time	
Calculation	Numerator	Denominator
	Number of BFR access request responses due in the reporting period that are transmitted on or before the due date.	Total number of BFR access request responses due in the reporting period.

GE-5 Directory Listing Verification Reports (Applicable to PA Only)

Definition

This metric measures the timeliness and accuracy of directory listing verification reports ("DLVR"), and corrections to the electronically transmitted DLVR that CLECs submit to correct errors in the DLVR. For the purposes of this metric, the due date for a directory listing verification report will be deemed to be the date 30 business days prior to the close out date for the directory. The due date for CLEC submissions of corrections is 15 calendar days prior to the close out date for the directory. The due date for Verizon's corrected DLVR to CLECs is 10 calendar days prior to the close out date for the directory. The process for obtaining listing verification reports is documented in VZ's CLEC and Reseller Handbooks, as supplemented by this performance metric.

This metric also measures the completeness and accuracy of the listings contained in Verizon's White Pages Directories.

Error means any omission of a directory listing for which the CLEC requested the inclusion of the listing in the directory; the inclusion of a directory listing for which the CLEC requested the exclusion of the listing in the directory; incorrect telephone number; incorrect address; incorrect name.

"Incorrect" means any deviation from the listing information contained in the LSR or DSR.

GE-5-01 will examine a statistically valid random sample of each individual CLEC's white pages listings contained in each DLVR to determine whether those listings were provisioned accurately in accordance with the CLEC's DSR/LSR. For LSR/DSR orders that select the "retain as is" or "ERL" field, Verizon PA must examine the listing information contained in the database prior to processing the CLEC order and subsequent to processing the CLEC order, to determine whether the CLEC order was provisioned accurately.

Notes:

GE-5 was originally numbered as GE-1 in the Pennsylvania C2C Guidelines.

GE-5 is a tracking metric for a trial period after which it will be evaluated to determine if it captures both the appropriate performance and measures it meaningfully.

Exclusions:

- Reports that the CLEC has requested be transmitted less than 30 business days prior to the close out date for the directory.
- GE-5-02 Directory Listings that were provisioned accurately in accordance with the original DSR or LSR.

Performance Standard:

- GE-5-01 95% of DLVRs transmitted on or before the due date.
- GE-5-02 98% accuracy of DLVRs
- GE-5-03 98% of DLVR revisions transmitted on or before the due date
- GE-5-04 98% accuracy on DLVRs revisions
- GE-5-05 99% accuracy of White Page Listings

Report Dimensions:		
Company:		Geography:
CLEC Aggregate CLEC Specific		State Specific
CLEC Spec	SHC	
Products	• All	
	- GE-5 Directory Listing Verificati	
GE-5-01	% of Directory Listing Verification Repor	ts Furnished On-Time
Calculation	Numerator	Denominator
	Number of DLVRs due in the reporting period that are transmitted on or before the due date.	Total number of DLVRs due in the reporting period.
GE-5-02	% Accuracy of DSR/LSR Inclusion in DL	VRs
Calculation	Numerator	Denominator
	Number of CLEC specific listings	Total Number of sampled CLEC specific
	included in the random sample of listings contained in each DLVR transmitted	listings.
	within the reporting period or the prior	
	reporting period for which the due date	
	for the submissions of DLVRs is within	
	the reporting period, that were	
	provisioned accurately in accordance with the original DSR/LSR.	
GE-5-03	% DLVR Corrections Furnished on Time	L
Calculation	Numerator	Denominator
	Number of DLVR revisions in the	Total number of DLVRs revisions due in the
	reporting period that are transmitted on	reporting period provided to Verizon by
GE-5-04	or before the due date to the CLEC % Accuracy of DLVR Corrections	CLEC
Calculation	Numerator	Denominator
Calculation	Number of DLVR corrections for which	Total number of DLVR corrections
	no further CLEC request for correction is	transmitted during the reporting month.
	submitted within the reporting month.	, ,
GE-5-05	GE-5-05 White Pages Errors and Omissions	
Calculation	Numerator	Denominator
	Number of Lines of White Pages Errors in White Pages Directories previously identified in LVR on a per CLEC per	Total number of CLEC White pages listing lines in White pages directories appearing in an LVR for each directory on a per CLEC,
	Directory basis.	per directory basis.

GE-6 Timely and Accurate Provisioning of White Page Directory Listings LSRs and DSRs (Applicable to PA Only)

Definition:

Measurement of the timely and accurate provisioning of LSR and DSR Orders that result in the update of the directory assistance database and the database used for the publication of the directory white pages. The measurement is based on a statistically valid sampling of all LSR and DSR orders for each CLEC individually, performed monthly, to determine that the order was timely and accurately provisioned. Verizon and CLECs must mutually agree on the random sampling methodology.

Notes:

GE-6 was originally numbered as GE-3 in the Pennsylvania C2C Guidelines

GE-6 is a tracking metric for a trial period after which it will be evaluated to determine if it captures both the appropriate performance and measures it meaningfully.

Exclusions:

- VZ Test Orders
- Orders submitted by a means other than EDI or WEB GUI (e.g. faxed or mailed orders), unless EDI
 or GUI is unavailable

Performance Standard:

Metric GE-6-01: 95% on time

Metric GE-6-02: 98% of orders provisioned accurately.

Report Dimensions

Company:

CLEC Aggregate

• CLEC Specific

Geography:

• State Specific

Sub-Metrics

GE-6-01	Completion on Time		
Products	ALL	ALL	
Calculation	Numerator	Denominator	
	Number of orders processed for update to the directory assistance/white page listing database on time	Number of orders pulled for random sample on a per CLEC basis in a single month.	
GE-6-02	Accuracy of Processing		
Products	ALL		
Calculation	Numerator	Denominator	
	Number of lines in sample for each CLEC without errors when compared with the CLEC DSR/LSR	Number of orders pulled for random sample on a per CLEC basis in a single month.	

Glossary

Application Date	The date that a valid order is received.
ASR	Access Service Request
VZ Administrative Orders	Orders completed by VZ for administrative purposes and NOT at the request of a CLEC or end user. These also include administrative orders for VZ official lines and LIDT (Left in Dial Tone).
Basic Edits	Front-end edits performed by Request Manager prior to order submission. Basic Edits performed against Request Manager provided source data include the following validations: State Code must equal NY, CT, MA, ME, NH, VT, RI, PA, DE, NJ, MD, DC, VA, WV; CLEC ID can not be blank; All dates and times must be numeric; Order Type must be '1','2','3','4'; Svc Order Type must be '0', '1' '2'; Flowthru Candidate Ind and Flowthru Indicator must be 'Y' or 'N'; Lines Number must be numeric; Service Order Classification must be '0' or '1'; Confirmation Method must be 'E', 'M' 'W'; Each submission must have a unique key (PON + Ver + CLEC ID + State); Confirmation, Reject and Completion Transactions must have matching Submission record. Any changes to basic edits will be provided via VZ Change Control procedures. Orders which failed edits have a reject date and a reject source type.
Bill Cycle Hold	The time during which certain Verizon Billing systems hold transactions while the monthly bill is processed.
Collocation Milestones	Refer to the state tariff for specific collocation intervals. In Physical Collocation, the CLEC and VZ control various interim milestones they must meet to meet the overall intervals. The interval clock will stop, and the final due date will be adjusted accordingly, for each milestone the CLEC misses (day for day). Prior to the CLEC beginning the installation of its equipment, the CLEC must sign the VZ work completion notice, indicating acceptance of the multiplexing node construction work and providing VZ with a security fee, if required, as set forthon the Verizon Partner Solutions website. Payment is due within 30 days of bill date. The CLEC may not install any equipment of facilities in the multiplexing node(s) until after the receipt by VZ of the VZ work completion notice and any applicable security fee.
	In Virtual Collocation, VZ and the CLEC shall work cooperatively to jointly plan the implementation milestones. VZ and the CLEC shall work cooperatively in meeting those milestones and deliverables as determined during the joint planning process. A preliminary schedule will be developed outlining major milestones including anticipated delivery dates for the CLEC-provided transmission equipment and for training.

Change Management Notices	Change Management Notices are notices sent to the CLECs to notify CLECs of scheduled interface-affecting changes.
Interconnection	< = 192 Forecasted Trunks are CLEC requests for 192 trunks or less that are
Trunks (CLEC) Requests	forecasted by the CLEC and are not projects.
	> 192 and Unforecasted Trunks are CLEC requests that are for greater than 192
	trunks, or are not forecasted by the CLEC, or are projects.
Common Final Trunk Blockage:	Common final trunks carry traffic between VZ end offices and the VZ access tandem, including local traffic to VZ customers as well as CLEC customers. (In rare circumstances, it is possible to have a common final trunk group between two end offices.) The percentage of VZ common final trunk groups carrying local traffic, exceeding the applicable blocking design standard (either B.01 or B.005) will be reported. All CLEC trunks are engineered at the B.005 level. In all but the Washington Metropolitan area, local common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are engineered at the B.01 level.
Common Trunks:	High Usage Trunks carry two-way local traffic between two VZ end offices.
	High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005
	standard) of traffic will overflow during the busy hour in all Verizon New York geographies.
	Final Trunks : (All Verizon except New York LATA) Final Trunks carry two-way local and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.
	Final Trunks – Local (NY LATA 132) Final Trunks carry local two-way traffic
	between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.
	Final Trunks – IXC (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.
Company Initiated	Provisioning orders processed for administrative purposes and not at customer
Orders	request.
Company Services	Official Verizon Lines
Completion Date	The date noted on the service order as the date that all physical work is
Hot Cut Coordinated	completed as ordered. A coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC
Hot Cut Coordinated	Loop completed with manual coordination by VZ and CLEC technicians to
	minimize disruptions for the end user customer. Coordinated Hot Cuts include
	Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be
	identified on the LSR according to published business rules.
CPE	Customer Premises Equipment.

Cut-Over Window	Amount of time from start to completion of physical cut-over of lines.
Dedicated Final Trunks Blockage:	A dedicated final trunk group does not overflow. Dedicated final trunk groups carry local traffic from a VZ Access Tandem to a CLEC switch. All dedicated final trunk groups to the CLECs are engineered at a design-blocking threshold of B.005.
Dedicated Trunks	High Usage Trunks – CLEC Interconnection: carry one-way traffic from a CLEC end office to a Verizon Tandem Office or carry two-way local traffic between a Verizon end-office and a CLEC end-office. High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon geographies. These trunks are ordered by the CLEC.
	Final Trunks – CLEC Interconnection : carry one-way traffic from a CLEC endoffice to a Verizon Tandem Office or carry two-way traffic between an end-office and a tandem switch. CLECs order these trunks from VZ and engineer to their desired blocking design threshold.
	High Usage Trunks – VZ to CLEC Interconnection : carry one-way local traffic from a Verizon end-office to a CLEC end-office. High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon geographies. VZ orders these trunks from CLECs.
	Final Trunks – VZ to CLEC Interconnection : carry one-way traffic from a VZ end office or a tandem switch. Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour in all Verizon geographies. VZ orders these trunks from CLECs.
	High Usage Trunks – IXC Feature Group D: carry two-way traffic between a Verizon end-office and an IXC POP. High Usage Trunks are designed so that traffic will overflow to final trunk groups. IXC trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon geographies. IXCs order these trunks from VZ.
	Final Trunks – IXC Feature Group D: carry two-way traffic between and endoffice and a tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour in all Verizon geographies. IXCs order these trunks from VZ.
Dispatched Orders:	An order requiring dispatch of a Verizon Field technician outside of a Verizon Central Office. Intervals differ by line size. In all areas, for orders greater than or equal to 10 lines, a facility check is required and the interval negotiated. In many, but not all areas, a facility records check (in Engineering) is also performed for orders with six (6) to nine (9) lines.

Dispatched Troubles:	Loop or Drop Wire Troubles reports found to be in drop wire or outside plant.		
	Disposition codes 03 or 04.		
Disposition Codes	The code assigned by the Field Technician upon closure of trouble. This code identifies the plant type/location in the network where the trouble was found.		
DUF	Daily Usage Feed:		
FOC	Firm Order Confirmation.		
Hot Cut – Basic	A Basic Hot Cut is a Hot Cut that is not a Large Job Hot Cut or a Batch Hot Cut, as defined below. A Basic Hot Cut is a Coordinated Hot Cut. Basic Hot Cuts have fixed intervals depending upon line size. CLECs specify FDT on the LSR.		
	A non-WPTS Basic Hot Cut is a Hot Cut that is not a Large Job Hot Cut or a Batch Hot Cut, as defined below, and in which the CLEC declines to use WPTS or is not trained or certified to use WPTS.		
Hot Cut – Batch	A Batch Hot Cut is not a coordinated Hot Cut. A Batch Hot Cut is a Hot Cut in which the loops included in the CLEC's order are processed as a group, together with loops included in other Batch Hot Cut orders submitted for the same Central Office (whether such orders are submitted by the same CLEC or by different CLECs), in a timeframe established by the Telephone Company based on the volume of orders for that office. The loops that are grouped together in this manner are referred to as a "Batch". The live transfer of a dialtone customer to a CLEC POTS Loop. Verizon Technicians complete the crosswire work. Verizon provides notice to NPAC for Port Activation on behalf of the CLEC. Batch Hot Cuts are scheduled on a wire center basis and not on fixed intervals. Verizon does not test for dial tone prior to the due date of the cut. Batch Hot Cuts must be identified on the LSR according to published business rules. IDLC Loops are not eligible for the Batch Hot Cut process and will be counted as Basic Hot Cuts.		
Hot Cut – Large Job	A Large Job Hot Cut is a Hot Cut in which the loops included in a CLEC's order (or in multiple orders submitted by a single CLEC) are processed as a group, and are cut-over together at a specified time. A coordinated Hot Cut specified on the LSR as a Large Job. Intervals for Large Jobs are negotiated. Large Jobs are specified by a CLEC and include multiple orders/lines within the same Central Office. IDLC Loops are not eligible for the Large Job Hot Cut process and will be counted as Basic Hot Cuts.		
Line Sharing	Line Sharing allows a separate high-speed data channel on an existing copper pair to be made available to the customer. This single line (a shared loop), with the use of a splitter, simultaneously supports analog voice-grade POTS service and data communications.		
	In order for a loop to be eligible for a Line Share Arrangement, the analog voice-grade POTS service must be provided to the customer by Verizon and the dial tone must originate from a Verizon End Office Switch in the wire center where the Line Share Arrangement is being requested, and the xDSL technology deployed by Verizon does not interfere with the analog voice band transmission.		
	Line Sharing is only available where Verizon provides the voice and data service.		

2-Wire Digital	This service provides a digital 2-Wire enhanced channel. It is equivalent to a 2-
	wire loop less than 18,000 feet from the NID at the end user's premises to the
	main distributing frame (which is connected to the CLEC's collocation
	arrangement in the Verizon Central Office in which the end user is served. The
	2-Wire Digital – ISDN BRI Loop is only available to the CLEC for use in
	conjunction with the provision of local exchange service and exchange access to
	its end users.
2W xDSL Loop	xDSL links provide transmission technologies capable of supporting the following
	DSL
	technologies.
	Asymmetrical Digital Subscriber Line (ADSL)
	2. High-Bit Rate Digital Subscriber Line (HDSL)
	3. Symmetrical Digital Subscriber Line (SDSL)
	4. Integrated Digital Subscriber Line (IDSL)
	5. Other DSL technologies to the extent that standards are identified and approved by ANSI (T1E1).
	These xDSL technologies are provisioned on qualified facilities and use line
	codes as specified in
	ANSI standards.
	6. Includes UNE Loop Sharing where technically feasible. For metrics
	purposes, Loop Share is the process in which one CLEC provides narrowband
	voice service over the low frequency portion of a UNE copper loop, that is part of
	a UNE Loop arrangement (not UNE Platform), and a second CLEC provides
	digital subscriber line service over the high frequency portion of that same loop.
	Digital Two-Wire Link (including ADSL, HDSL, SDSL and IDSL)— Provides a
	channel equivalent to a two-wire, non-loaded, twisted copper pair loop from an
	end user's premises to a POI at a collocation arrangement in the Telephone
	Company's central office. These links are provisioned in accordance with the
	technical specifications approved and adopted by ANSI. The digital two-wire link
	is available where qualified facilities exist. The Telephone Company will
	not construct new copper facilities to provide these links. Only non-loaded and
	non-repeated twisted cable pairs that do not exceed a technical length
	limitation as specified in ANSI documentation can support xDSL capabilities.
Loop Qualification	Loop qualification is the manual step whereby it is determined if the loop facility
Loop Qualification	meets or can be made to meet specifications necessary for 2-Wire Digital or
	xDSL services.
LSR	Local Service Request
LSRC	Local Service Request Confirmation
Mechanized Flow-	Orders received electronically through the ordering interface (Request Manager)
Through:	and requiring no manual intervention to be entered into the SOP.
Negotiated Intervals	A process whereby Verizon and the CLEC discuss and come to a mutual
	agreement on a delivery date of requested services. This agreement should be
	based on customer, CLEC and Verizon requirements; including but not limited to
	equipment, facility and work resources required for completing the requested
	services. Both the CLEC and Verizon should be able to explain the requirements and positions for the discussion.
Network Troubles	Troubles with a disposition code of 03 (Drop Wire), 04 (Loop), or 05 (Central
INGLWOIK HOUDIGS	Office) or trouble codes of CO (Central Office), FAC (Facility), or STN (Station).
	Excludes Subsequent reports (additional customer calls while the trouble is
	pending), Customer Premises Equipment (CPE) troubles, troubles reported but
	not found on dispatch (Found OK and Test OK), and troubles closed due to
	customer action.

Non-Mechanized:	Orders that require some manual processing. Includes orders received electronically that are not processed directly into the legacy provisioning systems, and are manually entered by a VZ representative into the VZ Service Order Processor (SOP) system. For orders not received electronically (such as		
	faxed or courier orders), 24 hours are added to all intervals.		
No-Dispatch Troubles:	Troubles reports found to be in the Central Office, including frame wiring and translation troubles. Disposition Codes 05.		
No-Dispatch Orders:	Orders completed without a dispatch outside a Verizon Central Office. Includes orders with translation changes and dispatches inside a Verizon Central Office.		
Orders with ≥ six (6) lines:	In all geographic areas, a facility check is completed on orders greater than or equal to six (6) lines.		
OSS	Operations Support Systems		
Parsed CSR	The Parsed CSR transaction returns fielded Customer Service Record data to the customer when the PARSEIND field = Y on the inquiry. The parsed CSR transaction enables CLECs to populate their ordering template. This transaction is available on EDI and CORBA. The Verizon Parsed CRS transaction supports POTS accounts, it currently does not support complex accounts including ISDN and Centrex.		
POTS Total (Business/Residence)	Plain Old Telephone Services (POTS) include all non-designed lines/circuits that originate at a customer's premise and terminate on an OE (switch Office Equipment). POTS include Centrex, and PBX trunks.		
UNE POTS Total	This product group includes UNE POTS Loop, and excludes UNE Hot Cut Loops.		
PON	Purchase Order Number: Unique purchase order provided by CLEC to VZ placed on LSRC or ASR as an identifier of a unique order.		
Projects	Projects are designated by CLECs. For Trunks, any request for a new trunk group, augment for more than 384 trunks, complex (E911 or DA) or request out of the ordinary requiring special coordination, such as rearrangements is considered a project.		
	For Special Services ordered via ASRs the following is considered a project:		
	UNE IOF Projects – New connects: The A or Z end of the circuit must be at the same location, and the number of circuits for DS1 is eight (8) or more circuits, and for DS3 is eight (8) or more circuits.		
	UNE Loop Projects – New connects: The A or Z end of the circuit must be at the same location, and the number of circuits to qualify for a project are: for DS1 = 10 or more circuits, for DS3 10 or more circuits.		
	Coordinated Conversions (when one CLEC assumes another CLECs circuits due to bankruptcy, takeovers or mergers):		
	For additional information on Special Services projects, refer to the CLEC Handbook.		

Reject	An order is rejected when there are omissions or errors in required information.		
	Rejects also include queries where notification is provided to a CLEC for clarification on submitted orders. The order is considered rejected and order processing is suspended while a request is returned or queried.		
Run Clock	A measure of duration time where no time is excluded. Duration time is calculated comparing the date and time that a trouble is cleared to the date and time that the trouble was reported.		
Segment	Segments are parts of whole orders. [NVL SEGMENT, 0=<1] A segment is used to apportion a longer order to meet limitations of record lengths. Similar to a separate page or section on the same order. Applicable to Verizon North only.		
SOP	Service Order Processor		
Special Services	Special Services are services that require engineering design intervention. These services include (but are not limited to) such services as: high capacity services (DS1 or DS3, primary rate ISDN, 4-Wire xDSL services, digital services, and private lines or foreign served services (a line physically in one exchange, served by another through a circuit). Excludes access service (access services are defined as those purchased under the state or federal access tariff by a wholesale/carrier customer). For Retail, any service or element involving circuit design purchased by a Verizon retail customer, regardless of state or federal access tariff. Excludes trunks. IOF and EEL are separately reported for provisioning.		
Stop Clock	A measure of duration time where some time is excluded. The clock is stopped when testing is occurring, VZ is awaiting carrier acceptance, or VZ is denied access.		
Suspend/Restore Orders	Orders completed by VZ to suspend for non-payment or restore for payment . [SNPRES_IND.IS NOT NULL]		
Test Orders	Orders processed for "fictional" CLECs for VZ to test new services, attestation of services etc.		
TGSR	Trunk Group Service Request. A request that CLECs submit to Verizon to request augmentation to the Verizon network to accommodate an increase in CLEC volume.		
Two wire digital ISDN Loop	2-Wire unbundled digital loop (previously called 2-Wire Digital Loop) that is compatible with ISDN basic Rate service. It is capable of supporting simultaneous transmission of two (2) B channels and One (1) D channel. It must be provided on non-loaded facilities with less than 1300 OHMs of resistance and not more than 6 kft of bridge tap. This service provides a digital 2-Wire enhanced channel. It is equivalent to a 2-Wire loop less than 18,000 feet from the NID at the end user's premises to the main distributing frame (which is connected to the CLEC's collocation arrangement), in Verizon's Central Office where the end user is served. The 2-Wire Digital – ISDN BRI loop, currently offered by Verizon, is designed to support the Integrated Services Digital Network (ISDN) Basic Rate Service which operates digital signals at 160 kilobytes per second (kbps). The 2-Wire Digital – ISDN BRI loop is only available to the CLEC for use in conjunction with the provision of local exchange service and exchange access to its end-users.		

WPTS

Wholesale Provisioning and Tracking System (WPTS) is an automated system used by Verizon for the following purpose:

- delivering information to CLECs relating to the status of Hot Cut orders,
- receiving information or instructions relating to Hot Cut orders from CLECs,
- retrieving information relating to Hot Cut orders from other Verizon systems,
- for generating reports.

The term "WPTS" is also used to refer to any system subsequently utilized by Verizon to perform similar functions in place of or in addition to the version of WPTS that is currently being utilized (at time of the NY PSC 12/16/04 order).

Product identification descriptions:

Retail	Major Customer Name/Number entered on Provisioning order first four (4) characters does not contain the values "RSID" which indicates resold or "AECN" which indicates unbundled.
Resale	Major Customer Name/Number entered on Provisioning order-first four (4) characters does contain the value "RSID" the 6th through 10th indicate reseller id. RSID except test and training RSID orders Ordering: ORDER-TYPE of ORDERING-MASTER-REC = '1'
UNE	Major Customer Name/Number entered on provisioning order- first four (4) characters contains the values "AECN" which indicates unbundled. Characters 6 through 10 indicate the Telecommunications carrier id. Ordering: ORDER-TYPE of ORDERING-MASTER-REC = '2' or '3'
POTS - Total	Two-wire analog service with a telephone number and POTS class of service. Includes analog loop (SVGAL). Ordering: • Service order classification of ordering master rec = 0 Provisioning: • Pots Orders are defined as not having a circuit layout or are not for ISDN service Maintenance: • Class Service = 04/05/06/07/08/09/10/13/19/20/21
Complex:	Provisioning: ISDN Basic Rate: Service Code Modifier (SCM) begins with IB 2-Wire Digital Services 2-Wire xDSL Services
Special Services	Criteria for inclusion (for line count and trouble tickets) is report category (rpt_cat) is "CR" indicating a Customer Reported trouble, circuit ID does not indicate (fourth character of circuit id for a length of 2) "TK","IB","DI","DO" because these are considered POTS, 7th character of circuit id does not indicate official Verizon line as defined by Bellcore standard practice, trouble code (TROUBLE_CD) is either "FAC" "CO" or "STN" indicating a network trouble, Maintenance center (MCTR) is not training or blank which excludes troubles entered for employee training purposes, Subsequent calls on the same trouble are not included in these metrics, Troubles/lines are excluded where circuit id (cktid character 4 for a length of 2) indicates non-UNE access circuit.
For Trunks:	For Maintenance: Criteria for inclusion is Circuit format (cfmt) is 'M' as defined by Bellcore standard, report category (rpt_cat) is "CR" indicating a Customer Reported trouble, trouble code (trbl_cd) is either "FAC" or "CO" indicating the trouble was found in the Facility-cable (from Central Office to customers location) or in the Central Office (the trouble was found within the Verizon Central Office), Maintenance Center (MCTR) is not training or blank which excludes troubles entered for employee training purposes, Subsequent calls on the same trouble are not included in these metrics.

Version Information

Version Number	Reason for Update	Filed Date	Effective Date (NY)
1.0	NY PSC 6/30/1999 Order in Case 97-C-0139	7/12/1999	
1.1	NY PSC 11/5/1999 Order in Case 97-C-0139	11/15/1999	
2.0	NY PSC 2/16/2000 Order in Case 97-C-0139	2/29/2000	
3.0	NY PSC 12/15/2000 Order in Case 97-C-0139	12/22/2000	
4.0	NY PSC 10/29/2001 Order in Case 97-C-0139	11/8/2001	
5.0	NY PSC 4/29/2002 Order in Case 97-C-0139	5/14/2002	
6.0	NY PSC 10/25/2002 Order in Case 97-C-0139	11/8/2002	December, 2002
7.0	NY PSC 10/29/2003 Order in Case 97-C-0139	11/13/2003	January, 2004 March,2004 (BI-3-08) June, 2004 (OR-11)
			September, 2004 (OR- RPON)
8.0*	NY PSC 8/27/2004 Order in Case 97-C-0139	9/13/2004	December, 2004
8.01	Errata Filing: Corrected South OR SOP hours. Corrected Footer effective month information Removed SNP & Restore exclusion from PR-1	9/24/2004	December, 2004
9.0	NY PSC 12/16/2004 Hot Cut C2C Guidelines Order in Case 97-C-0139	1/06/2005	February, 2005
10.0	NY PSC 4/15/2005 Order in Case 97-C-0139	5/02/2005	November, 2005
11.0	NY PSC 12/1/2005 Order in Case 97-C-0139	12/16/2005	Consensus Changes: April, 2006
12.0	NY PSC 6/30/2006 Order in Cast 97-C-0139	7/11/2006	November, 2006
13.0	NY PSC 10/23/2006 Order in Case 97-C-0139	10/27/2006	March, 2007
14.0	NY PSC 05/23/2007 Order in Case 97-C-0139	6/7/2007	June, 2007

^{*} Migration to the regional East Guidelines document

Implementation process for the East Guidelines

State	Compliance Filing Due Date
NY, CT	Generally 15 calendar days after order issue date
MA	10 calendar days after NY filing
NH	20 calendar days after NY filing
RI, ME and VT	30 calendar days after NY filing
NJ, DE, MD*, VA, WV	30 calendar days after NY filing
PA	30 calendar days after NY filing
DC	30 calendar days after NY filing