

Verizon New England Inc

## 5. Local Loops

### 5.1 Two Wire Links

5.1.4 Regulations	
A.	All preordering, ordering, provisioning, maintenance and billing requests will be handled through the use of the Telephone Company's electronic interfaces.
B.	A change from one TC to another is considered a disconnect of the two-wire link from the original TC and a connect of a two-wire link with the new TC.
C.	A conversion from a two-wire link to full service will be considered a disconnect from a TC and a connect to a Telephone Company end user.

(C)

5.1.5 Application of Rates and Charges	
A.	The following NRCs apply (refer to Part A, Section 3.3).
1.	Service Order - applies on a standard basis, or an expedited basis, as appropriate.
2.	Service Connection-Central Office Wiring initial and additional - applies on a standard basis, or an expedited basis, as appropriate.
3.	Service Connection-Other – applies on an initial and per each additional basis, and on a standard basis, or an expedited basis, as appropriate.
4.	Manual Intervention Surcharges - applies on a standard basis, or an expedited basis, as appropriate.
5.	Installation Dispatch Out – may apply in limited cases as described in Part A, Section 3.3.2.A.6.
6.	Customer Misdirect-In – applies on a standard basis or an expedited basis, as appropriate.
7.	Customer Misdirect-Out – applies on a standard basis or an expedited basis, as appropriate.
8.	Customer Not Ready-Out - applies on a standard or an expedited basis, as appropriate.
9.	Dispatch Out of Hours

(T)

(C)

(C)

(T)

(C)

(T)

(T)

(C)

Verizon New England Inc.

## 5. Local Loops

### 5.2 Four Wire Links

5.2.4 Regulations	
B.	A conversion from a four-wire link to full service will be considered a disconnect from a TC and a connect to a Telephone Company end user.

5.2.5 Application of Rates and Charges	
A.	The following NRCs apply (refer to Part A, Section 3.3).
1.	Service Order - applies on a standard basis or an expedited basis, as appropriate.
2.	Service Connection-Central Office Wiring initial and additional - applies on a standard basis or an expedited basis, as appropriate.
3.	Service Connection-Other initial and additional - applies on a standard basis, or an expedited basis, as appropriate.
4.	Manual Intervention Surcharges - applies on a standard basis or an expedited basis, as appropriate.
5.	Installation Dispatch Out - may apply in limited cases as described in Part A, Section 3.3.2.A.6.
6.	Customer Misdirect-In - applies on a standard basis or an expedited basis, as appropriate.
7.	Customer Misdirect-Out - applies on a standard basis or an expedited basis, as appropriate.
8.	Customer Not Ready-Out - applies on a standard or an expedited basis, as appropriate.
9.	Dispatch Out of Hours
B.	If a TC requests information pertaining to the technical parameters of the loop facility (i.e., copper or pair gain, or copper loop resistance expressed in ranges), a nonrecurring loop information request charge will apply.
C.	Geographically deaveraged monthly rates apply per link.
D.	Service access charge and interconnection access charge elements contained in Part E (collocation) also apply.