Carrier-to-Carrier Guidelines Performance Standards and Reports

Verizon Reports

Connecticut Delaware District of Columbia Maine Maryland Massachusetts New Hampshire New Jersey New York Pennsylvania¹ Rhode Island Vermont Virginia West Virginia

¹ Not Applicable to former GTE Territory

INTRODUC	TION	11
INTRODUC	TION- APPLICABLE TO VERIZON MAINE ONLY	12
	RENCES	13
GENERAL I	EXCLUSIONS	14
RETAIL AN	ALOG COMPARE TABLE	16
PRODUCT	CODE INFORMATION	18
PO-1 RESP	PONSE TIME OSS PRE-ORDERING INTERFACE	24
PO-1-01 PO-1-02 PO-1-03 PO-1-04 PO-1-05 PO-1-06 PO-1-07 PO-1-08	Average Response Time – Customer Service Record (CSR) Average Response Time – Due Date Availability Average Response Time – Address Validation Average Response Time – Product & Service Availability Average Response Time – Telephone Number Availability & Reservation Average Response Time – Mechanized Loop Qualification – xDSL Average Response Time – Rejected Query % Timeouts	26 26 26 26 27 27
PO-1-09	Average Response Time- Parsed CSR	
PO-2 OSS	INTERFACE AVAILABILITY	28
PO-2-02 PO-2-03	OSS INTERFACE AVAILABILITY – PRIME-TIME OSS INTERFACE AVAILABILITY – NON-PRIME-TIME	
PO-3 CONT	FACT CENTER AVAILABILITY	31
PO-3-02 PO-3-04	% Answered within 30 Seconds – Ordering % Answered within 30 Seconds – Repair	
PO-4 TIMEL	INESS OF CHANGE MANAGEMENT NOTICE	33
PO-4-01 PO-4-02 PO-4-03	% Change Management Notices sent on Time Change Management Notice – Delay one (1) to seven (7) days Change Management Notice – Delay eight (8) plus days	34
PO-5 PERC	ENT ON TIME NOTICE OF INTERFACE OUTAGE	35
PO-5-01	% ON TIME NOTICE OF INTERFACE OUTAGE	35
PO-6 SOFT	WARE VALIDATION	36
PO-6-01	SOFTWARE VALIDATION	36
PO-7 SOFT	WARE PROBLEM RESOLUTION TIMELINESS	37
PO-7-01 PO-7-02 PO-7-03 PO-7-04 WORKAROI	% Software Problem Resolution Timeliness Delay Hours – Software Resolution – Change – Transactions failed, no workaround Delay Days – Software Resolution – Change – Transactions failed with workaround Delay Hours – Failed/Rejected Test Deck Transactions – Transactions failed, no JND	38 38
PO-8 MANU	IAL LOOP QUALIFICATION	39
PO-8-01 PO-8-02	% On Time – Manual Loop Qualification % On Time– Engineering Record Request	
OR-1 ORD	ER CONFIRMATION TIMELINESS	41
OR-1-02 OR-1-04	% On Time LSRC – Flow-through % On Time LSRC/ASRC - No Facility Check (Electronic – No Flow-through) VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0	

OR-1-06 OR-1-08 OR-1-10 OR-1-12	% ON TIME LSRC/ASRC – FACILITY CHECK (ELECTRONIC – NO FLOW-THROUGH) % ON TIME ASRC - NO FACILITY CHECK (FAX/MAIL) % ON TIME ASRC - FACILITY CHECK (FAX/MAIL) % ON TIME FOC	<u>47</u> 4 6 <u>48</u> 47 4847
OR-1-13	% ON TIME DESIGN LAYOUT RECORD (DLR)	<u>48</u> 47
OR-2 REJE	CT TIMELINESS	<u>49</u> 48
OR-2-02 OR-2-04 OR-2-06 OR-2-08 OR-2-10 OR-2-12	% ON TIME LSR REJECT (FLOW-THROUGH) % ON TIME LSR/ASR REJECT - NO FACILITY CHECK (ELECTRONIC – NO FLOW-THROUGH) % ON TIME LSR/ASR REJECT - FACILITY CHECK (ELECTRONIC – NO FLOW-THROUGH) % ON TIME REJECT - NO FACILITY CHECK (FAX) % ON TIME REJECT – FACILITY CHECK (FAX)	<u>52</u> 51 <u>5352</u> <u>54</u> 53 <u>54</u> 53
OR-3 PERC	ENT REJECTS	<u>55</u> 54
OR-3-01 OR-3-02	% REJECTS % LSR RESUBMISSION NOT REJECTED	
OR-4 TIME	INESS OF COMPLETION NOTIFICATION	<u>56</u> 55
OR-4-11 OR-4-16 OR-4-17	% COMPLETED ORDERS WITH NEITHER A PCN NOR BCN SENT % PROVISIONING COMPLETION NOTIFIERS SENT WITHIN ONE (1) BUSINESS DAY	<u>57</u> 56
OR-5 PERC	ENT FLOW-THROUGH	<u>58</u> 57
OR-5-01 OR-5-03	% Flow-through – Total % Flow-through Achieved	
OR-6 ORDE	R ACCURACY	<u>59</u> 58
OR-6-01 OR-6-03 OR-6-04	% Service Order Accuracy % Accuracy – LSRC % Accuracy – Directory Listing	<u>60</u> 59
OR-7 % ORI	DER CONFIRMATION/REJECTS SENT WITHIN THREE (3) BUSINESS DAYS	<u>62</u> 61
OR-7-01	% ORDER CONFIRMATION/REJECTS SENT WITHIN THREE (3) BUSINESS DAYS	<u>62</u> 61
OR-8 ACKN	OWLEDGEMENT TIMELINESS	<u>63</u> 62
OR-8-01	% ACKNOWLEDGEMENTS ON TIME	<u>63</u> 62
OR-9 ORDE	R ACKNOWLEDGEMENT COMPLETENESS	<u>64</u> 63
OR-9-01	% Acknowledgement Completeness	<u>64</u> 63
OR-10 PON	NOTIFIER EXCEPTION RESOLUTION TIMELINESS	<u>65</u> 64
OR-10-01 OR-10-02	% OF PON Exceptions Resolved Within Three (3) Business Days % of PON Exceptions Resolved Within ten (10) Business Days	
OR-11 TIME	LINESS OF PROVIDER NOTIFICATION REPORT	
OR-11-01	% Resale Provider Notifications in Days	
OR-12 % AC	CURACY WHITE PAGES DIRECTORY LISTINGS (APPLICABLE TO RI ONLY)	
OR-12-01	% ACCURACY WHITE PAGES DIRECTORY LISTINGS	
OR-13 % OF	LARGE JOB HOT CUT PROJECT NEGOTIATIONS COMPLETED	
OR-13-01	% OF LARGE JOB HOT CUT PROJECT NEGOTIATIONS COMPLETED	<u>69</u> 68
	AGE INTERVAL OFFERED	
PR-1-01 PR-1-02	AVERAGE INTERVAL OFFERED – TOTAL NO DISPATCH AVERAGE INTERVAL OFFERED – TOTAL DISPATCH	
	VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0	3

PR-1-03	AVERAGE INTERVAL OFFERED – DISPATCH ONE (1) TO FIVE (5) LINES	<u>73</u> 72
PR-1-04	AVERAGE INTERVAL OFFERED – DISPATCH SIX (6) TO NINE (9) LINES	<u>73</u> 72
PR-1-05	AVERAGE INTERVAL OFFERED – DISPATCH (≥ 10 LINES)	<u>73</u> 72
PR-1-06	AVERAGE INTERVAL OFFERED – SPECIALS DS0	
PR-1-07	AVERAGE INTERVAL OFFERED – SPECIALS DS1	
PR-1-08	AVERAGE INTERVAL OFFERED – SPECIALS DS3	
PR-1-09	AVERAGE INTERVAL OFFERED – TOTAL	
PR-1-12	AVERAGE INTERVAL OFFERED – DISCONNECTS	
PR-1-13	AVERAGE INTERVAL OFFERED – HOT CUTS – NO DISPATCH	<u>74</u> 73
PR-3 COMP	PLETED WITHIN SPECIFIED NUMBER OF DAYS	<u>75</u> 74
PR-3-01	% COMPLETED IN ONE (1) DAY ONE (1) TO FIVE (5) LINES – NO DISPATCH	
PR-3-06	% COMPLETED IN THREE (3) DAYS ONE (1) TO FIVE (5) LINES – DISPATCH	
PR-3-08	% COMPLETED IN FIVE (5) DAYS NO DISPATCH	
PR-3-09	% COMPLETED IN FIVE (5) DAYS ONE (1) TO FIVE (5) LINES – DISPATCH	
PR-3-10	% COMPLETED IN SIX (6) DAYS ONE (1) TO FIVE (5) LINES - TOTAL	
PR-3-11	% COMPLETED IN 10 BUSINESS DAYS	
PR-3-12	% COMPLETED IN 15 BUSINESS DAYS	<u>77</u> 76
PR-3-13	% COMPLETED IN 26 BUSINESS DAYS	
PR-4 MISSE	ED APPOINTMENTS	<u>/8</u> 44
PR-4-01	% MISSED APPOINTMENT – VERIZON – TOTAL	
PR-4-02	AVERAGE DELAY DAYS – TOTAL	
PR-4-03	% MISSED APPOINTMENT – CUSTOMER	
PR-4-04	% MISSED APPOINTMENT – VERIZON – DISPATCH	
PR-4-05	% MISSED APPOINTMENT – VERIZON – NO DISPATCH	
PR-4-07	% ON TIME PERFORMANCE – LNP ONLY	<u>81</u> 80
PR-4-08	% MISSED APPOINTMENT – CUSTOMER – DUE TO LATE ORDER CONFIRMATION	<u>81</u> 80
PR-4-14	% COMPLETED ON TIME – 2-WIRE XDSL	<u>82</u> 81
PR-4-15		0001
FK-4-10	% On TIME PROVISIONING – TRUNKS	<u>82</u> 81
	% ON TIME PROVISIONING – TRUNKS	
PR-5 FACIL	ITY MISSED ORDERS	<u>83</u> 82
PR-5 FACIL PR-5-01	ITY MISSED ORDERS % Missed Appointment – Verizon – Facilities	
PR-5 FACIL PR-5-01 PR-5-02	ITY MISSED ORDERS % Missed Appointment – Verizon – Facilities % Orders Held for Facilities > 15 Days	
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03	ITY MISSED ORDERS % Missed Appointment – Verizon – Facilities % Orders Held for Facilities > 15 Days % Orders Held for Facilities > 60 Days	8382
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04	ITY MISSED ORDERS	<u>83</u> 82
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA	ITY MISSED ORDERS	8382 8483 8483 8483 8483 8584 8584 8685
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA	ITY MISSED ORDERS	8382 8483 8483 8483 8483 8584 8584 8584 8685 8685 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-01 PR-6-02	 MISSED ORDERS. MISSED APPOINTMENT – VERIZON – FACILITIES. ORDERS HELD FOR FACILITIES > 15 DAYS ORDERS HELD FOR FACILITIES > 60 DAYS ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	8382 8483 8483 8483 8483 8584 8584 8584 8685 8685 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA	ITY MISSED ORDERS	8382 8483 8483 8483 8483 8584 8584 8584 8685 8685 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA PR-6-01 PR-6-02 PR-6-03 PR-8 PERC	 MISSED ORDERS. MISSED APPOINTMENT – VERIZON – FACILITIES. ORDERS HELD FOR FACILITIES > 15 DAYS. ORDERS HELD FOR FACILITIES > 60 DAYS. ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	8382 8483 8483 8483 8483 8584 8584 8584 8585 8584 8585 8585
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01	 MISSED ORDERS. MISSED APPOINTMENT – VERIZON – FACILITIES. ORDERS HELD FOR FACILITIES > 15 DAYS. ORDERS HELD FOR FACILITIES > 60 DAYS. ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	8382 8483 8483 8483 8483 8584 8584 8584 8585 8584 8585 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA PR-6-01 PR-6-02 PR-6-03 PR-8 PERC	 MISSED ORDERS. MISSED APPOINTMENT – VERIZON – FACILITIES. ORDERS HELD FOR FACILITIES > 15 DAYS. ORDERS HELD FOR FACILITIES > 60 DAYS. ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	8382 8483 8483 8483 8483 8584 8584 8584 8585 8584 8585 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-01 PR-8-02	 MISSED ORDERS. MISSED APPOINTMENT – VERIZON – FACILITIES. ORDERS HELD FOR FACILITIES > 15 DAYS. ORDERS HELD FOR FACILITIES > 60 DAYS. ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	8382 8483 8483 8483 8584 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-01 PR-8-02	 MISSED ORDERS. MISSED APPOINTMENT – VERIZON – FACILITIES. ORDERS HELD FOR FACILITIES > 15 DAYS. ORDERS HELD FOR FACILITIES > 60 DAYS. ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES	8382 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-8-01	 MISSED ORDERS. % MISSED APPOINTMENT – VERIZON – FACILITIES. % ORDERS HELD FOR FACILITIES > 15 DAYS % ORDERS HELD FOR FACILITIES > 60 DAYS % ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES ALLATION QUALITY % INSTALLATION TROUBLES REPORTED WITHIN 30 DAYS % INSTALLATION TROUBLES REPORTED WITHIN SEVEN (7) DAYS % INSTALLATION TROUBLES REPORTED WITHIN 30 DAYS – FOK/TOK/CPE ENT OPEN ORDERS IN A HOLD STATUS PERCENT OPEN ORDERS IN A HOLD STATUS > 30 DAYS PERCENT OPEN ORDERS IN A HOLD STATUS > 90 DAYS % ON TIME PERFORMANCE – HOT CUT 	8382 8483 8483 8483 8584 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-9-01	 MISSED ORDERS. % MISSED APPOINTMENT – VERIZON – FACILITIES	8382 8483 8483 8483 8584 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-02	 MISSED ORDERS. % MISSED APPOINTMENT – VERIZON – FACILITIES. % ORDERS HELD FOR FACILITIES > 15 DAYS % ORDERS HELD FOR FACILITIES > 60 DAYS % ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES ALLATION QUALITY % INSTALLATION TROUBLES REPORTED WITHIN 30 DAYS % INSTALLATION TROUBLES REPORTED WITHIN SEVEN (7) DAYS % INSTALLATION TROUBLES REPORTED WITHIN 30 DAYS – FOK/TOK/CPE ENT OPEN ORDERS IN A HOLD STATUS PERCENT OPEN ORDERS IN A HOLD STATUS > 30 DAYS PERCENT OPEN ORDERS IN A HOLD STATUS > 90 DAYS % ON TIME PERFORMANCE – HOT CUT 	8382 8483 8483 8483 8584 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-04 PR-9-04 PR-9-08	 MISSED ORDERS. % MISSED APPOINTMENT – VERIZON – FACILITIES	8382 8483 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA PR-6-01 PR-6-02 PR-6-03 PR-8-01 PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-04 PR-9-04 PR-9-08 MR-1 RESP	ITY MISSED ORDERS. % MISSED APPOINTMENT – VERIZON – FACILITIES. % ORDERS HELD FOR FACILITIES > 15 DAYS % ORDERS HELD FOR FACILITIES > 60 DAYS % ORDERS CANCELLED (> FIVE (5) DAYS) AFTER DUE DATE – DUE TO FACILITIES ALLATION QUALITY % INSTALLATION TROUBLES REPORTED WITHIN 30 DAYS % INSTALLATION TROUBLES REPORTED WITHIN SEVEN (7) DAYS % INSTALLATION TROUBLES REPORTED WITHIN SEVEN (7) DAYS % INSTALLATION TROUBLES REPORTED WITHIN 30 DAYS PERCENT OPEN ORDERS IN A HOLD STATUS PERCENT OPEN ORDERS IN A HOLD STATUS > 30 DAYS PERCENT OPEN ORDERS IN A HOLD STATUS > 90 DAYS CUT LOOPS % ON TIME PERFORMANCE – HOT CUT % ON TIME PERFORMANCE – HOT CUT % ON TIME PERFORMANCE – HOT CUT % EARLY CUTS – LINES (APPLICABLE TO MD AND VA ONLY) % ON TIME BATCH DUE DATE AVERAGE DURATION OF HOT CUT INSTALLATION TROUBLES	8382 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6 INSTA PR-6-01 PR-6-02 PR-6-03 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-04 PR-9-04 PR-9-08 MR-1 RESP MR-1-01	 MISSED ORDERS	8382 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-02 PR-9-04 PR-9-08 MR-1-01 MR-1-01	 ITY MISSED ORDERS	8382 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-02 PR-9-04 PR-9-04 PR-9-08 MR-1-01 MR-1-02 MR-1-03	 ITY MISSED ORDERS	8382 8483 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786
PR-5 FACIL PR-5-01 PR-5-02 PR-5-03 PR-5-04 PR-6-01 PR-6-02 PR-6-03 PR-8 PERC PR-8-01 PR-8-02 PR-8-01 PR-8-02 PR-9-01 PR-9-01 PR-9-02 PR-9-04 PR-9-08 MR-1-01 MR-1-01	 ITY MISSED ORDERS	8382 8483 8483 8483 8483 8584 8685 8786 8786 8786 8786 8786 8786 8786

VZEAST200611-NY200606Version 12.0

MR-1-05	AVERAGE RESPONSE TIME – TROUBLE REPORT HISTORY (BY TN/CIRCUIT)	<u>97</u> 96
MR-1-06	AVERAGE RESPONSE TIME – TEST TROUBLE (POTS ONLY)	<u>97</u> 96
MR-1-07	% ON-TIME TICKET CLOSURE ON BONDED OPEN TICKETS	
MR-1-08	% ON-TIME – CREATE TROUBLE	
MR-1-09	% ON-TIME – STATUS TROUBLE	
MR-1-10		
MR-1-11	% ON-TIME – REQUEST CANCELLATION OF TROUBLE	
MR-1-12	% ON-TIME – TEST TROUBLE (POTS ONLY)	<u>98</u> 97
MR-2 TROU	BLE REPORT RATE	<u>99</u> 98
MR-2-01	NETWORK TROUBLE REPORT RATE	
MR-2-02	NETWORK TROUBLE REPORT RATE – LOOP	
MR-2-03	NETWORK TROUBLE REPORT RATE – CENTRAL OFFICE	
MR-2-04	% SUBSEQUENT REPORTS AS A PERCENT OF TOTAL REPORTS	
MR-2-05	% CPE/TOK/FOK/NPC/CC TROUBLE REPORT RATE	<u>101</u> 100
MR-3 MISS	ED REPAIR APPOINTMENTS	<u>102</u> 101
MR-3-01	% Missed Repair Appointment – Loop	<u>103102</u>
MR-3-02	% MISSED REPAIR APPOINTMENT – CENTRAL OFFICE	<u>103</u> 102
MR-3-03	% CPE/TOK/FOK – MISSED APPOINTMENT	<u>103</u> 102
MR-4 TROU	BLE DURATION INTERVALS	<u>104</u> 103
MR-4-01	Mean Time To Repair – Total	105104
MR-4-02	MEAN TIME TO REPAIR – LOOP TROUBLE	
MR-4-03	MEAN TIME TO REPAIR – CENTRAL OFFICE TROUBLE	
MR-4-04	% CLEARED (ALL TROUBLES) WITHIN 24 HOURS	
MR-4-05	% OUT OF SERVICE > 2 HOURS	
MR-4-06	% OUT OF SERVICE > 4 HOURS	
MR-4-07	% Out of Service > 12 Hours	
MR-4-08	% Out of Service > 24 Hours	
MR-4-08		<u>108</u> 107
MR-4-08	% Out of Service > 24 Hours	<u>108</u> 1 07 <u>109</u> 1 08
MR-4-08 MR-5 REPE MR-5-01	% Out of Service > 24 Hours AT TROUBLE REPORTS	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>112</u> 111
MR-4-08 MR-5 REPE MR-5-01	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % Final Trunk Groups Exceeding Blocking Standard	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>112</u> 111 <u>114</u> 112
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01	 % Out of Service > 24 Hours AT TROUBLE REPORTS	
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % Final Trunk Groups Exceeding Blocking Standard	<u>108</u> 407 <u>109</u> 108 <u>110</u> 409 <u>112</u> 444 <u>114</u> 142 <u>114</u> 442 <u>114</u> 442 <u>114</u> 442
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % Final Trunk Groups Exceeding Blocking Standard % Final Trunk Groups Exceeding Blocking Standard (No Exclusions) Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>112</u> 111 <u>114112</u> <u>114112</u> <u>114112</u> <u>114112</u> <u>114112</u>
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % Final Trunk Groups Exceeding Blocking Standard % Final Trunk Groups Exceeding Blocking Standard (No Exclusions) Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Three (3) Months OCATION PERFORMANCE	<u>108</u> 407 <u>109</u> 408 <u>110</u> 409 <u>112</u> 414 <u>114</u> 142 <u>114</u> 142 <u>114</u> 142 <u>114</u> 142 <u>114</u> 142 <u>114</u> 142 <u>115</u> 143
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01	% Out of Service > 24 Hours AT TROUBLE REPORTS	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>112</u> 111 <u>114112</u> <u>114112</u> <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>115</u> 113 <u>116</u> 114
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-02	% Out of Service > 24 Hours AT TROUBLE REPORTS	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>110</u> 109 <u>112</u> 111 <u>114112</u> <u>114112</u> <u>114112</u> <u>114112</u> <u>114112</u> <u>114</u> 112 <u>115</u> 113 <u>116</u> 114
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % FINAL TRUNK GROUPS Exceeding Blocking Standard	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>110</u> 109 <u>112</u> 111 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>116</u> 113 <u>116</u> 114 <u>116</u> 114
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-02 NP-2-03	% Out of Service > 24 Hours AT TROUBLE REPORTS	<u>108</u> 107 <u>109</u> 108 <u>110</u> 109 <u>110</u> 109 <u>112</u> 114 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>114</u> 112 <u>116</u> 113 <u>116</u> 114 <u>116</u> 114 <u>116</u> 114
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-02 NP-2-03 NP-2-04	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % Final Trunk Groups Exceeding Blocking Standard % Final Trunk Groups Exceeding Blocking Standard (No Exclusions) Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Three (3) Months OCATION PERFORMANCE % ON Time Response to Request for Physical Collocation % ON Time Response to Request for Virtual Collocation. Average Interval – Physical Collocation. % ON Time – Physical Collocation % ON Time – Virtual Collocation	108 109 110 110 110 112 114 114 114 114 114 114 114 114 114 114 114 114 114 116 116 116 116 116 116 116 116 116 116 116 116 116 116 116 116 117 117 117 117
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2-01 NP-2-01 NP-2-03 NP-2-03 NP-2-04 NP-2-05	% OUT OF SERVICE > 24 HOURS AT TROUBLE REPORTS	108 109 110 110 110 112 114 114 114 114 114 114 114 114 114 114 114 114 114 116 116 116 116 116 116 116 116 116 116 116 116 116 116 116 116 117 117 117 117
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-01 NP-2-03 NP-2-03 NP-2-05 NP-2-06	% Out of Service > 24 Hours AT TROUBLE REPORTS % Repeat Reports within 30 Days ENT FINAL TRUNK GROUP BLOCKAGE % Final Trunk Groups Exceeding Blocking Standard % Final Trunk Groups Exceeding Blocking Standard (No Exclusions) Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Two (2) Months Number Final Trunk Groups Exceeding Blocking Standard – Three (3) Months OCATION PERFORMANCE % ON Time Response to Request for Physical Collocation % ON Time Response to Request for Virtual Collocation. Average Interval – Physical Collocation. % ON Time – Physical Collocation % ON Time – Virtual Collocation	108 109 110 110 110 112 114 114 114 114 114 114 114 114 114 114 114 114 114 114 116 116 116 116 116 116 117 1
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-02 NP-2-03 NP-2-03 NP-2-04 NP-2-05 NP-2-06 NP-2-07 NP-2-08	% Out of Service > 24 Hours AT TROUBLE REPORTS	$\begin{array}{r} \overline{108} 107 \\ 109 108 \\ 110 109 \\ 110 109 \\ 112 114 \\ 114 112 \\ 114 112 \\ 114 112 \\ 114 112 \\ 114 112 \\ 116 114 \\ 116 114 \\ 116 114 \\ 116 114 \\ 116 114 \\ 116 114 \\ 116 114 \\ 116 114 \\ 117 115 \\ 117 11$
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-02 NP-2-03 NP-2-03 NP-2-04 NP-2-05 NP-2-06 NP-2-07 NP-2-08	% Out of Service > 24 Hours AT TROUBLE REPORTS	$\begin{array}{r} \overline{108} 107 \\ \underline{109} 108 \\ \underline{110} 109 \\ \underline{110} 109 \\ \underline{112} 114 \\ \underline{114} 112 \\ \underline{116} 114 \\ \underline{117} 115 \\ \underline{118} 116 $
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-01 NP-2-03 NP-2-03 NP-2-03 NP-2-06 NP-2-07 NP-2-08 NP-2-08 NP-6-01	% Out of Service > 24 Hours AT TROUBLE REPORTS	$\begin{array}{r} \hline 108 \\ 107 \\ \hline 109 \\ 109 \\ 109 \\ \hline 110 \\ 109 \\ \hline 112 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 116 \\ 114 \\ 116 \\ 116 \\ 114 \\ 116 \\ 116 \\ 117 \\ 115 \\ \hline 117 \\ 115 \\ 117 \\ 115 \\ \hline 117 \\ 115 \\ 117 \\ 115 \\ \hline 118 \\ 118 \\ 116 \\ 118 \\ 118 \\ 116 \\ 118 \\ 118 \\ 118 \\ 118 \\ 116 \\ 118 \\ 118 \\ 118 \\ 116 \\ 118$
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2-01 NP-2-01 NP-2-03 NP-2-03 NP-2-03 NP-2-06 NP-2-07 NP-2-08 NP-2-08 NP-6-01	% Out of Service > 24 Hours AT TROUBLE REPORTS	108 109 110 110 110 112 112 114 114 114 114 114 114 114 114 114 114 114 116 116 116 116 116 116 117 117 117 117 118 118 118 118 118 118
MR-4-08 MR-5 REPE MR-5-01 NP-1 PERC NP-1-01 NP-1-02 NP-1-03 NP-1-04 NP-2 COLL NP-2 COLL NP-2-01 NP-2-02 NP-2-03 NP-2-03 NP-2-04 NP-2-05 NP-2-06 NP-2-07 NP-2-08 NP-2-08 NP-6-01 BI-1 TIMELI BI-1-02	% Out of Service > 24 Hours AT TROUBLE REPORTS	$\begin{array}{r} \hline 108 \\ 109 \\ 109 \\ 109 \\ 109 \\ 110 \\ 109 \\ 112 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 114 \\ 116 \\ 114 \\ 116 \\ 116 \\ 116 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 117 \\ 115 \\ 118 \\ 116 \\ 118$

BI-2-01	TIMELINESS OF CARRIER BILL	. <u>121</u> 119
BI – 3 BILLI	NG ACCURACY & CLAIMS PROCESSING	. <u>122</u> 120
BI-3-04 BI-3-05 BI-3-07 BI-3-08	% CLEC BILLING CLAIMS ACKNOWLEDGED WITHIN TWO (2) BUSINESS DAYS % CLEC BILLING CLAIMS RESOLVED WITHIN 28 CALENDAR DAYS AFTER ACKNOWLEDGEMENT % FULL OR PARTIAL DENIALS	. <u>124</u> 122 . <u>124122</u>
BI – 4 DUF /	ACCURACY (APPLICABLE TO NJ ONLY)	. <u>125</u> 123
BI-4-01	% USAGE ACCURACY	. <u>125</u> 123
BI – 5 ACCL	JRACY OF MECHANIZED BILL FEED (APPLICABLE TO NJ ONLY)	. <u>126</u> 124
BI-5-01	% ACCURACY OF MECHANIZED BILL FEED	. <u>126</u> 124
BI – 6 COM	PLETENESS OF USAGE CHARGES (APPLICABLE TO NJ & PA ONLY)	. <u>127</u> 125
BI-6-02	% COMPLETENESS OF USAGE CHARGES – INCLUDING ORDER ACTIVITY POST COMPLETION NCY DELAYED CHARGES % COMPLETENESS OF USAGE CHARGES – EXCLUDING ORDER ACTIVITY POST COMPLETION NCY DELAYED CHARGES * APPLICABLE TO PA ONLY*	
	PLETENESS OF FRACTIONAL RECURRING CHARGES (APPLICABLE TO NJ & PA OI	
	`	
COMPLETIC BI-7-02	% COMPLETENESS OF FRACTIONAL RECURRING CHARGES – INCLUDING ORDER ACTIVITY POST ON DISCREPANCY DELAYED CHARGES	
BI – 8 NON-	RECURRING CHARGE COMPLETENESS (APPLICABLE TO NJ & PA ONLY)	. <u>129127</u>
BI-8-02 %	% COMPLETENESS OF NON-RECURRING CHARGES – INCLUDING ORDER ACTIVITY POST COMPLE NCY DELAYED CHARGES COMPLETENESS OF NON-RECURRING CHARGES – EXCLUDING ORDER ACTIVITY POST COMPLETION NCY DELAYED CHARGES *APPLICABLE TO PA ONLY*	. <u>129</u> 127 DN
BI – 9 BILLI	NG COMPLETENESS	. <u>130</u> 128
BI-9-01	% BILLING COMPLETENESS IN TWELVE BILLING CYCLES	. <u>130</u> 128
OD-1 OPER	ATOR SERVICES/DIRECTORY ASSISTANCE – SPEED OF ANSWER	. <u>132</u> 130
OD-1-01 OD-1-02	Average Speed of Answer – Operator Services Average Speed of Answer – Directory Assistance	
OD-2 LIDB,	ROUTING AND OS/DA PLATFORMS	. <u>133</u> 131
OD-3 DA DA	TABASE UPDATE ACCURACY (APPLICABLE TO NJ ONLY)	. <u>134</u> 132
OD-3-01 Completic	% DIRECTORY ASSISTANCE UPDATE ACCURACY – INCLUDING SERVICE ORDER (ORDER ACTIVI ON DISCREPANCY) ERRORS	
GE-1 DIREC	TORY LISTING VERIFICATION REPORTS (APPLICABLE TO NJ ONLY)	. <u>136</u> 134
GE-1-01	% OF DIRECTORY LISTING VERIFICATION REPORTS FURNISHED ON-TIME	. <u>136</u> 134
GE-2 POLES	S, DUCTS, CONDUIT AND RIGHTS OF WAY (APPLICABLE TO NJ ONLY)	. <u>137</u> 135
GE-2-01	% OF ACCESS REQUEST RESPONSES TRANSMITTED ON-TIME	. <u>137</u> 135
GE-3 BONA	FIDE REQUEST RESPONSES (APPLICABLE TO NJ ONLY)	
GE-3-01	% OF BFR Responses Furnished On-Time	
GE-5 DIREC	TORY LISTING VERIFICATION REPORTS (APPLICABLE TO PA ONLY)	
GE-5-01	% OF DIRECTORY LISTING VERIFICATION REPORTS FURNISHED ON-TIME	. <u>140</u> 138
	VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0	6

	Y AND ACCURATE PROVISIONING OF WHITE PAGE DIRECTORY LIS LICABLE TO PA ONLY)	
GE-5-05	WHITE PAGES ERRORS AND OMISSIONS	<u>140</u> 138
	% ACCURACY OF DLVR CORRECTIONS	
GE-5-03	% DLVR Corrections Furnished on Time	<u>140138</u>
GE-5-02	% ACCURACY OF DSR/LSR INCLUSION IN DLVRs	

•		
GE-6-01	COMPLETION ON TIME	<u>141</u> 139
GE-6-02	ACCURACY OF PROCESSING	<u>141139</u>

Category		Function	# of
	PO-1	Response Time OSS Pre-Ordering Interface	Metrics
Pre-Ordering	PO-1	OSS Interface Availability	¥ 2
	PO-3	Contact Center Availability	2
	PO-3	Change Management Notice	∠ 3
	PO-5	Percent On Time Notice of Interface Outage	+ +
	PO-6	Software Validation	4
	PO-7	Software Problem Resolution and Timeliness	4
	PO-8	Manual Loop Qualification	1
Ordering	OR-1	Order Confirmation Timeliness	8
Ordening	OR-2	Reject Timeliness	6 6
	OR-3	Percent Rejects	2
	OR-3	Timeliness of Completion Notification	3
	OR-5	Percent Flow-Through	2
	OR-6	Order Accuracy	∠ 3
	OR-7	Percent Order Confirmation Rejects sent within 3 days	
	OR-8	Acknowledgement Timeliness	4
	OR-9	Order Acknowledgement Completeness	+
	OR-10	PON Notifier Exception Resolution Timeliness	+ 2
	OR-10 OR-11	Timeliness of Provider Notification Report	≠ 1
	OR-11	· · · · · · · · · · · · · · · · · · ·	+ 1
		% Accuracy White Pages Directory Listings* (*Applicable to Rhode Island Only)	+
	OR-13	% of Large Job Hot Cut Project Negotiations Completed	4
Provisioning	PR-1	Average Interval Offered	11
Trovisioning	PR-3	Completed within Specified Number of Days (1-5 Lines)	9
	PR-4	Missed Appointments	9
	PR-5	Facility Missed Orders	4
	PR-6	Installation Quality	3
	PR-8	Percent Open Orders in a Hold Status	2 2
	PR-9	Hot Cut Performance	4
Maintenance	MR-1	Response Time OSS Maintenance Interface	
	MR-2	Trouble Report Rate	5
& Repair	MR-3	Missed Repair Appointments	3
	MR-4	Trouble Duration Intervals	8
	MR-5	Repeat Trouble Reports	-0 -1
Network	NP-1	Percent Final Trunk Group Blockage	4
	NP-2	Collocation Performance	8
Performance	NP-6	NXX Updates* (*Applicable to NJ Only)	0 1
Dilling	BI-1	Timeliness of Daily Usage Feed	+
Billing	BI-1	Timeliness of Carrier Bill	+
	BI-2 BI-3	Billing Accuracy and Claims Processing	4
	BI-3 BI-4	DUF Accuracy* (*Applicable to NJ Only)	4
	BI-5	Accuracy of Mechanized Bill Feed* (*Applicable to NJ Only)	+ 4
	BI-6	Completeness of Usage Charges* (*Applicable to NJ & PA	+ 2
		Only)	ź
	BI-7	Completeness of Fractional Recurring Charges (Applicable to NJ & PA Only)	2
	BI-8	Non-Recurring Charge Completeness (Applicable to NJ & PA Only)	2
	BI-9	Billing Completeness	4

Category		Function	# of Metrics
Operator Services	OD-1	Operator Services — Speed of Answer/Directory Assistance	2
	OD-2	LIDB, Routing and OS/DA Platforms	θ
	OD-3	DA Database Update Accuracy (Applicable to NJ Only)	4
General	GE-1	Directory Listing Verification Reports (Applicable to NJ only)	4
Standards	GE-2	Poles, Ducts, Conduit and Rights of Way (Applicable to NJ Only)	4
	GE-3	Bona Fide Request Responses (Applicable to NJ Only)	4
	GE-5	Directory Listing Verification Reports (Applicable to PA	5
	GE-6	Timely and Accurate Provisioning of White Page Directory Listings LSRs and DSRs (Applicable to PA Only)	2
Glossary		Glossary of Terms	

Appendix	Торіс	
Α	Specials and Trunk Maintenance Code Descriptions	
В	Provisioning Codes	
С	Pre-Ordering Details	
D	Reserved for Future Use	
E	Local Number Portability Process	
F	E911 Updates	
G	Repair Disposition Codes	
Н	Flow-Through Order Scenarios	
<u> </u>	Trunk Forecasting GuideReserved for Future Use	
J	Collocation Forecasting GuideReserved for Future Use	
K	Statistical Methodology (NY, CT, MA, RI, NH, ME, PA, DE, NJ, MD, DC, VA, VT, WV)	
L	Example of C2C performance reports in ascii format	
M	Order Accuracy Details	
N	Verizon Wholesale Metrics Change Control Notification process	
0	Test Deck – Weighted transaction Matrix	
P	Collocation 45 Day and 76 Day Augment Milestone Chart	
Q	Changes to the Carrier-to-Carrier Guidelines Performance Standards and Reports	
R	NY Carrier Working Group Statement of Purpose and Guidelines for Participation	
S	Projects Requiring Special Handling	
Т	Provisioning Cooperative Continuity Testing – UNE 2-Wire xDSL Loop	
U	Interconnection Trunks Provided Over Loop Transport Facilities (MD only)	
Exhibit 1	Additional Provisions (NJ, MD, VA, WV only)	

INTRODUCTION

This section of the Verizon Carrier-to-Carrier (C2C) Guidelines Performance Standards and Reports provides the metrics and performance standards applicable to Verizon's state level operating entities in Connecticut, Delaware, the District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania², Rhode Island, Vermont, Virginia, and West Virginia.. Comprehensive explanations of the standard's definitions, measurement methodologies, reporting levels, geography covered, and the current product intervals are included within this document. In addition, this section includes a glossary and appendices that provide explanatory material related to the metrics and standards. The appendices also include a description of a statistical methodology that will be applied to help assess whether there is any difference between the delivery of Verizon retail services and its wholesale products and services.

Verizon will provide Performance Reports on a monthly basis. Any CLEC that wants to obtain reports produced pursuant to the Guidelines must update their CLEC profiles with Verizon to make the appropriate arrangements to receive the reports.

Verizon will report at state level for metrics PR-1, PR-3, PR-4, PR-5, PR-6, PR-8, PR-9, MR-2, MR-3, MR-4, and MR-5. Verizon will provide disaggregated geographical reports in New York, to CLECs that have existing interconnection agreements which require these reports. Additionally, for New York only, CLECs may initiate a request for disaggregated geographical reports through the CLEC's Verizon Account Manager. Once the request is received, Verizon provides that CLEC with disaggregated reports, and will continue to do so until the CLEC issues a discontinue notice through the Account Manager.

² Not Applicable to former GTE Territory.

Introduction- Applicable to Verizon Maine only

Changes to the C2C Guidelines may impact the measurements used in the Verizon Performance Assurance Plan ("PAP"). The following are the filing procedures for all C2C changes that affect the PAP. To the extent that a filed amendment to the C2C Guidelines reflects a final order of the NY PSC adopting "consensus" items recommended by the New York Carrier Working Group, such amendments are to become effective in the PAP in Maine immediately upon filing. Verizon Maine will file, along with the amendment, the report of the New York Carrier Working sto the NY PSC.

If, however, the filed amendment reflects a final order of the NY PSC adopting "non-consensus" items submitted by the New York Carrier Working Group, such amendments will become effective in Maine immediately upon filing; provided, however, that within 30 days after Verizon Maine files the amendment with the Commission, any Party may file written comments recommending that the Commission adopt in Maine non-consensus items that the NY PSC considered and rejected in its final order, or that the Commission modify the non-consensus items that the NY PSC considered and adopted in its final order, or that the Commission modify the non-consensus items that the NY PSC considered and adopted, rejected or altered in any manner in its final order. Any Party may file reply comments within 20 days after the end of the 30-day period for initial comments. The Commission will then determine within 30 days of the filing of reply comments whether to adopt in Maine the non-consensus items that the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and rejected, or to delete the non-consensus items the NY PSC considered and adopted. Verizon Maine will amend the Guidelines to conform with the Commission's decision within 20 days following the later of: (1) the period for filing motions for rehearing and/or reconsideration has expired with no motions having been filed; or (2) the date of a Commission order on reconsideration.

Since the PAP uses the measures and standards defined by the C2C Guidelines, once the procedures described above for an amendment to the C2C are complete, any adopted changes in the definition or standard for a C2C measurement that also appears in the PAP, will flow through to the PAP. Examples of some common changes are as follows:

- If a definition or standard is revised in the C2C Guidelines, the PAP will use the revised definition and standard for reporting results for a measure.
- If a measure is deleted in the C2C and specifically replaced with another measure, the new measure with its new definition and standard will be reported in the PAP.
- If a measure in the C2C is deleted and not replaced, the measure will continue to be reported in the PAP using the last existing definition that appeared in the Guidelines.
- If a change in the C2C includes additional product disaggregation for an existing measure, the PAP reports will continue to show the measure as a single measure using the revised definitions of the components. (any disaggregation in the PAP must wait for the annual review as associated weighting assignments must be determined).

Changes in the statistical methods in Appendix K of the C2C Guidelines are not automatically adopted in Appendix D of the PAP. Changes in the statistical methodologies in Appendix D are likely to affect the performance scores, weighting, and other procedures in the PAP that are used in the final calculation of bill credits. For the PAP to maintain its self-executing nature, these issues must be handled in the PAP review to assure that the revisions correspond with any changes in the statistical methods in Appendix D.

URL References

Verizon references URLs, as sources of information, throughout the Carrier to Carrier Guidelines. Wherever a URL is referenced, Verizon utilizes the information published on the URL at the time of the compliance filing. The table below lists the URL referenced, the metrics impacted and a General Description of the information found on the URL.

URL	Impacted Metrics	General description of URL Information
http://www22.verizon.com/wholesale/attachmen ts/2004_east_holiday_schedule.pdf Note: this URL will be in effect in 2004.	PO-1, PO-2, PO-3-02, PO-8, OR-1, OR-2, BI- 1, BI-3	The list of the current year Holidays that Verizon recognizes.
http://www22.verizon.com/wholesale/clecsuppor t/content/0,16835,east-wholesale-html- national_market_centers,00.html	PO-3	Lists the center hours
http://www22.verizon.com/wholesale/systemsm easures/local/systems/avail/east	OR-1-02 & OR-2-02	Lists the hour of Operations.
http://www22.verizon.com/wholesale/attachmen ts/RESALEINV.pdf	OR-1, OR-2, PR-1, PR- 3	Lists the product intervals.
http://www22.verizon.com/wholesale/attachmen ts/UNE_INTERVALS.xls		
http://www22.verizon.com/wholesale/attachmen ts/Collocation_Intervals.xls		
http://www22.verizon.com/wholesale/clecsuppor t/content/1,16835,East%20east-wholesale- customer_docs- verizon_east_cust_docs,00.html	MR-2	Lists disposition codes.
http://www22.verizon.com/wholesale/local/colloc ation/portal/1,20615,c_applications_instructions, 00.html	NP-2	Lists the collocation application instructions.
https://retailgateway.bdi.gte.com:1490/	NP-2	Lists the state tariffs.
http://www22.verizon.com/wholesale/local/billing /content/1,20531,e_inquiries,00.html	BI-3	Provides information on billing Inquiries, Claims and Adjustments
Verizon North: http://www.verizon.com/wholesale/clecsupport/e ast/business_rules/downloads/vznorth_ft032103 .pdf	OR – Appendix H	List of Generic Order Flow-Through scenarios
Verizon South: <u>http://www.verizon.com/wholesale/clecsu</u> <u>pport/east/business_rules/downloads/vzsouth_ft</u> <u>032103.pdf</u>		
http://www22.verizon.com/wholesale/clecsuppor t/content/1,16835,East%20east-wholesale- customer_docs- verizon_east_cust_docs,00.html	MR	Description of Front End Close Outs

GENERAL EXCLUSIONS

Test IdsIDs

Test IdsIDs are excluded from all Carrier to Carrier metric calculations.

Verizon Affiliate Reporting

Verizon affiliate reporting (including Data Services Network Operations (DSNO) formerly known as VADI) is always excluded from CLEC aggregate data for all metrics.

Internally generated LSRs and Service Orders

Internally Generated LSRs are excluded from the Ordering metrics. Internally Generated Service Orders are excluded from the Provisioning metrics.

Verizon Official Services

Verizon official (administrative) lines are lines used by Verizon employees or contractors to conduct official company business.

PARTS Orders

Orders for Packet at the Remote Terminal <u>SwitchingService</u> are excluded from the OR-1 through OR-7 metrics, and all Provisioning metrics.

Unbundled Network Elements (UNE)

Except for the Billing domain, UNE products do not include Wholesale Advantage (formerly UNE-P), Line Sharing or Line Splitting transactions.

UNE Port

Orders for UNE Port service (not to be confused with Local Number Portability (LNP)), are excluded from the Provisioning metrics.

GENERAL NOTES

Verizon North includes:	CT, MA, ME, NH, NY, RI and VT
Verizon Mid-Atlantic includes:	DC, DE, MD, NJ, PA, VA and WV
Verizon East includes:	CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA ³ , RI, VA, VT, and WV

For OR-1-12, OR-2-12, and NP-2

Refer to industry letters on the Verizon Wholesale website Partner Solutions Website for further details related to Trunk and Collocation forecasting.

UNE Platform

Effective with the April, 2006 data month, UNE Platform arrangements that have not been migrated to other services will be counted as Resale.

Retail Analog Compare Table

The table below illustrates the retail⁴ compare group for the Provisioning and Maintenance metrics.

		Wholesale Service	Retail Analog
	Provisioning metrics -	Resale POTS – Residence	Retail POTS – Residence
	ALL where parity is standard	Resale POTS – Business	Retail POTS – Business
	Exceptions Noted below:	Resale POTS – Total	Retail POTS – Total
		Resale 2-Wire Digital Services	Retail ISDN (2-Wire Digital)
		UNE POTS Loop New	Retail POTS – Total
		UNE POTS Total	Retail POTS Total
		UNE POTS Loop Total	Retail POTS – Total
		UNE 2-Wire Digital Loop	Retail ISDN (2-Wire Digital)
		UNE 2–Wire xDSL Loop	VADI/DSNO and Retail Line Sharing
-		Resale DS0	Retail DS0
		Resale DS1	Retail DS1
		Resale DS3	Retail DS3
		UNE DS0	Retail DS0
		UNE DS1	Retail DS1 ⁵
		UNE DS3	Retail DS3
		UNE IOF	Retail DS3
		UNE EEL – Back bone	Retail DS1 ⁵
		UNE EEL – Loop	Retail DS1 ⁵
		UNE EEL	Retail DS1 ⁵
		Interconnection Trunks (CLEC)	IXC Feature Group D Trunks
		Specials – Total	Retail Specials – Total
		Resale Specials Other	Retail Specials Other
		UNE Specials Other	Retail Specials Other
		Resale POTS/Complex	Retail POTS – Total (All)
		UNE POTS/Complex	Retail POTS – Total (All)
		POTS Loop Hot Cut Total	Retail POTS (N&T Orders excluding feature
			troubles)
	<i>Exceptions</i> for provisioning:		
	PR-1-09	UNE EEL and IOF	No retail compare. Refer to the EEL and IOF
			legends on the C2C report template for the
		6	performance standards.
	<u>PR-1-12</u>	Resale POTS/Complex ⁶	Retail POTS – Total plus Complex
	<u>PR-1-12</u>	UNE POTS/Complex	Retail POTS – Total plus Complex
	PR-4-02	UNE 2-Wire xDSL Loop	Retail Specials DS0
	PR-6	UNE 2-Wire xDSL Loop	Retail POTS – Dispatched
I	PR-6	UNE 2-Wire Digital	Retail POTS – Dispatched
	PR-6-01	UNE POTS Loop- Total<u>New</u>	Retail POTS – Dispatched
	PR-8	UNE 2-Wire xDSL Loop	Retail Specials DS0

⁴ Transactions provided to the former MCI entities are included in Retail. ⁵ Retail DS1 should exclude feature changes on PRI ISDN (no dispatch) ⁶ Resale POTS/Complex does not include 2-Wire xDSL Loops

VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0

Retail Analog Compare Table, continued

Maintenance Measures:	Resale POTS – Residence	Retail POTS – Residence
ALL where parity is standard		Retail POTS – Business
	Resale POTS – Total	Retail POTS – Total (Business and Residence)
	Resale 2-Wire Digital Services	Retail ISDN (2-Wire Digital)
	UNE Loop	Retail POTS – Total (Business and Residence)
	UNE 2-Wire Digital Loop	Retail POTS – Total plus ISDN BRI (ALL)7
	UNE 2-Wire xDSL Loop	Retail POTS – Total plus ISDN BRI(ALL)5
	Resale Specials DS0 & below	Retail Specials DS0 & below
	Resale Specials DS1 & above	Retail Specials DS1 & above
	Resale Specials (Total)	Retail Specials (Total)
	UNE Specials DS0 & below	Retail Specials DS0 & below
	UNE Specials DS1 & above	Retail Specials DS1 & above
	UNE Specials (Total)	Retail Specials (Total)
	Interconnection Trunks (CLEC)	IXC Feature Group D Trunks
<i>Exceptions</i> for Maintenance		
MR-4-07 and MR-4-08MR-2,	UNE POTS Loop	Retail POTS- Total & Retail POTS – Total plus ISDN
<u>MR-3, MR-4</u>	UNE 2-Wire Digital Loop	BRI (Total Loop and CO Frame/Wiring troubles)
	UNE 2-Wire xDSL Loop	Note: excludes translation and switch troubles

Product Code Information

The table below defines the product codes listed on the monthly C2C and associated reports.

· 🗖	ub-Code	Product	
1000Resale & UNE combined1020Stand-Alone Directory Listings1021Operator Service Center1030Other Directory Listings		Resale & UNE combined	
		Stand-Alone Directory Listings	
		Operator Service Center	
		Other Directory Listings	
1	040	All Directory Listings (combined Standalone and Other)	
1	100	Resale & UNE Combined POTS	
1	110	Resale & UNE Combined POTS Business	
1	120	Resale & UNE Combined POTS Residence	
1	200	Resale & UNE Combined Specials	
1	210	Resale & UNE Combined Specials DS0	
1	211	Resale & UNE Combined Specials DS1	
1	213	Resale & UNE Combined Specials DS3	
1214 Resale & UNE Combined Specials (Non DS0, DS1 & DS3)		Resale & UNE Combined Specials (Non DS0, DS1 & DS3)	
1	1216 Resale & UNE Combined Specials (Non DS0 & DS0)		
1	217	Resale & UNE Combined Specials (DS1 & DS3)	
1	300	Resale & UNE Combined Complex Services	
1	341	Resale & UNE Combined 2-Wire Digital Services	
1	342	Resale & UNE Combined 2-Wire xDSL Loops	
2	000	Resale	
2	030	Resale & UNE	
2	031	Resale Directory Listing Orders	
2	100	Resale POTS	
2	103	Resale POTS/Complex	
2	104	Resale POTS/Pre-qualified Complex	
2	110	Resale POTS Business	
2	120	Resale POTS Residence	

Sub-Code	Product
2200	Resale Specials
2210	Resale Specials DS0
2211	Resale Specials DS1
2213	Resale Specials DS3
2214	Resale Specials (Non DS0, DS1 & DS3)
2216	Resale Specials (Non DS0 & DS0)
2217	Resale Specials (DS1 & DS3)
2300	Resale Complex
2320	Resale POTS + Complex / Pre-qualified
2341	Resale 2-Wire Digital Services
2342	Resale 2-Wire xDSL Services
3000	UNE
3031	UNE Directory Listing Orders
3100	UNE POTS
3111	UNE POTS – Hot Cut Loop
3112	UNE POTS – Loop
3113	UNE POTS – Loop New
3121	UNE POTS – Other
3122	UNE POTS - Other (UNE Switch & INP)
3133	UNE POTS & Complex
3142	UNE POTS Other (UNE INP)
3200	UNE Specials
3210	UNE Specials DS0
3211	UNE Specials DS1
3213	UNE Specials DS3
3214	UNE Specials (Non DS0, DS1 & DS3)
3216	UNE Specials (Non DS0 & DS0)
3217	UNE Specials (DS1 & DS3)

Sub-Code	Product	
3300	UNE Complex	
3331	UNE Loop/Pre-qualified Complex/LNP	
3341	UNE 2-Wire Digital Services	
3342	UNE 2-Wire xDSL Loops	
3346	UNE 2-Wire Digital Services & 2-Wire xDSL Loops	
3347	UNE 2-Wire Digital Services & 2-Wire xDSL Loops & Analog Loop	
3500	Additional UNE Services	
3510	UNE EEL	
3511	UNE EEL – Backbone	
3512	UNE EEL – Loop	
3520	Loop Basic Hot Cut (all line size)	
3523	Loop Large Job Hot Cut (all line size)	
3525	Loop Batch Hot Cut (all line size)	
3528	Loop – Basic Hot Cut (11-20 Lines)	
3529	Loop – Basic Hot Cut (21 lines and greater)	
3530	UNE IOF	
3531	Loop – Large Job Hot Cut (1-5 lines)	
3532	Loop – Large Job Hot Cut (6 or more lines)	
3533	Loop – Hot Cut Total (includes Basic, Large and Batch)	
3534	Loop Basic Hot Cut (1-10 lines)	
3540	UNE LNP	
3550	UNE Loop	
3551	UNE Loop – New	
5000	CLEC Trunks	
5010	CLEC Trunks (<= 96 Forecasted Trunks)	
5020	CLEC Trunks (<= 192 Forecasted Trunks)	
5030	CLEC Trunks (> 192 and Unforecasted Trunks)	
5040	Reciprocal Trunks	
5400	CLEC Trunks Dedicate	

Sub-Code	Product	
6000 Systems Metrics		
6010	Wholesale Provisioning and Tracking System (WPTS)	
6020	EDI	
6030	CORBA	
6040	Maintenance Web GUI (RETAS)	
6050	Pre-order/Order Web GUI aka LSI/W	
6060	Maintenance - Electronic Bonding Interface	
6070	Electronic	
6080	Retail Maintenance Web GUI(RETAS) & Retail Pre-order/Order Web GUI (LSI/W) combined	
6095	ΤΑΧΙ	
6600	Change Notification & Confirmation Combined	
6601	Change Notification (Total Type 1-5)	
6602	Change Confirmation (Total Type 1-5)	
6610	Change Notification & Confirmation - Emergency Maintenance	
6611	Change Notification - Emergency Maintenance	
6612	Change Confirmation - Emergency Maintenance	
6620	Change Notification & Confirmation - Regulatory Change Notification - Regulatory	
6621		
6622	Change Confirmation - Regulatory	
6630	Change Notification & Confirmation - Industry Standard	
6631	Change Notification - Industry Standard	
6632	Change Confirmation - Industry Standard	
6640	Change Notification & Confirmation - BA Originated	
6641	Change Notification - BA Originated	
6642	Change Confirmation - BA Originated	
6650	Change Notification & Confirmation - TC Originated	
6651	Change Notification - TC Originated	
6652 6660	Change Confirmation - TC Originated Change Notification & Confirmation - Industry Standard, Verizon Originated and TC Originated	
6661	Change Notification - Industry Standard, Verizon Originated and TC Originated	
6662	Change Confirmation - Industry Standard, Verizon Originated and TC Originated	
6670	Change Notification & Confirmation - Emergency Maintenance and Regulatory	
6671	Change Notification - Emergency Maintenance and Regulatory	
6672 Change Confirmation - Emergency Maintenance and Regulatory		

6700	Collocation	
6701 Collocation - New Applications		
6702	6702 Collocation - Augment Applications - 45 days and 76 days combined	
6703	Collocation - Physical	
6704	Collocation - Virtual	
6711	1 Collocation - Augment Applications - 76 days	
6712	Collocation - Augment Applications - 45 days	
6801	801 Collocation - Aggregate Total of % On Time Response to Request	
6802		
6803		
6110		
6120	20 Physical, SCOPE, CCOE, Virtual - Augment	

Section 1

Pre-Ordering Performance

(PO)

	Function	Number of Sub-metrics
PO-1	Response Time OSS Pre-Ordering Interface	9
PO-2	OSS Interface Availability	2
PO-3	Contact Center Availability	2
PO-4	Change Management Notice	3
PO-5	Percent On Time Notice of Interface Outage	1
PO-6	Software Validation	1
PO-7	Software Problem Resolution and Timeliness	4
PO-8	Manual Loop Qualification	2

PO-1 Response Time OSS Pre-Ordering Interface

Definition:

This metric measures the response time of the OSS Pre-Ordering Interface.

Response Time: For metrics PO-1-01 through 1-06, and PO-1-09, response time is the amount of time, rounded to the nearest 1/100th of a second for a successful Pre-Order transaction. **Note:** Successful transactions are those where the requested information was returned to the requestor, and errors are those responses that did not contain the requested information.

For CLEC transactions, response time is measured from receipt of the request at Verizon's interface to the time that the response is sent to the CLEC. For Verizon retail simulated transactions, performance is measured between the issuance of a Pre-Ordering query and the successful receipt of the requested information in a specific field and screen.

For PO-1-07, response time is the amount of time, rounded to the nearest 1/100th of a second, between the issuance of a Pre-Ordering query and the receipt of an error message associated with a rejected query.

Average Response Time: Average Response Time is the sum of the response times divided by the number of Pre-Ordering queries in the report period. It is calculated separately for PO-1-01 through PO-1-07, and PO-1-09. Queries that time-out are excluded from the calculation of Average Response Time.

Rejected Query: A rejected query is a query that cannot be processed successfully due to incomplete or invalid information submitted by the sender, which results in an error message back to the sender.

Time-out: % Timeouts are measured in PO-1-08. A query is considered to be a time-out when the requested information (or an error message) is not provided within 60 seconds. Time-outs are set at long intervals to ensure that average response times include long response times but do not include queries that will never complete.

For sub-metric PO-1-09, there is no Parsed CSR for retail, therefore basic CSR will be reported for retail performance.

Exclusions:

Normal exclusions include Saturday, Sunday, and major holidays, as well as hours outside of the normal report period.

The major holidays are: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.

Refer to the URL matrix at the beginning of the C2C guidelines to obtain the URL for the current year's holiday schedule in effect at the time of the compliance filing. The information contained on the URL identifies the actual date the holiday is observed. **Note:** The file is an adobe acrobat file, Acrobat Reader is necessary to read the pdf file.

Note: If response time aberrations occur due to EnView robot failures or network failures between EnView and the VZ Operations Support Systems (OSS), VZ notes such failure times, and reports the data without exclusion in a footnote on the report.

Performance Standard:

The Performance Standards for the PO-1 metrics are as follows:

For PO-1-01 through PO-1-03, and PO-1-05 through PO-1-07:

- EDI and CORBA (application to application interfaces): Parity with Retail plus not more than four (4) seconds. The four (4) second difference allows for variations in functionality and additional security requirements of interface.
- WEB GUI / Local Service Interface / Wholesale (LSI/W): Parity with Retail plus not more than seven (7) seconds. The seven (7) second difference allows for variations in functionality and additional security requirements of interface.

For PO-1-04, Product & Service Availability, and PO-1-09, Parsed CSR: Parity with Retail, plus not more than 10 seconds.

For PO-1-08: Not greater than 0.33%.

Methodology:

The measurements for all PO-1 metrics (except PO-1-07) are derived from actual production transactions for CLEC transactions and from simulated Pre-Ordering queries generated by Verizon's EnView (formerly referred to as Sentinel) system for VZ retail transactions and CLEC PO-1-07 transactions.

For retail (and CLEC PO-1-07) transactions, EnView replicates the keystrokes a VZ Service Representative would enter for a valid Pre-Ordering inquiry transaction, and measures the response time from when the *Enter* key is hit until a response from the Pre-Ordering OSS is received back on the display screen.

At least ten VZ retail (and CLEC PO-1-07) simulated queries are generated per hour for each type of query.

The total number of simulated queries depends on the average response times.

Each query has a unique name that is based on time and date. The EnView robot monitors for a matching response, and identifies successful responses by the file extension names. The file extension varies according to whether the transaction was successful or experienced an error or time-out condition. Successful response for an Address Validation request is identified by a file extension of **ada**. The file is then read to ensure it starts and ends with the appropriate indicators for a successful transaction.

EnView also generates at least ten simulated incomplete or invalid Pre-Ordering queries per hour to enable measurement of PO-1-07 Average Response Time – Rejected Query.

Data is reported based on transactions occurring between 8:00AM and 9:00PM Monday through Friday, *excluding* New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, and Christmas Day.

Formula:				
Σ Response Times for each transaction divided by the Number of Transactions for each transaction type.				
Note: For all PO-1 Retail sub-metrics, and for sub-metric PO-1-07, the formula is: Response times for each transaction divided by the number of simulated transactions for each transaction type.				
Report Dime	ensions:			
Company: • CLEC Aggregate • CLEC Specific (PO-1-09 only)		Geography: • State Specific		
Products				
Sub-Metrics	– PO-1 Response Time OSS Pre-C	Ordering Interface		
PO-1-01	Average Response Time – Customer Ser	rvice Record (CSR)		
Calculation	Numerator	Denominator		
	Sum of all response times for CSR transactions.	Number of CSR transactions.		
PO-1-02	Average Response Time – Due Date Ava	ilability		
Calculation	Numerator	Denominator		
	Sum of all response times for Due Date (DD) Availability.	Number of DD Availability transactions.		
PO-1-03	Average Response Time – Address Valio			
Calculation	Numerator	Denominator		
	Sum of all response times for Address Validation.	Number of Address Validation transactions.		
PO-1-04	PO-1-04 Average Response Time – Product & Service Availability			
Calculation	Numerator	Denominator		
	Sum of all response times for Product and Service Availability.	Number of Product and Service availability transactions.		
PO-1-05	Average Response Time – Telephone Nu	umber Availability & Reservation ⁸		
Calculation	Numerator	Denominator		
	Sum of all response times for Telephone Number Availability/Reservation.	Number of Telephone Number Availability/Reservation transactions.		

⁸ While Address Validation can be completed on a stand-alone basis, Telephone Number reservation is always combined with Address Validation. For VZ retail representatives this is a required two step process requiring two separate transactions.

Sub-Metrics – PO-1 Response Time OSS Pre-Ordering Interface, continued			
PO-1-06 Average Response Time – Mechanized Loop Qualification – xDSL			
Calculation	Numerator	Denominator	
	Sum of all response times for Mechanized Loop Qualification.	Number of Mechanized Loop Qualification transactions.	
PO-1-07	Average Response Time – Rejected Que	ry	
Calculation	Numerator	Denominator	
	Sum of all response times for a rejected	Number of rejected query transactions.	
	query.		
PO-1-08	PO-1-08 % Timeouts		
Calculation	Numerator	Denominator	
	Number of transactions that timeout.	Total number of transactions.	
PO-1-09	PO-1-09 Average Response Time- Parsed CSR		
Calculation	Numerator	Denominator	
	Sum of all response times for Parsed CSR transactions.	Number of Parsed CSR transactions.	

PO-2 OSS Interface Availability

Definition:

This metric measures the OSS Interface Availability. The OSS Interface Availability metric is a measurement of the time during which the electronic OSS Interface is actually available as a percentage of scheduled availability. Verizon Service Representatives and CLEC Service Representatives obtain Pre-Ordering/Ordering/Provisioning/Maintenance & Repair information from the same underlying OSS. Thus, if a particular OSS is down, it is equally unavailable to both Verizon employees and CLEC employees. Any difference in availability, therefore, is caused by unavailability of the OSS interface.

Scheduled Availability is as follows: EDI, WEBGUI/LSI, CORBA, EB and WPTS:

- Prime Time: 06:00:00 to 23:59:59 EST Monday through Saturday, *excluding* major Holidays
- Non-Prime Time: 00:00:00to 05:59:59 EST Monday through Saturday, and all day Sundays and Holidays.

Note: The number of downtime hours is noted in the Carrier to Carrier (C2C) reports under the *Observations* column heading.

Separate measurements are performed for each of the following: Pre-Ordering/Ordering EDI, Pre-Ordering/Ordering/Maintenance Web GUI (Local Services Interface/Wholesale (LSI/W)), CORBA, Maintenance Electronic Bonding Interface (EB) and Wholesale Provisioning and Tracking System (WPTS). Each availability interface is measured separately with each interface having its own set of processing complexes. A processing complex consists of a set of servers that serve as primary and backup. The number of processing complexes associated with each interface (EDI, CORBA or WEB GUI (also known as LSI/W)) varies as needed, however, the metric calculations performed for each interface includes the number of processing complexes associated with the individual interface. For example, when determining the number of Prime-Time minutes scheduled for the month, for the EDI interface, the number of processing complexes associated with EDI is factored into the calculation. The EnView process will be expanded/updated to monitor and report on future OSS processes.

Exclusions:

The following exclusions apply:

- Troubles reported but not found in VZ's interfaces.
- Troubles reported by a CLEC that were not reported to VZ's designated trouble reporting center.
- Scheduled interface downtime for major system releases where CLECs were provided with advanced notification of the downtime in compliance with VZ Change Management Guidelines.
- Major Holidays. The major holidays are: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.

Refer to the URL matrix at the beginning of the C2C guidelines to obtain the URL for the current year's holiday schedule in effect at the time of the compliance filing. The information contained on the URL identifies the actual date the holiday is observed.

Performance Standard: PO-2-02: ≥ 99.5% PO-2-03: no standard

Methodology – PO-2 OSS Availability

Verizon calculates the PO-2 OSS Availability metric by combining CLEC reported outages (received via the Wholesale Customer Care Center (WCCC)) with EnView reported outages. Verizon measures CLEC reported outages, based on actual reported time frames as well as any outages captured by EnView (and not reported by CLECs).

The Wholesale Customer Care Center receives OSS availability trouble reports from CLECs, and logs each trouble in to a tracking system. Verizon reviews data from the tracking system each week to determine which troubles were interface outages, and thus included in the PO-2 calculation. This data is supplemented with outages captured by EnView or other Verizon similar affirmative monitoring (for WPTS) to calculate the final metric results.

The EnView methodology is as follows: EnView is used as an alarm for system availability and supplements CLEC reported outages for EDI, LSI/W and CORBA only. If no CLEC reported an outage, but EnView detected an outage, the EnView outage is included as if the entire CLEC population experienced the outage.

EnView measurement of the EDI, CORBA and WEB GUI aka LSI/W interfaces availability is as follows: The mechanized OSS interface availability process is based on the transactions created by the EnView Robots. The program determines whether the EnView transactions were successful or unsuccessful, or if no transactions were issued (not polled). Transactions are processed by transaction type separately for each interface type and OSS. The hours of the day are divided into six (6) minute measurement periods.

If the Verizon interface, for any Pre-Order transaction type, in a six (6) minute measurement period has at least one successful transaction, then that interface is considered available. Individual interface unavailability is calculated only when all its transactions are unsuccessful and at least one of the corresponding OSS transactions is successful. This indicates that the interface was not available while at least one OSS was available. In this case, the six (6) minute measurement period is counted as unavailable. If it is determined that no Enview transactions were issued, then the six minute measurement period is excluded from all calculations since this is an indication of an EnView problem and not a specific Verizon interface problem.

The EnView data is compared to the actual CLEC reported outages, and matched up according to the outage's reported time frame. If the EnView time frame matches the actual reported outage (from the WCCC) time-frame, the outage is included (once) in the metric based on the reported time-frame.

If the comparison of the EnView results with the CLEC reported outages indicates that a time-frame is overlapping, then Verizon uses the earliest start time of the outage, and the latest end-time of the outage to calculate the metric result.

Availability is calculated by dividing the total number of six (6) minute measurement periods in a 24-hour day (excluding unmeasured six (6) minute measurement periods) into the number of periods with no successful transactions for the day and subtracting this from 1 and multiplying by 100.

For example, there are potentially 180 six (6) minute measurement periods in an 18-hour period. If two six (6) minute measurement periods lack successful transactions, then availability equals $(1-(2/180)) \times 100 = 98.89\%$ Availability.

Trouble Logs: Verizon will make Verizon's trouble logs (which contain CLEC reports that the interface is not available) available to the CLECs for inspection.

PO-2 Formula:

(Number of hours scheduled minus the number of scheduled hours not available) divided by (Number of hours scheduled) multiplied by 100.

For example (assuming all processing complexes are scheduled to be operational for the entire month):

Step One: Determine prime-time scheduled minutes in a month. This is accomplished by [(number of days (Monday through Saturday) in the report month) x (scheduled prime-time hours per day) x (sixty (60) minutes)] x the number of processing complexes.

Step Two: Determine number of outage minutes in a month.

Step Three: [(prime-time scheduled minutes in a month minus outage minutes in a month) / (prime-time scheduled minutes in a month)] x 100 = Prime-Time Availability %

Report Dimensions:			
Company:		Geography:	
CLEC A	Aggregate	All interfaces except WPTS:	
		 NY, CT (Combined) MA, VT, RI, NH, ME (Combined) PA, DE (Combined) NJ MD, DC, VA, WV (Combined) WPTS: Verizon National 	
Products Maintenance (RETAS) / Pre-Ordet EDI CORBA Maintenance – Electronic Bondin WPTS 			
Sub-Metrics	– OSS Interface Availability		
PO-2-02 OSS Interface Availability – Prime-Time			
	033 Interface Availability – Frime-Time		
Calculation	Numerator	Denominator	
Calculation	Numerator Total number of scheduled prime-time hours in the month for all available processing complexes minus the total number of unscheduled outage hours during prime-time in the month for all available processing complexes.	Total number of scheduled prime-time hours in the month for all available processing complexes.	
	Numerator Total number of scheduled prime-time hours in the month for all available processing complexes minus the total number of unscheduled outage hours during prime-time in the month for all	Total number of scheduled prime-time hours in the month for all available processing complexes.	
Calculation	Numerator Total number of scheduled prime-time hours in the month for all available processing complexes minus the total number of unscheduled outage hours during prime-time in the month for all available processing complexes.	Total number of scheduled prime-time hours in the month for all available processing complexes.	

PO-3 Contact Center Availability

Definition:

The PO-3 sub-metrics measure Contact Center Availability. Contact Center Availability is the hours of operation for the Centers that support CLECs for Ordering and Maintenance. —Contact with CLECs is designed to take place via direct access systems. Carrier Support Centers are designed to handle fall-out and not large call volumes.

This metric also includes **Speed of Answer – CLEC** centers. Speed of Answer is measured for Ordering and Repair queues. This measure is reported out of the Automated Call Distributor (ACD). The Speed of Answer measure includes calls that go to the main number in the center, either directly or from overflow (CLECs choosing the option of the main number).

Note: % within 30 seconds includes 15% of Abandons and 10% of Busies in the denominator.

Speed of Answer is measured in seconds from the time a call enters the VZ ACD until a representative answers the call. CLECs have the choice of calling the order processing 800 number, in which case the call is directed to the next available representative through ACD, or CLECs can call their dedicated representatives on the representative's direct line. If the representative is not available, the CLEC can leave a voice mail or press 0 and be transferred to a pool of representatives. VZ measures speed of answer for calls to the 800 number and for calls where the CLEC presses 0 to speak to the next available representative.

The Speed of Answer measurements begin as follows: For calls to the 800 number, the measurement begins when the call enters VZ's ACD. For calls to a dedicated representative, the measurement begins when the CLEC presses 0. In each case, the measurement ends when a representative answers the call.

Exclusions:

Calls directed to and answered by dedicated representatives.

Performance Standard:

PO-3-02 and PO-3-04: 80% within 30 seconds

Center Hours of Operation:

Repair Help Desk: 24 hours per day – seven (7) days a week

National Marketing Center (Ordering): 8:00AM to 6:00PM Monday through Friday, excluding major holidays.

Note: The Repair Help Desk is measured in metric PO-3-04.

The Order Processing Assistance Center is measured in metric PO-3-02.

Refer to the URL matrix at the beginning of the C2C guidelines to obtain the URL that provides the various center hours of operation schedules. After accessing the web-site, select a center to receive center-specific information. Also refer to the URL matrix at the beginning of the C2C guidelines for the current year's holiday schedule in effect at the time of the compliance filing. The information contained on the URL identifies the actual date the holiday is observed.

Report Dimensions			
Company:		Geography:	
CLEC Aggregate		 PO-3-02: Verizon North NY, CT, MA, NH, RI, VT and ME: UNE & Resale combined Verizon Mid-Atlantic PA, DE, NJ, DC, MD, VA, WV: UNE & Resale combined PO-3-04: Verizon East: UNE & Resale combined 	
Products	Resale	• UNE	
Sub-Metrics			
PO-3-02	% Answered within 30 Seconds - Orderi	ng	
Calculation	Numerator	Denominator	
	Number of calls to main number answered within 30 seconds after the call was received by the ACD.	Total calls answered by Ordering Center plus 15% of abandoned calls plus 10% of busy calls.	
PO-3-04	PO-3-04 % Answered within 30 Seconds – Repair		
Calculation	Numerator	Denominator	
	Number of calls to main number answered within 30 seconds after the call was received by the ACD.	Total calls answered by Repair Center plus 15% of abandoned calls plus 10% of busy calls.	

PO-4 Timeliness of Change Management Notice

Definition:

Sub-metric PO-4-01 measures the percent of Change Management Notices and associated documentation availability, sent before implementation according to prescribed timeliness standards within prescribed timeframes. Sub-metrics PO-4-02 and PO-4-03 measure the amount of cumulative delay days (as documented in the sub-metric) for Change Management notices sent. Change Management notices are notices sent to the CLECs to notify CLECs of scheduled interface software-affecting changes with a "Type" designation (Type 1, 2, 3, 4, 5).

Documentation is not considered available until all material changes are made.

Exclusions:

None.

Performance Standard:

PO-4-01: 95%

PO-4-02: No standard

PO-4-03: No delayed notices and documentation over eight (8) calendar days.

The Timeliness standards for the PO-4 sub-metric products are listed below and are in accordance with those set forth in the Change Management Processes and Procedures. VZ will comply with applicable Change Management Processes and Procedures.

* Regulatory changes will vary based on application law/regulatory rules.

Timeliness Star			
Change type		Change Notification: Interval between notification and implementation	Change Confirmation : Final Documentation Availability before implementation ⁹
Type 5 – CLEC originated		≥ 73 calendar days for business rules, ≥ 66 calendar days for technical specifications or Verizon/CLEC agreed upon timeframes	>= 45 calendar days or Verizon/CLEC agreed upon timeframes
Type 4 – Verizon originated		≥ 73 calendar days for business rules, ≥ 66 calendar days for technical specifications or Verizon/CLEC agreed upon timeframes	>= 45 calendar days or Verizon/CLEC agreed upon timeframes
Type 3 – Industry Standard		 ≥ 73 calendar days for business rules, ≥ 66 calendar days for technical specifications or Verizon/CLEC agreed upon timeframes 	>= 45 calendar days or Verizon/CLEC agreed upon timeframes
Type 2 – Regulatory		Time periods established in Regulatory Order. If no time periods set, default to above time period.	Time periods established in Regulatory Order. If no time periods set, change notification and change confirmation is negotiated on an individual case basis through the Change Management Process.
Type 1 – Emergency Maintenance		Notification before implementation	N/A
Report Dime	nsion	IS	
Company: • CLEC Aggregate		ite	 Geography: Verizon North: NY, CT, MA, NH, RI, VT, ME (Combined) Verizon Mid-Atlantic: PA, DE, NJ, DC, MD, VA, WV (Combined)
Products	 T a T V 	ge Notification: ype 1 – Emergency Maintenance nd Type 2 Regulatory (combined) ype 3 – Industry Standard, Type 4 Z originated, and Type 5 – CLEC riginated (combined)	 Change Confirmation Type 2 – Regulatory Type 3 – Industry Standard, Type 4 VZ originated, and Type 5 – CLEC originated (combined)

⁹ Type one (1) change confirmation is not applicable.

VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0

Sub-Metrics					
PO-4-01	% Change Management Notices sent on Time				
Calculation	Numerator	Denominator			
	Change Management Notifications sent within required time frames.	Total number of Change Management Notices sent.			
PO-4-02	Change Management Notice – Delay one (1) to seven (7) days				
Calculation	n Data Value				
	Cumulative delay days for all notices sent one (1) to seven (7) days late.				
PO-4-03	Change Management Notice – Delay eight (8) plus days				
Calculation	Data Value				
	Cumulative delay days for all notices sent eight (8) or more days late.				

Function:					
PO-5 Percent On Time Notice of Interface Outage					
Definition:					
outage and VZ Verizon system	notification to CLECs that an outage exists. outage occurs that prevents the CLECs fro	ween VZ identification of a Verizon interface Notification is sent via electronic mail when a om performing transactions for Pre-Ordering, erfaces and the outage affects more than one			
Note: Notification of Network Outages (different than Interface Outages) are covered in the Network Performance section. Detailed information on network outages can also be found in the CLEC Handbookon the Verizon Partner Solutions website. For the purpose of this measure, scheduled interface downtime where CLECs were provided with advanced notification (> 24 hours) of the downtime in compliance with Verizon Change Management Guidelines is not considered an outage.					
Exclusions:					
 Troubles reported by a CLEC that were not reported to Verizon's designated trouble reporting center which is the WCCC. Outages exclusively identified at month-end EnView reconciliation process. 					
Performance	•				
95%					
Report Dime	ensions				
Company:		Geography: • Verizon East			
Sub-Metrics					
PO-5-01	% On Time Notice of Interface Outage				
Calculation	Numerator	Denominator			
	Number of outage notifications sent where the date and time of outage notification to CLECs minus date and time the interface outage was identified by VZ is less than or equal to 20 minutes.	Total number of interface outages.			

PO-6 Software Validation

Definition:

This metric measures software validation for CLEC-affecting major releases where Verizon offers a test deck in the CLEC Test Environment (CTE). Verizon installs CLEC impacting major software releases three (3) times per year (usually during the months of February, June and October). Verizon tests the software release functionality by executing a test deck of transactions to validate that functionality in a software release works as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics in any Performance Assurance Plan (PAP). Within the software validation metric, weight factors will be allocated among transaction types (*e.g., Pre-Order, Resale-Order, UNE-Order*) and then equally distributed across specific transactions within type. The initial array-of-weights for the transaction types are displayed in Appendix O. If test transactions are added to the test deck, the distribution of weights between transaction types will be retained, and then equally re-distributed across specific transactions within type. The allocation of weight factors specific transaction of weight factors among transaction types may be adjusted as part of the annual review process.

Verizon will execute the test deck at the start of the Quality Assurance (QA) and at the completion of QA. Within one (1) business day, following a non-emergency software release to production as communicated through Change Management, Verizon will begin to execute the test deck in production using training mode. Upon completion of the test, Verizon will report the number of test deck transactions that were rejected or otherwise failed during execution of the test. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data.

This software validation metric is defined as the ratio of the sum of the weights of failed transactions in production using training mode to the sum of the weights of all transactions in the test deck.

For those months that Verizon executes the test deck, the observations column on the C2C report is populated with the combined total of the two most current LSOG versions. The performance is populated with the score Verizon received based on the weights.

For those months that Verizon does not execute the test deck, the C2C report Is populated with the notation **R3** to indicate the test deck is executed three (3) times per year.

Exclusions					
None.					
Performanc	e Standard:				
PO-6-01 : < = \$	5%				
Report Dim	ensions:				
	Aggregate	 Geography: Verizon North: NY, CT, MA, NH, RI, VT and ME [Combined] PA, DE & NJ: Verizon PA, DE, NJ [Combined] MD, DC, VA & WV: Verizon MD, DC, VA, WV [Combined] 			
Sub-Metrics					
PO-6-01	Software Validation				
Calculation	Numerator	Denominator			
	Sum of weights of failed transactions.	Sum of weights of all transactions in the test deck.			
PO-7 Software Problem Resolution Timeliness

Definition:

This metric measures Software Problem Resolution Timeliness. Verizon installs software CLEC-affecting releases three (3) times per year (usually during the months of February, June, and October). After each major CLEC-affecting software release, Verizon tracks the number of rejected Pre-Order and Order transactions reported to the Wholesale Customer Care Center (WCCC), those rejected transactions resulting from the test deck execution, and the time frame to resolve the problem. For the purposes of this metric, rejected transactions caused by Verizon code or documentation errors or omissions that result in Type 1 changes are production referrals.

PO-7-01 is defined as the ratio of production referrals resolved within target response intervals to the total number of production referrals, during the 30 calendar days following a major CLEC-affecting software release.

For those months that Verizon installs software releases, (usually February, June and October) the PO-7-04 sub-metric is populated on the C2C report with data in accordance with the sub-metric definition. R3 is reported in all other months for PO-7-04 to indicate CLEC-affecting software releases are installed three (3) times per year.

For sub-metrics PO-7-01, PO-7-02, and PO-7-03, the C2C report is populated with data in the month *following* the software release (usually March, July and November). R3 is reported in all other months for PO-7-01, PO-7-02, and PO-7-03 to indicate CLEC affecting software releases are installed three (3) times per year.

Note: In the event any of the three major CLEC-affecting software releases are installed outside the usual schedule, the data will be populated in accordance with the rules documented above. For example, if the February release was installed in March, PO-7-04 data would be populated in March, and PO-7-01, PO-7-02 and PO-7-03 data would be populated in April.

Exclusions:

Failed Pre-order and Order transactions reported to the WCCC after 6:00PM on Friday and before 9:00AM on Monday will be treated as though they were received at 9:00 AM Monday.

Performance Standard:

PO-7-01: >= 95% **PO-7-02 and PO-7-04**: 48 Hours **PO-7-03**: 10 days

Note: The data value populated on the C2C report for PO-7-02, 7-03 and 7-04 represents the number of hours (or days) beyond the standard. *For example,* a 50 hour delayresolution for metric PO-7-02 and 7-04 would have a two (2) hour delay populated in the performance column to indicate the performance was two hours beyond the 48 hour standard.

Problem Resolution Timeliness Standard measured from time the trouble was reported to the WCCC (see Appendix O).

Report Dime	Report Dimensions:		
Company:		Geography:	
• CLEC	Aggregate	 PO-7-01, PO-7-02, and PO-7-03: Verizon East PO-7-04: Verizon North: NY, CT, MA, NH, RI, VT and ME [Combined] PA, DE & NJ: Verizon PA, DE, NJ [Combined] MD, DC, VA & WV: Verizon MD, DC, VA, WV [Combined] 	
Sub-Metrics	Sub-Metrics		
PO-7-01	% Software Problem Resolution Timeliness		
Calculation	Numerator	Denominator	
	Number of production referrals resolved within timeliness standard.	Total number production referrals.	
PO-7-02	Delay Hours – Software Resolution – Ch	ange – Transactions failed, no workaround	
Calculation	Data Value		
	Number of cumulative delay hours (beyond the 48-hour standard) for identified software resolution changes associated with transaction rejects with no workaround.		
PO-7-03	Delay Days – Software Resolution – Change – Transactions failed with workaround		
Calculation	Data Value		
	Number of cumulative delay days (beyond the 10-day standard) for identified software resolution changes associated with transaction rejects with a workaround.		
PO-7-04 Delay Hours – Failed/Rejected Test Deck Transactions – Transactions failed, no workaround ¹⁰			
Calculation	Data Value		
	Number of cumulative delay hours (beyond the 48-hour standard) for software resolution changes associated with transaction rejects with no workaround for Test Deck Transactions.		

¹⁰ This performance measure addresses the resolution timeliness for failed or rejected test deck transactions that are executed in production using training mode.

PO-8 Manual Loop Qualification

Definition:

The PO-8 Manual Loop Qualification metric measures the response time for the provision of Loop Qualification information required to provision more complex services (*e.g. 2-Wire-xDSL*), when such information is requested through an available interface.

Exclusions:

- Weekend and Holidays are excluded from the interval count. Refer to the URL matrix at the beginning of the C2C guidelines for the URL which contains the holiday schedule.
- Digital Design Loops that require loop conditioning (HXMU code)
- Test CLEC IdsIDs

Note: Weekend hours are from 5:00PM Friday to 8:00AM Monday. Holiday Hours are from 5:00PM of the business day preceding the holiday to 8:00AM of the first business day following the holiday.

Performance Standard:

PO-8-01: 95% within 48 Hours **PO-8-02**: 95% within 72 Hours

Report Dimensions:

Company:

CLEC Aggregate

Geography:

State Specific

Sub-Metrics	Sub-Metrics		
PO-8-01	% On Time – Manual Loop Qualification		
Calculation	Numerator	Denominator	
	Sum of manual loop qualification requests where the time from receipt of request for a manual loop qualification to the distribution of the loop qualification information is less than or equal to 48 hours.	Number of manual loop qualification transactions.	
PO-8-02	<u>% On Time– Engineering Record Reques</u>	st	
Calculation	Numerator	Denominator	
	Sum of Engineering Record Requests where the time from the receipt of a Engineering Record Request to the time of the distribution of the Engineering Record is less than or equal to 72 hours.	Number of Engineering Record Request transactions.	

Section 2

Ordering Performance

(OR)

	Function	Number of
		Sub-metrics
OR-1	Order Confirmation Timeliness	8
OR-2	Reject Timeliness	6
OR-3	Percent Rejects	2
OR-4	Timeliness of Completion Notification	3
OR-5	Percent Flow-Through	2
OR-6	Order Accuracy	3
OR-7	Order Confirmation/Rejects sent within three (3)	1
	business days	
OR-8	Acknowledgement Timeliness	1
OR-9	Order Acknowledgement Completeness	1
OR-10	PON Notifier Exception Resolution Timeliness	2
OR-11	Timeliness of Provider Notification Report	1
OR-12*	% Accuracy White Pages Directory Listings	1
OR-13	% of Large Job Hot Cut Project Negotiations Completed	1

*OR-12 is applicable to Rhode Island only.

OR-1 Order Confirmation Timeliness

Definition:

This metric measures Order Confirmation Timeliness.

Resale and UNE:

Order Confirmation Response Time: The amount of elapsed time (in hours and minutes) between receipt of a valid order request (VZ Ordering Interface) (or fax date and time stamp) and distribution of a Service Order confirmation. Rejected orders will have the clock re-started upon receipt of a valid order. **Note:** Orders are considered distributed at the time Verizon sends an order confirmation. If an order confirmation is resent, and the problem with sending the confirmation was within Verizon's systems, then the time stamp will be the last time stamp. If the order confirmation was resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the order confirmation was sent. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC.

Partial migrations for less than six (6) lines – with accounts that include six (6) or more lines, that must be rearranged, will be treated as six (6) lines or greater.

Percent of Orders Confirmed On Time: The percentage of orders confirmed within the agreed upon timeframes as specified in the Performance Standards.

Physical Facility Checks – are completed on orders (submitted via LSR) with more than five (5) lines. **Note**: Effective October 2001, orders for UNE Specials DS0 EELs (Loop and Backbone) will change from the LSR format to the ASR format. The UNE DS0 EEL orders submitted via ASRs will still require physical facility checks on orders with more than five (5) lines. All other UNE Specials DS0 orders are still submitted using the LSR format.

Facility Checks; Orders for UNE Specials DS1 and above are submitted via ASR. All of these ASR orders get facility checks through the REQNET system. Verizon does not require a facility check on ASR orders for specials if the order is for a disconnect.

Related PONs: When a CLEC designates RPONs, the FOC/LSC time-stamp used for receipt of all RPONs is the date/time the last RPON is received. The FOC/LSC returned date/time would be the actual returned date/time of each RPON.

Note: Effective October 2001, orders for UNE Specials DS0 EELs (Loop and Backbone) will be submitted via ASRs. All other UNE Specials DS0 orders are still submitted using the LSR format. UNE Specials DS0 EELs do not automatically require facility checks through REQNET. UNE Specials DS0 EELs will require facility checks if the order is for more than five (5) lines.

Trunks:

The amount of time in business days between receipt of a clean Access Service Request (ASR) and distribution of a Firm Order Confirmation (FOC). Measures Service Orders completed between the measured dates. **Note:** The received date is restarted for each SUPP.

Inbound Augment Trunks: For CLECs e-mailing a Trunk Group Service Request (TGSR), VZ will respond with an ASR, or provide a negative response requesting additional data if it believes traffic does not support the request. Orders for inbound trunks that are for a new trunk group, are in excess of 192 trunks or that require T-3 construction, performance will be captured in the > 192 category.

OR-1 Definition, continued:

Notes:

- (1) Rejected Orders (orders that fail basic front-end edits) submitted via LSR are not placed in the NEWREC; therefore, they are not included in the calculation.
- (2) Verizon includes CLEC requests for resent confirmations that are submitted electronically as well as resent confirmations due to Verizon's error in initial confirmation¹¹ in the Order Confirmation Timeliness measurement. The measurements are based on confirmed orders. Cancelled orders are also included.
- (3) If no order confirmation time exists due to a missing order confirmation, Verizon will use the completion notification time.
- (4) The Ordering sub-metrics data reported in the monthly C2C reports only include orders confirmed in the calendar month.
- (5) The Pre-Qualified Complex category includes 2-Wire Digital, and 2-Wire xDSL Loop, orders that were pre-qualified.
- (6) In the North states: ASR requests that have the RTR field populated with a code that indicates the CLEC requested that no confirmation/response be sent are not counted in the OR-1 confirmation timeliness metrics.
- (7) If the Specials product is not a DS0, DS1, or DS3, it is classified as Specials Other and is reported under the product Specials (Non DS0, Non DS1 & Non DS3).
- (8) For OR-1-19, TGSRs received after 5 PM Eastern Time are counted as received the next business day
- (9) Flow Through Orders are received electronically through the ordering interface and are entered into SOP and confirmed with no manual intervention

¹¹ Resent confirmations due to CLEC error – such as duplicate PON numbers, or confirmations resent to reschedule a missed provisioning appointment – either due to CLEC, End User or Verizon reasons are not counted as resent confirmations.

VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0

Exclusions:

Resale and UNE:

- VZ Test Orders ¹²
- Weekend and holiday hours (other than flow-through):
 - Weekend hours are from 5:00PM Friday to 8:00AM Monday.
 - Holiday hours are from 5:00PM of the business day preceding the holiday to 8:00AM of the first business day following the holiday. These hours are excluded from the elapsed time when calculating the response times for non-flow-through requests.
- The following RTR exclusion applies to the Mid-Atlantic states:
 - ASR requests that have the **RTR** field populated with a code that indicates the CLEC requested that no confirmation/response be sent
- For OR-1-19 Inbound Augment trunks not requested via e-mail TGSR
- Special Project PONs (if applicable) per the process documented in Appendix S.
- If a reject and a confirmation are sent on the exact same PON/Version, Verizon will not count the incorrect notifier.
- For OR-1-02: SOP scheduled downtime hours (flow-through).
 - Verizon SOP scheduled hours are as follows:

Verizon North

Monday through Friday 12:30AM to 11:30PM Saturday 12:30AM to 7:30PM Sunday 7:30 AM to 11:30PM.

NJ

Sunday, 7:00 AM to 11:30 PM Monday-Friday, 1:35 AM to 11:30 PM Saturday, 1:35 AM to 10:00 PM

PA, DE

SOP scheduled downtime hours

11:30 p.m. to 12:30 a.m. each night, and 7:30 p.m. Saturday to 7:30 a.m. Sunday

MD, DC, VA, WV

SOP scheduled downtime hours

Monday 11:30 PM to Tuesday 4 AM Tuesday 11:30 PM to Wednesday 4 AM Wednesday 11:30 PM to Thursday 4 AM Thursday 11:30 PM to Friday 4 AM Friday 11:30 PM to Saturday 5 AM Saturday 9 PM to Sunday 8 AM Sunday 8 PM to Monday 4 AM

Exception: The 3rd Saturday of each month is a scheduled release. SOP will have a late start the following Sunday at 9:00AM. Additionally, SOP downtime may be extended for significant SOP releases, (e.g. NPA splits). All downtime extensions will be communicated to CLECs in advance of the release through VZ Change Management Guidelines. For NY/NE, the 3rd Saturday of each month is a scheduled release. SOP will have a late start the following Sunday at 9:00 AM

¹² VZ-Test Orders – see Glossary.

Report Dimensions		
Company: • CLEC Aggregate • CLEC Specific	Geography: • State Specific	
Performance Standard: OR	-1 Order Confirmation Time	liness
OR-1-02, 1-04, 1-06, 1-08, 1-10, 1 OR-1-13: 95%	-12, and OR-1-19 : 95% On Time ac	cording to the schedule below:
Resale:	UNE:	Interconnection Trunks (CLEC):
Electronically Submitted Orders: POTS/Pre-Qualified Complex: • Flow-through orders: two (2) hours • Orders with no facility check: 24 hours • Orders with facility check: 72 hours Complex Services (requiring Manual Loop Qualification) • 2- wire Digital Services: 72 hours Special Services: • Orders with no facility check : 48 hours Verizon Mid-Atlantic and CT, MA, NY, RI, and VT: • Order with facility check: 72 hours ¹⁰ Verizon NH and ME only: • Orders with facility check: five (5) business days Faxed/Mailed Orders: Not available for Resale	 Electronically Submitted Orders: POTS/Pre-Qualified Complex/LNP: Flow-Through Orders: two (2) hours Orders with no facility check: 24 hours Orders with facility check: 72 hours Orders with facility check: 72 hours Orders Vervices (requiring Manual Loop Qualification) 2-Wire Digital Services: 72 hours 2-Wire xDSL Loops: 72 hours Special Services: Orders with no facility check: 48 hours Note: The 48 hour standard does not apply to UNE specials (UNE DS0 EELs > 6 lines, UNE DS1 and above) received via ASR. Verizon Mid-Atlantic and CT, MA, NY, RI and VT Orders with facility check: 72 hours (includes UNE Specials DS0 EELs > 6 lines, and UNE Specials DS1 and above) Verizon NH and ME only: Orders with facility check: five (5) business days. (includes UNE Specials DS1 eels > 6 lines, and UNE Specials DS1 and above) Faxed/Mailed Orders: Add 24 hours to intervals above. Fax/Mail is not available for LSR orders: (UNE POTS and Complex (2-Wire Digital, 2-Wire xDSL Loop)). 	 Electronically Submitted Orders: Firm Order Confirmation: ≤ 192 Trunks: 10 Business Days > 192 Trunks: Negotiated Process Design Layout Record ≤ 192 Trunks: 10 Business Days > 192 Trunks: Negotiated Process Verizon Inbound Augment Trunks: ≤ 192 Trunks accepted TGSRs: 10 Business Days <= 192 Trunks: denied responses for TGSRs received via e-mail: less than or equal to seven (7) business days. > 192 Trunks: Negotiated Process Faxed/Mailed Orders: Add 24 hours to intervals above

¹⁰ Also includes orders requiring facility verification as listed in the interval guides. Refer to the URL matrix at the beginning of the guidelines for the URL on specific products and intervals. VZEAST200604-NY200512Version 11.0

Sub-Metrics		
OR-1-02	% On Time LSRC – Flow-through	
Products	Resale:POTS/Pre-qualified Complex	UNE: • Loop/Pre-Qualified Complex/LNP
Calculation	Numerator	Denominator
	Number of electronic LSRCs sent where the confirmation date and time minus the submission date and time is less than or equal to two (2) hours for specified product.	Total number of flow-through LSRs confirmed for specified product.
OR-1-04	% On Time LSRC/ASRC - No Facility Che	ck (Electronic – No Flow-through)
Products	 Resale: POTS/Pre-Qualified Complex 2-Wire Digital Services Specials (Non DS0, Non DS1 & Non DS3) Specials DS0 Specials DS1 Specials DS3 Note: Resale DS1s and DS3s are received via LSRs. 	 UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops Specials DS0
Calculation	Numerator	Denominator
	Number of electronic LSRCs/ASRCs not requiring a facility check, sent where confirmation date and time minus submission date and time is less than or equal to the standard for specified product.	Total number of electronic LSRs/ASRs not requiring a facility check confirmed for specified product.

Sub-Metrics OR-1 Order Confirmation Timeliness (continued)		
OR-1-06 % On Time LSRC/ASRC – Facility Check (Electronic – No Flow-through)		
Products	 Resale: POTS/Pre-qualified Complex 2-Wire Digital Services Specials (Non DS0, Non DS1 & Non DS3) Specials DS0 Specials DS1 Specials DS3 Note: Resale DS1s and DS3s are received via LSRs. 	 UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops Specials (Non DS0, Non DS1 & Non DS3) Specials DS0¹³ Specials DS1 Specials DS3
Calculation	Numerator	Denominator
	Number of electronic LSRCs/ASRCs requiring a facility check, sent where confirmation date and time minus submission date and time is less than or equal to the standard for specified product.	Total number of electronic LSRs/ASRs requiring a facility check, confirmed for specified product.
OR-1-08	% On Time ASRC - No Facility Check (Fax	x/Mail)
Products	UNE: • Specials DS0	
Calculation	Numerator	Denominator
	Number of faxed or mailed ASRCs, not requiring a facility check, sent where the confirmation date and time minus the submission date and time is less than or equal to the standard for the specified product.	Total number of faxed or mailed ASRs, not requiring a facility check, confirmed for specified product.

¹³ UNE DS0 EELs (Loop and Backbone) are ordered via ASR. All other UNE DS0s are ordered via LSR. Orders >= 6 lines require a facility check.

Sub-Metrics OR-1 Order Confirmation Timeliness (continued)			
OR-1-10	OR-1-10 % On Time ASRC - Facility Check (Fax/Mail)		
Products	 UNE: Specials (Non DS0, Non DS1 & Non DS3) Specials DS0¹⁴ Specials DS1 Specials DS3 		
Calculation	Numerator	Denominator	
	Number of faxed or mailed ASRCs requiring a facility check sent where the confirmation date and time minus the submission date and time is less than or equal to the standard for the specified product.	Total number of faxed or mailed ASRs requiring a facility check confirmed for specified product.	
OR-1-12	% On Time FOC ¹⁵		
Products	 Trunks: Interconnection Trunks (CLEC) (≤ 192 Forecasted Trunks) Interconnection Trunks (CLEC) (> 192 and Unforecasted Trunks and Projects) 		
Calculation	Numerator	Denominator	
	Number of orders confirmed within the specified interval for the product type.	Number of orders received (electronically and faxed) confirmed by product type.	
OR-1-13	% On Time Design Layout Record (DLR)		
Products	Trunks: Interconnection Trunks (CLEC) 		
Calculation	Numerator	Denominator	
	Number of DLRs completed on or before DLRD date in TIRKS.	Number of DLRs completed.	
OR-1-19	% On Time Response - Request for Inbo	und Augment Trunks	
Note: This metric is a combined measure including both; denied TGSRs that have a seven (7)-day performance standard, and accepted TGSRs that have a 10-day performance standard.			
Products	 Verizon Inbound Augment Trunks (≤ 192 Trunks) Verizon Inbound Augment Trunks (>192 Trunks) 		
Calculation	Numerator	Denominator	
	Number of requests for Inbound Augment Trunks with responses sent within the specified interval for product type.	Number of requests for Inbound Augment Trunks requested on a TGSR received via e-mail.	

¹⁴ Orders for UNE DS0 EELs (Loop and Backbone) for > = 6 lines require a facility check. ¹⁵ For OR-1-12, Verizon measures the confirmation on the last ASR PON version received VZEAST200604-NY200512Version 11.0

OR-2 Reject Timeliness

Definition:

This metric measures Reject Timeliness.

Reject Response Time: The amount of elapsed time (in hours and minutes) between receipt of an order request and distribution of a Service Order reject, both based on Ordering Interface System (Request Manager) or Fax date and time stamp. **Note:** Orders are considered distributed at the time Verizon sends an order reject/query. If an order reject/query is resent, and the problem with sending the reject/query was within Verizon's systems, then the time stamp will be the last time stamp. If the order reject/query was resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the order reject/query was sent. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC.

Percent of Orders Rejected On Time:

The percentage of orders rejected within the agreed-upon timeframes as specified in the Performance Standards.

Related PONs: When a CLEC designates RPONs, the FOC/LSRC time-stamp used for receipt of all RPONs is the date/time the last RPON is received. The reject/query returned date/time would be the actual returned date/time of each RPON.

Notes:

- (1) Rejected Orders (Orders failing basic front-end edits) submitted via LSR are not placed in the NEWREC; therefore, they are not included in the calculation.
- (2) Measurements are based on rejected orders.
- (3) For LSRs and non-trunk ASRs, all rejects are counted. For trunk ASRs, rejects are not counted for cancelled ASRs.
- (4) The Ordering sub-metrics data reported in the monthly C2C reports only include confirmed rejects in the calendar month.
- (5) The Pre-Qualified Complex category includes 2-Wire Digital, and 2-Wire xDSL Loop orders that were pre-qualified.
- (6) If the Specials product is not a DS0, DS1, or DS3, it is classified as Specials Other and is reported under the product Specials (Non DS0, Non DS1 & Non DS3).
- (7) For OR-2, Flow Through Orders are received electronically through the ordering interface and are rejected or queried back with no manual intervention.

Exclusions:

- VZ Test Orders
- Duplicate Rejects Rejects issued against a unique PON (PON + Version Number + CLEC <u>IdID</u>), identical and subsequent to the first reject.
- Any reject/query that occurs on an ASR that has the **RTR** field populated with a code that indicates the CLEC did not require a response (and the first notification for the ASR would have been a confirmation).
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Weekend and Holiday Hours (other than flow-through):
 - Weekend Hours are from 5:00PM Friday to 8:00AM Monday.
 - Holiday Hours are from 5:00PM of the business day preceding the holiday to 8:00AM of the first business day following the holiday. These hours are excluded from the elapsed time when calculating the response times for non flow-through requests.
- If a reject and a confirmation are sent on the exact same PON/Version, Verizon will not count the incorrect notifier.

OR-2 Exclusions, cont	inued.		
For OR-2-02: SOP sche	duled downtime hours (Flow-through). uled hours are as follows:		
Verizon No	rth		
Saturday 12	Monday through Friday 12:30AM to 11:30PM Saturday 12:30AM to 7:30PM Sunday 7:30 AM to 11:30PM.		
NJ			
Monday-Frid	Sunday, 7:00 AM to 11:30 PM Monday-Friday, 1:35 AM to 11:30 PM Saturday, 1:35 AM to 10:00 PM		
PA, DE SOP sched	uled downtime hours		
11:30 PM to	11:30 PM to 12:30 AM each night, and 7:30 PM Saturday to 7:30 AM Sunday		
	MD, DC, VA, WV SOP scheduled downtime hours		
Monday 11:30 PM to Tuesday 4:00 AM Tuesday 11:30 PM to Wednesday 4:00 AM Wednesday 11:30 PM to Thursday 4:00 AM Thursday 11:30 PM to Friday 4:00 AM Friday 11:30 PM to Saturday 5:00 AM Saturday 9 PM to Sunday 8:00 AM Sunday 8 PM to Monday 4:00 AM			
Exception: The 3 rd Saturday of each month is a scheduled release. SOP will have a late start the following Sunday at 9:00AM. Additionally, SOP downtime may be extended for significant SOP releases, (<i>e.g. NPA splits</i>). All extensions will be communicated to CLECs in advance of the release through VZ Change Management Guidelines. For NY/NE, the 3 rd Saturday of each month is a scheduled release. SOP will have a late start the following Sunday at 9:00 AM			
Report Dimensions :	Coography		
Company: • CLEC Aggregate • CLEC Specific	Geography: • State Specific		

Performance Standard – Reject Timeliness			
OR-2-02, 2-04, 2-06, 2-08, 2-10, and 2-12: 95% On Time According to schedule below:			
Resale:	UNE:	Interconnection Trunks (CLEC):	
Electronically Submitted	Electronically Submitted	Electronically Submitted Orders:	
		-	
 Orders: POTS/Pre-Qualified Complex: Flow-Through Orders: two (2) hours Orders with no facility check: 24 hours Orders with facility check: 72 hours Complex Services (2- Wire Digital Services ISDN): Orders vith no facility check: 48 hours Verizon Mid-Atlantic and CT, MA, NY, RI and VT: Orders with facility check: 72 hours Verizon Mid-Atlantic and CT, MA, NY, RI and ME: Orders with facility check: five (5) business days Faxed/Mailed Orders: Not available for Resale 	Orders: POTS/Pre-Qualified Complex/LNP: • Flow-Through Orders: two (2) hours • Orders with no facility check: 24 hours • Orders with facility check: 72 hours Complex Services (requiring Manual Loop Qualification) : • 2-Wire Digital Services 72 hours • 2-Wire xDSL Loop: 72 hours Special Services: ¹⁷ • Orders with no facility check: 48 hours Note: The 48 hour standard does not apply to UNE Specials (DS0 EELs > 6 lines, DS1 and above) received via ASR. Verizon Mid-Atlantic and CT, MA, NY, RI and VT • Orders with facility check: 72 hours (includes UNE DS0 EELs > 6 lines and UNE DS1 s and above) Verizon NH and ME • Orders with facility check: five	 ≤ 192 Trunks: less than or equal to seven (7) Business Days > 192 Trunks: Negotiated Process Faxed/Mailed Orders: Add 24 hours to intervals above 	
	(5) business days (includes UNE DS0 EELs > 6 lines and UNE DS1s and above)		
	Faxed/Mailed Orders : Add 24 hours to intervals above. Fax/Mail is not available for LSRs: UNE POTS and Complex (2-Wire Digital, 2-Wire xDSL Loop).		

 ¹⁶ Also includes orders requiring facility verification as listed in the interval guides. Refer to the URL matrix at the beginning of the guidelines for the URL on specific products and intervals.
 ¹⁷ Also includes orders requiring facility verification as listed in the interval guides. Refer to the URL matrix at

the beginning of the guidelines for the URL on specific products and intervals.

Sub-Metrics – OR-2 Reject Timeliness			
OR-2-02	OR-2-02 % On Time LSR Reject (Flow-through)		
Products	Resale:	UNE:	
	POTS/Pre-qualified Complex	Loop/Pre-Qualified Complex/LNP	
Calculation	Numerator	Denominator	
	Number of electronic rejects sent where	Total number of flow-through LSRs	
	the reject date and time minus the	rejected for specified product.	
	submission date and time is less than or		
	equal to two (2) hours for specified		
00.0.04	product.	Sheek (Fleetrerie Ne Flew through)	
OR-2-04	% On Time LSR/ASR Reject - No Facility		
Products	Resale:	UNE:	
	POTS/Pre-qualified Complex	Loop/Pre-Qualified Complex/LNP	
	2-Wire Digital Services	2-Wire Digital Services	
	Specials	2-Wire xDSL Loops	
		Specials	
Calculation	Numerator	Denominator	
	Number of electronic rejects sent where	Total number of electronically submitted	
	the reject date and time minus the	LSRs/ASRs, not requiring a facility check	
	submission date and time is within the	rejected for specified product.	
	standard for orders not requiring a facility		
	check for the specified product.		

Sub-Metrics – OR-2 Reject Timeliness			
OR-2-06	OR-2-06 % On Time LSR/ASR Reject - Facility Check (Electronic – No Flow-through)		
Products	 Resale: POTS/Pre-qualified Complex 2-Wire Digital Services Specials 	 UNE: Loop/Pre-Qualified Complex/LNP 2-Wire Digital Services 2-Wire xDSL Loops NY, CT, MA, ME, RI, PA, NJ, DE, MD, DC, VA, VT & WV report on the following Specials disaggregation: Specials NH reports on the following Specials disaggregation: Specials DS0 Specials DS1 Specials DS3 Specials Other (Non-DS0, Non-DS1, and Non-DS3) 	
Calculation	Numerator	Denominator	
	Number of electronic rejects sent where reject date and time minus the submission date and time is within the standard for orders requiring a facility check for the specified product.	Total number of LSRs/ASRs electronically submitted requiring a facility check rejected for specified product.	

Sub-Metrics – OR-2 Reject Timeliness			
OR-2-08	% On Time Reject - No Facility Check (Fax)		
Products	UNE:		
	Specials		
Calculation	Numerator	Denominator	
	Number of faxed rejects not requiring a	Total number of faxed rejects not requiring	
	facility check, sent where reject date and	a facility check confirmed for specified	
	time minus submission date and time is	product.	
	less than or equal to the standard for		
OR-2-10	specified product.		
Products			
Products	UNE:		
Oslavlation	Specials	Demensionates	
Calculation	Numerator	Denominator	
	Number of faxed rejects requiring a	Total number of faxed rejects requiring a	
	facility check, sent where reject date and	facility check rejected for specified product.	
	time minus submission date and time is less than or equal to the standard for		
	specified product.		
OR-2-12	% On Time Trunk ASR Reject		
Products	Trunks:		
	■ Interconnection Trunks (CLEC) (≤ 192	Forecasted Trunks)	
	Interconnection Trunks (CLEC) (> 192 and Unforecasted Trunks and Projects)		
Calculation	Numerator	Denominator	
	Number of rejected trunk orders that	Number of rejected trunk orders for less	
	meet reject trunk standard (less than or	than or equal to 192 trunks.	
	equal to seven (7) business days).		

OR-3 Percent Rejects

Definition:

This metric measures the percent of orders received (including supplements and re-submissions) by Verizon that are rejected or queried. Orders are rejected due to omission or error of required order information. Orders that are queried are considered rejected.

The percent reject measure is reported against all submitted order transactions processed in the Verizon Ordering System (Request Manager (for LSRs), CAFÉ and EXACT (for ASRs)), not just those with associated CRIS completions.

Note: Edit Rejects (orders failing basic front-end edits) submitted via LSR are not placed in the NEWREC; therefore, they are not included in the calculation of OR-3-01.

Exclusions:			
VZ Test Or	ders		
Performanc	e Standard:		
OR-3-01: No st	andard.		
OR-3-02: 95%			
Report Dime	ensions		
Company:		Geography:	
CLEC Aggr		State Specific	
CLEC Spece			
Sub-Metrics			
OR-3-01	% Rejects		
Products	Resale	UNE	
Calculation	Numerator	Denominator	
	Sum of all rejected LSR/ASR	Total number of LSR/ASR records received	
	transactions for specified product.	for specified product.	
OR-3-02	% LSR Resubmission Not Rejected		
Products	Products EDI		
Calculation	Numerator	Denominator	
	Total EDI PONs resubmitted at Verizon's	Total number of EDI PONs resubmitted at	
	request that are not rejected by Verizon's	Verizon's request.	
	systems as duplicative of EDI PONs		
	already in Verizon's systems.		

Function:			
	OR-4 Timeliness of Comple	etion Notification	
description of the Billing Completi			
Exclusions:			
 Verizon Tes Orders not r manually, at Special Proj Sub-metric (Verizon Test Orders Orders not received through the Verizon NetLink EDI system. This includes orders transmitted manually, and orders submitted through the WEB GUI (LSI/W) Special Project PONs (if applicable) per the process documented in Appendix S. Sub-metric OR-4-11 <i>only</i> includes the following additional exclusion: Any product that is not designed to generate a PCN and a BCN. 		
Metric OR-4-11 from the SOP po Metric OR-4-16 Metric OR-4-17	Metric OR-4-11; 0.25% of PONs that received neither a PCN nor a BCN within two (2) business days from the SOP posting of the provisioning of the last service order associated with a specific PON. Metric OR-4-16: 95% of PCNs sent within one (1) business day. Metric OR-4-17: 95% of BCNs sent within two (2) business days.		
	Report Dimensions		
Company: Geography: • CLEC Aggregate • State Specific • CLEC Specific • State Specific			
Sub-Metrics	Sub-Metrics Timeliness of Completion Notification		
OR-4-11	% Completed orders with neither a PCN	nor BCN sent	
Description	The percent of EDI PONs for which the last service order has been <i>provisioning completed</i> in the Verizon Service Order Processing (SOP) system. The elapsed time begins with the Provisioning completion in SOP of the last service order associated with a specific PON. The PCN and the BCN are considered sent when the Verizon Netlink system initiates the send of the completed notifier to the CLEC. The notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC. If no PCN and no BCN have been sent in two (2) business days after <i>provisioning completion</i> , the order will be captured here in this measure.		
Products	CLEC Aggregate:		
	• EDI		
Calculation	Numerator	Denominator	
	Number of EDI PONs completed that have produced neither a PCN nor a BCN within two (2) business days after the last service order has been updated as <i>provisioning completed</i> in SOP.	Total number of EDI PONs for which the last service order has been updated as <i>provisioning completed</i> in SOP in a month.	

Sub-Metrics	Timeliness of Completion Notifica	tion, continued	
OR-4-16			
Description	The percent of EDI Provisioning Completion Notifiers (PCNs) sent within one business day of work order completion (WFA completion date) in the Verizon Service Order Processing (SOP) system. The elapsed time begins with the Provisioning work completion (in WFA as noted in the Verizon SOP system) of the last service order associated with a specific PON. The PCN is considered sent when the Verizon Netlink system initiates the send of the completed notifier to the CLEC. The notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to the transmission to the CLEC. The PCNs shall be considered to be timely if Verizon provides them within one business day of the Work Order Completion (WFA completion date) in SOP.		
Products	CLEC Aggregate: • EDI		
Calculation	Numerator	Denominator	
	Number of EDI PONs completed that produce a PCN within one (1) business day after Work Completion in WFA.	Total number of EDI PONs for which the last service order has been updated as <i>provisioning completed</i> in the Service Order Processor (SOP) in a month.	
OR-4-17	% Billing Completion Notifiers sent withi		
Description	The percent of EDI Billing Completion Notifiers (BCNs) sent within two (2) business days of the provisioning order completion in the Verizon SOP system. The elapsed time begins with the completion in the Verizon SOP system of the last service order associated with (provisioning) a specific PON. The BCN is considered sent when the Verizon Netlink system initiates the send of the completed notifier to the CLEC. The notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLECs. The BCNs shall be considered to be timely if Verizon provides them within two (2) business days of the Order Completion in SOP.		
Products	CLEC Aggregate: • EDI		
Calculation	Numerator	Denominator	
	Number of EDI PONs completed that produce a BCN within two (2) business days after SOP provisioning completion update.	Total number of EDI PONs for which the last service order has been updated as <i>provisioning completed</i> in the Service Order Processor (SOP) in a month.	

OR-5 Percent Flow-Through

Definition:

This metric measures the percent of valid orders (submitted via LSR in the report month) received through the electronic ordering interface (example includes: Request Manager) that processed directly through to the legacy Service Order Processor system (SOP) and were confirmed without manual intervention. These confirmations require no action by a Verizon service representative to input an order into SOP. This is also known as Ordering flow-through.

% Flow-through Achieved: Percent of valid orders received through the electronic ordering interface (Request Manager) that are designed to flow-through and actually flow-through, but excluding those orders that do not flow-through due to CLEC errors.

Appendix H contains a summary of order types that flow-through for VZ and CLECs. Orders designed to flow-through may also fall-out for both VZ and CLECs. Non-flow-throughs include orders that require manual intervention to ensure that the correct action is taken.

Note: Rejected Orders (orders failing basic front-end edits) submitted via LSR are not considered to be a valid confirmed order, and therefore are not included in the calculation. ASRs do not flow-through by design, and are not included in the OR-5 metric.

Exclusions:

- VZ Test Orders
- Special Project PONs (if applicable) per the process documented in Appendix S.

From Achieved Flow-through:

- Orders not eligible to flow-through **Note:** Order types that are designed to flow-through are specified in the scenarios documented in Appendix H.
- Orders with CLEC input errors in violation of published business rules

Deufeumenee Stenderd			
	Performance Standard:		
OR-5-01: No sta	andard		
OR-5-03: 95%			
Report Dime	ensions		
Company:		Geography:	
CLEC Aggre	egate	State Specific	
Sub-Metrics			
OR-5-01 % Flow-through – Total			
Products	Resale	UNE POTS Loop	
		UNE POTS Other	
Calculation	Numerator	Denominator	
	Sum of all orders that flow-through for	Total number of LSR records (confirmed	
	specified product.	orders) for specified product.	
OR-5-03			
Products	Resale	UNE <u>POTS</u> Loop	
		UNE <u>POTS</u> Other	
Calculation	Numerator	Denominator	
	Number of orders that flow-through for	Number of confirmed flow-through eligible	
	specified product.	orders.	

OR-6 Order Accuracy

Definition:

This metric measures the percent of orders completed as ordered by the CLEC. Two (2) dimensions are measured. The first is a measure of order confirmations sent from Verizon to the CLEC with error. The second measure is focused on the percent of fields populated correctly on the Verizon order.

Methodology:

For sub-metric OR-6-01, VZ uses a manual audit process of sampled orders. A random sample of approximately 400 orders for Resale and 400 orders for UNE Loop/Complex/LNP each month, (20 orders randomly sampled each business day for Resale and UNE respectively) are pulled from Request Manager (for Order Accuracy). VZ compares required fields on the latest version of the LSR to the completed Verizon Service Order(s). Refer to Appendix M for a list of fields reviewed by Verizon.

Verizon samples by centers that process CLEC orders and pulls 20 LSRs per center. Samples are identified using random number generation from Verizon's Wholesale Ordering systems. Verizon then prints a copy of the FOC within 24 hours (or later if the standard is later for that service type) for that PON and manually evaluates the FOC to determine if the information included is accurate.

For sub-metric OR-6-03, the measure is a percentage of all confirmations sent due to Verizon error against the total number of confirmations sent in the reporting month.

The OR-6-04 sub-metric is reported in the following states only: DC, MD, NH, RI, VA and WV.

Exclusions:

• Orders entered by the CLEC that flow-through.

Performance Standard:

OR-6-01: 95% orders without Verizon errors. **OR-6-03**: not more than 5% of LSRCs resent due to Verizon error.

OR-6-04: The state specific standards for sub-metric OR-6-04 are as follows: <u>MD</u>, VA <u>& WV</u>: 98% DC, NH & RI: 95% <u>MD: September 2004 through August 2005: 97%</u> <u>MD: September 2005: 98%</u> WV: Calendar Year 2004: 96% WV: Calendar Year 2005: 97%

WV: Calendar Year 2006: 98%

Report Dime	ensions		
Report Dime Company: • CLEC Aggr		Geography: OR-6-01 : • Verizon North: NY, CT, MA, NH, RI, VT and ME • PA, DE: PA/DE [Combined] • NJ: State Specific • MD, DC, VA, WV: MD, DC, VA, WV [Combined] OR-6-03 : State Specific OR-6-04 : • MD, DC, VA, WV, RI, NH: State Specific Note 1: OR-6-03 is reported at a state specific level for both Resale and UNE	
Sub Matrica			
Sub-Metrics			
Products	Resale	UNE: • Loop/Complex/LNP	
OR-6-01	OR-6-01 % Service Order Accuracy		
Calculation	Numerator	Denominator	
	Number of orders sampled minus orders with errors for specified product.	Number of orders sampled for specified product.	
OR-6-03	OR-6-03 % Accuracy – LSRC		
Calculation	Numerator	Denominator	
	Number of LSRCs resent due to error.	Number of LSRCs.	

OR-6-04	6-04 % Accuracy – Directory Listing ¹⁸		
Definition	A statistically valid random sample of approximately 400 Directory Listing Orders (20 orders randomly sampled each business day) per product are pulled from Request Manager.		
Products	 MD, WV & VA: Standalone Directory Listings¹⁹ Other Directory Listing Orders (orders other than stand-alone directory listing orders) DC, NH & RI: All orders with Directory Listing Modifications 		
Calculation	Numerator	Denominator	
	Number of orders sampled for Directory	Number of Directory Listing orders	
	Listings minus orders with errors.	sampled.	

¹⁸ Refer to a list of the fields that are reviewed for the Directory Listing measurement is set out in Appendix M. ¹⁹ Stand-alone Directory Listing Orders are orders that are issued by a CLEC for directory listings only and that do not include a request with regard to other services. Verizon will begin to report the separate measurement for Stand-alone Directory Listing Orders when Verizon has deployed the ability to perform this measurement on a mechanized basis. Prior to the time that Verizon begins to report the separate measurement for Stand-alone Directory Listing Orders, Verizon will include Stand-alone Directory Listing Orders in its measurement of Other Directory Listing Orders.

OR-7 % Order Confirmation/Rejects Sent Within Three (3) Business Days

Definition:

The percent of Resale and UNE Loop LSRs confirmed or rejected by Verizon within three (3) business days of receipt as a percent of total LSRs received. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC. If the confirmation/reject notifier is resent because the problem is at the CLEC end (e.g. CLEC systems could not receive transactions), the time stamp is the first time the confirmation/reject notifier was sent.

Related PONs: When a CLEC designates RPONs, the FOC/LSC time-stamp used for receipt of all RPONs is the date/time the last RPON is received. The FOC/LSC and/or reject/query returned date/time would be the actual returned date/time of each RPON.

Note: This is a measure of completeness not timeliness.

Source: NEWREC.

Exclusions:

- Cancelled orders.
- LSRs that were supplemented prior to confirmation or rejection.
- Edit Rejects (negative 99s) that are not eligible for confirmation or rejection.
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Test IdsIDs

Report Dimensions

Company:		Geography:	
 CLEC Aggre 	egate	State Specific	
CLEC Spec	ific		
Performance	Performance Standard		
Metric OR-7-01	Metric OR-7-01: 95%.		
Sub-Metrics			
OR-7-01	OR-7-01 % Order Confirmation/Rejects Sent Within Three (3) Business Days		
Products	Resale	UNE:	
		• Loop	
Calculation	Numerator	Denominator	
	Total LSR confirmations and/or rejections sent within three (3) business days of LSR submission.	Total LSRs received during the reporting period.	

Function:	Function:		
	OR-8 Acknowledgement	Timeliness	
Definition:			
Percent of LSRs Acknowledged On Time: The percentage of LSR acknowledgements within the timeframe specified in the Performance Standard. Time starts with receipt of LSR and ends when an acknowledgement is sent. An electronic acknowledgement indicates that the file met basic edits with valid and complete data and will be processed by VZ. Applies to orders submitted via EDI. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC.			
Exclusions			
 Orders submitted by Web GUI / aka LSI/W Interface. Orders not submitted electronically. 			
Report Dime	Report Dimensions		
	Company: Geography: • CLEC Aggregate • State Specific • CLEC Specific • State Specific		
Performance	Standard		
Metric OR-8-01	: 95% within two (2) hours.		
Sub-Metrics			
OR-8-01 % Acknowledgements on Time			
Products	Resale	UNE	
Calculation	Numerator	Denominator	
	Number of LSR acknowledgements sent within two (2) hours of LSR receipt.	Total number of LSR acknowledgements.	

OR-9 Order Acknowledgement Completeness

Definition:

This metric measures order acknowledgement completeness. The number of LSR acknowledgments sent the same day the LSR is received as a percent of total LSRs received. Orders with invalid or incomplete data are not acknowledged. Orders failing basic front-end edits are included in the denominator.

This metric applies to orders submitted via EDI. LSRs received after 10:00PM Eastern Time are considered received the next day. For EDI/NetLink orders, the notifier is considered sent when it is time-stamped after EDI translation and encryption, immediately prior to transmission to the CLEC.

Geography:

•

State Specific

Exclusions:

- Orders submitted by Web GUI / aka LSI/W Interface.
- Orders not submitted electronically.
- Orders in unreadable files.

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific

Performance Standard

Metric OR-9-01: 99%	
---------------------	--

Sub-Metrics		
OR-9-01 % Acknowledgement Completeness		
Products	Resale	• UNE
Calculation	Numerator	Denominator
	Number of acknowledgements sent the same day the LSR was received.	Total number of LSRs received.

OR-10 PON Notifier Exception Resolution Timeliness

Definition:

The OR-10 sub-metrics measure the percent of Netlink EDI PON Notifier Exceptions resolved within three (3) business days and ten (10) business days from the day of receipt of the completed PON Notifier Exception trouble ticket template with the PONs in question enumerated with the appropriate identification.

The elapsed time begins with receipt at the Verizon Wholesale Customer Care Center of a completed PON Notifier Exception trouble ticket template with the PONs in question enumerated with the appropriate identification for EDI notifiers (i.e., order acknowledgement (ACK), order confirmation (LSC), provisioning completion (PCN), or billing completion (BCN) notices).

PON Notifier Exceptions received after 5:00PM will be considered received the next business day.

The PON Notifier Exception is considered resolved when Verizon has either:

- Sent or resent the requested notifier or higher notifier. If the notifier cannot be resent due to CLEC system availability or capacity, then the PON Notifier Exception shall be considered resolved when the resend was attempted as demonstrated in Verizon's log files (copies of these files will be available to CLECs on request).
- 2. Requested the CLEC to resubmit the PON if no Verizon notifiers have been generated.
- Completed the investigation showing that the next action is a CLEC action and that the CLEC has been sent or resent the notifier for the action required (E.g. Query, Jeopardy), or Status File for Duplicate, earlier or later version of PON has been worked, PON previously cancelled, invalid PON number.
- 4. Completed work that will allow the PON to proceed to the next step in the business process, and sent the appropriate notifier to the CLEC.
- 5. Notified the CLEC that the Confirmed Due Date plus the notifier production interval has not yet passed for requested PON Notifier (PCNs, and BCNs) and provided the current work status of the PON (i.e. Provisioning Completed, Notifier not yet produced). For PCNs and BCNs, Trouble Tickets are not to be initiated prior to or on the Confirmed Due Date; any Trouble Ticket initiated prior to the Confirmed Due Date is automatically considered resolved when the CLEC is provided with electronic notification that the initiation date is prior to the Confirmed Due Date.

CLEC notification for items 2, 3, 4, and 5, will be accomplished via a daily file sent from Verizon to the individual CLEC. This notification file will be sent every day by 5:00PM. For the purposes of this metric the PON Notifier Exception(s) trouble ticket templates for Acknowledgements must be submitted within five (5) business days of the PON sent date. PON Notifier Exceptions for confirmations must be reported within 30 business days of the PON sent date. PON Notifier Exceptions for PCNs, and BCNs must be reported to Verizon within 30 business days of the PON confirmed Due Date.

Exclusions:			
Non NetLin	Non NetLink EDI PON Exception Notifier Trouble Tickets.		
	Any request for Notifier for orders due/complete more than 30 business days old.		
	Products/Services that are not designed to p	roduce the requested notifier (e.g. LIDB).	
Performance			
OR-10-01: 95% OR-10-02: 99%	6 resolved within three (3) business days. 6 resolved within ten (10) business days.		
Report Dime	ensions		
Company:		Geography:	
CLEC Aggre		State Specific	
CLEC Spec	ific	I I I I I I I I I I I I I I I I I	
		These sub-metrics are reported at a state specific level.	
Sub-Metrics			
OR-10-01 % of PON Exceptions Resolved Within Three (3) Business Days			
Products for OR-10-01 and OR-10-02	and		
Calculation	Numerator	Denominator	
	Number of PON Notifier Exceptions resolved within three (3) business days.	Total number of PON Notifier Exceptions resolved in the Wholesale Customer Care Center (WCCC) in the reporting month less resolved PON Notifier Exceptions that were included as unresolved PON Notifier Exceptions in the previous month's denominator for metric OR-10-02.	
OR-10-02	OR-10-02 % of PON Exceptions Resolved Within ten (10) Business Days		
Calculation	Numerator	Denominator	
	Number of PON Notifier Exceptions resolved within ten (10) business days.	Total Number of PON Notifier Exceptions resolved in the Wholesale Customer Care Center (WCCC) in the reporting month plus unresolved PON Notifier Exceptions greater than ten (10) business days.	

OR-11 Timeliness of Provider Notification Report

Definition:

The number of transmission days from the effective date of the line loss to the date that the notification information is made available to the CLEC on the Provider Notification (PN) Report. Measured in percentage of notification records transmitted within the time standard, this measurement indicates whether the CLEC was promptly notified that a customer migrated to another provider. The interval measured starts with the SOP update that the physical/provisioning migration to the gaining carrier has been completed and ends when an accurate loss notification is transmitted to the losing CLEC. Inaccurate and missing notices are considered late. PN Reports will be provided to CLECs each transmission day by one of the three alternatives specified below. The PN process starts with collection of the previous calendar day's completed service orders with disconnect activity from the SOP. Information is then held from two (2) to five (5) days for a matching order with new connect activity prior to being included in a PN Report. Non-transmission day and holiday PN is reported on the next transmission day. PN for CLECs is reported at the same time as Verizon's.

Note:

Verizon offers its CLEC customers the option of receiving PN Reports through the Network Data Mover (NDM) /Connect Direct, EDI, and Customer Wholesale Portal (CWP) processes. The time of report delivery will be defined as:

- For the NDM and EDI processes, the delivery time will be considered to be the date/time stamp in the message header. This date/time stamp represents Verizon's first attempt to send the report to the CLEC.
- For CWP, the delivery time will be considered to be the create time shown in the file directory.

Exclusions:

• Verizon Test Orders

Formula:

(Total loss records in "y" transmission days divided by the total records on file) multiplied by 100

Performance Standard:

OR-11-01: 95% in two (2) Calendar Days

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific

Geography:
State Specific

Sub-Metrics

OR-11-01	% Resale Provider Notifications in Days	
Products	Resale	
Calculation	Numerator	Denominator
	Number of accurate loss notices sent on daily PN reports processed during month, where the difference between the Effective Date and the report date is equal to or less than two (2) calendar days.	Number of Loss Records on PN Reports transmitted during the month.

OR-12 % Accuracy White Pages Directory Listings (Applicable to RI only) Definition:

This metric measures the accurate provisioning of LSR and DL orders (LSR/DL) that result in the update of Directory Listings in the Verizon White Pages. Changes to the White Pages Directory Listings that were not authorized by a LSR/DL are also measured and counted as errors. The measurement is based on CLEC Directory Listings without CLEC reported errors as a percent of CLEC Directory Listings.

"Directory Listing" means a CLEC customer's name, address and telephone number.

"Error" means: the omission from the directory of a Directory Listing that the CLEC requested be included in the directory; the inclusion in the directory of a Directory Listing that the CLEC requested be excluded from the directory; incorrect telephone number; incorrect address; or, incorrect name. "Errors" include only errors that are attributable to Verizon and that are reported by a CLEC to Verizon's applicable Directory Listing error reporting interface, along with a copy of the applicable LSR/DL.²⁰ "Errors" do not include any Directory Listing that was provisioned in accordance with the applicable LSR or DL.

The data included each month are for directories published in the third calendar month prior to the current data month. CLECs have at least three months after book publishing to report errors for inclusion in this metric.²¹

Exclusions:

- VZ Test Orders
- Directory Listing errors that were in the previous published directory and for which the CLEC did not submit a correcting LSR/DL after the publication of the previous published directory.
- Directory Listing errors that were incorrect on the LVR and not reported by the CLEC to Verizon for correction by the close out date for the Directory.

Performance Standard: OR-12-01: 97% Accuracy **Report Dimensions** Company: Geography: CLEC Aggregate on a per directory basis State Specific Sub-Metrics OR-12-01 % Accuracy White Pages Directory Listings Products ALL Calculation Numerator Denominator Number of Published Directory Listings Number of Published Directory Listings in in White Pages plus CLEC reported White Pages plus CLEC reported Directory Directory Listings omitted in error plus Listings omitted in error plus Non-Published Non-Published Directory Listings, minus Directory Listings. number of Directory Listings with CLEC reported Verizon errors.

Note: OR-12-01 is a tracking metric for a trial period after which it will be evaluated to determine if it captures both the appropriate performance and measures it meaningfully.

²⁰ If a listing changed from the prior directory and should not have changed (for example, there was no LSR/DL activity), then the prior directory would be referenced.

²¹ For example, all directories published in June could have errors reported in June, July, August and September and the % accuracy for the directories published in June would be reported in the report for the September data month.

Function:				
OR-13 % of Large Job Hot Cut Project Negotiations Completed				
Definition:				
 This sub-metric measures the time between a request for a Large Job and a Verizon response with a proposed schedule. The proposed schedule includes the count of lines by wire center by due date. The CLEC request will contain three elements: the Central Office(s) of the Hot Cuts, the number of lines to be cut, and the requested date and start time of the cut. Verizon is required to respond by 5:00PM on the fourth business day after receipt of the CLEC request. 				
Exclusions:				
 VZ Test Orders Verizon Administrative orders For Verizon North only: Additional segments on orders (parts of a whole order are included in the whole) 				
Negotiations that are not complete. (Negotiations are included in the month that they are complete)				
Performance Standard:				
OR-13-01: 98% within four business days				
Report Dimensions				
		Geography:		
CLEC Aggregate		State Specific		
CLEC Specific				
Sub-Metrics OR-13-01 % of Large Job Hot Cut Project Negotiations Completed				
Products UNE:				
Troducts	Loop- Large Job Hot Cut			
Calculation	Numerator	Denominator		
	Number of negotiations completed within four (4) business days from receipt of emai request.	Number of requests sent for negotiation		

Section 3

Provisioning Performance

(PR)

	Function	Number of Sub-metrics
PR-1	Average Interval Offered	11
PR-3	Completed within Specified Number of Days (1-5 Lines)	9
PR-4	Missed Appointments	9
PR-5	Facility Missed Orders	4
PR-6	Installation Quality	3
PR-8	Percent Open Orders in a Hold Status	2
PR-9	Hot Cut Performance	4

PR-1 Average Interval Offered

Definition:

This metric measures the average interval offered for completed and cancelled orders. The PR-1 submetric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in PR-1 calculations). For **POTS and Specials**, the Average Interval Offered is also known as the Average Appointed Interval. The average number of business days between order application date and committed due date (appointment date). The application date is the date that a valid service request is received. **Note:** Orders received after 5:00PM are counted as received the next business day.

Complex Orders include:

2-Wire Digital Services (ISDN) and 2-Wire xDSL Loops <u>for UNE</u>.

Specials Orders include: All Designed circuits which include (but are not limited to) such services as high capacity services (DS1 or DS3), primary rate ISDN, 4-Wire xDSL services, digital services, and private lines or foreign served services (a line physically in one exchange, served by another through a circuit). EEL and IOF are reported separately from Specials in sub-metric PR-1-09.

Trunks: The amount of time in business days between receipt of a clean ASR (received date restarted for each SUPP) and DD committed to from FOC. Measures service orders completed between the measured dates.

Notes:

(1) The offered intervals for cancelled orders are counted in the month during which the cancellation occurs.

(2) Sub-metrics reported according to line size groupings will be based on the total lines in the orders.(3) For PR-1-13 Batch Hot Cuts; the interval measured is the WPTS due date.

Exclusions:

- VZ Test Orders.
- Orders where customers request a due date (DD) that is beyond the standard available appointment interval. (X Appointment Code²²)Orders with the X appointment code. The X appointment code is used for customer requested or negotiated intervals beyond the standard appointment interval.
- Verizon Administrative orders.
- Orders with invalid intervals (e.g. Negative intervals or intervals over 200 business days indicative of typographical error).
- For Verizon North only: Additional segments (pages or sections on individual orders) on orders (parts of a whole order are included in the whole).
- Special Project PONs (if applicable) per the process documented in Appendix S.
- Orders requiring manual loop qualification (does not apply to disconnect orders).
 Note: 2-Wire Digital and 2-Wire xDSL orders that require manual loop qualification have an R populated in the *Required* field of the LR (indicating that a manual loop qualification is required).
 - Disconnects are excluded from all sub-metrics *except* sub-metric PR-1-12 which measures disconnects.

²² Orders that are or should be X appointment coded. Effective 2/00, VZ will automate appointment coding when orders are received via LSOG4. CLECs that are not using LSOG4 are responsible to perform the X coding.

Performance Standard:

PR-1-01 through PR-1-09 and PR-1-12 (except for both PR–1-01 and PR-1-02 UNE 2-Wire xDSL Loops, and PR-1-09 UNE IOF, EEL – Backbone, and EEL – Loop): Parity with VZ Retail.

PR-1-01 and 1-02, UNE 2-Wire xDSL Loops: No Standard.

PR-1-09 UNE IOF, UNE EEL – Backbone and EEL – Loop: No standard. Refer to the EEL and IOF legends on the C2C report templates.

PR-1-13: No Standard

The published interval for one (1) to five (5) xDSL loops is six (6) business days (pre-qualified) Refer to Refer to the URL matrix at the beginning of the guidelines to obtain the specific URLs for Resale, UNE, and Collocation product interval guides.

Report Dimensions					
Company:		Geography:			
CLEC Aggregate		State Specific			
CLEC Specific					
Sub-Metrics – PR-1 Average Interval Offered					
PR-1-01 Average Interval Offered – Total No Dispatch					
Products	Resale:	UNE:			
	POTS: Residence	 2-Wire Digital Services 			
	POTS: Business	 2-Wire xDSL Loops 			
	2-Wire Digital Services				
Calculation	Numerator	Denominator			
	Sum of committed DD minus the	Number of orders without an outside			
	application date for orders without an	dispatch in product groups.			
	outside dispatch in product groups.				
PR-1-02	Average Interval Offered – Total Dispatcl	<u>h</u>			
Products	Resale:	UNE:			
	2-Wire Digital Services	 2-Wire Digital Services 			
		 2-Wire xDSL Loops 			
Calculation	Numerator	Denominator			
	Sum of committed DD minus application	Number of orders with an outside dispatch			
	date for orders with an outside dispatch	in product groups.			
	in product groups.				
Sub-Metrics	– PR-1 Average Interval Offered (c	continued)			
---	--	--	--	--	--
PR-1-03					
Products	Resale:	ÚNE:			
	POTS: Residence	 POTS – Loop – Total 			
	POTS: Business				
Calculation	Numerator	Denominator			
	Sum of committed DD minus application	Number of POTS orders with an outside			
	date for POTS orders with an outside	dispatch in product groups for orders with			
	dispatch in product groups for orders	one (1) to five (5) lines.			
PR-1-04	with one (1) to five (5) lines. Average Interval Offered – Dispatch six (6) to nine (9) Lines			
Products	Resale:	UNE:			
Troduots	POTS – Total	 POTS – Loop – Total 			
Calculation	Numerator	Denominator			
Calculation	Sum of committed DD minus application	Number of POTS orders with an outside			
	date for POTS orders with an outside	dispatch in product groups for orders with			
	dispatch in product groups for orders	six (6) to nine (9) lines.			
	with six (6) to nine (9) lines.				
PR-1-05	Average Interval Offered – Dispatch (≥ 10) Lines)			
Products	Resale:	UNE:			
	POTS – Total	POTS – Loop – Total			
Calculation	Numerator	Denominator			
	Sum of committed DD minus application	Number of POTS orders with an outside			
	date for POTS orders with an outside	dispatch in product groups for orders with			
	dispatch in product groups for orders	10 or more lines.			
	with 10 or more lines.				
PR-1-06 Products	Average Interval Offered – Specials DS0 Resale:	UNE:			
FIOUUCIS	• DS0	• DS0			
Calculation	Numerator	Denominator			
	Sum of committed DD minus application	Number of Special Services orders for DS0			
	date for Special Services orders for DS0	services.			
	services.				
PR-1-07 Average Interval Offered – Specials DS1					
Products	Resale:	UNE:			
	• DS1	• DS1			
Calculation	Numerator	Denominator			
	Sum of committed DD minus application	Number of Special Services orders for DS1			
	date for Special Services orders for DS1	services.			
	services.				

Sub-Metrics	Sub-Metrics – PR-1 Average Interval Offered (continued)			
PR-1-08	Average Interval Offered – Specials DS3			
Products	Resale:	UNE:		
	• DS3	• DS3		
Calculation	Numerator	Denominator		
	Sum of committed DD minus application date for Special Services orders for DS3 services.	Number of Special Services orders for DS3 services.		
PR-1-09	Average Interval Offered – Total			
Products	UNE:	CLEC Trunks:		
	IOF EEL – Backbone	 Interconnection Trunks ((CLEC) ≤ 192 Trunks) 		
	• EEL – Loop	 Interconnection =Trunks ((CLEC) > 192 and Unforecasted Trunks) 		
Calculation	Numerator	Denominator		
	Sum of committed DD minus application date for product group orders.	Number of orders for product group.		
PR-1-12	Average Interval Offered – Disconnects			
Products	Resale:	UNE:		
	 POTS (including Complex²³) Specials - Total 	 POTS (including Complex) Specials – Total 		
Calculation	Numerator	Denominator		
	Sum of committed DD minus application date for product group disconnect orders.	Number of orders for product group.		
PR-1-13	Average Interval Offered – Hot Cuts – No	Dispatch		
Products	 UNE: POTS Loop – Basic Hot Cut (21 lines and greater) POTS Loop – Batch Hot Cut (all line size) 			
Calculation	Numerator Denominator			
	Sum of committed DD minus application date for product group.	Number of orders for product group.		

PR-3 Completed within Specified Number of Days

Definition:

This metric measures the percent of POTS orders completed in specified number (by metric) of business days, between application and work completion dates. The application date is the date (day zero (0)) that a valid service request is received. **Note:** Orders received after 5:00PM are counted as received the next business day.

The PR-3 sub-metric calculations for the report month include orders that are complete in the billing system. (Orders that are not billing completed are not included in PR-3 calculations). Note: For PR-3-08 UNE Basic Hot Cut Loops, orders in the calculation are based on physical work completion.

Exclusions:

- VZ Test Orders.
- Disconnect Orders.
- Orders where customers request a DD beyond the standard available appointment interval. (X <u>Appointment Code)</u> Orders with the X appointment code. The X appointment code is used for <u>customer requested or negotiated intervals beyond the standard appointment interval.</u>.
- Verizon Administrative orders.
- Orders with invalid intervals (e.g. Negative Intervals or intervals over 200 business days indicative of typographical error).
- For Verizon North only: Additional Segments on orders (parts of a whole order are included in the whole).
- Orders completed late due to any end-user or CLEC caused delay.
- Coordinated cut-over Unbundled Network Elements such as loops or number portability orders. (This exclusion applies to all PR-3 sub-metrics except PR-3-08 UNE Basic Hot Cut Loops (1-10 lines), PR-3-11, PR-3-12, and PR-3-13).
- Special Project PONs (if applicable) per the process documented in Appendix S.
- For sub-metrics PR-3-10 2-Wire Digital, and 2-Wire xDSL Loop, orders that require a manual loop qualification (does not apply to disconnect orders).

Note: 2-Wire Digital and 2-Wire xDSL Loop orders that require manual loop qualification have an **R** populated in the *Required* field of the LSR (indicating that a manual loop qualification is required).

For 2-Wire Digital and 2-Wire xDSL Loop only:

Orders missed due to facility reasons.

Performance Standard:

PR-3-01, PR-3-06, and PR-3-09: Parity with VZ Retail.

PR-3-08: Basic Hot Cut Loops (1-10 lines): 95%

PR-3-10: 2-Wire Digital Loops: Parity with Retail

PR-3-10: 2-Wire xDSL Loops: 95%

PR-3-11: 95%

PR-3-12: No Standard

PR-3-13: 98%

Refer to the URL matrix at the beginning of the C2C guidelines for the specific URLs for products and intervals in effect at the time of the compliance filing.

Report Dime	nsions			
Company:	Geography:			
CLEC Aggre		State Specific		
CLEC Spec	ific			
Sub-Metrics				
PR-3-01	% Completed in one (1) Day one (1) to fin	ve (5) Lines – No Dispatch		
Products	Resale:			
	POTS – Total			
Calculation	Numerator	Denominator		
	Number of No Dispatch POTS orders	Number of No Dispatch POTS orders with		
	with one (1) to five (5) lines where	one (1) to five (5) lines.		
	completion date minus application date			
	is one (1) or fewer days.			
PR-3-06	% Completed in three (3) Days one (1) to			
Products	Resale:	UNE:		
	POTS – Total	POTS Loop - New		
Calculation	Numerator	Denominator		
	Number of Dispatch POTS orders with	Number of Dispatch POTS orders with one		
	one (1) to five (5) lines where completion	(1) to five (5) lines.		
	date minus application date is three (3)			
	or fewer days.			
PR-3-08	% Completed in five (5) days No Dispate	h		
Products	UNE:			
	Basic Hot Cut Loops (1-10 lines)			
Calculation	Numerator	Denominator		
	Number of No Dispatch POTS Basic Hot	Number of No Dispatch POTS Basic Hot		
	Cut Loop orders with one (1) to ten (10)	Cut Loop orders with one (1) to ten (10)		
	lines where completion date minus	lines.		
	application date is five (5) or fewer days.			

Sub-Metrics PR-3 % Completed within Specified Number of Days (1-5 Lines)					
(continued)					
PR-3-09					
Products	Resale:	UNE:			
	POTS – Total	POTS Loop – New			
Calculation	Numerator	Denominator			
	Number of POTS orders with one (1) to	Number of Dispatch POTS orders with one			
	five (5) lines where completion date	(1) to five (5) lines.			
	minus application date is five (5) or fewer				
PR-3-10	days. % Completed in six (6) Days one (1) to fi	ive (5) Lines – Total			
Products					
	2-Wire xDSL Loops				
	2-Wire Digital Loops				
Calculation	Numerator	Denominator			
	Number of orders (by specified product)	Number of orders (by specified product)			
	with one (1) to five (5) lines where	with one (1) to five (5) lines.			
	completion date minus application date				
PR-3-11	is six (6) or fewer days. % Completed in 10 Business Days				
Products					
Troducts	POTS Loop Basic Hot Cut (11 to 20 lir	nes)			
Calculation	Numerator	Denominator			
Calculation	Number of Basic Hot Cut Loop (11 to 20	Number of Basic Hot Cut Orders for 11 to			
	lines) orders where the completion date	20 lines.			
	minus application date is 10 or fewer				
	business days.				
PR-3-12 % Completed in 15 Business Days					
Products	UNE:				
	POTS Loop Large Job Hot Cut (1-5 lin	es)			
	POTS Loop Large Job Hot Cut (6 or m	nore lines)			
Calculation	Numerator	Denominator			
	Number of Large Job Hot Cut Loop	Number of Large Job Hot Cut Loop orders			
	orders (by line size group above) where	(by lines size group above).			
	the completion date minus the				
	application date is 15 or fewer business				
PR-3-13	PR-3-13 % Completed in 26 Business Days				
Products	UNE:				
	• POTS Loop Large Job Hot Cut (1-5 lin	es)			
	POTS Loop Large Job Hot Cut (6 or more lines)				
Calculation	Numerator	Denominator			
	Number of Large Job Hot Cut Loop	Number of Large Job Hot Cut Loop orders			
	orders (by line size group above) where	(by lines size group above).			
	the completion date minus the				
	application date is 26 or fewer business				
	days.				

PR-4 Missed Appointments

Definition:

This metric measures the Percent of Orders completed after the commitment date. The PR-4 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-4 calculations). **Note:** This does **not** apply to the following metrics, which are calculated based on physical work completion: Interconnection Trunks (CLEC) PR-4-02, PR-4-03, and PR-4-15.

For LNP: The percent of orders completed on time (not early)

xDSL Loops are considered complete if completed on time on the due date. After completing the installation of a UNE 2-Wire xDSL Loop, Verizon will perform a cooperative continuity test for those CLECs that participate, as described in Appendix T of the C2C guidelines. The use of a DD-2 test or a CLECs 800 #, or a CLEC's serial number has no impact in the determination of a completed xDSL Loop.

Trunks: Includes reciprocal trunks from VZ to CLEC. For PR-4-03, the percentage of trunks completed for which there was a missed appointment due to CLEC reasons. For PR-4-15, the percentage of trunks completed on or before the order due date.

Metric PR-4-15 includes orders that were Customer Not Ready (CNR), and were completed in the report month.

Exclusions:

- VZ Test Orders
- Disconnect Orders (does not apply to PR-4-07)
- Verizon Administrative orders
- For Verizon North only: Additional Segments on orders (parts of a whole order are included in the whole)
- LNP orders without office equipment which do not have a trigger placed on the line.
- For PR-4-04 2-Wire Digital, and PR-4-14 UNE 2-Wire xDSL Loop only exclude orders missed for facility reasons.

Performance Standard:

Metrics PR-4-01, 4-02, 4-04 and 4-05 (except PR-4-02 Interconnection Trunks (CLEC)): Parity with VZ Retail ²⁴

PR-4-02 Interconnection Trunks (CLEC): None – Analysis only.

PR-4-03 and 4-08: No standard

PR-4-07 LNP: 95% on Time

PR-4-14 UNE 2-Wire xDSL Loop: 95% on Time.

PR-4-15 Interconnection Trunks (CLEC): 95% on Time

Report Dimensions				
Company:			Geography:	
CLEC Aggr	egate		State Specific	
CLEC Spec	-			
Sub-Metrics				
PR-4-01	% Missed Appointment – Ve			
Description	The percent of orders compl	eted after the	commitment date, due	e to Verizon reasons.
Products	Resale:		UNE:	
	• DS0		• EEL	
	• DS1		• IOF	
	• DS3		 DS0 	
	Specials Other		 DS1 	
			• DS3	
			 Specials Other 	
Calculation	Numerator Denominator		ominator	
	Number of orders where the Order Nu		Number of orders completed for product	
· · · · · · · · · · · · · · · · · · ·	completion date is greater than the order group.			
	DD due to Verizon reasons for product			
	group.			
PR-4-02	Average Delay Days – Total For orders/trunks missed due to Verizon reasons, the average number of business days			
Description				number of business days
Dreducto	between the order DD and a		npletion date.	Trunks:
Products	Resale: • POTS - Total	UNE: • POTS - 1	Fotal POTS - Loop	Interconnection
	 2-Wire Digital Services 			 Interconnection Trunks (CLEC)
	 Specials Total 	 2-Wire Digital Services. 2-Wire xDSL Loops 		
		 Specials 	•	
		 EEL 	Iotai	
		• IOF		
Calculation	Numerator		Deno	ominator
	Sum of the completion date	minus DD	Number of orders/tru	unks missed for
	for orders/trunks missed due			y product group.
	reasons by product group.			

Sub-Metrics	Sub-Metrics (continued) PR-4 Missed Appointments			
	% Missed Appointment – Cu			
Description	The percent of orders/trunks end-user delay. (Refer to Ap			
Products	 Resale: POTS - Total 2-Wire Digital Services. Specials Total 	UNE: • POTS - To	tal POTS - Loop ital Services. SL Loops	Trunks: • Interconnection Trunks (CLEC)
Calculation	Numerator		Dei	nominator
	Number of orders/trunks whe completion date is greater tha DD due to customer reasons group.	an the order	Number of orders product group.	s/trunks completed for
PR-4-04	% Missed Appointment - Ve	rizon – Dispatc	h	
Description	The Percent of Dispatched Verizon reasons.	Orders comple	eted after the con	mmitment date, due to
Products	Resale: • POTS - Total • 2-Wire Digital Services.		UNE: • Loop – New • 2-Wire Digita	Il Services
Calculation	Numerator		Dei	nominator
	Number of Dispatched Orders order completion date is grea order DD due to Verizon reas product group.	ter than the	Number of Dispa for product group	tched Orders completed

Sub-Metrics	(continued) PR-4 Missed Appointme	nts		
PR-4-05	% Missed Appointment – Verizon – No Disp			
Description	The Percent of No-Dispatch Orders completed after the commitment date, due to			
	Verizon reasons.			
Products	Resale:	UNE:		
	POTS - Total	2-Wire Digital Services.		
	2-Wire Digital Services.			
Calculation	Numerator	Denominator		
	Number of No Dispatch Orders where the	Number of No Dispatch Orders		
	Order completion date is greater than the	Completed for product group.		
	order DD due to Company Reasons for			
DD 4 07	product group.			
PR-4-07	% On Time Performance – LNP Only	the Trigger measure and eccepted		
Description	Percent of all LNP orders (including both disconnect order) where trigger is in place or			
	date and disconnect is completed on or afte			
	orders, the percent of LNP (retail disconnect)			
		ers disconnected early at the customer's		
	request are considered met. Orders where the trigger is in place less than one			
	business day prior to the disconnect due date but before the number is ported by the			
	CLEC are not scored as missed triggers.			
Products	UNE:			
	• LNP			
Calculation	Numerator	Denominator		
	Number of LNP orders (1 order = Trigger	Number of LNP orders completed (1		
	message and disconnect order), where port	order = Trigger message and disconnect		
	trigger is completed one (1) business day order).			
	before the due date and the retail			
	disconnect is completed on or after 11:59PM of the due date.			
PR-4-08	% Missed Appointment – Customer – Due to	o Late Order Confirmation		
Description	The percent of orders completed after the co			
Decemption	delay, where the reason for customer delay is			
Products	Resale:	UNE:		
	2-Wire Digital Services.	2-Wire Digital Services.		
	Specials Total	2-Wire xDSL Loops		
		Specials – Total		
Calculation	Numerator	Denominator		
	Number of orders where the order	Number of orders completed for product		
		runnber of orders completed for product		
	completion date is greater than the order	group.		

Sub-Metrics	Sub-Metrics (continued) PR-4 Missed Appointments			
PR-4-14	% Completed On Time – 2-Wire xDSL			
Description	% of 2-Wire xDSL Loop completed on time.			
Products	UNE			
	2-Wire xDSL Loop			
Calculation	Numerator	Denominator		
	Number of all orders completed on or before the DD.	Number of completed orders minus any orders delayed for customer reasons		
PR-4-15	% On Time Provisioning – Trunks			
Description	Description The percent of trunks completed on or before the order due date.			
Products	Products Trunks			
	 Interconnection Trunks (CLEC) 			
Calculation	Numerator Denominator			
	The number of trunks where the order completion date is less than or equal to the order due date.	The number of trunks completed within the month.		

PR-5 Facility Missed Orders

Definition:

These sub-metrics measure facility missed orders. Additionally, PR-5-04 measures orders that were cancelled five (5) days after the due date. **Note:** The likely reason for such cancellations included in PR-5-04 would be due to a lack of facilities.

The PR-5 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-5 calculations). Orders completed on the Due Date are considered to be completed on-time regardless of the time of day the order was actually completed.

Facility Missed Orders: The Percent of Dispatched Orders completed after the commitment date, where the cause of the delay is lack of facilities.

Facility Missed Orders > 15 or 60 Days: The percent of Dispatched orders missed for lack of facilities where the completion date minus the appointment date is greater than 15 or 60 calendar days.

Facility Missed Trunks: The percentage of trunks completed after the commitment date, where the cause of the delay was due to lack of facilities. **Note:** trunks are not dispatched.

Exclusions:

- VZ Test Orders
- Disconnect Orders
- Verizon Administrative orders
- For Verizon North only: Additional Segments on orders (parts of a whole order are included in the whole)
- From PR-5-04: Orders missed or delayed due to customer reasons.

Performance Standard:

PR-5-01 through PR-5-03: Parity with VZ Retail.

PR-5-04: No Standard. This is a diagnostic measure.

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific

Geography:State Specific

VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0

Sub-Metrics				
PR-5-01	% Missed Appointment – Verizon – Facilitie	S		
Description		The percent of Dispatched Orders or trunks completed after the commitment date, due		
Products	Resale:UNE:• POTS - Total• POTS Loop - Total• Specials - Total• Specials - Total• 2-Wire Digital Services.• 2-Wire Digital Ser• 2-Wire xDSL Loop	vices.	Trunks: • Interconnection Trunks (CLEC)	
Calculation	Numerator	De	enominator	
	Number of dispatched orders or trunks where the order completion date is greater than the order DD due to Verizon Facility reasons for product group.			
PR-5-02	% Orders Held for Facilities > 15 Days			
Description	The Percent of Dispatched Orders or trunks completed more than 15 days after the commitment date, due to lack of Verizon facilities.			
Products	Resale:UNE:Trunks:• POTS - Total• POTS Loop - Total• Interconnection• Specials - Total• Specials - Total• Interconnection• 2-Wire Digital Services.• 2-Wire Digital Services.• 2-Wire xDSL Loops		Interconnection	
Calculation	Numerator	De	enominator	
	Number of dispatched orders or trunks where the completion date minus DD is 15 or more days for Company Facility reasons for product group.Number of dispatched orders or trunks completed for product group.			
PR-5-03	% Orders Held for Facilities > 60 Days			
Description	The Percent of trunks completed more than 60 days after the commitment date, due to lack of Verizon facilities. Note: trunks are not dispatched.			
Products	Trunks:			
	Interconnection Trunks (CLEC)			
Calculation	Numerator		enominator	
	Number of trunks where the completion date minus DD is 60 or more days for Company Facility reasons for product group.	Number of trunk group.	s completed for product	

Sub-Metrics	Sub-Metrics (continued) Facility Missed Orders			
PR-5-04	% Orders Cancelled (> five (5) days) after D	ue Date – Due to Facilities		
Description	The percent of total orders (completed and cancelled) that are cancelled five (5) or more business days after the due date, exclusive of those orders with a customer miss jeopardy code.			
Products	UNE: • POTS Loop - Total • 2-Wire Digital Services • 2-Wire xDSL Loops • Specials – Total			
Calculation	Numerator	Denominator		
	Number of cancelled orders cancelled five (5) or more business days after the due date (excluding those orders that missed due to customer reasons).	Number of orders completed or cancelled for the product group within the report month.		

PR-6 Installation Quality

Definition:

This metric measures the percent of lines/circuits/trunks installed where a reported trouble was found in the Verizon network within 30 days of order completion. Any additional trouble received after the initial I-code is closed out, and is within the specified time period (7 or 30 days) is counted as a repeater.

For sub-metric PR-6-03 only, the UNE POTS Loop Total product includes UNE Loop Hot Cuts.

The PR-6 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-6 calculations). **Note:** This does **not** apply to Hot Cuts and Interconnection Trunks (CLEC) which are calculated based on physical work completion.

Note: For POTS services, the percent of lines/circuits/trunks installed where a reported trouble was found in the network within seven (7) days. This includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). Disposition Code 05 includes translation troubles automatically cleared via Switch to Order Compare (STORC) for Verizon North and SERVICE for Verizon Mid-Atlantic (or other similar record verification system utilized by Verizon) by CLEC. The source system: NMP-Mai.

Exclusions:

- Subsequent reports (additional customer calls while the trouble is pending).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer has reported a trouble.
- Special Project PONs (if applicable) per the process documented in Appendix S.

Formula:

Installation Troubles (within seven (7) or 30 days) with Disposition Codes 03, 04 and 05 divided by Lines completed multiplied by 100.

Performance Standard:

PR-6-01: Parity with VZ Retail For Found Troubles

PR-6-02: % Installation Troubles Reported within seven (7) Days: 2%

PR-6-03: No standard

Report Dimensions

Company:

CLEC Aggregate

Geography:State Specific

CLEC Specific

Sub-Metrics			
PR-6-01	% Installation Troubles reported within 30 E	Davs	
Description	The percent of lines/circuits/trunks installed where a reported trouble was found in Verizon's network within 30 days of order completion. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office).		
Products	Resale:UNE:• POTS - Total• POTS - Loop - Ne• 2-Wire Digital services (ISDN)• 2-Wire Digital Loop• Specials - Total• Specials - Total	ps. (CLEC)	
Calculation	Numerator	Denominator	
	Number of Central Office and outside plant loop (Disposition Codes 03, 04 and 05) troubles with installation activity within 30 days of trouble report.	Total Lines installed in calendar month.	
PR-6-02	% Installation Troubles reported within seven		
Description	The percent of lines installed where a reported trouble was found in the network within seven (7) days of order completion. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office).		
Products	 UNE: Loop Basic Hot Cut (all line size) Loop – Large Job Hot Cut (all line size) Loop – Batch Hot Cut (all line size) 		
Calculation	Numerator	Denominator	
	Number of Central Office and outside plant loop (Disposition Codes 03, 04 and 05) troubles with installation activity within seven (7) days of trouble report.	Total Lines installed in calendar month.	
PR-6-03	% Installation Troubles reported within 30 E		
Description	The percent of lines/circuits/trunks installed where a reported trouble was not found in the network within 30 days of order completion. Includes Disposition Codes 07, 08, and 09 (Found OK/Test OK) and Disposition Codes 12 and 13 (CPE).		
Products	Resale:UNE:• POTS – Total• POTS – Loop - Total• 2-Wire Digital Services (ISDN)• 2-Wire Digital Services• Specials - Total• Specials - Total	vices. (CLEC)	
Calculation	Numerator	Denominator	
	Number of Not Found, Test OK and CPE troubles with installation activity within 30 days of trouble report.	Total Lines installed in calendar month.	

PR-8 Percent Open Orders in a Hold Status

Definition:

This metric measures the number of open orders that at the close of the reporting period have been in a hold status for more than 30 or 90 calendar days, as a percentage of orders completed in the reporting period.

The PR-8 sub-metric calculations for the report month include Orders that are complete in the billing system. (Orders that are not billing completed in the report month are not included in the PR-8 calculations). **Note:** This does **not** apply to the following metrics, which are calculated based on physical work completion: PR-8-01 and PR-8-02 Interconnection Trunks (CLEC).

An **open order** is a valid order that has not been completed or cancelled. Open orders in a hold status include:

1. Open orders that have passed the originally committed completion date due to VZ reasons

Measurement of the 30 and 90 day intervals for open orders that have passed the originally committed completion date due to VZ reasons will commence with such passed originally committed completion date (passed originally committed completion date = Day 0).

Exclusions:

- VZ Test Orders.
- Disconnect Orders.
- Verizon Administrative orders.
- For Verizon North only: Additional segments on orders (parts of a whole order are included in the whole).
- Orders that are complete or cancelled.
- Orders that have passed the committed completion date, or whose completion has been delayed, due to CLEC or end user delay. (including VZ requests for cancellation)
- Orders that at the request of the CLEC or VZ Retail customer have not been assigned a completion date.

Performance Standard:

Parity with Verizon Retail.

Report Dimensions

Company

- CLEC Aggregate
- Geography:State Specific

CLEC Specific

State Specific

Sub-Metrics	Sub-Metrics			
PR-8-01	Percent Open Orders	in a Hold Status > 30 I	Days	
Products	Resale: • POTS – Total • 2-Wire Digital Services • Specials - Total	UNE: • POTS – Total POT • 2-Wire Digital Serv • 2-Wire xDSL Loop • Specials - Total • EEL • IOF	<u>S - Loop</u> rices	Trunks: • Interconnection Trunks (CLEC)
Calculation	Nume Number of open orders the reporting period hav status for more than 30	that at the close of ve been in a hold	Total number reporting per	Denominator r of orders completed in the iod.
PR-8-02				
Products	 Resale: POTS - Total 2-Wire Digital Services Specials - Total 	UNE: • <u>POTS - Total POT</u> • 2-Wire Digital Serv • 2-Wire xDSL Loop • Specials - Total • EEL • IOF	vices	Trunks: • Interconnection Trunks (CLEC)
Calculation	Nume	rator		Denominator
	Number of open orders the reporting period hav status for more than 90	ve been in a hold	Total number reporting per	r of orders completed in the iod.

PR-9 Hot Cut Loops

Definition:

The PR-9-01 sub-metric measures the percent on-time performance for UNE Hot Cut Loops. The PR-9-02 sub-metric measures the total number of lines cut before the frame due time.

For sub-metric PR-9-08, troubles are counted in the month the trouble report is closed. This metric measures Average Duration of Hot Cut Installation Troubles where a reported trouble was found in the Verizon network within 7 days of order completion. Any additional trouble received after the initial I-code that is closed and is within the specified time period (7 days) is counted as a repeater.

There are three types of Hot Cut Loops: Basic Hot Cuts, Large Job Hot Cuts and Batch Hot Cuts.

A Basic or Large Job Hot Cut is considered **complete** when the following situation occurs:

- 1. Work is done at the appointed Frame Due Time (FDT) as noted on the LSRC or the work is done at a time mutually agreed upon by the RCCC/CLEC. For Basic, the time within a prescribed interval as noted in the C2C guidelines. For Large Jobs, it is a mutually accepted interval agreed upon by Verizon and the CLEC (*e.g. project completes by a certain date*). Work is complete when the order is completed in WPTS.
- 2. Orders missed for customer reasons, where there is no Verizon miss, will be counted as completed on-time once completed.

Note: If Verizon re-institutes the acceptance testing process, the percent on time measure will include the time it takes to complete acceptance testing.

A Basic or Large Job Hot Cut is considered **missed** when one of the following occurs:

- 1. Premature disconnect called in to 1-877-HotCuts (otherwise the disconnect would be captured as a Retail trouble).
- 2. Work was not done (e.g. work was not turned up to CLEC by some means (WPTS, e-mail, VMS, direct phone call)) by close of intervals noted under Met Hot Cuts definition due to a Verizon reason (e.g. HFC, late turn-up, due date pushed out due to Verizon action).

A Batch Hot Cut is considered **complete** when the following occurs:

- 1. All required cross wiring is complete and Verizon sends the Port activation notice to the Number Portability Administration Center (NPAC).
- 2. Work is complete when the order is completed in WPTS.
- 3. Orders missed for customer reasons, where there is no Verizon miss, will be counted as completed on-time once completed.

A Batch Hot Cut is considered **missed** when one of the following occurs:

- 1. If the cross-wire work was not done on the WPTS due date due to Verizon action.
- 2. If the Port activation notice is not sent by Verizon.
- 3. A premature disconnect is called into 1-877-HotCuts.
- 4. The completion date is greater than 26 days (except if delayed for CLEC reasons).

Defir	nition:
Note: miss.	For Batch Hot Cuts, NPAC failures may require rescheduling and will not be counted as a Verizon
•	For all types of Hot Cuts: Verizon will not complete a Hot Cut if there is no dial tone at either the Old Switch Provider or the New Switch Provider. If Verizon cannot verify the Telephone number (ANI), the cut will not be done and the New Switch provider will be required to resolve the problem. The Hot Cut will be scored as a customer miss. However, if Verizon is the Old Switch Provider and there is no dial tone at the Old Switch, this will not be a customer miss. Any errors on the LSR that result in a problem with the Hot Cut will not be attributable to Verizon. Verizon will not be responsible for a premature disconnect that is caused by another Switch Provider.
Evel	than Verizon). usions:
	Z Test Orders
 Ve Fe 	erizon Administrative orders or Verizon North only: Additional segments on orders (parts of a whole order are included in the hole)
• If V2	rders that are not complete. (Orders are included in the month that they are complete) a CLEC cancels an order before the start of a Hot Cut window and VZ performs the Hot Cut, this Z error will result in a retail//Resale/UNE-L trouble report and need not be reflected elsewhere. R-9-02 applicable to MD & VA only: Early cuts not reported by CLEC
Perfo	ormance Standard:
PR-9-	01: 95% completed within window
•	02 : (Applicable to MD & VA only) MD: Not more than 2% of lines cut early VA: Not more than 1% of lines cut early
PR-9-	04: 95% within six business days.
PR-9-	08: Parity with Verizon Retail
Stand lines:	ard for Basic Cut-Over Window: Amount of time from start to completion of physical cut-over of
	one (1) to nine (9) lines: one (1) Hour 10 to 49 lines: two (2) Hours
hour v	50 to 99 lines: three (3) Hours C is involved – Four (4) hour window (8:00AM to 12:00PM (Noon) or 1:00PM to 5:00PM). Four (4) vindow applies to start time. This is only applicable if Verizon notified the CLEC by 2:30PM EST on that the service was on IDLC.
	Large Job Hot Cuts may be completed over multiple days per agreement with the CLEC. Large are completed in the order specified by the CLEC, starting at a specified time.
Stand	rindow for a Batch Hot Cut is the due date. ard for Batch Cut-Over window: Amount of time from completion of physical cut-over of lines, ed back to the start time: one (1) to nine (9) lines: one (1) hour 10 to 49 lines: two (2) hours
Notor	50 to 99 lines: three (3) hours For Batch Hot Cuts, the start time for an order is selected by Verizon and is variable within the day

VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0

of the cut.					
Report Dimensions					
Company: Geography:					
CLEC Aggre		State Specific			
CLEC Spec					
	– Hot Cut Loops				
PR-9-01	% On Time Performance – Hot Cut				
Description	Percent of all UNE Loop orders completed wi includes both Loop only and Loop & Number orders cancelled during or after a defective of	Portability. Orders disconnected early, and			
	not met.				
Products	UNE:				
	Loop – Basic Hot Cut (all line size)				
	Loop – Large Job Hot Cut (all line size)				
	Loop – Batch Hot Cut Loop (all line size)				
Calculation	Numerator	Denominator			
	Number of Hot Cut (coordinated loop)	Number of Hot Cut (coordinated loop			
	orders (with or without number portability)	orders) completed.			
	completed within commitment window (as scheduled on order) on DD.				
PR-9-02					
Description	The total number of lines cut before the frame				
	over window) or cut before mutually agreed upon time between Verizon and the CLEC divided by the total number of hot cut lines completed in the month.				
Products					
	Loop- Hot Cut (Coordinated Cut-over)				
Calculation	Numerator	Denominator			
	Count of hot cut (coordinated loop) lines	Count of hot cut lines completed.			
	(With or without number portability) cut before frame due time or cut before				
	mutually agreed upon time between Verizon				
	and the CLEC.				

Sub-Metrics – Hot Cut Loops, continued					
PR-9-04	% On Time Batch Due Date				
Description	This sub-metric measures the number of Loop Batch Hot Cut orders where the creation of the batch is six (6) or more days prior to the batch due date as a percent of Loop Batch Hot Cut orders. If the Batch due date is a 26 day interval, then the creation of the batch due date will be the LSRC date. Batch orders where the batch due date is a six (6) day interval may be counted on time if the batch due date is set on day one (1) of the order.				
Products	UNE:				
	Loop- Batch Hot Cut				
Calculation	Numerator	Denominator			
	Number of WPTS Batch Hot Cut due date	Number of WPTS Batch Hot Cuts.			
	amendments updated within six (6)				
	business days or more of due date.				
PR-9-08	Average Duration of Hot Cut Installation Tro	publes			
Description	The average repair time (Mean Time to Repair – (MTTR)) for Hot Cut Installation troubles.				
Products	UNE:				
	POTS – Loop – Hot Cut Total				
Calculation	Numerator Denominator				
The sum of the trouble clear date and time minus the trouble receipt date and time for Central Office and Loop troubles (disposition codes 03, 04, and 05) for HotCut Installation troubles reported within seven (7) calendar days. Number of Central Office and Loop troubles (disposition codes 03, 04, and 05) for HotCut Installation troubles reported within seven (7) calendar days.					

Section 4

Maintenance & Repair Performance

(MR)

	Function	Number of Sub-metrics
MR-1	Response Time OSS Maintenance Interface	12
MR-2	Trouble Report Rate	5
MR-3	Missed Repair Appointments	3
MR-4	Trouble Duration Intervals	8
MR-5	Repeat Trouble Reports	1

MR-1 Response Time OSS Maintenance Interface

Definition:

Local Service Interface – Trouble Administration (LSI-TA): These sub-metrics measure the response time defined as the time, in seconds, that elapses from receipt of a request at Verizon's access platform to issuance of a response from Verizon's access platform. Only POTS Total transactions are included in this measure.

<u>Electronic Bonded Interfaces (EBTA and TAXI)</u>: These sub-metrics measure the response time, defined as the time in seconds, that elapses from receipt of a request submitted by CLEC to issuance of a response from Verizon.

Exclusions:

LSI-TA

- CLEC Create Transactions complex create trouble transactions not available to retail including:
 - Feature fix create
 - Transactions on circuits with recent change activity requiring Service Order lookup
- Other CLEC Transactions functions not available to Verizon Retail including:
 - Transactions on circuits with recent change activity requiring Service Order look-up
- Create transaction for multiple circuits on one trouble ticket.

LSI-TA and Electronic Bonded Interfaces (EBTA and TAXI):

• Excluded from MR-1-06: transactions that are incomplete due to Line In Use (LIU); specifically, all MR-1-06 transactions with a VER code response of "6" or "61".

Methodology:

LSI-TA:

8:00AM to 5:00PM seven (7) days per week, no holiday exclusions.

For VZ retail transactions, retail performance is reported directly from Verizon's access platform. Measurements begin when Verizon's access platform receives a request from the GUI, and end when Verizon's access platform sends a response to the GUI. The retail trouble transaction measurements, are the sum of the averages of the response times of the initial inquiry transaction and trouble report transaction. If the user cancels the transaction between the first and second measurement, the time from the first measurement is still included in the calculation of the average for the first measurement.

For VZ wholesale transactions, actual response times are reported by Verizon's access platform. CLEC modify transactions also include close/cancel transactions with an error code of 0302 (ticket cannot be closed due to pending work in progress).

Electronic Bonded Interfaces (EBTA and TAXI):

System Availability is 24 x 7

Measurement includes all successful transactions. Successful transactions are those transactions where the requested information was returned to the requestor, and errors are those responses that did not contain the requested information.

For VZ wholesale transactions, the performance is measured from the point of entry, after the firewall, to the point of exit, prior to the firewall, of the Verizon interface application.

For MR-1-06, the transaction response contains the line test information.

MR-1-07 measures the electronic closure rate for opened E-Bonded trouble tickets. It measures the % of E-Bonded trouble tickets that actually received an electronic closeout notification on the day that the ticket was closed.

VZEAST200604-NY200512Version 11.0 VZEAST200611-NY200606Version 12.0

Performance Standard:

Metrics MR-1-01 through MR-1-06:

<u>LSI-TA</u>: Parity with Retail plus not more than four (4) seconds. Four (4)-second difference allows for variations in functionality.

Metric MR-1-07:

<u>EBTA</u>: 98% <u>TAXI</u>: 98%

Metrics MR-1-08 through MR-1-12:

EBTA: 95% within 2 minutes TAXI: 95% within 2 minutes

Report Dimensions			_	
Company: • CLEC Aggregate	Geography: LSI-TA and Electronic Bonded Interfaces (EBTA and TAXI) • New York/Connecticut • New England (Maine, New Hampshire, Vermont, Massachusetts, Rhode Island) • New Jersey • Pennsylvania/Delaware			
	 Maryland, Washington, D.C., Virginia, West Virginia 			
Products	LSI-TA: • MR-1-01 through MR-1-06	EBTA: • MR-1-07, MR-1-08 through MR-1-12	TAXI: • MR 1-07, MR 1-08 through MR 1-12	

Sub-Metrics	5		
MR-1-01	Average Response Time – Create Trouble		
Calculation	Numerator	Denominator	
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Create Trouble transactions.	
MR-1-02	Average Response Time – Status Trouble	1	
Calculation	Numerator	Denominator	
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Status Trouble transactions.	
MR-1-03	Average Response Time – Modify Trouble		
Calculation	Numerator	Denominator	
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Modify Trouble transactions.	
MR-1-04	Average Response Time – Request Cancel	lation of Trouble	
Calculation	Numerator	Denominator	
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Close/Cancel Trouble transactions.	
MR-1-05	Average Response Time – Trouble Report H	History (by TN/Circuit)	
Calculation	Numerator	Denominator	
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Trouble History transactions.	
MR-1-06	Average Response Time – Test Trouble (P	OTS Only)	
Calculation	Numerator	Denominator	
	Sum of all response times from the time transaction is received to the time a response is sent as specified in the methodology.	Number of Trouble Test transactions.	
MR-1-07	% On-Time Ticket Closure on Bonded Ope	n Tickets	
Calculation	Numerator	Denominator	
	Number of trouble tickets where a Notification of Ticket Closure was sent on the date the ticket was closed.	Number of trouble tickets that were closed within the reporting period.	

MR-1-08	MR-1-08 % On-Time – Create Trouble					
Calculation	Numerator	Denominator				
	Number of Create Trouble transactions where the response time is less than or equal to the specified standard.	Number of Create Trouble transactions.				
MR-1-09	% On-Time – Status Trouble	1				
Calculation	Numerator	Denominator				
	Number of Status Trouble transactions where the response time is less than or equal to the specified standard.	Number of Status Trouble transactions.				
MR-1-10	% On-Time – Modify Trouble					
Calculation	Numerator	Denominator				
	Number of Modify Trouble transactions where the response time is less than or equal to the specified standard.	Number of Modify Trouble transactions.				
MR-1-11	% On-Time – Request Cancellation of Troul	ble				
Calculation	Numerator	Denominator				
	Number of Cancellation Trouble transactions where the response time is less than or equal to the specified standard.	Number of Cancellation Trouble transactions.				
MR-1-12	% On-Time – Test Trouble (POTS Only)					
Calculation	Numerator	Denominator				
	Number of Test Trouble transactions where the response time is less than or equal to the specified standard.	Number of Test Trouble transactions.				

MR-2 Trouble Report Rate

Definition:

This metric measures the total initial Customer Direct (CD) or Customer Referred (CR) troubles (Category 1) reported, where the trouble disposition was found to be in the network, per 100 lines/circuits/trunks in service. Loop equals Drop Wire plus Outside Plant Loop. Network Trouble means a trouble with Disposition Codes of 03 (Drop-wire), 04 (Outside Plant Loop), 05 (Central Office) FAC, CO and STN. Troubles are reported in the month the trouble ticket is closed.

Category 1 consists of:

- Customer Direct (CD): A customer contacts Verizon, using standard trouble reporting procedures about a trouble with a Residence, Business or Other company provided service.
- Customer Referred (CR): A customer refers a trouble report, outside the standard trouble reporting procedures, to a Verizon employee and the Verizon employee then refers the trouble to Verizon for processing.

Subsequent Reports: Additional customer trouble calls while an existing trouble report is pending – typically for status or to change or update information.

The Disposition Codes set forth in the CLEC Handbook, Vol III Section 8.can be found on the Verizon wholesalePartner Solutions web-site. Refer to the URL matrix at the beginning of the C2C guidelines for the URL to find disposition codes in effect at the time of the compliance filing.

Exclusions:

- Except for MR-2-04: Report rate excludes subsequent reports (additional customer calls while the trouble is pending)
- Troubles reported on VZ official (administrative lines)
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer has reported a trouble
- Switch and Translation troubles from the Retail compare of UNE POTS Loop, UNE 2-Wire Digital Loop, and UNE 2-Wire xDSL Loop.
- Excluded from Total and Loop/CO report rates:
- Customer Premises Equipment (CPE) troubles
- Troubles reported but not found (Found OK, Test OK, Non-Plant Classified (NPC) and Came Clear(CC)).

Excluded from MR-2-02 and MR-2-03 for 2-Wire xDSL Loops: Installation troubles

Performance Standard:							
MR-2-01, MR-2-	MR-2-01, MR-2-02, MR-2-03 Report Rate: Parity with Verizon Retail						
Trunk R	etail Equivalent = IXC F	GD. Parity shou	ld be a	assessed in conjunction with MTTR			
	osequent Reports as a F be assessed in conjun						
Classified and C	Came Clear)		•	uipment, Test OK, Found OK, Non-Plant c troubles a not found trouble is coded as			
Report Dime	ensions						
Company: • CLEC Aggre • CLEC Spec	egate			Geography: State Specific 			
Sub-Metrics	Nature de Travilite Dan	ant Data					
MR-2-01 Products	Network Trouble Report	UNE:		Trunks:			
FIGUUCIS	 Specials 	 Specials 		 Interconnection Trunks (CLEC) 			
Calculation	Nume	• •		Denominator			
POTS:	Number of all trouble reports with found network troubles (disposition codes FAC, CO, and STN).			Number of specials or trunks in service.			
MR-2-02	Network Trouble Repo	ort Rate – Loop					
Products	Resale: • POTS • 2-Wire Digital Serv	vices (ISDN)	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops				
Calculation	Numerat	tor	Denominator				
	Number of all loop trou (Disposition Codes of		Number of Lines in service.				
MR-2-03	Network Trouble Repo		al Offi	ce			
Products	Resale: • POTS • 2-Wire Digital services (ISDN) UNE: • 2-Wire Digital Loop • 2-Wire XDSL Loops						
Calculation	Numerat	tor		Denominator			
	Number of all Central Office trouble reports (Disposition Code of 05). Number of Lines in service.						

MR-2-04	MR-2-04 % Subsequent Reports as a Percent of Total Reports				
Products	 Resale: POTS 2-Wire Digital Services (ISDN) 	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops			
Calculation	Numerator	Denominator			
	Number of subsequent reports (Disposition Codes, 03, 04 and 05).	Number of Total Disposition Codes 03, 04, and 05 troubles reported.			
MR-2-05	% CPE/TOK/FOK/NPC/CC Trouble Rep	oort Rate			
Products	Resale: • POTS • 2 Wire Digital Services (ISDN) • Specials	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops • Specials			
Calculation	Numerator	Denominator			
	Number of all CPE (Disposition Codes 12/13), Test OK, and Found OK troubles (Disposition Codes 07, 08, and 09), No Trouble Found (NTF), Non Plant Classified (NPC), and Came Clear (CC) for Specials.	Number of lines in service.			

MR-3 Missed Repair Appointments

Definition:

These metrics measure the percent of reported Network Troubles not repaired and cleared by the date and time committed. Also referred to as percent of customer troubles not resolved within estimate. Appointment intervals vary with force availability in the POTS environment. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). Troubles are reported in the month the trouble ticket is closed.

Loop is defined as Disposition Codes 03 plus 04. These troubles are always dispatched out.

Verizon uses a single ticket process for misdirected troubles on UNE POTS voice loops (only). This process enables Verizon to redirect a trouble to the opposite end of the circuit after a CLEC made an error in the initial dispatch direction.

Exclusions:

- Troubles reported on VZ official (administrative lines)
- Missed appointments where the CLEC or end-user causes the missed appointment or required access was not available during appointment interval
- Excludes subsequent reports (additional customer calls while the trouble is pending)
- *Customer Premises Equipment (CPE) troubles
- *Troubles reported but not found (Found OK (FOK) and Test OK (TOK)).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer reported a trouble.
- Switch and Translation troubles from the Retail compare of UNE POTS Loop, UNE 2-Wire Digital Loop, and UNE 2-Wire xDSL Loop.
- Sub-metric MR-3-02 POTS Loop Only: exclude *redirected* troubles. A trouble ticket is considered a *redirect* if it was dispatched **IN** and **OUT**, and the trouble was found in the opposite direction from the CLEC's reported trouble direction. Reports with multiple dispatches in the same direction are not excluded.

Note: The following *No Access Rule* applies to MR-3 *Missed Repair Appointments* sub-metrics: Exclude records where Verizon dispatches a technician prior to the appointment date, and encounters a *No Access* situation.

* The CPE and FOK/TOK exclusions do not apply to sub-metric MR-3-03.

Performance Standard:

MR-3-01 and MR-3-02 – Parity with VZ Retail.

MR-3-03: No standard

Report Dimensions			
Company: CLEC Aggregate CLEC Specific 	Geography: • State Specific		

Sub-Metrics	Sub-Metrics					
MR-3-01	MR-3-01 % Missed Repair Appointment – Loop					
Products	Resale: • POTS - Business • POTS – Residence • 2 Wire Digital Services (ISDN)	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops				
Calculation	Numerator	Denominator				
· · · · · · · · · · · · · · · · · · · ·	Number of Loop troubles where clear time is greater than commitment time (Disposition Codes 03 and 04).	Number of Loop troubles (Disposition Codes 03 and 04).				
MR-3-02	% Missed Repair Appointment – Centra	Office				
Products	Resale: • POTS- Business • POTS- Residence • 2 Wire Digital Services (ISDN)	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops				
Calculation	Numerator	Denominator				
	Number of Central Office troubles where clear time is greater than commitment time (Disposition Code 05).	Number of Central Office Troubles (Disposition Code 05).				
MR-3-03	% CPE/TOK/FOK – Missed Appointment					
Products	Resale: • POTS • 2 Wire Digital Services (ISDN)	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops				
Calculation	Calculation Numerator Denominator					
	Number of CPE, FOK and TOK troubles where clear time is greater than appointment time for (Disposition Codes 07, 08, 09, 12, and 13).	Number of CPE, FOK and TOK troubles (Disposition Codes 07,08, 09, 12, and 13).				

MR-4 Trouble Duration Intervals

Definition:

This metric measures trouble duration intervals. Mean Time to Repair: (MTTR) For Network Trouble reports, the average duration time from trouble receipt to trouble clearance. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). Troubles are reported in the month the trouble ticket is closed.

For **POTS and Resale**, trouble duration intervals are measured on a *running clock* basis. Run clock includes weekends and holidays.

For **UNE Loop**, **UNE 2-Wire Digital Loop**, and **UNE 2-Wire xDSL Loop** products, trouble duration intervals are measured on a limited *stop clock* basis. A *stop clock* is used when the customer premises access, provided by the CLEC and its end user, is after the offered repair interval. *For example*, if customer premises access is not available on a weekend, the clock stops at 5:00PM Friday, and resumes at 08:00AM Monday. This applies to dispatch out tickets only.

For **Special Services** and Interconnection Trunks (CLEC), this is measured on a *stop clock* basis (*e.g., the clock is stopped when CLEC testing is occurring,* VZ *is awaiting carrier acceptance, or* VZ *is denied access).*

Out of Service Intervals: The percent of Network Troubles that indicate an Out-Of-Service (OOS) condition which was repaired and cleared more than "y" hours after receipt of trouble report. OOS means that there is no dial tone, the customer cannot call out, or the customer cannot be called. The OOS period commences when the trouble is logged into VZ's designated trouble management system after the trouble is entered via a trouble reporting interface. OOS intervals are measured using the same duration calculations that apply to Mean Time to Repair metrics for the products listed above. Includes Disposition Codes 03 (Drop Wire), 04 (Cable) and 05 (Central Office). **Note:** "y" equals hours OOS (2, 4, 12 or 24 hours).

For Special Services: An OOS condition is defined as follows: Troubles where, in the initial contact with the customer, it is determined that the circuit is completely OOS (osi = "y") and not just an intermittent problem , and the trouble completion code indicated that a trouble was found within the Verizon network.

Verizon uses a single ticket process for misdirected troubles on UNE POTS voice loops (only). This process enables Verizon to redirect a trouble to the opposite end of the circuit after a CLEC made an error in the initial dispatch direction.

I 							
Exclusions:							
	Troubles reported on VZ official (administrative lines)						
	t reports (additional custom		trouble is pen	ding)			
	Premises Equipment (CPE)		0				
	ported but not found (Foun osed due to customer actio		<).				
	ported by Verizon employe		of performing r	veventative maintenance			
	ustomer reported a trouble.		n penonning p	neventative maintenance,			
			e of UNE POT	S Loop, UNE 2-Wire Digital			
	JNE 2-Wire xDSL Loop.	-		-			
	etric MR-4-03 POTS Loop						
				was found in the opposite Itiple dispatches in the same			
	e not excluded.			inple dispatches in the same			
	ere the stop clock is used:						
The time per	eriod from when the stop cle	ock is initiated unt	il the time whe	en the clock resumes.			
Performance							
Parity with VZ F	Retail						
Report Dime	ensions						
Company: • CLEC Agor	ogoto		Geography:State Sp	ooifia			
 CLEC Aggr CLEC Spect 			 State Sp 	echic			
	– Trouble Duration I	ntervals					
MR-4-01	Mean Time To Repair – 1						
Products	Resale:	UNE:		Trunks:			
	POTS	 Loop 		Interconnection Trunks			
	2 Wire Digital	2-Wire Digit	al Loop	(CLEC)			
	Services (ISDN)	 Specials not 	n DS0 and				
	Specials non DS0	DS0					
	and DS0 • Specials DS1 and DS3						
	Specials DS1 and DS3						
Calculation				Denominator			
	Sum of trouble clear date	-	Number of Central Office and Loop troubles				
	trouble receipt date and t		(Disposition Codes 03, 04 and 05, FAC,				
	Office and Loop troubles (Disposition		CO, and STN).				
	Codes 03, 04 and 05, FAC, CO, and						
	STN).						

Sub-Metrics – Trouble Duration Intervals, continued								
MR-4-02								
Products	 Resale: POTS- Business POTS- Residence 2-Wire Digital Services (ISDN) 	UNE: • Loop • 2-Wire Digital Loop • 2-Wire xDSL Loops						
Calculation	Numerator	Denominator						
	Sum of the trouble clear date and time minus the trouble receipt date and time for Loop troubles (Disposition Codes 03 and 04).	Number of Loop troubles (Disposition Codes 03 and 04).						
MR-4-03								
Products	Resale:UNE:• POTS- Business• POTS - Loop• POTS- Residence• 2-Wire Digital Loop• 2 Wire Digital Services (ISDN)• 2-Wire xDSL Loops							
Calculation	Numerator	Denominator						
	Sum of trouble clear date and time minus trouble receipt date and time for Central Office troubles (Disposition Code 05).	Number of Total Central Office troubles (Disposition Codes 05).						
MR-4-04	% Cleared (all troubles) within 24 Hours							
Products	Resale:UNE:• POTS• Loop• 2 Wire Digital Services (ISDN)• 2-Wire Digital L • 2-Wire xDSL Ld• Specials non DS0 and DS0• Specials non D • Specials DS1 and DS3	pops S0 and DS0						
Calculation	Numerator	Denominator						
	Number of troubles, where the trouble clear date and time minus trouble receipt date and time is less than or equal to 24 hours (Disposition Codes 03, 04, and 05, FAC, CO, and STN).	Number of Central Office and Loop troubles (Disposition Codes 03, 04 and 05, FAC, CO, and STN).						

Sub-Metrics – Trouble Duration Intervals, continued							
MR-4-05							
Products	Trunks:						
	Interconnection Trunks (CLEC)						
Calculation	Numerator		Denominator				
	Number of trunk troubles OOS, where the trouble clear date and time minus the trouble receipt date and time is greater than two (2) hours.		Number of Total OOS trunk troubles (Loop and Central Office).				
MR-4-06 % Out of Service > 4 Hours							
Products	 Resale: POTS – Business POTS - Residence Specials non DS0 and DS0 Specials DS1 and DS3 	DS0	als non DS0 and als DS1 and	Trunks: • Interconnection Trunks (CLEC)			
Calculation	Numerator		Denominator				
	Number of troubles OOS, where the trouble clear date and time minus trouble receipt date and time is greater than four (4) hours.		Number of OOS troubles (Loop and Central Office).				
MR-4-07 % Out of Service > 12 Hours							
Products	Resale: • POTS – Business • POTS - Residence • 2 Wire Digital Services (ISDN)		p Trunks: • Interconnection Trunks (CLEC) /ire xDSL Loops				
Calculation	Numerator Number of troubles OOS, where the trouble clear date and time minus trouble receipt date and time is greater than 12 hours.		Denominator				
			Number of OOS troubles (Loop and Central Office).				

Sub-Metrics – Trouble Duration Intervals							
MR-4-08 % Out of Service > 24 Hours							
Products	 Resale: POTS- Business POTS- Residence 2 Wire Digital Services (ISDN) Specials non DS0 and DS0 Specials DS1 and DS3 	 UNE: Loop 2-Wire Digital Loop 2-Wire xDSL Loops Specials non DS0 and DS0 Specials DS1 and DS3 		Trunks: • Interconnection Trunks (CLEC)			
Calculation	Numerator		Denominator				
	Number of troubles OOS, where the trouble clear date and time minus trouble receipt date and time is greater than 24 hours.		Number of OOS troubles (Loop and Central Office).				
MR-5 Repeat Trouble Reports

Definition:

This metric measures the percent of troubles closed that have an additional trouble closed within 30 days for which a network trouble (Disposition Codes 03, 04, or 05, FAC, CO, and STN) is found. A repeat trouble report is defined as a trouble on the same line/circuit/trunk as a previous trouble report that occurred within the last 30 calendar days of the previous trouble. Any trouble, regardless of the original Disposition Code, that repeats as a Disposition Code 03, 04, or 05 will be classified as a repeat report with the exception of those exclusions listed in Section A below.

The identification of a repeat report and the scoring (number of days since original report) is based on the Close Date of the original report (often referred to as the "OR") to the Close Date of the repeater. Troubles are reported in the month the trouble ticket is closed.

Exclusions:

Section A:

A report is not scored as a *repeat* when the original reports are:

- For Loop troubles (e.g. analog loop, 2-Wire Digital Loops, and 2-Wire xDSL Loops) a repeat is not scored when the original report is no access or misdirected.
 - 1. An initial trouble may only be closed to a *No Access* disposition code if access is not available within the appointment window.
 - 2. An original report that was closed to No Trouble Found (NTF), Found OK (FOK), or Customer Premises Equipment (CPE) is deemed to have been *misdirected* if the trouble is found in the opposite direction from the direction reported by the CLEC.

Section B:

Excluded from the *repeat* reports are:

- Troubles reported on VZ official (administrative lines)
- Subsequent reports (additional customer calls while the trouble is pending)
- CPE troubles
- Troubles reported but not found upon dispatch (Found OK and Test OK).
- Troubles closed due to customer action.
- Troubles reported by Verizon employees in the course of performing preventative maintenance, where no customer reported a trouble.
- Troubles that are reported in the PR-6-01 % Installation Troubles Reported within 30 Days metric.

Performance Standard:

Parity with VZ Retail

Report Dimensions	
Company: • CLEC Aggregate • CLEC Specific	Geography: State Specific

MR-5 Sub-M	MR-5 Sub-Metrics			
MR-5-01	% Repeat Reports wit	hin 30 Days		
Products	Resale: • POTS • 2-Wire Digital Services (ISDN) • Specials	UNE: • Loop • 2-Wire Digital Loo • 2-Wire xDSL Loop • Specials	•	Trunks: • Interconnection Trunks (CLEC)
Calculation	Number of Central Off that had previous troul days. (Disposition Co FAC, CO, and STN the Disposition Codes < 1 set)	tice and Loop troubles bles within the last 30 des 03, 04, and 05, at repeated from	troubles	Denominator Intral Office and Loop Found (Disposition Codes 03, 04 and CO, and STN) within the month.

Section 5

Network Performance

(NP)

	Function	Number of Sub-metrics
NP-1	Percent Final Trunk Group Blockage	4
NP-2	Collocation Performance	8
NP-6	NXX Updates *Applicable to NJ only*	1

Network Performance (NP)

Function:

NP-1 Percent Final Trunk Group Blockage

Definition:

These sub-metrics measure percent of dedicated one-way Final Trunk Groups (FTGs) carrying traffic from Verizon's tandem to the CLEC that exceed blocking design threshold. Monthly trunk blockage studies are based on a time consistent busy hour. The percentage of VZ trunk groups exceeding the applicable blocking design threshold will be reported. Data collected in a single study period to monitor trunk group performance is a sample and is subject to statistical variation based upon the number of trunks in the group and the number of valid measurements. With this variation, for any properly engineered trunk group, the measured blocking for a trunk group for a single study may exceed the design-blocking threshold. [Tables specify the blocking threshold (Service Threshold) under which Verizon operates, above which it is statistically probable that the design blocking standard is not being met and the trunk group requires servicing action. For B.005 design, this is trunk-groups exceeding a threshold of about 2% blocking.] [Verizon uses blocking standard is not being met; with the resulting trunk group requiring service action. For the NP-1 metrics, trunk groups exceeding a 2% threshold require action to prevent future blocking].

The NP-1-01 and NP-1-02 sub-metrics include all FTGs provisioned per CLEC request regardless of whether or not the CLEC utilizes the FTG.

For this measure, VZ Retail Trunks are defined as Common Final Trunks carrying Local Traffic between offices. Typical common final trunks are between end-offices and access tandems. CLEC Trunks are dedicated final trunks carrying traffic from the VZ tandem to the CLEC. Trunks not included:

- IXC Dedicated Trunks
- Common Trunks carrying only IXC traffic

Exclusions:

Verizon will electronically notify CLECs (operational trunk staffs), of the following situations for blocked trunks. The notification states that Verizon identified a blocked trunk group due to CLEC reasons and that the trunk group will be excluded from Verizon performance. Verizon will make the exclusion automatically, unless the CLEC responds back within two business days from the date the e-mail notification was sent with valid documentation that the information presented by Verizon for the trunk group blockage is inaccurate.

- Trunks blocked due to CLEC network failure
- Trunks that actually overflow to a final trunk, but are not designated as an overflow trunk
- Trunks blocked where CLEC order for augmentation is overdue
- Trunks blocked where CLEC has not responded to or has denied VZ request for augmentation
- Trunks blocked due to other CLEC trunk network rearrangements.

Performance Standard:

Metrics NP-1-01, 02, and 03: No standard (Note: Because common trunks carry both retail and CLEC traffic, there will be parity with Retail on common trunks.)

For individual trunk groups carrying traffic between VZ and CLECs, VZ will provide an explanation (and action plan if necessary) on individual trunks blocking for two months consecutively.

Metric NP-1-04: An individual trunk should not be blocked for three consecutive months.

End User Standard [Applicable to New York only]:

602.1(m) Final Trunk Group - The last choice group of common interoffice communications channels for the routing of local, operator and/or toll calls.

603.3(g) Percent Final Trunk Group Blockages. This metric is defined as the monthly percentage of blocked calls on any local, toll, and local operator final trunk groups and has a performance threshold of 3.0% or less for each final trunk group.

603.4(d)(3) For Percent Final Trunk Group Blockages, a Service Inquiry Report shall automatically be filed whenever performance is not at or better than 3.0 percent for three consecutive months.

Report Dimensions – NP-1 Percent Final Trunk Group Blockage		
Company:		Geography:
CLEC Aggregate		State Specific
CLEC Spec	ific	
Products	Trunks:	
	CLEC Trunks	
Sub-Metrics		
NP-1-01	% Final Trunk Groups Exceeding Blocking	Standard
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed	Total number of final trunk groups.
	blocking threshold for one (1) month	
	exclusive of trunks that block due to CLEC	
	network problems as agreed by CLECs.	
NP-1-02	% Final Trunk Groups Exceeding Blocking	1
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed	Total number of final trunk groups.
	blocking threshold.	
NP-1-03	Number Final Trunk Groups Exceeding Blo	cking Standard – Two (2) Months
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed	Not applicable.
	blocking threshold, for two (2) consecutive	
	months, exclusive of trunks that block due	
	to CLEC network problems as agreed by	
NP-1-04	CLECs.	aking Standard Three (2) Mantha
	Number Final Trunk Groups Exceeding Blo	
Calculation	Numerator	Denominator
	Number of Final Trunk Groups that exceed	Not applicable.
	blocking threshold, for three (3) consecutive	
	months, exclusive of trunks that block due	
	to CLEC network problems as agreed by CLECs.	

NP-2 Collocation Performance

Definition:

This metric includes physical and virtual collocation arrangement products ordered and provisioned via the state tariffs and virtual collocation arrangement products ordered and provisioned via the federal tariff. Products ordered include new arrangements and augments to existing arrangements where Verizon is required to perform work to add capacity for space, cable termination or DC power. Both state and federal collocation arrangements are provisioned in accordance with the intervals listed in the state tariff.

Interval: The average number of business days between order application date and completion or between order application date and response (notification of space availability) date. If a CLEC delays the collocation installation, the collocation interval is extended by the same number of days as the CLEC-caused delay. The application date is the date that a valid service request is received. A valid service request is a service request that was populated in accordance with the collocation application instructions found in the URL matrix listed at the beginning of the C2C guidelines.

Verizon and the CLECs may negotiate shorter or longer intervals after Verizon completes an initial space assessment and determination of the collocation request. In these cases, the NP-2 % On-time submetrics measure whether or not Verizon met the negotiated due date. The negotiated due date is documented on the initial response form. If Verizon is not able to provide a due date on the initial response form because space is not immediately available to accommodate the CLEC request, but space is pending, rather than reject the CLEC request (because no space is immediately available) Verizon will provide a negotiated due date on a subsequent letter to the CLEC.

Refer to the state tariff in effect for interval information. Refer to the URL matrix listed at the beginning of the C2C guidelines for the URL for specific collocation intervals (specific timelines and stop clocks are listed in the tariff). After accessing the referenced URL, select the desired state to access the state-specific tariffs.

Completions: VZ will not be deemed to have completed work on a collocation case until the arrangement is suitable for use by the CLEC, and the cable assignment information necessary to use the facility has been provided to the CLEC.

Exclusions:

• None

NP-2 Collocation Formula:

<u>Interval: (Completed arrangementCompletion Date</u> minus the Application Date (adjusted for milestone misses)) divided by the Number of Arrangements Completed.

<u>% On Time</u>: (Number of Arrangements completed on <u>or before DD</u> (adjusted for milestone misses) divided by Number of Arrangements completed) multiplied by 100.

<u>Delay Days</u>: (Actual Completion Date minus the Committed DD (adjusted for milestone misses) for <u>arrangements where the DD was missed</u>) divided by the Number of Arrangements where DD is missed. <u>Milestone misses</u>: The Milestone timeline is attached in the Appendix P.

Performance Standard:

The collocation performance standards are based on the state tariff in effect for collocation. Refer to the URL matrix at the beginning of the C2C guidelines for the state tariff URL to obtain specific collocation intervals.

NP-2-01, NP-2-02, NP-2-05 and NP-2-06 Physical and Virtual: 95% On Time NP-2-03, NP-2-04, NP-2-07 and NP-2-08: No standard. Average metric calculations do not have a standard. These metrics show the average interval; the actual standards are listed in the state tariff.

Report Dime	ensions	
Company:		Geography:
CLEC Aggregate		State Specific
CLEC Spec		
Products	New Applications	
NP-2-01 and	Augment Applications	
NP-2-02		
Sub-Metrics	% On Time Response to Request for Physic	al Collocation
Calculation	Numerator	Denominator
Calculation		
	Number of requests for Physical Collocation arrangements where a response to the	Number of requests for Physical Collocation where the initial response
	request was due in report period and was	was due in report period.
	answered on time.	was due in report period.
NP-2-02	% On Time Response to Request for Virtual	Collocation
Calculation	Numerator	Denominator
	Number of requests for Virtual Collocation	Number of requests for Virtual
	arrangements where a response to the	Collocation where the initial response
	request was due in report period and was	was due in report period.
	answered on time.	
NP-2-03	Average Interval – Physical Collocation	
Products	New Applications	
	Augment Applications not subject to the 4	-
	Augment Applications subject to the 45 bits	usiness day interval
Calculation	Numerator	Denominator
	Sum of duration from application date to	Number of Physical Collocation
	completion date for Physical Collocation	arrangements completed.
	arrangements completed during report	
	period. (Excludes time for CLEC milestone	
NP-2-04	misses). Average Interval – Virtual Collocation	
Products	New Applications	
Troutoto	New Applications Augment Applications	
Calculation	Numerator	Denominator
	Sum of duration from application date to	Number of Virtual Collocation
	completion date for Virtual Collocation	arrangements completed.
	arrangements completed during report	
	period. (Excludes time for CLEC milestone	
	misses).	

	s NP-2 Collocation Performance (cont	inued)
NP-2-05	% On Time – Physical Collocation	
Products	New ApplicationsAugment Applications	
Calculation	Numerator	Denominator
	Number of Physical Collocation arrangements completed on or before DD (including DD extensions resulting from CLEC milestone misses).	Number of Physical Collocation arrangements completed.
NP-2-06	% On Time – Virtual Collocation	-
Products	New Applications	
	Augment Applications	
Calculation	Numerator	Denominator
	Number of Virtual Collocation arrangements completed on or before DD (including DD extensions resulting from CLEC milestone misses).	Number of Virtual Collocation arrangements completed.
NP-2-07	Average Delay Days – Physical Collocation	
Products	New ApplicationsAugment Applications	
Calculation	Numerator	Denominator
Calculation	Sum of duration between actual Physical Collocation arrangement due completion date and DD for missed Physical Collocation arrangements (including DD extensions resulting from CLEC milestone misses).	Number of missed Physical Collocation arrangements.
NP-2-08	Average Delay Days – Virtual Collocation	
Products	New Applications	
	Augment Applications	
Calculation	Numerator	Denominator
	Sum of duration between actual Virtual Collocation arrangement due -completion date and DD for missed Virtual Collocation arrangements (including DD extensions resulting from CLEC milestone misses).	Number of missed Virtual Collocation arrangements.

Function:			
	NP-6 NXX Updates (Applicabl	le to NJ Only)	
Definition:			
Local Exchange	This metric measures the percentage of NXX updates that were installed in Verizon's switches by the Local Exchange Routing Guide ("LERG") effective date. This metric will be measured and reported on a calendar quarterly basis and will be included in Performance Standards calculations for the final month of the quarter		
Exclusions:			
 NXX updates where the interval between Verizon receipt of the CLEC request for the NXX update and the CLEC requested NXX update installation date is less than the industry standard interval specified by ATIS for requesting an NXX update (including, but not limited to, a requested activation date that is less than 45 days from input of code request information into the LERG). Delays in installation of NXX updates caused by the CLEC (including, but not limited to, activation requests with errors or omissions in the LERG, RDBS or BRIDS, changes in the information entered in the LERG, RDBS or BRIDS, or delays in assignment of NXX codes or installation of NXX codes caused by the CLEC). 			
Performance	Performance Standard:		
Parity with Veriz	on Retail.		
Report Dimensions			
Company: • CLEC Aggregate • CLEC Specific Geography: • State Specific			
Sub-Metrics:			
NP-6-01 % of NXX Updates Installed by the LERG Effective Date			
Calculation	Numerator	Denominator	
	Number of NXX updates in the reporting period that were installed by the LERG	Total number of NXX updates in the reporting period.	

. effective date.

Section 6

Billing Performance

(BI)

	Function	Number of Sub-metrics
BI-1	Timeliness of Daily Usage Feed	1
BI-2	Timeliness of Carrier Bill	1
BI-3	Billing Accuracy and Claims Processing	4
BI-4	DUF Accuracy* (*Applicable to NJ Only)	1
BI-5	Accuracy of Mechanized Bill Feed* (*Applicable to NJ Only)	1
BI-6	Completeness of Usage Charges* (*Applicable to NJ & PA Only)	2
BI-7	Completeness of Fractional Recurring Charges* (*Applicable to NJ & PA Only)	2
BI-8	Non-Recurring Charge Completeness* (*Applicable to NJ & PA Only)	2
BI-9	Billing Completeness	1

Billing Performance (BI)

Function:

BI-1 Timeliness of Daily Usage Feed

Definition:

This metric measures the number of business days from the creation of the message to the date that the usage information is made available to the CLEC on the Daily Usage Feed (DUF). Measured in percentage of usage records transmitted within four (4) business days. One report covers both UNE and Resale. For CLECs requesting this service, usage records will be provided to CLECs each business day. The usage process starts with collection of usage information from the switch. Most offices have this information teleprocessed to the data center. Not all offices poll usage every business day. Weekend and holiday usage is captured on the next business day. Usage for all CLECs is collected at the same time as VZ's.

Exclusions:

- Verizon Test Orders
- Long Duration Calls*

*Long Duration calls are defined as those calls that remain connected through two successive midnights. On all such calls, the call assembly process may output up to three record types indicating the beginning, continuation, or end of a long duration call. An annual study will be performed each December to determine the current volume of long duration calls.

Formula:

 Total usage records on DUF made available to CLEC in "y" business days divided by the total records on file) multiplied by 100

 Note: y = 4

 Performance Standard:

 BI-1-02: 95% in Four (4) Business Days

 Geography:

 6 CLEC Aggregate

 Company:

 Company:

 C CLEC Aggregate

 C CLEC Specific

 Sub-Metrics

 BI-1-02

 % DUF in four (4) Business Days

 Calculation

 Numerator

 Denominator

Calculation	Numerator	Denominator
	Number of usage records on daily usage	Number of Usage Records on DUF
	feed processed during month, where the	processed during month.
	difference between current date and call	
	date is four (4) business days or less.	

BI-2 Timeliness of Carrier Bill

Definition:

The percent of carrier bills sent to the carrier, unless the CLEC requests special treatment, within 10 business days of the bill date. The bill date is the end of the billing period for recurring, non-recurring and usage charges.

Exclusions:

• Verizon Test Orders

Formula:

(Number of Bills sent within 10 business days divided by Number of Bills sent) multiplied by 100.

Performance Standard:

98% in 10 Business Days

Report Dimensions

Company:

CLEC Aggregate

Sub-Metrics	

BI-2-01	Timeliness of Carrier Bill	
Calculation	Numerator	Denominator
	Number of carrier bills sent to CLEC ²⁵ within 10 business days of bill date.	Number of Carrier Bills distributed.

Geography:

State Specific

•

BI – 3 Billing Accuracy & Claims Processing

Definition:

For sub-metrics BI-3-04, BI-3-05, BI-3-07 and BI-3-08:

These sub-metrics measure the promptness with which Verizon acknowledges and resolves CLEC billing adjustment claims processed in the Verizon Bill Claim Center. These sub-metrics include CLEC claims relating to a Wholesale Local bill presented by Verizon to the CLECs and is the CLEC's bill of record. These sub-metrics apply to CLEC claims that are submitted within 60 calendar days of the bill date and that are related to bill periods beginning on or after April 1st, 2003 in Verizon NY, CT and MA²⁶. Procedural Issues:

- Business hours for receipt of billing claims and transmission of responses are Monday through Friday, 8:00AM to 5:00PM Eastern Time, excluding Verizon Holidays;
- CLEC claims for billing errors or Verizon responses received outside these business hours shall be considered received at 8:00AM Eastern Time on the first business day thereafter.
- Claims must be submitted by e-mail to the appropriate claims organization. Refer to the URL matrix at the beginning of the C2C guidelines for the URL on Inquiries, Claims and Adjustments in effect at the time of the filing. All requested information must be provided. Only claims submitted via e-mail are included in the BI-3 metric calculations. Claims submitted via fax or US mail or any means other than email are not included in the BI-3 metric calculations.

Acknowledgment

- Acknowledgement is defined as the transmission of a specifically formatted message acknowledging receipt of the claim with required information or transmission of a message informing the CLEC that the (numbered) claim cannot be processed for a specified reason(s) (for example, if additional detail or information is needed) by e-mail to the e-mail address from which the CLEC sent the claim. The message will contain both the Verizon claim number and the associated CLEC claim number (when provided by the CLEC).
- Day of receipt shall be considered Day zero (0) for computing acknowledgement performance. The e-mail date/time stamp on the CLEC e-mail of claim submission will determine Day 0.
- The date/time stamp on the e-mail containing the Acknowledgement message will be considered the Acknowledgement time of record.

Resolution

- A claim is considered "resolved" when Verizon transmits an e-mail (in a predefined standard format) to the e-mail address from which the CLEC sent the claim and that either 1) denies the claim, 2) grants the claim or 3) denies the claim in part and grants the claim in part.
- Day of acknowledgement of a billing claim (as evidenced by the e-mail date/time stamp on the acknowledgement message) shall be considered Day "0"
- If the 28th calendar day falls on a weekend or Verizon Holiday, resolution will be considered timely if returned on the next business day.

²⁶ The April 1, 2003 start date applies to New York, Connecticut, and Massachusetts. The start dates for the remaining VZ East states are as follows: New Hampshire, Maine, Rhode Island and Vermont: December 1st, 2001; Pennsylvania: April 1st, 2003; Delaware: July 1st, 2002; New Jersey: Contingent on Guideline approval; Maryland: Jan 1st, 2003; District of Columbia: Sept 1st, 2002; Virginia: June 1st, 2002, West Virginia: Feb 1st, 2003.

Definition. continued:

Closure

A claim is considered "closed" when the credit appears (with both the Verizon and CLEC claim ٠ numbers) in the adjustment section of the Verizon invoice or when the CLEC agrees (via e-mail with Verizon's denial of the claim.

Scope

For each master billing account number (BAN), each reason code submitted by a CLEC will count as a separate claim. There is no limitation on the number of claims by BAN or by reason code.

Note: Sub-metric BI-3-08 is reported on a two (2) month delayed basis.

Exclusions:

For sub-metrics BI-3-04, and BI-3-05, BI-3-07 and BI-3-08: CLEC claims for adjustments such as: • charges for directories, incentive regulation credits, credits for performance remedies, out-of-service credits, and special promotional credits.

Performance Standard:

BI-3-04: 95% within two (2) business days after receipt

BI-3-05: 95% within 28 calendar days after acknowledgement

BI-3-07: No standard

BI-3-08: 97.5% within 45 calendar days

Report Dimensions

Company:

- Geography: **CLEC** Aggregate • CLEC Specific (applicable to MD for BI-3-04 and BI-3-05 only) MD Only: Verizon Affiliate Aggregate (applicable to MD for • BI-3-04 and BI-3-05 only)
- MD-Only: Verizon Affiliate Specific (applicable to MD for BI-• 3-04 and BI-3-05 only)
- State Specific

Sub-Metrics			
BI-3-04	BI-3-04 % CLEC Billing Claims Acknowledged within two (2) Business Days		
Calculation	Numerator	Denominator	
	Number of billing adjustment claims received during the month that are acknowledged within two business days after receipt.	Total number of billing adjustment claims received during the month.	
BI-3-05 % CLE	C Billing Claims Resolved within 28 Calence	ar Days After Acknowledgement	
Calculation	Numerator	Denominator	
	Number of billing adjustment claims where the resolution was due in the report month and are resolved within 28 calendar days after acknowledgement.	Total number of billing adjustment claims where the resolution was due during the month.	
BI-3-07	% Full or Partial Denials		
Calculation	Numerator	Denominator	
	Number of claims for which the Verizon resolution is a full or partial denial in a month.	Total number of current month resolved claims.	
BI-3-08	% CLEC Billing Claim Adjustments Appea	ring on the Bill within 45 days	
Calculation	Numerator	Denominator	
	Number of resolved billing claims in the report month where the adjustment has appeared on an invoice in 45 or less days from the resolution date.	Total number of resolved billing claims in the report month where adjustment is granted.	

BI – 4 DUF Accuracy (Applicable to NJ Only)

Definition:

This measure captures the accuracy of the usage records transmitted from Verizon to the CLEC on the Daily Usage Feed ("DUF"). The measure is derived by dividing the number of usage records delivered in the reporting period that had complete information content and proper formatting by the total number of usage records delivered in the reporting period. The CLEC must report to Verizon within thirty (30) days after receipt usage records that do not have complete information content or proper formatting.

In order to allow CLECs thirty (30) days to report DUF errors, the measurement for a reporting period will be reported and used for Performance Standards purposes on a one-month delayed basis (e.g., the measurement for the January reporting period will be included with measurements for February that are reported in March).

Exclusions:

For Metric BI-4-01, any usage record with incomplete information content or improper formatting that is not reported to Verizon by CLEC within thirty (30) days after CLEC receipt of the usage record.

Performance Standard:				
	Metric BI-4-01: 95%			
Report Dime	ensions:			
Company: Geography: • CLEC Aggregate • State Specific • CLEC Specific • State Specific				
Sub-Metrics	Sub-Metrics			
BI-4-01	BI-4-01 % Usage Accuracy			
Calculation	Numerator	Denominator		
	Number of usage records delivered in the reporting period that had complete information content and proper formatting	Total number of usage records delivered in the reporting period		

BI – 5 Accuracy of Mechanized Bill Feed (Applicable to NJ Only)

Definition:

This measure captures the accuracy of the mechanized bill feed for CRIS bills. The measure is derived by dividing the total number of mechanized bill feed files delivered in the reporting period that had complete information content and proper formatting by the total number of files delivered in the reporting period. The CLEC must report to Verizon within thirty (30) days after receipt mechanized bill feed files that do not have complete information content or proper formatting.

In order to allow CLECs thirty (30) days to report mechanized bill feed errors, the measurement for a reporting period will be reported and used for Performance Standards purposes on a one-month delayed basis (e.g., the measurement for the January reporting period will be included with measurements for February that are reported in March).

Exclusions:

Any file with incomplete information content or improper formatting not reported to Verizon by CLEC within thirty (30) days after CLEC receipt of the file.

Performance Standard:				
95%				
Report Dim	ensions:			
Company: Geography: • CLEC Aggregate • State Specific • CLEC Specific • State Specific				
Sub-Metrics	Sub-Metrics			
BI-5-01	BI-5-01 % Accuracy of Mechanized Bill Feed			
Calculation	Numerator	Denominator		
	Total number of files delivered in the reporting period that had complete information content and proper formatting	Total number of files delivered in the reporting period		

BI – 6 Completeness of Usage Charges (Applicable to NJ & PA Only)

Definition:

This measure captures the completeness of VZ usage charges and VZ usage billing errors that are itemized by date on the carrier bill of record. It is derived by dividing the count of date itemized usage charges on the bill that were recorded during the last two billing cycles by the total count of date itemized usage charges that appear on the bill.

For VZ Retail, VZ may elect to perform this measurement by using a statistically valid sampling methodology.

The BI-6-01 metric is applicable to both NJ and PA. The BI-6-02 metric is applicable to PA only.

Exclusions:

Metric BI-6-02: A usage charge that accrued prior to the last two billing cycles and whose billing was delayed because of an order activity post completion discrepancy.

Formula:

[(Usage charges shown on the bill that were recorded during the last two billing cycles) / (Total usage charges shown on the bill)] x 100

Performance Standard:

BI-6-01:

NJ: Parity with VZ Retail

PA: No standard

BI-6-02: Parity with VZ Retail.

Report Dimensions:

Company:

- CLEC Aggregate
- CLEC Specific

- Geography:
 - BI-6-01: State Specific
 - BI-6-02: PA: State Specific

Sub-Metrics

BI-6-01 % Completeness of Usage Charges – Including Order Activity Post Completion Discrepancy Delayed Charges

Calculation	Numerator	Denominator		
	Usage charges shown on the bill that were recorded during the last two billing cycles	Total usage charges shown on the bill		
	BI-6-02 % Completeness of Usage Charges – Excluding Order Activity Post Completion Discrepancy Delayed Charges * applicable to PA only*			
Calculation	Numerator	Denominator		
	Usage charges shown on the bill that were recorded during the last two billing cycles	Total usage charges shown on the bill		

BI – 7 Completeness of Fractional Recurring Charges (Applicable to NJ & PA Only)

Definition:

This measure captures the completeness of VZ fractional recurring charges shown on the carrier bill of record. The measure is derived by dividing the fractional recurring charges shown on the bill that accrued in the last two billing cycles by the total fractional recurring charges shown on the bill.

A "fractional recurring charge" is a recurring charge for a service that was subscribed to by a CLEC for only a portion of a billing cycle (e.g., the monthly recurring charge for a service that was installed or terminated on 15th day of a 30 day bill cycle).

For VZ Retail, VZ may elect to perform this measurement by using a statistically valid sampling methodology.

The BI-7-01 metric is applicable to both NJ and PA. The BI-7-02 metric is applicable to PA only. Exclusions:

Metric BI-7-02: A fractional recurring charge that accrued prior to the last two billing cycles and whose billing was delayed because of an order activity post completion discrepancy.

Formula:

[(Fractional recurring charges shown on the bill that accrued in the last two billing cycles) / (Total fractional recurring charges shown on the bill)] x = 100

Performance Standard:

BI-7-01:

NJ: Parity with VZ Retail PA: No standard.

BI-7-02: Parity with VZ Retail.

Re	port	Dime	nsions	S:

Company:

- CLEC Aggregate
- CLEC Specific

Geography:

- BI-7-01: State Specific
- BI-7-02: PA: State Specific

Sub-Metrics

BI-7-01 % Completeness of Fractional Recurring Charges – Including Order Activity Post Completion Discrepancy Delayed Charges

Calculation	alculation Numerator Denomi	
	Fractional recurring charges shown on the bill that accrued in the last two billing cycles	Total fractional recurring charges shown on the bill
BI-7-02 % Completeness of Fractional Recurring Charges – Excluding Order Activity Post Completion Discrepancy Delayed Charges *metric is applicable to PA only*		
Calculation	Numerator	Denominator
	Fractional recurring charges shown on the bill that accrued in the last two billing cycles	Total fractional recurring charges shown on the bill

BI – 8 Non-Recurring Charge Completeness (Applicable to NJ & PA Only)

Definition:

This measure captures the completeness of VZ non-recurring charges shown on the carrier bill of record. The measure is derived by dividing the non-recurring charges shown on the bill that accrued in the last two billing cycles by the total non-recurring charges shown on the bill.

For VZ Retail, VZ may elect to perform this measurement by using a statistically valid sampling methodology.

The BI-8-01 metric is applicable to both NJ and PA. The BI-8-02 metric is applicable to PA only.

Exclusions:

Metric BI-8-02: A non-recurring charge that accrued prior to the last two billing cycles and whose billing was delayed because of an order activity post completion discrepancy.

Formula:

[(Non-recurring charges shown on the bill that accrued in the last two billing cycles) / (Total non-recurring charges shown on the bill)] x 100

Performance Standard:

BI-8-01:

NJ: Parity with VZ Retail

PA: No standard.

BI-8-02: Parity with VZ Retail.

Report Dimensions:

Company:

- CLEC Aggregate
- CLEC Specific

- Geography:
 - BI-8-01: State Specific
 - BI-8-02: PA: State Specific

Sub-Metrics

BI-8-01 % Completeness of Non-Recurring Charges – Including Order Activity Post Completion Discrepancy Delayed Charges

Calculation	Numerator	Denominator
	Non-recurring charges shown on the bill that accrued in the last two billing cycles	Total non-recurring charges shown on the bill
BI-8-02 % Completeness of Non-Recurring Charges – Excluding Order Activity Post Completion Discrepancy Delayed Charges *Applicable to PA only*		
		cluding Order Activity Post Completion
		Denominator

Function:			
BI – 9 Billing Compl	eteness		
Definition:			
This measure captures the completeness of the absolute value of the Verizon charges and credits shown on the Carrier bill of record (issued during the reporting month). The measure is derived by dividing the charges shown on the bill of record that accrued in the last twelve monthly billing cycles by the total charges shown on the bill.			
Maintenance of service charges are billed three billing cycle	es after trouble ticket close date.		
Billing adjustments (i.e. rate changes, rate restructures) as a result of a regulatory order (including but not limited to retroactive regulatory orders) are considered timely if billed within twelve billing cycles from the date the order is effective, unless otherwise ordered.			
Exclusions:			
 Performance Credits including PAP, IP, or ICA credits that are delayed by arbitration/contract signature Charges attributable to fraud Charges delayed by a third party carrier (e.g., meet point billing) 			
Performance Standard:			
Metric BI-9-01: 96%			
Report Dimensions:			
Company:Geography:• CLEC Aggregate• State Specific• CLEC Specific• State Specific			
Sub-Metrics			
BI-9-01 % Billing Completeness in Twelve Billing Cycles			
Calculation Numerator	Denominator		
Current charges shown on the bill that accrued in the last twelve billing cycles	Total current charges shown on the bill		

Section 7

Operator Services & Directory Assistance

(OD)

	Function	Number of Sub-metrics
OD-1	Operator Services/Directory Assistance – Speed of Answer	2
OD-2 OD-3	LIDB, Routing and OS/DA Platforms DA Database Update Accuracy* (*Applicable to NJ Only)	0 1

Operator Services and Databases (OD)

Function:			
OD-1 Operator Services/Directory Assistance – Speed of Answer			
Performance	Standard:		
Standard: Avera	ge Speed of Answer provided at parity with Ve	rizon retail.	
Exclusions:			
None			
Report Dimensions			
For metric OD-1-01 Operator Services – Speed of Answer Geography: • State Specific Retail/Resale combined • State Specific CLEC (facility based)			
 For metric OD-1-02 Directory Assistance – Speed of Answer State Specific Retail/Resale combined State or regional Specific Operator Service Centers²⁷ 			
Sub-Metrics			
OD-1-01	Average Speed of Answer – Operator Servi	ces	
Calculation	Numerator	Denominator	
	Sum of call answer time from the time the calls enter the queue for an operator to the time the calls are answered by an operator.	Number of Calls Answered.	
OD-1-02	OD-1-02 Average Speed of Answer – Directory Assistance		
Calculation	Numerator	Denominator	
	Sum of call answer time from the time the calls enter the queue for an operator to the time the calls are answered by an operator.	Number of Calls Answered.	

²⁷ If no Ny CLEC traffic is handled by these centers, the data will not be reported.

²⁸ The operator service and directory assistance call centers that serve Verizon Virginia do not serve Verizon South. The operator service and directory assistance call centers that serve Verizon South for Virginia also serve other Verizon states. Since Verizon is unable to measure Verizon South operator service and directory assistance call center performance for Virginia separately from call center performance for other states, Metric OD-1, "Operator Services/Directory Assistance – Speed of Answer," applies only to the Verizon Virginia service area.

OD-2 LIDB, Routing and OS/DA Platforms

Performance Standard:

LIDB:

- LIDB reply rate to all query attempts: Bellcore produced standard
- LIDB query time out: Bellcore produced standard
- Unexpected data values in replies for all LIDB queries: 2%
- Group troubles in all LIDB queries Delivery to OS Platform: 2%
- 800 Database: Bellcore produced standard

AIN: Bellcore produced standard

Metrics Not Reported:

Verizon does not have the capability to report this performance area.

Function: **OD-3 DA Database Update Accuracy (Applicable to NJ only) Definition:** Directory Assistance. For Directory Assistance updates completed during the reporting period, the update order that the CLEC sent to Verizon is compared to the Directory Assistance database following completion of the update by Verizon. An update is "completed without error" if the Directory Assistance database accurately reflects the new listing, listing deletion or listing modification, submitted by the CLEC. Methodology: This measurement will be performed using statistically valid samples. **Exclusions**: None. • **Performance Standard:** OD-3-01: Parity with Verizon Retail. **Report Dimensions:** Company: Geography: CLEC Aggregate State Specific • CLEC Specific **Sub-Metrics** OD-3-01 % Directory Assistance Update Accuracy – Including Service Order (Order Activity Post Completion Discrepancy) Errors Calculation Numerator Denominator Number of updates completed without error Total number of updates.

Section 8

General and Miscellaneous Standards

(GE)

	Function	Number of Sub-metrics
GE-1	Directory Listing Verification Reports* (*Applicable to NJ Only)	1
GE-2	Poles, Ducts, Conduit and Rights of Way* (*Applicable to NJ Only)	1
GE-3	Bona Fide Request Responses* (*Applicable to NJ Only)	1
GE-5	Directory Listing Verification Reports* (*Applicable to PA Only) Timely and Accurate Provisioning of White Page	5
GE-6	Directory Listings LSRs and DSRs* (*Applicable to PA Only)	2

General (GE)

Function:

GE-1 Directory Listing Verification Reports (Applicable to NJ Only)

Definition:

This metric measures the percentage of directory listing verification reports transmitted<u>made available</u> on or before the due date. For the purposes of this metric, the due date for a directory listing verification report will be deemed to be the date 30 business days prior to the close out date for the directory. The process for obtaining listing verification reports is documented in Verizon's CLEC and Reseller Handbooks.

Exclusions:					
Reports that the CLEC has requested be transmitted less than 30 business days prior to the close out date for the directory.					
Performance	e Standard:				
95% of directory	/ listing verification reports transmitted on or be	fore the due date.			
Report Dime	Report Dimensions				
Company:	Company: Geography:				
	CLEC Aggregate State Specific				
CLEC S	CLEC Specific				
Sub-Metrics					
GE-1-01	GE-1-01 % of Directory Listing Verification Reports Furnished On-Time				
Calculation	Numerator	Denominator			
	Number of directory listing verification	Total number of directory listing			
	reports due in the reporting period that are	verification reports due in the reporting			
	transmittedmade available on or before the	period.			
	due date.				

GE-2 Poles, Ducts, Conduit and Rights of Way (Applicable to NJ Only)

Definition:

This metric measures the percentage of requests for access to Verizon poles, ducts, conduit and rights of way, for which a response stating whether access will be granted is transmitted on or before the due date. For the purposes of this metric, the due date for a response to a request for access will be deemed to be the date 45 days after Verizon's receipt of a complete and accurate request for access.

Exclusions:

- Requests for access where the requesting party has agreed to receive a response to the request more than 45 days after Verizon's receipt of the request.
- Delays in Verizon's response to the request caused by the CLEC (including, but not limited to, a failure by the CLEC to submit a reasonably complete and accurate request [application] for access, a failure by the CLEC to timely provide information needed to process its request for access, and changes in the CLEC's request for access).

Performance Standard:					
95% of respons	es transmitted on or before the due date.				
Report Dime	ensions				
Company:		Geography:			
CLEC A	Aggregate	State Specific			
CLEC S		·			
Sub-Metrics					
GE-2-01	GE-2-01 % of Access Request Responses Transmitted On-Time				
Calculation	Numerator	Denominator			
	Number of access request responses due	Total number of access request			
	in the reporting period that are transmitted	responses due in the reporting period.			
	on or before the due date.				

GE-3 Bona Fide Request Responses (Applicable to NJ Only)

Definition:

This metric measures the percentage of bona fide requests ("BFRs") for access to UNEs, for which a response stating whether the requested access will be offered is transmitted on or before the due date. For the purposes of this metric, the due date for a response to a request for access will be deemed to be the due date specified in the CLEC's interconnection agreement with Verizon or such later date as may have been agreed to by the CLEC and Verizon.

Exclusions:

• None

Performance Standard:

No standard.

Report Dimensions

Company:

- CLEC Aggregate
- CLEC Specific

- Geography: • State Specific

|--|

GE-3-01 % of BFR Responses Furnished On-Time		
Calculation	Numerator	Denominator
	Number of BFR access request responses due in the reporting period that are transmitted on or before the due date.	Total number of BFR access request responses due in the reporting period.

GE-5 Directory Listing Verification Reports (Applicable to PA Only)

Definition:

This metric measures the timeliness and accuracy of directory listing verification reports ("DLVR"), and corrections to the electronically transmitted DLVR that CLECs submit to correct errors in the DLVR. For the purposes of this metric, the due date for a directory listing verification report will be deemed to be the date 30 business days prior to the close out date for the directory. The due date for CLEC submissions of corrections is 15 calendar days prior to the close out date for the directory. The due date for Verizon's corrected DLVR to CLECs is 10 calendar days prior to the close out date for the directory. The process for obtaining listing verification reports is documented in VZ's CLEC and Reseller Handbooks, as supplemented by this performance metric.

This metric also measures the completeness and accuracy of the listings contained in Verizon's White Pages Directories.

Error means any omission of a directory listing for which the CLEC requested the inclusion of the listing in the directory; the inclusion of a directory listing for which the CLEC requested the exclusion of the listing in the directory; incorrect telephone number; incorrect address; incorrect name.

"Incorrect" means any deviation from the listing information contained in the LSR or DSR.

GE-5-01 will examine a statistically valid random sample of each individual CLEC's white pages listings contained in each DLVR to determine whether those listings were provisioned accurately in accordance with the CLEC's DSR/LSR. For LSR/DSR orders that select the "retain as is" or "ERL" field, Verizon PA must examine the listing information contained in the database prior to processing the CLEC order and subsequent to processing the CLEC order, to determine whether the CLEC order was provisioned accurately.

Notes:

GE-5 was originally numbered as GE-1 in the Pennsylvania C2C Guidelines.

GE-5 is a tracking metric for a trial period after which it will be evaluated to determine if it captures both the appropriate performance and measures it meaningfully.

Exclusions:

- Reports that the CLEC has requested be transmitted less than 30 business days prior to the close out date for the directory.
- GE-5-02 Directory Listings that were provisioned accurately in accordance with the original DSR or LSR.

Performance Standard:

- GE-5-01 95% of DLVRs transmitted on or before the due date.
- GE-5-02 98% accuracy of DLVRs
- GE-5-03 98% of DLVR revisions transmitted on or before the due date
- GE-5-04 98% accuracy on DLVRs revisions
- GE-5-05 99% accuracy of White Page Listings

Report Dimensions:			
Company: Geography:		Geography:	
CLEC Aggregate		State Specific	
CLEC Specific			
Products	• All		
Sub-Metrics		on Reports	
GE-5-01	% of Directory Listing Verification Repor		
Calculation	Numerator	Denominator	
	Number of DLVRs due in the reporting period that are transmitted on or before the due date.	Total number of DLVRs due in the reporting period.	
GE-5-02	% Accuracy of DSR/LSR Inclusion in DL	VRs	
Calculation	Numerator	Denominator	
GE-5-03	Number of CLEC specific listings included in the random sample of listings contained in each DLVR transmitted within the reporting period or the prior reporting period for which the due date for the submissions of DLVRs is within the reporting period, that were provisioned accurately in accordance with the original DSR/LSR.	Total Number of sampled CLEC specific listings.	
Calculation	Numerator	Denominator	
	Number of DLVR revisions in the reporting period that are transmitted on or before the due date to the CLEC	Total number of DLVRs revisions due in the reporting period provided to Verizon by CLEC	
GE-5-04	% Accuracy of DLVR Corrections		
Calculation	Numerator	Denominator	
	Number of DLVR corrections for which no further CLEC request for correction is submitted within the reporting month.	Total number of DLVR corrections transmitted during the reporting month.	
	GE-5-05 White Pages Errors and Omissions		
Calculation	Numerator	Denominator	
	Number of Lines of White Pages Errors in White Pages Directories previously identified in LVR on a per CLEC per Directory basis.	Total number of CLEC White pages listing lines in White pages directories appearing in an LVR for each directory on a per CLEC, per directory basis.	

GE-6 Timely and Accurate Provisioning of White Page Directory Listings LSRs and DSRs (Applicable to PA Only)

Definition:

Measurement of the timely and accurate provisioning of LSR and DSR Orders that result in the update of the directory assistance database and the database used for the publication of the directory white pages. The measurement is based on a statistically valid sampling of all LSR and DSR orders for each CLEC individually, performed monthly, to determine that the order was timely and accurately provisioned. Verizon and CLECs must mutually agree on the random sampling methodology.

Notes:

GE-6 was originally numbered as GE-3 in the Pennsylvania C2C Guidelines

GE-6 is a tracking metric for a trial period after which it will be evaluated to determine if it captures both the appropriate performance and measures it meaningfully.

Exclusions:

- VZ Test Orders
- Orders submitted by a means other than EDI or WEB GUI (e.g. faxed or mailed orders), unless EDI or GUI is unavailable

Performance Standard:

Metric GE-6-01: 95% on time

Metric GE-6-02: 98% of orders provisioned accurately.

Report Dimensions

Company:

• CLEC Aggregate

CLEC Specific

Geography:State Specific

Sub-Metrics GE-6-01 **Completion on Time Products** ALL Calculation Numerator Denominator Number of orders processed for update Number of orders pulled for random sample to the directory assistance/white page on a per CLEC basis in a single month. listing database on time GE-6-02 Accuracy of Processing Products ALL Calculation Numerator Denominator Number of lines in sample for each Number of orders pulled for random sample CLEC without errors when compared on a per CLEC basis in a single month. with the CLEC DSR/LSR

Glossary

ſ	Application Date	The date that a valid order is received.
Ī	ASR	Access Service Request
	VZ Administrative Orders	Orders completed by VZ for administrative purposes and NOT at the request of a CLEC or end user. These also include administrative orders for VZ official lines and LIDT (Left in Dial Tone).
	Basic Edits	Front-end edits performed by Request Manager prior to order submission. Basic Edits performed against Request Manager provided source data include the following validations: State Code must equal NY, CT, MA, ME, NH, VT, RI, PA, DE, NJ, MD, DC, VA, WV; CLEC <u>IdID</u> can not be blank; All dates and times must be numeric; Order Type must be '1','2','3','4'; Svc Order Type must be '0', '1' '2'; Flowthru Candidate Ind and Flowthru Indicator must be 'Y' or 'N'; Lines Number must be numeric; Service Order Classification must be '0' or '1';
		Confirmation Method must be 'E', 'M' 'W'; Each submission must have a unique key (PON + Ver + CLEC <u>IdID</u> + State); Confirmation, Reject and Completion Transactions must have matching Submission record. Any changes to basic edits will be provided via VZ Change Control procedures. Orders which failed edits have a reject date and a reject source type.
	Collocation Milestones	Refer to the state tariff for specific collocation intervals. In Physical Collocation, the CLEC and VZ control various interim milestones they must meet to meet the overall intervals. The interval clock will stop, and the final due date will be adjusted accordingly, for each milestone the CLEC misses (day for day).
		Prior to the CLEC beginning the installation of its equipment, the CLEC must sign the VZ work completion notice, indicating acceptance of the multiplexing node construction work and providing VZ with a security fee, if required, as set forth <u>in Section 5.5.5on the Verizon Partner Solutions website</u> . Payment is due within 30 days of bill date. The CLEC may not install any equipment of facilities in the multiplexing node(s) until after the receipt by VZ of the VZ work completion notice and any applicable security fee.
		In Virtual Collocation, VZ and the CLEC shall work cooperatively to jointly plan the implementation milestones. VZ and the CLEC shall work cooperatively in meeting those milestones and deliverables as determined during the joint planning process. A preliminary schedule will be developed outlining major milestones including anticipated delivery dates for the CLEC-provided transmission equipment and for training.

Change Management Change Management Notices are notices sent to the CLECs to notify CLECs of Notices scheduled interface-affecting changes. Interconnection Trunks (CLEC) Requesis > 192 Forecasted Trunks are CLEC requesits for 192 trunks or less that are forecasted by the CLEC, or are projects. Common Final Trunk Blockage: Trunks, or are not forecasted by the CLEC, or are projects. Common final trunks carry traffic to VZ common final trunk group between two end offices.) The percentage of VZ common final trunk group between two end offices.) The percentage of VZ common final trunk group scarrying local traffic, exceeding the applicable blocking design standard (either B.OJ or B.OOS) will be reported. All CLEC trunks are engineered at the B.005 level. In the Washington Metropolitan area, local common trunks are engineered at the B.O1 level. Common Trunks: High Usage Trunks carry two-way local traffic between two VZ end offices. High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed so that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour. Final Trunks: Final Trunks: (All Verizon except New York LATA) Final Trunks carry two-way local and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour. Final Trunks – Local (NY LATA 132) Final Trunks carry loway local and long distance IXC trowo		
Interconnection <= 192 Forecasted Trunks are CLEC requests for 192 trunks or less that are forecasted by the CLEC and are not projects.	Change Management Notices	Change Management Notices are notices sent to the CLECs to notify CLECs of scheduled interface-affecting changes.
> 192 and Unforecasted Trunks are CLEC requests that are for greater than 192 trunks, or are not forecasted by the CLEC, or are projects. Common Final Trunk Common final trunks carry traffic between VZ end offices and the VZ access tandem, including local traffic to VZ customers as well as CLEC customers. (In rare circumstances, it is possible to have a common final trunk group between two end offices.) The percentage of VZ common final trunk group between two end offices.) The percentage of VZ common final trunk group between two end offices. In the percentage of VZ common final trunk groups carrying local traffic, exceeding the applicable blocking design standard (either B.01 or B.005) will be reported. All CLEC trunks are engineered at the B.005 level. In all but the Washington Metropolitan area, local common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are engineered at the B.005 level. Standard) of traffic will overflow to final trunk groups. Local trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon New York geographies. Final Trunks: Final Trunks: (All Verizon except New York LATA) Final Trunks carry two-way local and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour. Final Trunks – Local (NY LATA 132) Final Trunks carry local two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour. Final Trunks – Local (NY LATA 132 and Washington Metropolitan	Interconnection Trunks (CLEC)	< = 192 Forecasted Trunks are CLEC requests for 192 trunks or less that are
Blockage: tandem, including local traffic to VZ customers as well as CLEC customers. (In rare circumstances, it is possible to have a common final trunk group between two end offices.) The percentage of VZ common final trunk groups carrying local traffic, exceeding the applicable blocking design standard (either B.01 or B.005) will be reported. All CLEC trunks are engineered at the B.005 level. In all but the Washington Metropolitan area, local common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are engineered at the B.005 level. In groups. Local trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed so that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon New York geographies. Final Trunks: Final Trunks: (All Verizon except New York LATA) Final Trunks carry two-way local and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour. Final Trunks – Local (NY LATA 132) Final Trunks carry local two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour. Company Initiated Final Trunks – Local (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end		trunks, or are not forecasted by the CLEC, or are projects.
High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon New York geographies.Final Trunks:(All Verizon except New York LATA) Final Trunks carry two-way local and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Final Trunks - Local (NY LATA 132) Final Trunks carry local two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Final Trunks - Local (NY LATA 132) Final Trunks carry local two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Company Initiated OrdersIXC (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Company Initiated OrdersOfficial Verizon LinesCompletion DateThe date noted on the service order as the date that all physical work is completed as ordered.Hot Cut CoordinatedA coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specifi		tandem, including local traffic to VZ customers as well as CLEC customers. (In rare circumstances, it is possible to have a common final trunk group between two end offices.) The percentage of VZ common final trunk groups carrying local traffic, exceeding the applicable blocking design standard (either B.01 or B.005) will be reported. All CLEC trunks are engineered at the B.005 level. In all but the Washington Metropolitan area, local common trunks are engineered at the B.005 level. In the Washington Metropolitan area, common trunks are
Iocal and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Final Trunks – Local (NY LATA 132) Final Trunks carry local two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Final Trunks – IXC (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Company Initiated OrdersProvisioning orders processed for administrative purposes and not at customer request.Completion DateOfficial Verizon LinesHot Cut CoordinatedA coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.	Common Trunks:	High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon New York
between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Final Trunks – IXC (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Company Initiated OrdersProvisioning orders processed for administrative purposes and not at customer request.Company ServicesOfficial Verizon LinesCompletion DateThe date noted on the service order as the date that all physical work is completed as ordered.Hot Cut CoordinatedA coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.		local and long distance IXC traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005
Final Trunks – IXC (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.Company Initiated OrdersProvisioning orders processed for administrative purposes and not at customer request.Company ServicesOfficial Verizon LinesCompletion DateThe date noted on the service order as the date that all physical work is completed as ordered.Hot Cut CoordinatedA coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.		between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during
Orders request. Company Services Official Verizon Lines Completion Date The date noted on the service order as the date that all physical work is completed as ordered. Hot Cut Coordinated A coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.		Final Trunks – IXC (NY LATA 132 and Washington Metropolitan Calling Area) Final Trunks carry long distance IXC two-way traffic between an end office and an access tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour.
Completion DateThe date noted on the service order as the date that all physical work is completed as ordered.Hot Cut CoordinatedA coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.		S
Completion DateThe date noted on the service order as the date that all physical work is completed as ordered.Hot Cut CoordinatedA coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.	Company Services	Official Verizon Lines
Hot Cut Coordinated A coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.		The date noted on the service order as the date that all physical work is
CPE Customer Premises Equipment.		A coordinated Hot Cut is the live manual transfer of a dial tone line to a CLEC Loop completed with manual coordination by VZ and CLEC technicians to minimize disruptions for the end user customer. Coordinated Hot Cuts include Basic Hot Cuts and Large Job Hot Cuts. The specific type of request will be identified on the LSR according to published business rules.
	CPE	Customer Premises Equipment.

Cut-Over Window	Amount of time from start to completion of physical cut-over of lines.
Dedicated Final Trunks Blockage:	A dedicated final trunk group does not overflow. Dedicated final trunk groups carry local traffic from a VZ Access Tandem to a CLEC switch. All dedicated final trunk groups to the CLECs are engineered at a design-blocking threshold of B.005.
Dedicated Trunks	High Usage Trunks – CLEC Interconnection : carry one-way traffic from a CLEC end office to a Verizon Tandem Office or carry two-way local traffic between a Verizon end-office and a CLEC end-office. High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon geographies. These trunks are ordered by the CLEC.
	Final Trunks – CLEC Interconnection : carry one-way traffic from a CLEC end- office to a Verizon Tandem Office or carry two-way traffic between an end-office and a tandem switch. CLECs order these trunks from VZ and engineer to their desired blocking design threshold.
	High Usage Trunks – VZ to CLEC Interconnection : carry one-way local traffic from a Verizon end-office to a CLEC end-office. High Usage Common Trunks are designed so that traffic will overflow to final trunk groups. Local trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon geographies. VZ orders these trunks from CLECs.
	Final Trunks – VZ to CLEC Interconnection : carry one-way traffic from a VZ end office or a tandem switch. Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour in all Verizon geographies. VZ orders these trunks from CLECs.
	High Usage Trunks – IXC Feature Group D : carry two-way traffic between a Verizon end-office and an IXC POP. High Usage Trunks are designed so that traffic will overflow to final trunk groups. IXC trunks are designed such that no more than 0.5% (B.005 standard) of traffic will overflow during the busy hour in all Verizon geographies. IXCs order these trunks from VZ.
	Final Trunks – IXC Feature Group D ; carry two-way traffic between and end- office and a tandem switch. Common Final Trunks are designed so that no more than 0.5% (B.005 standard) of traffic will block during the busy hour in all Verizon geographies. IXCs order these trunks from VZ.
Dispatched Orders:	An order requiring dispatch of a Verizon Field technician outside of a Verizon Central Office. Intervals differ by line size. In all areas, for orders greater than or equal to 10 lines, a facility check is required and the interval negotiated. In many, but not all areas, a facility records check (in Engineering) is also performed for orders with six (6) to nine (9) lines.

Dispatched Troubles:	Loop or Drop Wire Troubles reports found to be in drop wire or outside plant
	Loop or Drop Wire Troubles reports found to be in drop wire or outside plant. Disposition codes 03 or 04.
Disposition Codes	The code assigned by the Field Technician upon closure of trouble. This code identifies the plant type/location in the network where the trouble was found.
DUF	Daily Usage Feed:
FOC	Firm Order Confirmation.
Hot Cut – Basic	A Basic Hot Cut is a Hot Cut that is not a Large Job Hot Cut or a Batch Hot Cut, as defined below. A Basic Hot Cut is a Coordinated Hot Cut. Basic Hot Cuts have fixed intervals depending upon line size. CLECs specify FDT on the LSR.
	A non-WPTS Basic Hot Cut is a Hot Cut that is not a Large Job Hot Cut or a Batch Hot Cut, as defined below, and in which the CLEC declines to use WPTS or is not trained or certified to use WPTS.
Hot Cut – Batch	A Batch Hot Cut is not a coordinated Hot Cut. A Batch Hot Cut is a Hot Cut in which the loops included in the CLEC's order are processed as a group, together with loops included in other Batch Hot Cut orders submitted for the same Central Office (whether such orders are submitted by the same CLEC or by different CLECs), in a timeframe established by the Telephone Company based on the volume of orders for that office. The loops that are grouped together in this manner are referred to as a "Batch". The live transfer of a dialtone customer to a CLEC POTS Loop. Verizon Technicians complete the crosswire work. Verizon provides notice to NPAC for Port Activation on behalf of the CLEC. Batch Hot Cuts are scheduled on a wire center basis and not on fixed intervals. Verizon does not test for dial tone prior to the due date of the cut. Batch Hot Cuts must be identified on the LSR according to published business rules. IDLC Loops are not eligible for the Batch Hot Cut process and will be counted as Basic Hot Cuts.
Hot Cut – Large Job	A Large Job Hot Cut is a Hot Cut in which the loops included in a CLEC's order (or in multiple orders submitted by a single CLEC) are processed as a group, and are cut-over together at a specified time. A coordinated Hot Cut specified on the LSR as a Large Job. Intervals for Large Jobs are negotiated. Large Jobs are specified by a CLEC and include multiple orders/lines within the same Central Office. IDLC Loops are not eligible for the Large Job Hot Cut process and will be counted as Basic Hot Cuts.
Line Sharing	Line Sharing allows a separate high-speed data channel on an existing copper pair to be made available to the customer. This single line (a shared loop), with the use of a splitter, simultaneously supports analog voice-grade POTS service and data communications.
	In order for a loop to be eligible for a Line Share Arrangement, the analog voice- grade POTS service must be provided to the customer by Verizon and the dial tone must originate from a Verizon End Office Switch in the wire center where the Line Share Arrangement is being requested, and the xDSL technology deployed by Verizon does not interfere with the analog voice band transmission.
	Line Sharing is only available where Verizon provides the voice and data service.

2-Wire Digital	This service provides a digital 2-Wire enhanced channel. It is equivalent to a 2- wire loop less than 18,000 feet from the NID at the end user's premises to the main distributing frame (which is connected to the CLEC's collocation
	arrangement in the Verizon Central Office in which the end user is served. The 2-Wire Digital – ISDN BRI Loop is only available to the CLEC for use in conjunction with the provision of local exchange service and exchange access to
	its end users.
2W xDSL Loop	xDSL links provide transmission technologies capable of supporting the following DSL
	technologies.
	1. Asymmetrical Digital Subscriber Line (ADSL)
	2. High-Bit Rate Digital Subscriber Line (HDSL)
	3. Symmetrical Digital Subscriber Line (SDSL)
	4. Integrated Digital Subscriber Line (IDSL)
	5. Other DSL technologies to the extent that standards are identified and approved by ANSI (T1E1).
	These xDSL technologies are provisioned on qualified facilities and use line codes as specified in
	ANSI standards.
	6. Includes UNE Loop Sharing where technically feasible. For metrics
	purposes, Loop Share is the process in which one CLEC provides narrowband
	voice service over the low frequency portion of a UNE copper loop, that is part of
	a UNE Loop arrangement (not UNE Platform), and a second CLEC provides
	digital subscriber line service over the high frequency portion of that same loop.
	Digital Two-Wire Link (including ADSL, HDSL, SDSL and IDSL)— Provides a
	channel equivalent to a two-wire, non-loaded, twisted copper pair loop from an
	end user's premises to a POI at a collocation arrangement in the Telephone
	Company's central office. These links are provisioned in accordance with the
	technical specifications approved and adopted by ANSI. The digital two-wire link
	is available where qualified facilities exist. The Telephone Company will
	not construct new copper facilities to provide these links. Only non-loaded and
	non-repeated twisted cable pairs that do not exceed a technical length
	limitation as specified in ANSI documentation can support xDSL capabilities.
Loop Qualification	Loop qualification is the manual step whereby it is determined if the loop facility meets or can be made to meet specifications necessary for 2-Wire Digital or
	xDSL services.
LSR	Local Service Request
LSRC	Local Service Request Confirmation
Mechanized Flow-	Orders received electronically through the ordering interface (Request Manager)
Through:	and requiring no manual intervention to be entered into the SOP.
Negotiated Intervals	A process whereby Verizon and the CLEC discuss and come to a mutual
	agreement on a delivery date of requested services. This agreement should be
	based on customer, CLEC and Verizon requirements; including but not limited to
	equipment, facility and work resources required for completing the requested
	services. Both the CLEC and Verizon should be able to explain the requirements and positions for the discussion.
Network Troubles	Troubles with a disposition code of 03 (Drop Wire), 04 (Loop), or 05 (Central
Network Troubles	Office) or trouble codes of CO (Central Office), FAC (Facility), or STN (Station).
	Excludes Subsequent reports (additional customer calls while the trouble is
	pending), Customer Premises Equipment (CPE) troubles, troubles reported but
	not found on dispatch (Found OK and Test OK), and troubles closed due to
	customer action.
	VZEAST200604-NY200512Version 11.0
	VZEAST200611-NY200606Version 12.0

Non-Mechanized:	Orders that require some manual processing Includes orders received
	Orders that require some manual processing. Includes orders received electronically that are not processed directly into the legacy provisioning systems, and are manually entered by a VZ representative into the VZ Service Order Processor (SOP) system. For orders not received electronically (such as faxed or courier orders), 24 hours are added to all intervals.
No-Dispatch Troubles:	Troubles reports found to be in the Central Office, including frame wiring and translation troubles. Disposition Codes 05.
No-Dispatch Orders:	Orders completed without a dispatch outside a Verizon Central Office. Includes orders with translation changes and dispatches inside a Verizon Central Office.
Orders with \geq six (6) lines:	In all geographic areas, a facility check is completed on orders greater than or equal to six (6) lines.
OSS	Operations Support Systems
Parsed CSR	The Parsed CSR transaction returns fielded Customer Service Record data to the customer when the PARSEIND field = \mathbf{Y} on the inquiry. The parsed CSR transaction enables CLECs to populate their ordering template. This transaction is available on EDI and CORBA. The Verizon Parsed CRS transaction supports POTS accounts, it currently does not support complex accounts including ISDN and Centrex.
POTS Total (Business/Residence)	Plain Old Telephone Services (POTS) include all non-designed lines/circuits that originate at a customer's premise and terminate on an OE (switch Office Equipment). POTS include Centrex, and PBX trunks.
POTS – Total (All)	POTS Services All includes Business (simple), Residence (simple) plus ISDN BRI (complex).
UNE POTS Total	This product group includes UNE POTS Loop, and excludes UNE Hot Cut Loops.
PON	Purchase Order Number: Unique purchase order provided by CLEC to VZ placed on LSRC or ASR as an identifier of a unique order.
Projects	Projects are designated by CLECs. For Trunks, any request for a new trunk group, augment for more than 384 trunks, complex (E911 or DA) or request out of the ordinary requiring special coordination, such as rearrangements is considered a project.
	For Special Services ordered via ASRs the following is considered a project:
	UNE IOF Projects – New connects: The A or Z end of the circuit must be at the same location, and the number of circuits for DS1 is eight (8) or more circuits, and for DS3 is eight (8) or more circuits.
	UNE Loop Projects – New connects: The A or Z end of the circuit must be at the same location, and the number of circuits to qualify for a project are : for $DS1 = 10$ or more circuits, for DS3 10 or more circuits.
	Coordinated Conversions (when one CLEC assumes another CLECs circuits due to bankruptcy, takeovers or mergers):
	For additional information on Special Services projects, refer to the CLEC Handbook.

Reject	An order is rejected when there are omissions or errors in required information.
	Rejects also include queries where notification is provided to a CLEC for clarification on submitted orders. The order is considered rejected and order processing is suspended while a request is returned or queried.
Run Clock	A measure of duration time where no time is excluded. Duration time is calculated comparing the date and time that a trouble is cleared to the date and time that the trouble was reported.
Segment	Segments are parts of whole orders. [NVL SEGMENT, 0=<1] A segment is used to apportion a longer order to meet limitations of record lengths. Similar to a separate page or section on the same order. Applicable to Verizon North only.
SOP	Service Order Processor
Special Services	Special Services are services that require engineering design intervention. These services include (but are not limited to) such services as: high capacity services (DS1 or DS3, primary rate ISDN, 4-Wire xDSL services, digital services, and private lines or foreign served services (a line physically in one exchange, served by another through a circuit). Excludes access service (access services are defined as those purchased under the state or federal access tariff by a wholesale/carrier customer). For Retail, any service or element involving circuit design purchased by a Verizon retail customer, regardless of state or federal access tariff. Excludes trunks. IOF and EEL are separately reported for provisioning.
Stop Clock	A measure of duration time where some time is excluded. The clock is stopped when testing is occurring, VZ is awaiting carrier acceptance, or VZ is denied
Suspend/Restore	Orders completed by VZ to suspend for non-payment or restore for payment .
Orders Test Orders	[SNPRES_IND.IS NOT NULL] Orders processed for "fictional" CLECs for VZ to test new services, attestation of services etc.
TGSR	Trunk Group Service Request. A request that CLECs submit to Verizon to request augmentation to the Verizon network to accommodate an increase in CLEC volume.
Two wire digital ISDN Loop	2-Wire unbundled digital loop (previously called 2-Wire Digital Loop) that is compatible with ISDN basic Rate service. It is capable of supporting simultaneous transmission of two (2) B channels and One (1) D channel. It must be provided on non-loaded facilities with less than 1300 OHMs of resistance and not more than 6 kft of bridge tap. This service provides a digital 2-Wire enhanced channel. It is equivalent to a 2-Wire loop less than 18,000 feet from the NID at the end user's premises to the main distributing frame (which is connected to the CLEC's collocation arrangement), in Verizon's Central Office where the end user is served. The 2-Wire Digital – ISDN BRI loop, currently offered by Verizon, is designed to support the Integrated Services Digital Network (ISDN) Basic Rate Service which operates digital signals at 160 kilobytes per second (kbps). The 2-Wire Digital – ISDN BRI loop is only available to the CLEC for use in conjunction with the provision of local exchange service and exchange access to its end-users.
VADI/DSNO	Verizon Affiliate Data Incorporated (VADI) aka Data Services Network Operations (DSNO) is either the separate data affiliate or the office or division within Verizon that provides retail xDSL services.

WPTS	Wholesale Provisioning and Tracking System (WPTS) is an automated system used by Verizon for the following purpose:
	 delivering information to CLECs relating to the status of Hot Cut orders, receiving information or instructions relating to Hot Cut orders from CLECs, retrieving information relating to Hot Cut orders from other Verizon systems, for generating reports.
	The term "WPTS" is also used to refer to any system subsequently utilized by Verizon to perform similar functions in place of or in addition to the version of WPTS that is currently being utilized (at time of the NY PSC 12/16/04 order).

Product identification descriptions:

Retail	Major Customer Name/Number entered on Provisioning order first four (4) characters does not contain the values "RSID" which indicates resold or "AECN" which indicates unbundled.
Resale	Major Customer Name/Number entered on Provisioning order-first four (4) characters does contain the value "RSID" the 6th through 10th indicate reseller id. RSID except test and training RSID orders Ordering: ORDER-TYPE of ORDERING-MASTER-REC = '1'
UNE	Major Customer Name/Number entered on provisioning order- first four (4) characters contains the values "AECN" which indicates unbundled. Characters 6 through 10 indicate the Telecommunications carrier id. <u>Ordering:</u> ORDER-TYPE of ORDERING-MASTER-REC = '2' or '3'
POTS - Total	 Two-wire analog service with a telephone number and POTS class of service. Includes analog loop (SVGAL). Ordering: Service order classification of ordering master rec = 0 Provisioning: Pots Orders are defined as not having a circuit layout or are not for ISDN service Maintenance: Class Service = 04/05/06/07/08/09/10/13/19/20/21
Complex:	 Provisioning: ISDN Basic Rate: Service Code Modifier (SCM) begins with IB 2-Wire Digital Services 2-Wire xDSL Services
Special Services	Criteria for inclusion (for line count and trouble tickets) is report category (rpt_cat) is "CR" indicating a Customer Reported trouble, circuit ID does not indicate (fourth character of circuit id for a length of 2) "TK","IB","DI","DO" because these are considered POTS, 7th character of circuit id does not indicate official Verizon line as defined by Bellcore standard practice, trouble code (TROUBLE_CD) is either "FAC" "CO" or "STN" indicating a network trouble, Maintenance center (MCTR) is not training or blank which excludes troubles entered for employee training purposes, Subsequent calls on the same trouble are not included in these metrics, Troubles/lines are excluded where circuit id (cktid character 4 for a length of 2) indicates non-UNE access circuit.
For Trunks:	For Maintenance: Criteria for inclusion is Circuit format (cfmt) is 'M' as defined by Bellcore standard, report category (rpt_cat) is "CR" indicating a Customer Reported trouble, trouble code (trbl_cd) is either "FAC" or "CO" indicating the trouble was found in the Facility-cable (from Central Office to customers location) or in the Central Office (the trouble was found within the Verizon Central Office), Maintenance Center (MCTR) is not training or blank which excludes troubles entered for employee training purposes, Subsequent calls on the same trouble are not included in these metrics.

Version Information

Version Number	Reason for Update	Filed Date	Effective Date (NY)
1.0	NY PSC 6/30/1999 Order in Case 97-C-0139	7/12/1999	
1.1	NY PSC 11/5/1999 Order in Case 97-C-0139	11/15/1999	
2.0	NY PSC 2/16/2000 Order in Case 97-C-0139	2/29/2000	
3.0	NY PSC 12/15/2000 Order in Case 97-C-0139	12/22/2000	
4.0	NY PSC 10/29/2001 Order in Case 97-C-0139	11/8/2001	
5.0	NY PSC 4/29/2002 Order in Case 97-C-0139	5/14/2002	
6.0	NY PSC 10/25/2002 Order in Case 97-C-0139	11/8/2002	December, 2002
7.0	NY PSC 10/29/2003 Order in Case 97-C-0139	11/13/2003	January, 2004
			March,2004 (BI-3-08)
			June, 2004 (OR-11)
			September, 2004 (OR-
			RPON)
8.0*	NY PSC 8/27/2004 Order in Case 97-C-0139	9/13/2004	December, 2004
8.01	Errata Filing:	9/24/2004	December, 2004
	Corrected South OR SOP hours.		
	Corrected Footer effective month information		
	Removed SNP & Restore exclusion from PR-1		
9.0	NY PSC 12/16/2004 Hot Cut C2C Guidelines	1/06/2005	February, 2005
	Order in Case 97-C-0139		
10.0	NY PSC 4/15/2005 Order in Case 97-C-0139	5/02/2005	November, 2005
11.0	NY PSC 12/1/2005 Order in Case 97-C-0139	12/16/2005	Consensus Changes: April,
			2006
12.0	NY PSC 6/30/2006 Order in Cast 97-C-0139	7/11/2006	November, 2006

* Migration to the regional East Guidelines document

Implementation process for the East Guidelines

State	Compliance Filing Due Date	
NY, CT	Generally 15 calendar days after order issue date	
MA	10 calendar days after NY filing	
NH	20 calendar days after NY filing	
RI, ME and VT	30 calendar days after NY filing	
NJ, DE, MD*, VA, WV	30 calendar days after NY filing	
РА	30 calendar days after NY filing	
DC	30 calendar days after NY filing	