780 CMR 120.P

STANDARD FORMS AND APPLICATIONS

(Note: These forms are unique to Massachusetts)

- · State Building Code Appeals Board Application Form
- State Building Code Code Amendment Proposal Form
- Construction Materials Safety Board Application for Approval
- State Building Code Sample Building Permit Form for One- and Two-family Dwellings
- · Standard Checklist for Single- and Two-family Dwellings
- · State Building Code Sample Building Permit Form for Other than One- and Two-family Dwellings
- Consumer Information Form
- · Energy Conservation Mandatory Checklist for New Construction (Other than Low-rise Residential)



The Commonwealth of Massachusetts

Department of Public Safety Board of Building Regulations and Standards One Ashburton Place, Room 1301

Boston, Massachusetts 02108-1618

Phone (617) 727-7532 Fax (617) 227-1754

STATE BUILDING CODE APPEALS

FILING INSTRUCTIONS

Appeals are held pursuant to 801 CMR 1.02 Informal/Fair Healing Rules

BBRS\FORMS\APPEAL APPLICATION 2005

Procedures outlined on the following pages shall be followed when filing an application to appear before the Board of Building Regulations and Standards' (BBRS) Building Code Appeals Board. The Appeals Board is comprised of any three members of the BBRS. Appeals hearings are convened twice each month, generally on the first Thursday and fourth Tuesday of the month. Applications are processed on a first come, first served basis. Typically, it takes 30 to 90 days from receipt of an application to be scheduled for a hearing. Please visit our website at <u>www.mass.gov/dps</u> (Under "The Board of Building Regulations and Standards") for exact hearings dates and additional information about filing an appeal.

Please note that appeals hearings are intended to afford aggrieved parties with the opportunity to seek relief from the provisions of the *State Building Code* in the form of a variance or interpretation of the applicability of a particular code section. Appeals Board members are not allowed to waive code requirements in their entirety, but may consider alternative methods of complying with the intent of the code. Appeals Board members are not arbiters; rather they are professional persons representing a cross section of the building design, construction and regulatory industries who are educated in code matters. Board members will judge testimony and materials presented at a hearing based on technical merits in relation to code requirements.

Appeals Board members do not have any authority to rule on zoning issues (land use issues).

Zoning requirements differ in each community. Therefore, appeals relating to land use should be directed to the Zoning Appeals Board in the city or town in which the property is located.

In order to assist with understanding the process, we have provided answers to *Frequently Asked Questions* relative to appeals procedures below.

Frequently Asked Questions About the Appeals Process

Question: What is the overall intent of the code?

Answer: The building code sets minimum standards for the design and construction of all buildings and structures in the commonwealth. The intent is to ensure that all citizens are afforded a consistent level of safety in all buildings in which they visit, live or work. A code user may choose to exceed requirements of the code, but may not design or construct to a lesser standard.

Question: What if I am not able to abide by the provisions of the code verbatim, are appeals procedures available?

Answer: The BBRS maintains an active Building Code Appeals Board which meets at least twice each month. In order to file an appeal with the State Board, a notice of violation must first be issued by the municipal or state building official charged with the enforcement of the code. This notice identifies the subject matter to be addressed at the appeal.

Once an appeal application is stamped as received by the BBRS, a stay of proceedings is enacted. This stay prevents a building official from taking further action with regard to the subject of the appeal. Also, it allows the applicant to continue to work on the project. However, please be aware that the work is continued at the applicant's risk. A stay of proceedings may not be applicable if an inspector has issued a *stop work order*.

Among other things, Appeals Board members may allow variances to provisions of the code or may offer interpretations to clarify disputes relative to a code provision. However, it is not the intent to simply waive code provisions in disregard of the public safety intent. Therefore, an applicant must demonstrate first a need for variance (if this is the intended relief) and then identify how he\she will achieve a comparable level of safety for building occupants. An applicant should always keep in mind that the code is a public safety document and that arguments relating to an appeal case should focus on issues of safety and compliance with the intent of the code; arguments should not focus on monetary savings for a project, at least not entirely.

Generally, it takes about 30 to 90 days after receipt of an application for a case to be heard. Although most cases are decided on the day of the hearing. Board members have 30 days following the hearing to issue a written decision. Technically, the decision is not finalized until the written decision is issued. Depending on complexity, cases may at times be continued and\or taken under advisement for determination at a later date.

If an appellant or other party is aggrieved by the Board's determination, he\she may request a reconsideration of the decision. Reconsideration requests must be filed in writing within ten days of receiving the written decision. It is important to note that a reconsideration may only be considered on the basis of *new evidence*. Reconsiderations are not intended simply as a second chance to review the case. Reconsiderations are reserved for those rare instances where all facts relating to a matter may, for reason or other, not have been suitably brought forward and examined during the hearing. Reconsideration requests are required to be reviewed by Board members who originally heard the case. If a majority of Board members agree that new evidence exists, a new hearing will be scheduled. Otherwise, aggrieved parties may appeal a decision of the Board to a court of law.

Appeals procedures follow the informal\fair hearings procedures as defined in 801 CMR 1.02. Interested parties may retrieve this document by visiting <u>www.state.ma.us/dala/801cmr.htm.</u>

Question: Are there other reasons for filing an appeal?

Answer: An appeal may also be filed for a building official's *failure to act* on a matter. The code allows a period of 30 days for a building official to review and act on an application for permit. Technically, if a response is not received within this period an appeal may be filed on the 31st day. However, such quick action is not recommended. Like most people, building officials can get behind on their workload. If the 30 day period passes without a response, call the building official, documenting the day and time, to see if a response is forthcoming. If a response is not received via phone, try corresponding in writing, by certified mail if so desired. If these methods fail, an appeal may be filed to address the issue of the inspector's failure to act.

Procedures for Filing An Appeals Application

Please follow the instructions below when completing an Appeals Application.

1. Unless filing for a *failure to act*, the appellant must be in receipt of a denial letter from the municipal or state building official as required in Chapter 1 of the State Building Code. An appeal must be filed *within 45 days* of the date of the letter of denial. An appeal may be filed either with the local *Building Code Appeals Board*, if one has been established, or directly with the State Building Code Appeals Board. Also, an appellant may file an appeal relative to a building official's *failure to act* on his/her permit application as provided for in Chapter 1 of the State Building Code (A letter of denial is not required when filing for *failure to act*).

2. Two documents are required to be completed by the appellant or his/her representative when filing an appeal. (Each is part of this document.)

the *Appeal Application Form* (3 pages) and the *Service Notice* (1 page).

The *Service Notice*, which gives notice to the building official that an appeal is being filed, should include the date appearing and the name and address of the building official under the section titled, "PERSON/AGENCY SERVED". The *Method of Service* should list one of the following procedures as set forth in Chapter I of the State Building Code for serving notice to the appropriate building inspector.

- A. Personally; or
- B. Registered or Certified Mail, return receipt requested; or
- C. By any person authorized to serve civil process.

The *Date of Service* is the date when a copy of the appeal is delivered or mailed to the building official or other party entitled on the application.

The *Service Notice* must be signed by the appellant or his/her representative and the signature must be notarized.

The **Appeal Application Form** (2 pages) *must be completed in total*. The application will be reviewed for completeness prior to a hearing being scheduled. Applications determined to be incomplete will be returned to the applicant for correction. Questions relating to completing the application should be directed to your local building department or this office. Questions relating to the process may be directed to the Appeals Board Hearings Coordinator at (617) 727-3200, extension 25209.

3. **One** complete copy of the appeal filing, including the **original Service Notice**, must be delivered to the noted Building Official or the official entitled. **Four** complete copies of the appeal filing, including the original plus three copies of the **Appeal Application** form, **four** copies of the **Service Notice** and **four copies** of the denial letter, together with a check for **\$150.00** (filing fee) payable to the Commonwealth of Massachusetts must be submitted to this office, if the appeal is made directly to the State Building Code Appeals Board. (Fee requirements for filing before a local Building Code Appeals Board. Please check with municipal building official for these fees.).

ALL CASES WILL BE HEARD ON THE SCHEDULED DATE. POSTPONEMENTS MAY ONLY BE CONSIDERED IN EXTREME SITUATIONS WHERE SUFFICIENT NOTICE HAS BEEN PROVIDED.



The Commonwealth of Massachusetts

Department of Public Safety Board of Building Regulations and Standards One Ashburton Place, Room 1301

Boston, Massachusetts 02108-1618

Phone (617) 727-7532 Fax (617) 227-1754

STATE BUILDING CODE APPEAL APPLICATION FORM

DOCKET NUMBER (State Use Only)		DATE		
-----------------------------------	--	------	--	--

The undersigned hereby appeals to the State Board of Building Regulations and Standards from the decision of the following person. (Please fill-in the name of the appropriate municipal or state building inspector or other authority. Also indicate if this is a request for a *hearing de novo* (new hearing) relative to a decision of a municipal appeals board.)

Building Official from the City/Town of:	
Board of Appeals from the City/Town of: (Request for <i>hearing de novo</i>)	
State Building Official:	
Other:	

Please mark the appropriate box indicating the requested action to be considered by the Appeals Board members. (More than one box may be marked.)

Variance		Order		Direction	
Interpretation		Failure to Act		Other	
STATE USE ONLY					
Fee Received					
Check Number					
Received By					

(This section must be completed or the application will be returned.)

Has the building or structure been the subject of an appeal by this or any other appeals board previous to this filing?

No \Box Yes \Box If yes, please indicate the date of the previous appeal, whether the matter was heard before a local or state appeals board, the code section that was at issue, and the specifications of the decision (*i.e.* a variance was granted\not granted).

Please take care to submit all *written* supporting documentation with this application to allow time for review. However, Board members reserve the right to continue proceedings if such material warrant extensive review.

Please provide a brief description of the desired relief below. Additional information may be attached if space is not sufficient. *All appropriate code sections that are subject to appeal must be identified in the description.*

Please complete the following section completely and accurately.

Name of Appellant:		Representing:	
Address for Service:			
Telephone Number:		Fax Number:	
Address of Subject Property (if different from service address):			
What is appellant's conn	ection to subject property?		

Signature of Appellant and\or Representative

Please print name legibly

Please return applications to: Program Manager, Board of Appeals Board of Building Regulations and Standards - One Ashburton Place, Boston, MA 1301 Boston, MA 02108-2618

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS APPENDICES

DESCRIPTION OF BUILDING OR STRUCTURE RELATIVE TO THE MASSACHUSETTS STATE BUILDING CODE (780 CMR 7th EDITION): (Check as appropriate)

Do not complete the tables below for one and two family dwellings. Proceed to section entitled "Brief Description of the proposed Work".

DESCRIPTION OF P					
New Construction	Existing Building	Repair(s)	Alteration(s)	Addition	
Accessory Bldg.	Demolition	Other Specify:			
Brief Description of Proposed Work:					

USE (GROUP (Circle appro	opriate Use Grou	p)	CONSTRUCTI	ON TYPE
A Assembly	A-1	A-2	A-3	1A	
	A-4	A-5		1B	
B Business				2A	
E Educational				2B	
F Factory	F-1	F-2		2C	
H High Hazard				3A	
I Institutional	I-1	I-2	I-3	3B	
M Mercantile				4	
R Residential	R-1	R-2	R-3	5A	
S Storage	S-1	S-2		5B	
U Utility	Specify:				
M Mixed Use	Specify:				
S Special Use	Specify:				
COMPLETE THIS SEC	- TION IF EXISTING	BUILDING UN CHANGE II		VATIONS, ADDITION	S AND/OF
Existing Use Group: Existing Hazard Index (780 CMR 34):				ex (780 CMR 34):	

BUILDING AREA	Ex	isting (if applicable)	Proposed
Number of Floors or stories include basement levels			
Floor Area per Floor (sf)			
Total Area (sf)			
Total Height (ft)			

Brief Description of the Proposed Work:

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS APPENDICES

		ST	ATE BUILI	DING COI Service	DE APPEALS BO Notice	OARD
I, the					, as	
Appell with th	ant/Petitioner e					in an appeal fi
State 20	Building	Code	Appeals	Board	on	

HEREBY SWEAR UNDER THE PAINS AND PENALTIES OF PERJURY THAT IN ACCORDANCE WITH THE PROCEDURES ADOPTED BY THE STATE BOARD OF BUILDING REGULATIONS AND STANDARDS AND SECTION 122.3.1 OF THE STATE BUILDING CODE, I SERVED OR CAUSED TO BE SERVED, A COPY OF THIS APPEAL APPLICATION ON THE FOLLOWING PERSON(S) IN THE FOLLOWING MANNER:

	NAME AND ADDRESS OF PERSON OR AGENCY SERVED	METHOD OF SERVICE	DATE OF SERVICE
1			
2			
3			

Signature: Appellant	/Petitioner			
On the APPEARED	Day	of	20	, PERSONALLY
BEFORE	ME	THE	ABOVE	NAMED
			(Type or Print the Name of	the Appellant)

AND ACKNOWLEDGED AND SWORE THE ABOVE STATEMENTS TO BE TRUE.

NOTARY PUBLIC

MY COMMISSION EXPIRES



The Commonwealth of Massachusetts

Department of Public Safety Board of Building Regulations and Standards One Ashburton Place - Room 1301 Boston, MA 02108

Tel: (617) 727-7532 Fax: (617) 227-1754

MASSACHUSETTS STATE BUILDING CODE - CODE AMENDMENT PROPOSAL

	Please Print			State I	Use Only
Date:		Date	Red	ceived:	
Code Section:		Code	Cł	nange Number::	
Proponent::					
Address:					
TT 1 1			г		
Telephone:			Га	x::	
Check (3) type	of amendment proposed				
θ Change	ge Section as follows	e)	Delete section a	nd substitute as follows
θ Add n	ew section as follows	e)	Delete section -	no substitute
Text of Propos	sed Amendment::				

Supporting Statements: Include supplementary material - use additional sheets if necessary





.

<u>Commonwealth of Massachusetts</u> <u>Construction Materials Safety Board (CMSB)</u> <u>Application for Approval</u>

This form shall be used ro apply to the Construction Materials Safety Board for approval of a product, material or methodology, which is not specifically defined by the Massachusetts State Building Code.

App	Application Number:		Date of Application	
		(State Use Only)		
1.0	Company Name:			
	Address:			
	Telephone No.:			
	E-mail Address:			
	Contact Person and ⁷	Fitle:		
2.0	Name of product/ma (For products and/or Massachusetts appro	materials, provide all mode	l numbers, types, sizes, etc., for which	
_				
_				
_				
_				
_				
2.0	(For products and/or	materials, provide all mode	l numbers, types, sizes, etc., for which	

3.0	Description and intended use of product/material/methodology
_	
_	
_	
_	
_	
4.0	If possible, identify section(s) of the Massachusetts State Building Code for which product/material/methodology approval is sought.
_	
_	
_	
_	
_	
_	
5.0	Information required for "end-user" of product/material/methodology (include any structural egress, fire safety, light or ventilation, energy conservation or other requirements and <u>any</u> limitations).
_	
_	
_	
_	
_	
_	

6.0	Instructions to building officials required to approve plans and inspect construction sites where applicable products/materials/methodology are utilized.					
_						
_						
—						
_						

7.0 National Model Building Code Research Report Number(s) in force, if any (append actual reports to this application).

ORGANIZATION	EVALUATION REPORT NO.	EVALUATION REPORT ISSUE DATE
BOCA		
JCBO		
<u>SBCCI</u>		
<u>CABO</u>		
ICC		
<u>OTHER</u>		

8.0 Testing Laboratory Test Reports, if any (append actual reports to this application).

ORGANIZATION	TEST REPORT NO.	TEST REPORT ISSUE DATE
<u>F.M.</u>		
<u>N.L.</u>		
<u>W.H.</u>		
<u>OTHER</u>		

9.0 Current State/County/Municipality Approvals

JURISDICTION	APPROVAL NUMBER	APPROVAL DATE

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS APPENDICES

10.0 Description and inclusion of technical actual technical information to this app	information submitted to support request for approval (append plication)
_	
<u> </u>	
_	
_	
11.0 Description and inclusion of technical information to this applic	formation submitted to support request for approval (append cation).
_	
_	
_	
_	
_	
12.0	
	AUTHORIZED SIGNATURE
	PRINT OR TYPE AUTHORIZED NAME HERE
TITLE:	
SUBMISSION DATE:	
The Commonwealth of Massa State Board of Building Regul Standards Massachusetts State Buildi For One- and Two-family D	EOR MUNICIPALITY USE
APPLICATION TO CONSTRUCT, REPAIR, R	ENOVATE OR DEMOLISH A ONE OR TWO FAMILY DWELLING

This Section For Official Use Only

Building Permit Numb	ber:		Date Issued:				
Building Commissioner/Inspector of Buildings Date							
SECTION 1 - SITE INFORMATION							
1.1 Property Addres	S:		1.2 Assessors M	ap & Parcel Number:			
			Map Number	Parcel N	lumber		
1.3 Zoning Informa	ition:		1.4 Property Dime	nsions:			
Zoning District	Proposed Use		Lot Area (sf)	Frontag	ne (ft)		
1.5 Building Setbacl	ks (ft)			- Tona	go (ii)		
Front		Side	Yards	Rear Ya	ard		
Required	Provided	Required	Provided	Required	Provided		
		/	/				
1.6 Water Supply (M Public □	. G.L. c. 40, § 54) Private □	1.7 Flood Zone Inform Zone: Outsi	nation: ide Flood Zone □	1.8 Sewage Disposal Sys Municipal	stem: posal system □		
	ERTY OWNERSHIP/AU	JIHORIZED AGENI					
2.1 Owner of Record	1:						
Name (Print)			 Address for Service:				
			Address for Service.				
Signature		Telephone					
2.2 Authorized Agen	it:						
Name (Print)			Address for Service:				
Signature		Telephone					
SECTION 3 - CONST	RUCTION SERVICES						
3.1 Licensed Constr				Not Applicable			
Licensed Construction S	Supervisor:			License Number			
				Expiration Date			
Address							
Signature		Telephone					
3.2 Registered Hor	ne Improvement Con	tractor:		Not Applicable			
Company Name				Registration Numbe	r		
Address				Expiration Date			
Signature			Telephone				
			•	+			

Construction Checklist

Single- & Two Family Dwellings

If required by the building official, this form shall be submitted at the completion of the work, prior to the issuance of a certificate of occupancy or completion, by the licensed construction supervisor, registered professional or homeowner (responsible party), as applicable, the municipal and/or state building official in verification that, to the best of his/her knowledge, the work has been executed in accordance with the provisions of the applicable state building code (code) and reference standards. The date shall indicate the date on which the responsible party viewed the building activity to ensure compliance with the code and/or reference standards. This date may or may not correspond to the date on which the activity was inspected for compliance by the municipal and/or state building official.

Activity		Date	Note any deficiencies that were discovered (if any) and corrective action taken to ensure compliance with the code and/or reference standards
Fo	undation		
a.	Location/excavation ¹		
b	Preparation of bearing soil		
c.	Placement of forms/reinforcing		
d	Placement of Concrete		
e.	Setting weather protection methods		
f.	Installation of water/dampproofing		
g	Placement of backfill		
Str	uctural Frame ²		
a.	Floor		
b	Walls		
c.	Roof/ceilings		
d	Masonry or other structural system		
En	ergy Conservation		
a.	Insulation/vapor and air infiltration barriers		
b	NFRC rated window		
c.	HVAC equipment with proper efficiencies		
Fir	e Protection		
a.	Smoke		
b	Heat		
c.	Carbon Monoxide		
d	Other		
Sp	ecial Construction		
a.	Chimneys		
b	Retaining Walls		
c.	Other ³		
1.	If encountered in excavating for found	lation p	lacement, the responsible party shall report the presence of

groundwater to the building official and shall submit a report detailing methods of remediation. 2. Frame shall include the installation of all joists, trusses and other structural members and sheathing materials to

verify size, species and grad, spacing and attachment methods. The responsible party shall ensure that any cutting or notching of structural members is performed in accordance with the requirements of this code.3. The building official may require the responsible party to be present on site at other points during the construction, reconstruction, alteration, removal or demolition work as he/she deems appropriate.

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS APPENDICES

NOTES										
applicable attes associated plans	ts to the fact that	t, to the best of i ons has been ex	supervisor, regist his/her knowledg ecuted in accord	ge, the work as	described on the	referenced perm	nit number and			
	Name of Resp	onsible Party			Signature of Re	sponsible Party				
Constr Superviso			provement Registration	Registered Professional Engineer		Registered Architect				
Number	Expiration Date	Number	Expiration Date	Number	Expiration Date	Number	Expiration Date			
		This for	rm is submitted f	or the following	g project					
Permit Number			F	Property Addres	S					

Ma	e Board of Building Standar assachusetts State 780 CM	rds e Building Code /R		R MUNICIPALITY USE	
LICATION TO CONST	RUCT, REPAIR, RENO OTHER 1	VATE, CHANGE THE U THAN A ONE OR TWO F	SE OR OCCUPANCY (AMILY DWELLING	DF, OR DEMOLISH AN	IY BUILDING
		This Section For	Official Use Only		
Building Permit Numb	ber:		Date Issued:		
Signature:			·		
Βι	uilding Commissioner/Inspe	ector of Buildings		Date	
SECTION 1 - SITE IN					
1.1 Property Addres	is:		1.2 Assessors N	lap & Parcel Number:	
			Map Number	 Pa	arcel Number
1.3 Zoning Informa	ation:		1.4 Property Dimensions:		
Zoning District	Proposed Use		Lot Area (sf)	 Frontag	e (ft)
1.5 Building Setbacl			LUI Alea (SI)	rionag	
	nt Yard	Side	Yards	Rear	Yard
Required	Provided	Required	Provided	Required	Provided
1.6 Water Supply (M Public □	I .G.L. c. 40, § 54) Private □	/ 1.7 Flood Zone Infor Zone: C □			
SECTION 2 - PROPE	ERTY OWNERSHIP/AU	THORIZED AGENT			
2.1 Owner of Record	J:				
	::		Address:		
2.1 Owner of Record	:t	Telephone	Address:		
2.1 Owner of Record		Telephone	Address:		
2.1 Owner of Record		Telephone	Address: Address: Address:		
2.1 Owner of Record		Telephone			
2.1 Owner of Record	nt:		 Address:	EET OF ENCLOSED SF	PACE
2.1 Owner of Record	nt: FRUCTION SERVICES	Telephone	 Address:	EET OF ENCLOSED SF	PACE
2.1 Owner of Record Name (Print) Signature 2.2 Authorized Agen Name (Print) Signature Signature	nt: TRUCTION SERVICES ruction Supervisor:	Telephone	 Address:	i	PACE

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS

APPENDICES

Telephone		
3.2 Registered Home Improvement Contractor:		Not Applicable
Company Name		Registration Number
Company Name		Registration Number
Address		Expiration Date
Signature	Telephone	

SECTION 4 - WORKERS' COMPENSATION INSURANCE AFFIDAVIT (M.G.L. c. 152 § 25C(6)) Workers Compensation Insurance affidavit must be completed and submitted with this application. Failure to provide this affidavit will result in the denial of the issuance of the building permit. Signed Affidavit Attached Yes.....□ No.....□ SECTION 5- PROFESSIONAL DESIGN AND CONSTRUCTION SERVICES - FOR BUILDINGS AND STRUCTURES SUBJECT TO CONSTRUCTION CONTROL PURSUANT TO 780 CMR 116 (CONTAINING MORE THAN 35,000 C.F. OF ENCLOSED SPACE) 5.1 Registered Architect: Not Applicable Name (Registrant): Registration Number Address Expiration Date Signature Telephone 5.2 Registered Professional Engineer(s): Area of Responsibility Name Address Registration Number Signature Telephone Expiration Date Name Area of Responsibility Address **Registration Number** Signature Expiration Date Telephone Name Area of Responsibility Address Registration Number Signature Expiration Date Telephone Name Area of Responsibility Address Registration Number Expiration Date Signature Telephone **5.3 General Contractor**

Not Applicable

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS

APPENDICES

Company Name:

Responsible In Charge of Construction

Address

Signature Telephone

SECTION 6 - DESCRIPTION OF PROPOSED WORK (check all applicable)							
New Construction	Existing Building	Repair(s)	Alteration(s)	Addition			
Accessory Bldg.	Demolition	Other					
Brief Description of Propos	ed Work:						

SECTION 7 - USE	E GROUP	AND CONSTRU		TYPE					
		USE GROU	P (Chec	k as applicable)				CONSTRUC	TION TYPE
A Assembly		A-1		A-2		A-3		1A	
		A-4		A-5				1B	
B Business								2A	
E Educational								2B	
F Factory		F-1		F-2				2C	
H High Hazard								ЗA	
I Institutional		I-1		I-2		I-3	. 🗆	3B	
M Mercantile								4	
R Residential		R-1		R-2		R-3		5A	
S Storage		S-1		S-2				5B	
U Utility			Specify:						
M Mixed Use		5	Specify:						
S Special Use		5	Specify:						
COMPLETE	THIS SEC	TION IF EXIST	ING BUI	LDING UNDERG	OING REN	OVATIONS,	ADDITION	NS AND/OR CHAN	GE IN USE
Existing Use Grou	p:				Proposed	Use Group:			
Existing Hazard In	dex 780 CN	MR 34):			Proposed	Hazard Inde	x 780 CMF	R 34):	
SECTION 8 BUIL	DING HEIC	GHT AND ARE	۱.						
BUII		EA		Existing (if a	applicable)			Proposed	
Number of Floors basement levels	or stories i	nclude		Ū (,			·	
Floor Area per Flo	oor (sf)								
Total Area (sf)									
Total Height (ft)									

SECTION 9- STRUCTURAL PEER REVIEW (780 CMR 110.11)

Independent Structural Engineering Structural Peer Review Required

SECTION 10a - OWNER AUTHORIZATION - TO BE COMPLETED WHEN OWNERS AGENT OR CONTRACTOR APPLIES FOR BUILDING PERMIT

_, as Owner of the subject

No.....□

property

١,

hereby authorize

Yes.....□

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS APPENDICES

to act on my behalf, in all matters relative to work authorized by this building permit application.

Signature of Owner

Date

SECTION 10b - OWNER/AUTHOR	RIZED AGENT DECLARATION		
I, hereby declare that the statements and info belief. Signed under the pains and	ormation on the foregoing application penalties of perjury.	are true and accurate, to the best of m	, as Owner/Authorized Agent ny knowledge and
Print Name Signature of Owner/Agent			Date
Signature of Owner/Agent			Dale
SECTION 11 - ESTIMATED CONS	STRUCTION COSTS		
Item	Estimated Cost (Dollars) to be completed by permit applicant	Official Use	Only
1. Building		(a) Building Permit Fee Multiplier	
2. Electrical		(b) Estimated Total Cost of Construction from (6)	
3. Plumbing		Building Permit Fee (a) x (b)	
4. Mechanical (HVAC)]	
5. Fire Protection			

Check Number

6. Total = (1 + 2 + 3 + 4+ 5)



CONSUMER INFORMATION FORM - "SUNROOMS"

Massachusetts State Building Code (780 CMR 6101.3.2.2)

The Massachusetts State Building Code (780 CMR) includes provisions to ensure that houses and house additions meet energy efficiency standards. This supplemental CONSUMER INFORMATION FORM is to be filed as part of the building permit application when a builder/contractor or homeowner, constructing/installing a house addition with very large percentage of glass to opaque wall, seeks to utilize a special energy conservation exemption option for "sunroom" additions to an existing house (780 CMR, 6101.3.2.2). This FORM is not intended to prevent a homeowner from selecting a "sunroom" of any size, configuration, orientation, form of construction or percent glazing, but rather is only intended to assist homeowners in becoming aware of some of the important energy conservation and year-round comfort considerations involved in selecting and utilizing a "sunroom" addition.

The connection of "sunroom" structures to residential buildings <u>may</u> create comfort and energy consumption issues due to uncontrolled solar gain or uncontrolled radiation cooling of the main house. In the selection and construction/installation of "sunrooms", included below is a non-required, open-ended list of product and design considerations that a homeowner may wish to consider before actually constructing/installing a "sunroom". It is recommended that consumers carefully review these options with their designer, builder, or contractor, in order to minimize potential energy consumption and/or house discomfort issues. In addition, the qualifications and reputation of the company or individuals to be hired are important considerations.

PRODUCT AND DESIGN CONSIDERATIONS RELATED TO "SUNROOMS"

- Solar Orientation and Natural Shading
- Type of Glazing
 - Insulating value
 - Solar heat gain
 - Frame materials
 - Glazing to frame sealing and gasketing materials/ seal durability and/or weather tightness of the sunroom
- Adequate ventilation Operable windows and fans
- Applied Shading Systems
- Insulation level in floors, walls, and ceilings
- Possible Sunroom isolation from the main house via a wall and/or door or slider
- Heating and Cooling Methods: Efficiency, Zoning and Controls

Homeowner Acknowledgment

The Massachusetts State Building Code, 780 CMR 6101.3.2.2, requires that the <u>actual property owner</u> (not the owner's agent or representative) acknowledge receipt of this CONSUMER INFORMATION FORM prior to issuance of a Building Permit for a project that includes "sunroom" additions to an existing residential building. In accordance with this requirement, the undersigned hereby acknowledges that she/he has read the information in this document concerning sunroom comfort and energy conservation.

Signature of Actual Building Owner

Date

Print Name

Address of Permitted Project

Owner Address (if different than project location) Owner's telephone number

	RVATION MANDATORY CHECKLIST FOR NEW CONSTRUCTION R THAN LOW-RISE RESIDENTIAL) 780 CMR, 1301.8.1
`	Phone:
Owner/Agent Address:	
City/State/Zip:	
Project Name:	
Site Address:	City/Town
Applicant's Name:	Signature:
Applicant's Phone:	Date of Application:
	I. Envelope Compliance Option (check ONE)
	ach software Compliance Report (COMcheck-EZ)
□ Appendix J (1301.2 - For	buildings up to 10,000 sf only) - Attach Appendix J compliance documentation
□ Systems Analysis (1309) -	Attach Registered Architect's or Engineer's report
□ Prescriptive (1304.2) - Co Climate Zone (from Table 130 a. Gross above-grade wall are	
b. Total window & glass door	areasq.ft.
c. Glazing % (100 x b÷a)	% Table # utilized:

II. HVAC (check ONE)

□ Simple Systems & Equipment (1305.2)

□ Complex Systems & Equipment (1305.3)

 \square Systems Analysis (1309) - Attach Registered Architect's or Engineer's report

III. Lighting (check ONE)

 Building Area Method (1308.6.2.1)
 Space-by-Space Method (1308.6.2.2)
 Attach Compliance Documentation (COMcheck-EZ or other)
 Systems Analysis (1309) - Attach Registered Architect's or Engineer's report

IV. Approval & Acceptance Construction Documents (1301.8.4.1)

Attach a narrative report describing the HVAC, Lighting, and Electric Distribution systems, including:

For Official Use ONL	LY:	
		1. Design Intent
		2. Basis of Design
		3. Sequence of operation / systems interaction
		4. Description of the systems (capacities, etc.)
		5. Testing requirements / criteria acceptance
Building Official check off completed		6. Requirement for submittal of operation manuals and maintenance manuals
sections of report		7. Requirement for submittal of record drawings and control documents

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS APPENDICES

This Side For Use by Building Department Only

Official's Name	:]	Fitle:	
			I. Plans Revie	ew		
Date Application	n Received:					
Complete Na	rrative Repo	rt Re	ceived (1301.8.4.1)			
Design and S	pecification	Docu	ments prepared by legally reco	cognized	l profes	sional (1301.8.4.3)
Application is:	Approved		Date:	Signa	ture:	
	Denied		Date:			
Reason(s) for De	enial:	(pro	vide additional details as need	led on so	eparate	sheet)

II. Acceptance (1301.8.4.4)

- □ Successful system tests witnessed by Building Official, <u>OR</u> □ satisfactory test report received (check one)
- □ Certification by Registered Professional (per 780 CMR 116.2) that systems are installed in accordance with construction documents
- □ Confirmation by owner (or their authorized representative) that they have received record drawings, reviewed for reasonable accuracy
- Confirmation by owner (or their authorized representative) that they have received reports, controls documentation, operations manual(s), maintenance manual(s), and other documents specified in 1301.8.4.1

Building Official's Signature:

AWC Guide to Wood Construction in High Wind Areas: 110 mph Wind Zone Massachusetts Checklist for Compliance (780 CMR 5301.2.1.1)¹

			_ Ch	necl
11	SCODE		Com	npli
1.1	SCOPE Wind Speed (3-sec. gust)		110 mah	
	Wind Speed (3-sec. gust) Wind Exposure Category			
12	APPLICABILITY			
1.4	Number of Stories (a roof which exceeds 8	in 12 slope shall be considered	a story)	
	``	1		
	$_$ stories ≤ 2 stories			
	Roof Pitch			
	Mean Roof Height		$ft \le 33'$	
	Building Width, W		$tt \le 80^{\circ}$	
	Building Length, L		It $\leq 80^{\circ}$ _ < 2.1	
	Building Aspect Ratio (L/W) Nominal Height of Tallest Opening ²		≤6'8"	
	Tommar Horgin of Tunest Opening	(115 1)		
1.3	FRAMING CONNECTIONS			
	General compliance with framing connection	ons (Table 2)		
• -				
2.1	FOUNDATION	700 CMD 5404 1		
	Foundation Walls meeting requirements of			
	Concrete Concrete Masonry			
		•••••••		
~ ~	ANCHORAGE TO FOUNDATION^{1,3}			
2.2				
2.2	"Anchor Bolts imbedded or "Proprietary	y Mechanical Anchors as an alte	ernative in concrete only	
2.2	Bolt Spacing – general	(Table 4)	ini	
2.2	Bolt Spacing – general Bolt Spacing from end/joint of plate		in. ≤ 6 " – 12"	
2,2	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete	(Table 4) (Fig 5) (Fig 5)	$in. \le 6" - 12"$ in. $\ge 7"$	
2.2	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry	(Table 4) (Fig 5) (Fig 5)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2.2	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete	(Table 4) (Fig 5) (Fig 5)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer	(Table 4) (Fig 5) (Fig 5)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer	(Table 4) (Fig 5) (Fig 5) (Fig 5) (Fig 5)	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer	(Table 4) (Fig 5)	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} $ } \begin{array}{c} \end{array} \\	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer FLOORS Floor framing member spans checked	(Table 4) (Fig 5)	$\begin{array}{c} & & & & \\ & & & & \\ & & & & \\ & & & & $	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer FLOORS Floor framing member spans checked Maximum Floor Opening Dimension	(Table 4) (Fig 5)	$\begin{array}{c} & & & & \\ & & & & \\ & & & & \\ & & & & $	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Floor framing member spans checked Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear	(Table 4)	$\begin{array}{c} & & & & \\ & & & & \\ & & & & \\ & & & & $	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Bolt Embedment – masonry Plate Washer Plate Washer Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer Floor framing member spans checked Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Bracing at Endwalls		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Floor Bracing at Endwalls		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Bracing at Endwalls		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Floor Bracing at Endwalls Floor Sheathing Type Floor Sheathing Fastening		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Bolt Embedment – masonry Plate Washer Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Wall Studs at Floor Openings lead Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Bracing at Endwalls Floor Sheathing Type Floor Sheathing Thickness Floor Sheathing Fastening WALLS		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Thickness Floor Sheathing Fastening	(Table 4)	$\begin{array}{c} & & & & & \\$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FloORS Floor framing member spans checked Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Fastening WALLS Wall Height Loadbearing walls		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Walls Studs at Floor Openings lee Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Fastening WALLS Wall Height Loadbearing walls Non-Loadbearing walls		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Walls Studs at Floor Openings lee Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Thickness Floor Sheathing Fastening WALLS Wall Height Loadbearing walls Non-Loadbearing walls Wall Stud Spacing	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Walls Studs at Floor Openings lee Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Fastening WALLS Wall Height Loadbearing walls Non-Loadbearing walls	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Walls Studs at Floor Openings lee Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Thickness Floor Sheathing Fastening WALLS Wall Height Loadbearing walls Non-Loadbearing walls Wall Stud Spacing	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer FLOORS Floor framing member spans checked Full Height Wall Studs at Floor Openings le Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Type Floor Sheathing Thickness Floor Sheathing Fastening Wall Height Loadbearing walls Non-Loadbearing walls Wall Stud Spacing Wall Story Offsets	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general Bolt Spacing from end/joint of plate Bolt Embedment – concrete Bolt Embedment – masonry Plate Washer Plate Washer Floor framing member spans checked Maximum Floor Opening Dimension Full Height Wall Studs at Floor Openings le Maximum Floor Joist Setbacks Supporting Loadbearing Walls or Shear Maximum Cantilevered Floor Joists Supporting Loadbearing Walls or Shear Floor Sheathing Type Floor Sheathing Type Floor Sheathing Thickness Floor Sheathing Thickness Floor Sheathing Tastening WALLS Wall Height Loadbearing walls Wall Stud Spacing Wall Stud Spacing Wall Story Offsets Wood Studs Loadbearing walls Non-Loadbearing walls Non-Loadbearing walls Mall Stud Spacing Mall Stud Spacing Wood Studs Loadbearing walls Non-Loadbearing walls Stud Bearing walls Non-Loadbearing walls Stud Bearing walls Non-Loadbearing walls Stud Bearing walls Sable End Wall Bracing ¹ Stud Bearing walls	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3.1	Bolt Spacing – general	(Table 4)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	

780 CMR: STATE BOARD OF BUILDING REGULATIONS AND STANDARDS

APPENDICES

	t used) (Fig 11)	$\dots \dots $
and 2 x 4 Continuous Lateral Brac		
or 1 x 3 ceiling furring strips @ 16	5" spacing min. with 2 x 4 block	ing @ 4 ft. spacing in end
joist or truss bays		
Double Top Plate		
Splice Length	(Fig 13 and Table 6)	ft
Splice Connection (no. of 16d comm	non nails)(Table 6)	
Loadbearing Wall Connections		
Lateral (no. of 16d common nails)	(Tables 7)	
Non-Loadbearing Wall Connections		
Lateral (no. of 16d common nails)		
Load Bearing Wall Openings (record lar		
Header Spans		
Sill Plate Spans		
Full Height Studs (no. of studs)		
Non-Load Bearing Wall Openings (reco		
Header Spans		
Sill Plate Spans		
Full Height Studs (no. of studs)		
Exterior Wall Sheathing to Resist Uplift	and Shear Simultaneously	
Minimum Building Dimension, W	2	
Nominal Height of Tallest Openin		
Sheathing Type		
Edge Nail Spacing		-
Field Nail Spacing		
Shear Connection (no. of 16d com		
Percent Full-Height Sheathing		
Maximum Building Dimension, L	Wall with Opening > 6'8" (Desig	in Concepts)
÷	σ^2	<i>~ 6</i> ,0,,
Nominal Height of Tallest Openin Sheathing Type		
Sheathing Type	(IIOLE 4)	[005] in
Edge Nail Spacing	(Table 11 or note 1 if	
Edge Nail Spacing Field Nail Spacing		
Field Nail Spacing	(Table 11)	in.
Field Nail Spacing Shear Connection (no. of 16d com		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing		in. % n Concepts)
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding		in. % n Concepts)
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding		in. % n Concepts)
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed?	(Table 11) nmon nails) (Table 11) (Table 11) Wall with Opening > 6'8" (Desig	in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked?	(Table 11) imon nails) (Table 11) (Table 11) Wall with Opening > 6'8" (Design (For Rafters use AWC Span Too	in. % on Concepts) bl, see BBRS Website)
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang	(Table 11) imon nails) (Table 11) (Table 11) Wall with Opening > 6'8" (Design (For Rafters use AWC Span Too 	in. % on Concepts) bl, see BBRS Website)
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear	(Table 11) imon nails) (Table 11) (Table 11) Wall with Opening > 6'8" (Design (For Rafters use AWC Span Too 	in. % on Concepts) bl, see BBRS Website)
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear Proprietary Connectors		in. % on Concepts) ol, see BBRS Website) ft ≤ smaller of 2' or L/3
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? Roof Framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear Proprietary Connectors Uplift		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear Proprietary Connectors Uplift Lateral		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? Roof Framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear Proprietary Connectors Uplift		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear Proprietary Connectors Uplift Lateral Shear		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? Roof Framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbear Proprietary Connectors Uplift Lateral Shear Ridge Strap Connections, if collar ties n		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbeau Proprietary Connectors Uplift Lateral Shear Ridge Strap Connections, if collar ties n Gable Rake Outlooker Truss or Rafter Connections at Non-Loa Proprietary Connectors	(Table 11) imon nails) (Table 11) (Table 11) Wall with Opening > 6'8" (Design (For Rafters use AWC Span Tool 	in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbeau Proprietary Connectors Uplift Lateral Shear Ridge Strap Connections, if collar ties n Gable Rake Outlooker Truss or Rafter Connections at Non-Loa	(Table 11) imon nails) (Table 11) (Table 11) Wall with Opening > 6'8" (Design (For Rafters use AWC Span Tool 	in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbeau Proprietary Connectors Uplift Lateral Shear Ridge Strap Connections, if collar ties n Gable Rake Outlooker Truss or Rafter Connections at Non-Loa Proprietary Connectors		in. in. in. in. in. in. in. in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for W Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbeau Proprietary Connectors Uplift Lateral Shear Ridge Strap Connections, if collar ties n Gable Rake Outlooker Truss or Rafter Connections at Non-Loa Proprietary Connectors Uplift		in.
Field Nail Spacing Shear Connection (no. of 16d com Percent Full-Height Sheathing 5% Additional Sheathing for V Wall Cladding Rated for Wind Speed? ROOFS Roof framing member spans checked? Roof Overhang Truss or Rafter Connections at Loadbeau Proprietary Connectors Uplift Lateral Shear Ridge Strap Connections, if collar ties n Gable Rake Outlooker Truss or Rafter Connections at Non-Loa Proprietary Connectors Uplift Lateral (no. of 16d common nails)		in. in. in. in. in. in. in. in.

Notes:

1.

This checklist shall be met in its entirety, excluding the specific exception noted in 2, to comply with the requirements of 780 CMR 5301.2.1.1 Item 1. If the checklist is met in its entirety then the following metal straps and hold downs are not required per the WFCM 110 mph Guide:

- a. Steel Straps per Figure 5
- b. 20 Gage Straps per Figure 11
- c. Uplift Straps per Figure 14
- d. All Straps per Figure 17
- e. Corner Stud Hold Downs per Figure 18a and Figure 18b

- 2. Exception: Opening heights of up to 8 ft. shall be permitted when 5% is added to the percent full-height sheathing requirements shown in Tables 10 and 11.
- The bottom sill plate in exterior walls shall be a minimum 2 in. nominal thickness pressure treated #2-grade.
 a. From Tables 10 and 11 and location of wall sheathing and Building Aspect Ratio, determine Percent Full-Height Sheathing and Nail Spacing requirements

b. Wood Structural Panels shall be minimum thickness of 7/16" and be installed as follows:

i. Panels shall be installed with strength axis parallel to studs.

ii. All horizontal joints shall occur over and be nailed to framing.

iii. On single story construction, panels shall be attached to bottom plates and top member of the double top plate.

iv. On two story construction, upper panels shall be attached to the top member of the upper double top plate and to band joist at bottom of panel. Upper attachment of lower panel shall be made to band joist and lower attachment made to lowest plate at first floor framing.

v. Horizontal nail spacing at double top plates, band joists, and girders shall be a double row of 8d staggered at 3 inches on center per figures below : Vertical and Horizontal Nailing for Panel Attachment

NON-TEXT PAGE