## **Massachusetts DEP EMORs Online Reporting Application**

#### General

In 2007, MassDEP designed and implemented a data upload system to allow reporting transporters to generate the specified file format through any mechanism at their disposal and upload it directly through MassDEP's "eDEP" portal.

The data submission and the Certification document are transferred electronically.

The file format required is tab-delimited text. For reporters without their own data systems, the file can be compiled in MS Excel or any other spreadsheet software and simply saved as "tab-delimited text". Demonstration files have been created in Excel and saved as txt.

eGOV Permissions and Privileges are set through the same mechanism as the eVID program.

### EMORs Bulk Upload: Accessing the Application

The URL for eDEP is: https://edep.dep.mass.gov/DEPHome.aspx

After accessing your account, you will land on "My Home Page".

Select "Forms",

Select "Waste and Recycling"

Select "EMORs Bulk Data Upload",

Select "Upload",

Select "Browse" and find your file on your PC

Select "Open",

Select "Upload File".

Your file will now validate. If the file fails, you can use the error report to fix the data elements that are failing.

Files that pass validation can now be electronically certified (signed) and submitted.

After submitting, you will receive an Email confirmation of the transaction.

### **Notes On Submittals**

#### **One Month: One File**

As the validation table below indicates, the rule is: 1 month per submittal. It is not possible to span months.

#### **Updating Reports**

It is often necessary to amend reports. Following the 1 file per month rule, add/update the data in the original month's report and resubmit it. The resubmittal will update the earlier one.

#### **Multiple locations, Multiple Files**

For Reporters with branch offices, each office can report independently. There is no longer the need to combine the individual files and submit them as a single file.

#### **Working With Spreadsheets**

If the spreadsheet software that you are using utilizes the concept of "Workbooks" where multiple spreadsheets are stored together in a single "binder" you may run into problems where "saving to tab-delimited" will not work where there are multiple spreadsheets. In this case, you can copy and paste the spreadsheet to its own binder and you will be fine.

Header line: the text in the header line **MUST BE EXACTLY AS THEY APPEAR IN THE SAMPLE.** 

Field order: Field order MUST BE EXACTLY AS THEY APPEAR IN THE SAMPLE.

### Naming Conventions

Unlike the earlier EMOR iterations, there are no restrictions on file names. A suggestion would be to call the file what it is, for example: "HWTrucking\_Oct\_08\_EMOR\_NorthEastRegion3rdResubmittal.txt".

## Field Names and Data Criteria

Below is a table with the field names, the required or optional status of those fields and text explaining the format expected by the upload validation routines.

Field names and data criteria are largely unchanged from the ones that have been in use since 2000.

### **Field Format Validation Rules**

General criteria for all fields:

- All caps,
- no punctuation,
- please do not use any of the following characters: ~` @ # \$ % ^ & \* () \_ + = / \* + <> ;: "`'{ } [] \.

#### How to use this table

For data file templates, please open these files:

SampleGenericEmor.xls SampleGenericEmor.txt

These are the same data sets. One is in MS Excel, as compiled, and the other is the Excel file saved as "Tab-delimited" format.

For "No Activity" file templates, please open these files:

SampleNoActivity.xls SampleNoActivity.txt

Again, these are the same data sets. One is in MS Excel, as compiled, and the other is the Excel file saved as "Tab-delimited" format.

Reading left to right, read the data in the cells. See the requirements for those cells/fields in the table below.

Field Field Name		Data Format Expected
#	or Optional	
1RECORD_TYPE	R	1 char. Used to distinguish between a "header" record and a "detail" record. Each record must be designated one or the other. For multi detail line manifests, the first line is designated "H", all successive lines are designated "D".
2REPORTING_YEAR	R	4 chars, YYYY, numeric. Year of report being submitted. Note: when User selects month/year that file is for, the Source Transporter ID & it's associated Receipt Date MUST = the month being submitted for. Out of date range records will cause load to fail. One month = one submittal, no split months. Re-submits are fine
3REPORTING_MONTH	R	2 chars, numeric, 01-12. Month of report being submitted. Note: when selecting month/year that file is for, the Source Transporter ID & it's associated Receipt Date MUST = the month being submitted for. Out of date range records will cause load to fail. One month = one submittal, no split months. Re- submits are fine
4SOURCE_TRANSPORTER_EPA_ID	R	12 chars, EPA ID format (1st two chars must be alpha). This is the EPA ID of the reporting transporter
5STATE_MANIFEST_DOCUMENT_NO	R	20 chars, no spaces, no hyphens, must end with 3 alpha characters, manifest number must be unique within the file - no duplicates. Manifest or Bill of Lading ID, if bill of lading & has no 3 alpha suffix, type in "BOL".
6GENERATOR_EPA_ID	R	12 chars, EPA ID format (1st two chars must be alpha). EPA ID of generator

7 GENERATOR_NAME	R	50 chars.
8GENERATOR_SITE_ADDRESS_LINE_1	R	32 chars.
9GENERATOR_SITE_ADDRESS_LINE_2	R	32 chars.
10GENERATOR_SITE_CITY	R	20 chars.
11 GENERATOR_SITE_STATE_PROVINCE	R	2 chars
12GENERATOR_SITE_POSTAL_CODE	R	Valid US/Canada ZIP Code format
13 GENERATOR_SITE_COUNTRY	R	2 char standard abbreviation
14GENERATOR_MAIL_ADDRESS_LINE_1	R	32 chars.
15 GENERATOR_MAIL_ADDRESS_LINE_2	R	32 chars.
16GENERATOR_MAIL_CITY	R	20 chars.
17 GENERATOR_MAIL_STATE_PROVINCE	R	2 chars.
18GENERATOR_MAIL_POSTAL_CODE	R	Valid US/Canada ZIP Code format
19 GENERATOR_MAIL_COUNTRY	R	2 char standard abbreviation
20TRANSPORTER_1_EPA_ID	R	12 chars, EPA ID format (1st two chars must be alpha).
21TRANSPORTER_1_COMPANY_NAME	R	32 chars
22TRANSPORTER_1_MATERIALS_RECEIP	R	10 chars. MM/DD/YYYY, Must be equal to or greater than Generator Certification Date.
23TRANSPORTER_2_EPA_ID	O/R	12 chars, EPA ID format (1st two chars must be alpha). If Transporter 2 EPA ID has no value (i.e. only one Transporter was involved), then Facility EPA ID value is required.
24TRANSPORTER_2_COMPANY_NAME	O/R	32 chars.

25 TRANSPORTER_2_MATERIALS_RECEIP	O/R	MM/DD/YYYY, must be equal to or greater than Transporter 1 Receipt Date
26TRANSPORTER_3_EPA_ID	O/R	12 chars, EPA ID format (1st two chars must be alpha). If Transporter 3 EPA ID has no value (i.e. only two Transporters were involved), then Facility EPA ID value is required.
27 TRANSPORTER_3_COMPANY_NAME	O/R	32 chars.
28TRANSPORTER_3_MATERIALS_RECEIP	O/R	MM/DD/YYYY Equal to or greater than Transporter 2 Receipt Date.
29 <sup>TRANSPORTER_4_EPA_ID</sup>	O/R	12 chars, EPA ID format (1st two chars must be alpha). If Transporter 4 EPA ID has no value (i.e. only three Transporters were involved), then Facility EPA ID value is required.
30 TRANSPORTER_4_COMPANY_NAME	O/R	32 chars.
31 TRANSPORTER_4_MATERIALS_RECEIP	O/R	MM/DD/YYYY Equal to or greater than Transporter 3 Receipt Date.
32 TRANSPORTER_5_EPA_ID	O/R	12 chars, EPA ID format (1st two chars must be alpha). If Transporter 5 EPA ID has no value (only four Transporters were involved), then Facility EPA ID value is required.
33 TRANSPORTER_5_COMPANY_NAME	O/R	32 chars.
34TRANSPORTER_5_MATERIALS_RECEIP	O/R	MM/DD/YYYY Equal to or greater than Transporter 4 Receipt Date.
35FACILITY_EPA_ID	R	12 chars, EPA ID format (1st two chars must be alpha). ID of receiving TSD. If Reporting Transporter has no subsequent Transporters then Facility EPA ID must have value.

36FACILITY_NAME	R	32 chars. Name of receiving facility.
37FACILITY_RECEIPT_DATE	R	MM/DD/YYYY Equal to or greater than Generator Certification Date.
38DISCREPANCY_INDICATION	0	<ul> <li>240 chars. If a discrepancy, explain in Discrepancy</li> <li>Indication field, then indicate any and all of the reasons for the discrepancy by entering</li> <li>"Y" in any combination of the following fields; (Discrepancy Indication) Quantity,</li> <li>(Discrepancy Indication) Type,</li> <li>(Discrepancy Indication)</li> <li>Residue, (Discrepancy</li> <li>Indication) Partial Rejection,</li> <li>(Discrepancy Indication) Full</li> <li>Rejection, (Discrepancy</li> <li>Indication) Other. One of these fields MUST be indicated if</li> <li>"Discrepancy Indication" is not null</li> </ul>
39DISCREPANCY_INDICATION_QUANTITY	R	Check Box, default = blank as "N". If "yes" then "Y". DiscrepInd is not null: any or all of (Discrepancy Indication) fields must be checked
40DISCREPANCY_INDICATION_TYPE	R	Check Box, default = blank as "N". If "yes" then "Y". DiscrepInd is not null: any or all of (Discrepancy Indication) fields must be checked
41 DISCREPANCY_INDICATION_RESIDUE	R	Check Box, default = blank as "N". If "yes" then "Y". DiscrepInd is not null: any or all of (Discrepancy Indication) fields must be checked
42DISCREPANCY_INDICATION_PARTIAL_REJECTION	R	Check Box, default = blank as "N". If "yes" then "Y". DiscrepInd is not null: any or all of (Discrepancy Indication) fields must be checked
43DISCREPANCY_INDICATION_FULL_REJECTION	R	Check Box, default = blank as "N". If "yes" then "Y". DiscrepInd is not null: any or all of (Discrepancy Indication) fields must be checked

44 DISCREPANCY_INDICATION_OTHER	R	Check Box, default = blank as "N". If "yes" then "Y". DiscrepInd is not null: any or all of (Discrepancy Indication) fields must be checked
45 MANIFEST_REFERENCE_NUMBER	0	20 chars. No spaces, no hyphens. DiscrepInd is not null.
46 ALTERNATE_FACILITY_EPA_ID	0	12 chars, EPA ID format (1st two chars must be alpha).
47 ALTERNATE_FACILITY_NAME	0	Cannot have value unless Alternate Facility EPA ID has value
48 ALTERNATE_FACILITY_RECEIPT_DATE	0	MM/DD/YYYY. If value in Alternate Facility ID field, then Facility Receipt Date value is required. Value must be valid date equal to or greater than Gen Cert Date
49GENERATOR_CERTIFICATION_DATE	R	MM/DD/YYYY. Must be valid date
50LINE_NO	R	3 chars. Numeric. Must be integer > 0. Must be unique within all Detail Lines for the specified State Manifest Document No.
51 DOT_DESCRIPTION	R	50 chars.
52CONTAINER_COUNT	R	3 chars. Numeric, Must be integer =, > 0. Must not be blank, 1 to 999
53CONTAINER_TYPE	R	2 chars. Must be "BA", "CF", "CM", "CW", "CY", "DF", "DM", "DT", "HG", "DW", "TC", "TP", or "TT"
54TOTAL_QUANTITY	R	7 chars. Numeric. Must be number.
55UNIT_WT_VOL	R	1 char. Must be "G", "K", "L", "M", "N", "P", "T" or "Y"
56WASTE_NO_1	R	4 chars. 4 chars, first char Alpha, 2 <sup>nd</sup> alpha/numeric, 3 <sup>rd</sup> and 4 <sup>th</sup> numeric
57 WASTE_NO_2	Ο	4 chars.

58 WASTE_NO_3	0	4 chars.
59WASTE_NO_4	О	4 chars.
60WASTE_NO_5	0	4 chars.
61WASTE_NO_6	0	4 chars.
62MANAGEMENT_METHOD_CODE	0	4 chars, 1 alpha, 3 numeric, valid EPA codes.
63 FEE	0	1 char. Must be from "0" to "9".

# **No Activity Reports**

"No Activity" reports are handled as described below.

Prepare a spreadsheet (or an extract from your system) with the following values in the following fields:

RECORD_TYPE	Н
REPORTING_YEAR	The year of the report YYYY
REPORTING_MONTH	The month of the report MM
SOURCE_TRANSPORTER_EPA_ID	Your company's ID
STATE_MANIFEST_DOCUMENT_NO	NO ACTIVITY

Then, save the file as "tab-delimited text", and upload.