



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

MIKE KENNEALY
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

Commonwealth of Massachusetts
Division of Professional Licensure
Office of Public Safety and Inspections
1000 Washington Street, Suite 710
Boston, Massachusetts 02118

EDWARD A. PALLESCHI
UNDERSECRETARY OF CONSUMER
AFFAIRS AND BUSINESS
REGULATION

DIANE M. SYMONDS
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

Agenda

Meeting of the
Board of Elevator Regulations
January 28, 2020 at 1:00 p.m.
1000 Washington Street
Boston, MA 02118
1st Floor – Room 1C

1. Roll Call

• Stephen Sampson, Chairman	<input type="checkbox"/> present	<input type="checkbox"/> absent
• Paul Vigneau	<input type="checkbox"/> present	<input type="checkbox"/> absent
• David Gaudet	<input type="checkbox"/> present	<input type="checkbox"/> absent
• Cheryl Davis	<input type="checkbox"/> present	<input type="checkbox"/> absent
• David Morgan	<input type="checkbox"/> present	<input type="checkbox"/> absent
• Brian Ronan	<input type="checkbox"/> present	<input type="checkbox"/> absent
• Eric Morse	<input type="checkbox"/> present	<input type="checkbox"/> absent
• Vacancy	<input type="checkbox"/> present	<input type="checkbox"/> absent
• Vacancy	<input type="checkbox"/> present	<input type="checkbox"/> absent

2. 45 Francis Avenue – Cambridge, MA

Seeking a variance from MA 524 CMR 35:00 Section 5.2.1.4.1 – Bottom car clearance.

3. 650 Suffolk Street – Lowell, MA

Seeking a variance from A18.1-2014 Section 2.1.9 – Headroom clearance and Section 2.1.5 – Pipes in runway vicinity.

4. 416 Beacon Street – Boston, MA

Seeking a variance from ASME A17.1-2013 Section 5.2.1.16.5 – LULA maximum rise 25 feet.

5. Discussion regarding 524 CMR 35:00 Section 2.8.3.3 – Sprinklers shall not be permitted in power passenger or freight elevator hoistways, pits, machine rooms or control spaces.



6. Old business (The Board may or may not discuss):
 - **267 Lakeview Avenue – Cambridge, MA**
Placed under advisement and the Board requested pictures of the fuses for fire service circuits, open and closed.
 - Discussion regarding the adoption of the 2016 elevator code.
 - Discussion regarding new Controller/Fire Service
7. Approval of meeting minutes from January 21, 2019.
8. Matters not reasonably anticipated 48 hours in advance of meeting

