



CHARLES D. BAKER
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

MIKE KENNEALY
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts
Division of Professional Licensure**

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

EDWARD A. PALLESCHI
UNDERSECRETARY OF CONSUMER
AFFAIRS AND BUSINESS
REGULATION

LAYLA R. D'EMILIA
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

Agenda

**Meeting of the
Board of Elevator Regulations
April 28, 2020 at 9:00 a.m.**

Remote participation can be accessed by computer, tablet or smartphone.

<https://global.gotomeeting.com/join/387083093>

You can also dial in using your phone.

United States (Toll Free): [1 877 309 2073](tel:18773092073)

United States: [+1 \(646\) 749-3129](tel:+16467493129)

Access Code: 387-083-093

New to GoToMeeting? Get the app now and be ready when your first meeting starts:

<https://global.gotomeeting.com/install/387083093>

1. Roll Call

| | | |
|-----------------------------|----------------------------------|---------------------------------|
| • Stephen Sampson, Chairman | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • Jacob Nunnemacher | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • David Gaudet | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • Cheryl Davis | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • David Morgan | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • Brian Ronan | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • Eric Morse | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • Vacancy | <input type="checkbox"/> present | <input type="checkbox"/> absent |
| • Vacancy | <input type="checkbox"/> present | <input type="checkbox"/> absent |

2. 173 Alford Street – Everett, MA

Seeking relief from § 3.19.4.7.3 remove vitriolic fittings between jack and rupture valve and replace with solid pipe.

3. 19 Hobart Avenue – Braintree, MA

Seeking relief from § 35.00 2000-10a - Keyed Lifts. Seeking to secure an exterior lift but not by key.



4. **16 Hawes Street – Brookline, MA**
Seeking relief from ASME 5.3.1.10.1; maximum floor area of a residence elevator being 15 square feet.
5. Approval of meeting minutes from March 3, 2020 and April 21, 2020.
6. Old business (The Board may or may not discuss):
 - Discussion regarding 524 CMR 35:00 Section 2.8.3.3 – Sprinklers shall not be permitted in power passenger or freight elevator hoistways, pits, machine rooms or control spaces.
 - Discussion regarding the adoption of the 2016 elevator code.
 - Discussion regarding new Controller/Fire Service
7. Matters not reasonably anticipated 48 hours in advance of meeting.

