

CHARLES D. BAKER GOVERNOR

KARYN E. POLITO LIEUTENANT GOVERNOR

JAY ASH SECRETARY OF HOUSING AND ECONOMIC DEVELOPMENT

## Commonwealth of Massachusetts Division of Professional Licensure Office of Public Safety and Inspections

1000 Washington Street, Suite 710 • Boston • Massachusetts • 02118

JOHN C. CHAPMAN

UNDERSECRETARY OF CONSUMER AFFAIRS AND BUSINESS REGULATION

**CHARLES BORSTEL** 

COMMISSIONER, DIVISION OF PROFESSIONAL LICENSURE

## **Agenda**

Meeting of the Board of Elevator Regulations December 4, 2018 at 1:00 p.m. 1000 Washington Street Boston, MA 02118 1<sup>st</sup> Floor – Room 1D

1.	Roll Call  Stephen Sampson, Chairman John O'Donoghue David Gaudet Cheryl Davis David Morgan Brian Ronan Eric Morse Vacancy  Present Dresent Dr
2.	Approval of meeting minutes from November 27, 2018
3.	8 Harrison Avenue – Boston, MA Seeking variance of disconnect location as this machine room serves as a multi- car location.
4.	127 West Rodney French Boulevard – New Bedford, MA Seeking a variance to use the existing freight elevator for limited public passenger service.
5.	Discussion regarding two-way communication under A17.1-2013 Section 2.27(h)
6.	Old business (The Board may or may not discuss):
	• 46 Wareham Street – Boston, MA – Seeking a prototype approval to install two [2] Model No. 4 Post VRCs with one level of automated parking below grade for 69 cars.



CHARLES D. BAKER GOVERNOR

KARYN E. POLITO LIEUTENANT GOVERNOR

JAY ASH SECRETARY OF HOUSING AND ECONOMIC DEVELOPMENT

## Commonwealth of Massachusetts Division of Professional Licensure Office of Public Safety and Inspections

1000 Washington Street, Suite 710 • Boston • Massachusetts • 02118

JOHN C. CHAPMAN

UNDERSECRETARY OF CONSUMER AFFAIRS AND BUSINESS REGULATION

**CHARLES BORSTEL** 

COMMISSIONER, DIVISION OF PROFESSIONAL LICENSURE

- Discussion regarding previously submitted variance request for the allowance of a new technology, a two-elevator in one hoistway elevator system known as TWIN from ThyssenKrupp Elevator Company.
- Discussion regarding 524 CMR advisory memo.
- Discussion regarding ASME A17.1-2013 §2.27.1.1.4 Where the elevator rise is 70 ft or more, a two-way voice communication means within the building accessible to emergency personnel shall be provided.
- Discussion regarding Fire Service Access Elevator (FSAE) and existing buildings.
- Discuss safety concerns regarding existing elevators and escalators.
- 7. Matters not reasonably anticipated 48 hours in advance of meeting.