XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
A header is required at the xml version="1.0" encoder</td <td></td> <td>L file as follows:</td> <td></td> <td></td> <td></td> <td></td> <td></td>		L file as follows:					
<submission></submission>	Opening tag is required.						
	type	Describes the setting for which data is being submitted.	N/A	HOSPITAL	Character	20	Yes
	data	Describes the type of data being submitted.	N/A	CLINICAL	Character	20	Yes
	version	The version of the file layout.	N/A	3.0	Character	20	Yes
	action-code	Describes the intended action of the file being submitted.	N/A	ADD	Character	20	Yes
<b>cfile-audit-data&gt;</b> sub-element of the submission data element <b>create-date&gt;</b> sub-element of the file audit data element	data  Each element must have	Note: This tag and the entire <file-audit-data> section are optional in the XML aclosing tag that is the same as the opening tag but with a forward slash.    State-date</file-audit-data>	L document. If submitted	I, this tag contains no data. Required	I I I	are included.	
	None	The month, day, and year the XML file was created	N/A	MM-DD-YYYY (Must be a valid date)	Date	10	Yes
audit data element	Example with data: <a href="mailto:create-time"><a href="mailto:create-time"></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>						

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<pre><pre><pre><pre><pre>Sub-element of the submission data element</pre></pre></pre></pre></pre>	Opening tag for provider	Note: This tag is required in the XML document. However, it contains no data.					
<pre><pre><pre><pre><pre><pre><pre>sub-element of the provider element</pre></pre></pre></pre></pre></pre></pre>	Each element must have Example with data: <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	a closing tag that is the same as the opening tag but with a forward slash.  0					
	None	Used to identify the provider. This will be either a valid 6-digit Medicare or 10-digit Medicaid provider ID.	Provider ID	Valid 6 or 10 digit ID	Character	10	Yes
<npi> sub-element of the provider element</npi>	Each element must have Example with data: <npi>1234567890</npi>	a closing tag that is the same as the opening tag but with a forward slash.		,			
	None	National Provider Identifier as assigned by CMS  Please Note: If the <provider-id> value is NOT provided then a valid <npi>number is REQUIRED.</npi></provider-id>	National Provider Identifier (NPI)	Valid 10 digit NPI Number	Character	10	Yes (Conditionally)
<hcoid> sub-element of the provider element</hcoid>	Each element must have Example with data: <hcoid>123456</hcoid>	a closing tag that is the same as the opening tag but with a forward slash.					
	None	Used to identify the healthcare organization	Health Care Organization Identifier	See ORYX Technical Implementation Guide	See ORYX Technical Implementatio n Guide	See ORYX Technical Implementation Guide	No
<pre><patient> sub-element of the provider element</patient></pre>	Opening tag for patient	Note: This tag is required in the XML document. However, it contains no data.	•				
<pre><first-name> sub-element of the patient element</first-name></pre>		a closing tag that is the same as the opening tag but with a forward slash.  name>					
	None	The patient's first name	First Name	Patient's First Name	Character	30	Yes
<li><last-name> sub-element of the patient element</last-name></li>		a closing tag that is the same as the opening tag but with a forward slash.  ame>					
	None	The patient's last name	Last Name	Patient's Last Name	Character	60	Yes
 <b>sub-element of the patient element</b>		a closing tag that is the same as the opening tag but with a forward slash.	1			I	1
	None	The month, day, and year the patient was born	Birthdate	MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)	Date	10	Yes
<race> sub-element of the patient element</race>		a closing tag that is the same as the opening tag but with a forward slash.		Joannes addail O I D J	•	•	,
	None	Documentation of the patient's race	Race	1,2,3,4,5,7	Numeric	1	Yes
		· ·	1				1

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<pre><ethnic> sub-element of the patient element</ethnic></pre>		a closing tag that is the same as the opening tag but with a forward slash.					
	None	Documentation that the patient is Hispanic/Latino/Spanish	Hispanic Indicator	Y,N	Character	1	Yes
<episode-of-care> sub-element of the patient element</episode-of-care>	Opening tag for episode of care	Example with data: <episode-of-care measure-set="SUB"></episode-of-care>					
	measure-set	The code for the measure set submitted.	Measure set	CCM SUB MAT-4 NEWB-3	Character	22	Yes
<admit-date> sub-element of the episode-of-care element</admit-date>	Attributes describe the ele	element, the closing tag for this element will be at the end of the record.  element and are included within the opening and closing <> ion (refer to Table A for valid answer codes):					
	None	The month, day, and year of admission for inpatient care	Admission Date	MM-DD-YYYY  (Must be a valid date and cannot equal UTD)	Date	10	Yes
<pre><discharge-date> sub-element of the episode-of-care element</discharge-date></pre>	Each element must have Example with data: <discharge-date>04-06-3</discharge-date>	a closing tag that is the same as the opening tag but with a forward slash.  2007					
	None	The month, day, and year the patient was discharged from acute care, left against medical advice, or expired during this stay.	Discharge Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date	10	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)				
<pre><pthic> sub-element of the episode-of-care element</pthic></pre>	Each element must have a Example with data: <pthic>123456789A<td>a closing tag that is the same as the opening tag but with a forward slash.</td><td></td><td></td><td></td><td></td><td></td></pthic>	a closing tag that is the same as the opening tag but with a forward slash.									
	None	HIC# of the patient The patient's Medicare health insurance claim number.	Patient HIC#	No embedded dashes or spaces or special characters Must have both alpha and numeric characters Alpha characters must be upper case Length cannot be more than 12 or less than 7 characters For alphanumeric, do not allow all numeric values to be 9's. For example, do not allow 1 alpha + 999999999, etc.	Character	7-12	No				
<vendor-tracking-id> sub-element of the</vendor-tracking-id>	Each element must have a Example with data:	a closing tag that is the same as the opening tag but with a forward slash.	1	-			•				
episode-of-care element	<vendor-tracking-id>123</vendor-tracking-id>	3456789012									
	None	Used by the vendor to identify the episode of care	Vendor Tracking ID	Up to 100 characters	Character	Up to 100	No				
<pre><patient-id> sub-element of the episode-of-care element</patient-id></pre>	Each element must have a Example with data: <patient-id>74185296374</patient-id>	a closing tag that is the same as the opening tag but with a forward slash.									
	None	Identifier used to identify the patient at the hospital	Patient Identifier	Up to 40 characters	Character	Up to 40	Yes				
<detail> sub-element of the episode-of-care element</detail>	Attributes describe the ele Example of Yes/No ques For discharges 4/1/2007 a <detail a="" answer-code="3" cdetail="" cho="" example="" multiple="" of="" td="" user-entere<=""><td colspan="10">Since this is the opening element, the closing tag for this element will be at the end of the record.  Attributes describe the element and are included within the opening and closing &lt;&gt;  Example of Yes/No question (refer to Table A for valid answer codes):  For discharges 4/1/2007 and forward:  <detail answer-code="Y" question-cd="ASPRNRXDIS" row-number="0">  Example of multiple choice question (refer to Table A for valid answer codes):  <detail answer-code="3" question-cd="ANTIBIRCVD" row-number="0">  Example of a user-entered code:  <detail answer-code="001.9" question-cd="OTHRDX#" row-number="0"></detail></detail></detail></td></detail>	Since this is the opening element, the closing tag for this element will be at the end of the record.  Attributes describe the element and are included within the opening and closing <>  Example of Yes/No question (refer to Table A for valid answer codes):  For discharges 4/1/2007 and forward: <detail answer-code="Y" question-cd="ASPRNRXDIS" row-number="0">  Example of multiple choice question (refer to Table A for valid answer codes):  <detail answer-code="3" question-cd="ANTIBIRCVD" row-number="0">  Example of a user-entered code:  <detail answer-code="001.9" question-cd="OTHRDX#" row-number="0"></detail></detail></detail>									
	answer-code	ID number of the answer	Not a data element itself; each possible answer has its own unique ID	Refer to Table A for valid values	Character	20	Yes				

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
	question-cd	The field name of the question	Not a data element itself; each data element is a question code	Refer to Table A for valid values	Character	20	Yes
	row-number	Used to group answers together for multi-row, multi-column answers	itself; used for grouping answers only	0-75 Depending on the number of rows allowed per question. i.e. Antibiotic Name, Date, Time and Route would have rownumber 0 for the first antibiotic, 1 for the second antibiotic, and so on.	Integer		Yes  Default to 0.  For mulitiple answer options, add 1 to the row number for each additional answer
<answer-value> Sub-element of detail</answer-value>	The answer value  Example: <answer- value="">No</answer->	The description of the answer-code		Place the answer text here. Examples: Yes No Male Female 01-01-2006 Note: All Dates in this field should be formatted as MM-DD-	Character	2000	No
	Closing tag for detail	Note: This tag is required in the XML document. However, it contains no data.			l l		
	Closing tag for episode of care	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for patient	Note: This tag is required in the XML document. However, it contains no data.				_	_
	Closing tag for provider	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for submission	Note: This tag is required in the XML document. However, it contains no data.					

	Retired Elements Effective (v2.1)										
<sex></sex>	Each element must have a	Each element must have a closing tag that is the same as the opening tag but with a forward slash.									
sub-element of the patient	Example with data:	ample with data:									
element	<sex>M</sex>	sex>M									
	NOTE: There are 6 valid v	values and they can select all that apply. Can occur up to 5 times but the	e field size for each occurrence	is "1." If value "6" is selected then no	other value sh	ould be selected.					
			Γ-	_	1 -	1					
	None	The patient's sex	Sex	1,2,3,4,5,6	Character	1	Yes				

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Alcohol Use Status	What is the patient's alcohol use				T.		Taura aura
	ALCSTATUS	Alpha	1	1	1	Validated Tool, No/Low Risk	SUB-2, SUB-3
					2	Validated Tool, Moderate/High Risk	
					3	Non-validation tool, No/Low Risk	
					4	Non-validation tool, Moderate/High Risk	
					5	Patient Refused	
					6	Not Screened/ UTD	
					7	Cognative Impairment	
Advance Care Plan	Does the Transition Record incl		n Advance Ca	are Plan?			
	ADVCAREPLN	Alpha	1	1	Υ	Yes	CCM-2
					N	No No	
irth Weight	What was the weight of the new						
	BRTHWGT	Alpha	4 or UTD	1	150 through 8165 grams UTD = Unable to Determine	150 through 8165 grams UTD = Unable to Determine	NEWB-3
rief Intervention			y alcohol use	or alcohol use of	disorder (abuse or dependence	e) receive a brief intervention prior to discharge?	Tours -
	BRFINTVTN	Alpha	1	1	1	The patient received the components of a brief intervention.	SUB-2
					2	The patient refused/declined the brief intervention.	
					3	Brief counseling was not offered to the patient during the hospital stay or unable to determine if a brief intervention was provided from medical record documentation.	
						non medical record documentation.	
Comfort Measures Only	When is the earliest physician/A	PN/PA documentation o	f comfort me	asures only?			
omion modelares emy	COMFORTMX	Alpha	1	1	11	Day 0 or 1: The earliest day the physician/APN/PA documented comfort measures only was the day of arrival (Day 0) or day after	SUB-2, SUB-3
	COMI CIVINIX	ларпа	'	,	2	arrival (Day 1).  Day 2 or after: The earliest day the physician/APN/PA documented comfort measures only was two or more days after arrival day (Day 2+).	
					3	Timing unclear: There is physician/APN/PA documentation of comfort measures only during this hospital stay, but whether the	
					4	earliest documentation of comfort measures only was on day 0 or 1 OR after day 1 is unclear.  Not Documented/UTD: There is no physician/APN/PA documentation of comfort measures only, or unable to determine from medical record documentation.	
Contact Information 24 hrs/ 7 days	Does the Transition Record incl		t Information t	for questions, co	ncerns, or emergencies relate	· · · · · ·	
	CONTINFOHRDY	Alpha	1	1	Υ	Yes	CCM-2
					N	No No	
		ude Contact Information	for obtaining	results of studie	s pending at discharge or docu	umentation that there were no studies pending at discharge?	
t Discharge	CONTINFOSTPEND	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Current Medication List	Does the Transition Record incl	ude a Current Medication	n List or docu	mentation of no	medications?		
	MEDLIST	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Discharge Diagnosis	Does the Transition Record incl	ude the Discharge Diagr	nosis?				
5 5 5	PRINDXDC	Alpha	1	1	Υ	Yes	CCM-2
		F		•	N	No	†
Pischarge Disposition	What was the patient's discharg	e disposition on the day	of discharge?	>			
noonango Dioposition	DISCHGDISP	Alpha	1	1	I1	Home	CCM, NEWB-3, SUB-3
	5.551105101	лірпа	'		2	Hospice - Home	100,
					2	Hospice - Health Care Facility	4
					3	,	4
					4	Acute Care Facility	4
					5	Other Health Care Facility	4
		1			6	Expired	
	1	1			7	Left Against Medical Advice/AMA	
		1				Not Documented or Unable to Determine (UTD)	

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Gestational Age	How many weeks of gestation v			y?			
	GESTAGE	Alpha	3 or UTD	1	In completed weeks; do not round up. Two digit number with no leading zero or "UTD".	In completed weeks; do not round up. Two digit number with no leading zero or "UTD".	MAT-4
ICD-10-CM Other Diagnosis Codes	What were the ICD-10-CM other	ur diagnosis codos solo	etad for this m	adical record?			
100 To Oil Other Diagnosis Godes	OTHRDX#	Character	3-7	24	ICD-10-CM Diagnosis code, without decimal point or dot, upper or lower case	ICD-10-CM Diagnosis code, without decimal point or dot. Allows up to 24 rows	All Records with more than one Diagnosis Code
ICD-10-PCS Other Procedure Codes	What were the ICD-10-PCS coo	de(s) selected as other	procedure(s)	for this record?			
	OTHRPX#	Character	3-7	24	ICD-10-PCS Procedure code, without decimal point or dot, upper or lower case	ICD-10-PCSProcedure code, without decimal point or dot Allows up to 24 rows	All Records with more than one Procedure Code
ICD-10-PCS Other Procedure Dates	What were the date(s) the other	r procedure(s) were pe	rformod?				
ICD-10-PC3 Other Procedure Dates	OTHRPX#DT	Date Date	10	24	User Entered (MM-DD-YYYY)	User Entered (MM-DD-YYYY). Allows up to 24 rows	All Records with more than one Procedure Code
					(IMIMI-DD-TTTT)		Code
ICD-10-CM Principal Diagnosis Code	What was the ICD-10-CM code	selected as the princip	oal diagnosis f	or this record?			
	PRINDX	Character	3-7	1	ICD-10-CM Diagnosis code, without decimal point or dot , upper or lower case	ICD-10-CM Diagnosis code, without decimal point or dot	All Records
ICD-10-PCS Principal Procedure Code	What was the ICD 10 DCC and	a coloated as the princ	inal procedure	for this record?			
100-10-103 Filliopal Flocedule Code	PRINPX	Character	3-7	1	ICD-10-PCS Procedure code, without decimal point or dot, upper or lower case	ICD-10-PCS Procedure code, without decimal point or dot	All records with a principal procedure
ICD-10-PCS Principal Procedure Date							
	PRINPXDATE	Date	10	1	User Entered (MM-DD-YYYY)	User Entered (MM-DD-YYYY). All records with a principal procedure	All records with a principal procedure
MassHealth Member ID	What is the patient's MassHealt	h Memher ID?					
Macor reality mornings in	MHRIDNO	Alpha	20	1	All alpha characters must be upper case	All alpha characters must be upper case	All Records
					upper case		
Medical Procedures and Tests	Does the Transition Record incl	ude the Medical Proce	edure(s) and T	est(s) and a Sum	mary of Results?		
	PROCTEST	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Patient Instructions	Does the Transition Record incl		s?		T.	No.	lanu.
	PATINSTR	Alpha	1	1	Y	Yes No	CCM-2
					IN	INO	
Patient Refusal	Is there documentation in the m	edical record of patien	t refusal of tra	nemission to the	next site of care, physician, or	ther health care professional designated for follow-up care?	
i diciri Nelusai	PATROT	Alpha	1	1	Y	Yes	CCM-3
		Лірпа	'		N N	No No	3000
	-		1	L	I''	r:-	

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Payer Source	What is the patient's primary sou	urce of Medicaid paym	ent for care p	rovided?			
	PMTSRCE	Alpha	1 to 3	1	103	MassHealth FFS Network, MassHealth Limited Plans	All Records
					103	Primary Care Clinician Management (PCCM) Plan	
					118	Medicaid Managed Care: Massachusetts Behavioral Health Partnership	
					103	Medicaid Managed Care: Other (not listed elsewhere)	
					288	Medicaid Managed Care: WellSense Health Plan	
					7	Medicaid Managed Care: Tufts Health Plan	
					311	Medicaid Other ACO	
					4	Fallon Health-Atrius Health Care Collaborative	
					4	Berkshire Fallon Health Collaborative	
					4	Fallon 365 Care	
					24	Be Healthy Partnership with Health New England	
					288	East Boston Neighborhood Health WellSense Alliance	
					288	WellSense Beth Israel Lahey Health (BILH) Performance Network ACO	
					288	WellSense Boston Children's ACO	
					288	WellSense Care Alliance	
					288	WellSense Community Alliance	
					288	WellSense Mercy Alliance	
					288	WellSense Signature Alliance	
					288	WellSense Southcoast Alliance	
					320	Community Care Cooperative	
					322	Mass General Brigham Health Plan with Mass General Brigham ACO with Mass General Brigham (ACO)	
I					323	Steward Health Choice (ACO)	
					7	Tufts Health Together with UMass Memorial Health	
					7	Tufts Health Together with Cambridge Health Alliance	
i					328	Tufts Medicine (ACO)	
Plan for Follow Up Care			Jp Care relate	ed to inpatient sta	y OR documentation by a	physician of no follow-up care required OR patient is a transfer to another site of care?	Too
	PLANFUP	Alpha	1	1	Y N	Yes No	CCM-2
					IN	INU	
Prescription for Alcohol or Drug	Was one of the FDA approved r	nedications for alcohol	or drug disor	der prescribed at	discharge?		
Disorder Medication	RXALCDRGMED	Alpha	1	1	1	Yes	SUB-3
				1	2	Patient Refused	
				1	3	Discharge outside US/court/jail/law enforcement	
		<u> </u>		<u> </u>	4	No/ UTD	
Primary Physician / Health Care	Does the Transition Record incl		rimary Physici		h Care Professional or site		
Professional for Follow Up Care	PPFUP	Alpha	1	1	Υ	Yes	CCM-2
			<u></u>		N	No	

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Descrides Nove	What is the name of the provider		4				
Provider Name	PROVNAME	Alpha	60	1	User Entered	User Entered	All Records
	FROVIVAIVIL	Лірпа	00	<u> </u>	Oser Entered	OSEI EIREIEU	All Necolus
Previous Births	Did the patient experience a birth	prior to the current ho	snitalization?	>			
. Toward Birtho	NUMPB	Alpha	1	1 1	Y	Yes	MAT- 4
		,			N	No	
Race	What is the patient's self-reported	race?					
1	MHRACE	Alpha	2-6	1	R1	American Indian or Alaska Native	All Records
ı					R2	Asian	
1					R3	Black/African American	
l					R4	Native Hawaiian or Pacific Islander	
l					R5	White	
					R9	Other Race	
					UNKNOW	Unknown	
Reason for Inpatient Admission	Does the Transition Record inclu				lv.	lv.	Tooles
	INPTADMREAS	Alpha	1	1	Y	Yes	CCM-2
					N	No	
D	Dild of the control				( )		
Reconciled Medication List	Did the patient/caregiver receive a RECONMEDLIST	Alpha		1 list at the time o	r discharge?	Yes	CCM-1
	RECONMEDEIST	Alpha	1	1	Y N	No No	CCIVI-1
					IN	100	
Referral for Addictions Treatment	Was a referral for addictions trea	tmant made for the no	tiont prior to	diagharga?			
Referration Additions Treatment	REFADDTX	Alpha	1	discharge?	1	Yes	SUB-3
	THE THE STATE OF T	/ uprica			2	No Appointment Made	
					3	Patient Refused/ No Referral Made	
					4	Discharge outside US/court/jail/law enforcement	
					5	No/ UTD	
					-		
Studies Pending at Discharge	Does the Transition Record inclu	de documentation of S	Studies Pend	ing at Discharge	or that no studies were p	ending?	
ů ů	STUDPENDDC	Alpha	1	1	Υ .	Yes	CCM-2
		,			N	No	
Term Newborn	Is there documentation that the n	ewborn was at term o	r >= 37 comp	oleted weeks of g	estation at the time of bir	th?	
	TRMNB	Alphanumeric	1	1	1	Yes	NEWB-3
					2	No	
					3	UTD	
Transition Record	Did the patient/ caregiver(s) or ne	xt site of care for a tra	insfer receive	a transition reco	rd at the time of discharg	pe?	•
	TRREC	Alpha	1	1	Υ	Yes	CCM-2
			L		N	No	
Transmission Date	What is the date documented in t	he medical record tha	t the Transiti	on Record was tr	ansmitted?		
	TRDATE	Date	10	1	User Entered Date (MM-DD-YYYY or UTD	User Entered Date (MM-DD-YYYY or UTD)	CCM-3

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
					Reti	red Elements	
Admission to the NICU	Was the newborn admitted to the	e NICU at this hospital	at any time d	uring the hospital	ization?		
	ADMNICU	Alpha	1	1	Υ	Yes	NEWB-1
					N	No	
D	10/	77.0					
Born in this Facility	Was the newborn born in this fa				Tv.	W.	NEWD 0
	BORNFAC	Alpha	1	1	Y	Yes	NEWB-2
					N	No	
Comfort Measures Only	Is there documentation for com	fort manauron only?					
Connort Inicasures Only	CMO	Alpha	1	1	Υ	Yes	NEWB-2
		7 45114			N	No No	
DVT Prophylaxis for Cesarean Delive			to Cesarean	delivery?			•
	DVTP	Alpha	1	1	Υ	Yes	MAT-5
					N	No	
				l			
Exclusive Breast Milk Feeding	Is there documentation that the EXBRSTFD		ly fed breast	milk during the ei	ntire hospitalization?	Yes	NEWB-1
E	EXBRSTED	Alpha	'	l '	N .	No No	INEWB-1
Ethnicity	What is the patient's self-reporte	ed ethnicity?					<u> </u>
	ETHNICCODE	Alpha	6	1	Alpha 6 characters or numeric is 5 numbers with a hyphen after the 4th number (####-#) (see Table B)	Alpha 6 characters or numeric is 5 numbers with a hyphen after the 4th number (####-#) (see Table B)	All Records
Hospital Bill Number	What is the patient's hospital bil	I number?					
nospital bill Number	HOSPBILL#	Alpha	20	1	number.	Hospital internal billing number. This is a required field.	All Records
					This is a required field.		
Newborn Bilirubin Screening	Is there documentation the infar	nt received a serum or	transcutaneou	s bilirubin screer	n prior to discharge?		•
	BILISCRN	Alpha	1	1	1	1-Yes	NEWB-2
					2	2- Parental Refusal	
					3	3- No or UTD	
Previous Live Births	Did the patient experience a live	hirth prior to the curre	nt hoenitalizat	ion?			
I TOTIOUS LIVE DITUIS	NUMPLB	Alpha	1 103pitaii2at	1 1	ΙΥ	Yes	MAT-4
		, upina			N	No No	
							<u>'</u>
Sample	Does this case represent part of						
	SAMPLE	Alpha	1	1	Υ	Yes	Required minimum demographic- All
					N	No	Records

**Appendix A-6**: Table B for MassHealth Specific Measures (CCM 1, CCM 2, CCM 3, SUB 2, SUB 3, MAT 4, NEWB 3)

Question	Field Name	Valid Values	Value Descriptions
MH Race	MHRACE	R1	American Indian or Alaska Native
		R2	Asian
		R3	Black/African American
		R4	Native Hawaiian or Pacific Islander
		R5	White
		R9	Other Race
		UNKNOW	Unknown