



MAURA T. HEALEY
GOVERNOR

KIMBERLEY DRISCOLL
LIEUTENANT GOVERNOR

TERRENCE M. REIDY
SECRETARY

The Commonwealth of Massachusetts
Executive Office of Public Safety and Security
Department of Fire Services

P.O. Box 1025 ~ State Road

Stow, Massachusetts 01775

Telephone (978) 567~3100

www.mass.gov/dfs



LARRY S. FISHER
CHAIRMAN

March 7, 2024

<i>Official use Only</i>
Article 700.2(A)(B)

[REDACTED]

[REDACTED]

[REDACTED]

Board of Fire Prevention Regulations
527 CMR 12:00 Interpretation Committee
Department of Fire Services
PO Box 1025, State Road
Stow, MA 01775

Background:

Request for Interpretation Relative to 527 CMR 12.00, Article 700.2(A)(B)

Question # 1: In Art 700.2(A) states that emergency systems shall be witnessed at the time of commissioning by the authority having jurisdiction, and periodically afterwards. Does this mean that the electrical inspectors shall witness these tests periodically?

Response: No

If you have any questions or need any additional information, please contact me.

Sincerely,

Larry S. Fisher

Larry S. Fisher, Chairman
Board of Fire Prevention Regulations