

Organizations

MASS TRANSPORD TO THE DEPT.

- New Bedford Fire Department
- The Hazmat Guys
- Massachusetts Department of Fire Services
- Telops
- Blackline
- FLIR
- FarrWest
- Redwave

Objectives

- Differences in State of Cell Charges
- Emitted Gases
- Capabilities of Meters
- Limitations of Overpacking





18650 Cells







Material: Lithium-ion battery

Name: ICR18650-26F

Type: 18650

Capacity: 2600mAh

Voltage: 3.6-3.7V

Charging voltage: 4.2V

Discharge voltage: 2.75V


Cycles: 1500 times

Size: 65mm*18mm

Weight: 46g




18650 Cells





18650 Battery Module








18650 Battery Pack





The most popular battery pack supplied by Tesla contains 7,104 18650 cells in 16 444 cell modules capable of storing up to 85 kWh of energy


























50 % Discharged Cell Over Heated Full Speed









50 % Discharged Cell Over Heated 25% Speed


















Blackline Safety Multi Gas Meters

- % of the LEL Readings
- High CO Levels (Cross sensitivity to hydrogen)
- Hydrogen Sulfide (H2S)
- Decreased and Increased O2 Levels
- Hydrofluoric Gas Sensor Readings







Toluene o-Xylene Ethylbenzene 2-chloro acetophenone Phenol p-Cresol Napthalene

2-methylnapthalene Biphenyl Acenaphthylene 1,4 Dioxane Propylbenzene 1,2,4-trimethylbenzene p-Xylene Styrene











Lessons Learned

- The higher the charge level the more energetic the reaction
- Our meters can detect the off-gassing
- Cells off-gas early in runaway
- Off-gassing is highly toxic and flammable
- Overpacking does not completely eliminate the hazard

