



MAURA HEALEY
GOVERNOR

KIM DRISCOLL
LIEUTENANT GOVERNOR

YVONNE HAO
SECRETARY, EXECUTIVE OFFICE
OF ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts
Division of Occupational Licensure
Office of Public Safety and Inspections**

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

LAYLA R. D'EMILIA
UNDERSECRETARY, CONSUMER
AFFAIRS AND BUSINESS
REGULATION

SARAH R. WILKINSON
COMMISSIONER, DIVISION OF
OCCUPATIONAL LICENSURE

NOTICE OF MEETING

In accordance with the provisions of G. L. c. 30A, §20, and Chapter 22 of the Acts of 2022, notice is hereby given that a meeting of the Board of Elevator Regulations will be held on Tuesday, March 19, 2024, at 1:00 p.m. As this will be a hybrid meeting, the meeting will be conducted in-person at the location referenced below and can be accessed remotely via the links and dial-in information below:

**Meeting of the
Board of Elevator Regulations
March 19, 2024, at 1:00 p.m.**

**1000 Washington Street
Boston, MA 02118
1st Floor-Room 1D**

Microsoft Teams meeting
Join on your computer, mobile app or room device

[Click here to join the meeting](#)

Meeting ID: 290 401 541 151

Passcode: aPYBGk

[Download Teams](#) | [Join on the web](#)

Or call in (audio only)

[+1 857-327-9245,,983635082#](#) United States, Boston

Phone Conference ID: 983 635 082#

It is anticipated that the following topics will be discussed at the aforementioned meeting:

1. Roll Call
2. **VAR24-0007**
58 Kent Street Brookline
Semi-Automated Parking System
Code: 524 CMR 26.07 – Protection at other levels and 524 CMR 26.11 – Car Enclosures and Car Gates
Petitioner: Brandon Hall



The petitioner is seeking a variance from 524 CMR 26.07 – Protection at other levels and 524 CMR 26.11 – Car Enclosures and Car Gates for a new 22 space Semi-Automated Parking System by showing that alternate means of safety will be met.

3. VAR24-0009

1101 Kirkbride Drive Danvers

STATE ID: 71-P-220 & 71-P-221

Code: Section 2.26.4.1

Petitioner: MA Testing

The petitioner is seeking a variance from Section 2.26.4.1, the requirement for the main line disconnect handles to be within 18” of the door lock jamb in their current location due to limited space in machine room. The NE Permit was pulled in early 2007 so these units would fall under the 2004 code for the new install.

4. Review and Approval of Minutes:

- a. Meeting minutes from February 6, 2024.
- b. Meeting minutes from February 27, 2024.

5. Chief’s Report:

- a. Clarification on alteration and replacement provisions, 524 Code Mass. Regs. § 10.1(3), (4), and interaction with Parts 8.6 and 8.7 of elevator code, A17.1-2013.

6. Matters not reasonably anticipated 48 hours in advance of meeting.

7. Old business (The Board may or may not discuss):

- **VAR24-0012**

80 Cross Road Dartmouth

State ID: 72-P-25540

Code: ASME 2.7.3.4 - Access Doors and Openings and 2.7.4 - Headroom in Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms.

Petitioner: Kevin Medeiros

The petitioner is seeking a variance from ASME 2.7.3.4.2 (machine room access door minimum height 80”) for 78” door and ASME 2.7.4.1 (machine room headroom no less than 84”) for 80” machine room headroom, due to high water table level being encountered during excavation for the foundation caused the footing height to be raised but the wall height could not be raised because of the height restriction of the building under the local bylaws.

Placed on hold for 90 days for the petitioner to provide the original submitted architect stamped sectional view drawing along with the current architect stamped sectional view drawing, the Geotech report regarding the water height levels in the area, and a letter from the Planning Board regarding the height restrictions. Deadline June 3, 2024

If you need reasonable accommodations to participate in the meeting, please reach out to Cheryl Yebba at 617-701-8711. While the Board will do its best to accommodate you, certain accommodations may not be available if requested immediately before the meeting.