CHARLES D. BAKER GOVERNOR

KARYN E. POLITO LIEUTENANT GOVERNOR

MIKE KENNEALY SECRETARY OF HOUSING AND ECONOMIC DEVELOPMENT

Commonwealth of Massachusetts Division of Professional Licensure

1000 Washington Street, Suite 710 Boston, Massachusetts 02118

EDWARD A. PALLESCHI UNDERSECRETARY OF CONSUMER AFFAIRS AND BUSINESS REGULATION

LAYLA R. D'EMILIA COMMISSIONER, DIVISION OF PROFESSIONAL LICENSURE

Minutes

Meeting of the Subcommittee Re: Machine Room Sprinkler Coverage

This meeting was held remotely via Microsoft Teams May 28, 2021 at 10:00 a.m.

Subcommitte Sarah Wilkins Christopher T David Gaudet David Morgan Brian Ronan	owski	Division of Profession Peter M. Kelley Ruthy Barros	onal Licensure Staff:		
Subcommittee Members Absent: Cheryl Davis					
The Subcommittee discussed the following:					
Nominations for and election of subcommittee chair began with a motion being put forth					
by Christopher Towski nominating David Morgan as Chair of the Subcommittee. The					
motion was seconded by Sarah Wilkinson.					
Motion: Christopher Towski Seconded: Sarah Wilkinson Vote: 5-0; Chair for Subcommittee chosen.					
Roll Call	Vote:				
•	David Gaudet	☑ yea	□ nay		
•	Christopher Towski	☑ yea	nay nay		
•	Brian Ronan	☑ yea	nay		
•	Sarah Wilkinson	☑ yea	nay		
•	David Morgan	☑ yea	□ nay		

The Subcommittee went on to further discuss additional information/research needed so to allow continued hearings on June 22, 2021 for outstanding variance petitions. It has been brought to the Subcommittee's attention that hundreds of similar facilities across the state will be affected by the Federal regulation and are in violation of Federal funding requirements. The Subcommittee's priority is to solve this issue for the nursing homes affected by the Federal requirement. Subcommittee members expressed their concerns of sprinklers being installed in elevator machine rooms and hoistways and whether if the Board of Elevator Regulations does issue a variance from 524 CMR, would this cause other variance requests to follow. Christopher Towski was designated to research the frequency of sprinkler inspections for the machine room and hoistway, also what type of maintenance is required, CMS requirements, NFPA 101, and investigate the concept/feasibility/practicality of self-restoring sprinklers. Brian Ronan was designated to explore NFPA 13, NFPA 72, and IBEC regulatory language. David Morgan was also designated to examine NFPA 72. David Gaudet was designated to distribute information from previous MA Fire Service and BER interpretations and flow charts of shunt trip activation. The Subcommittee will continue this discussion and review.

Motion to Adjourn: Christopher Towski

Seconded: Sarah Wilkinson Vote: 5-0; Adjourned.

Roll Call Vote:

•	David Gaudet	☑ yea	nay
•	Christopher Towski	☑ yea	nay
•	Brian Ronan	☑ yea	nay
•	Sarah Wilkinson	☑ yea	nay
•	David Morgan		nay

Hearing concluded at 11:50 a.m. Prepared by: Ruthy Barros