



MAURA HEALEY
GOVERNOR

KIM DRISCOLL
LIEUTENANT GOVERNOR

YVONNE HAO
SECRETARY, EXECUTIVE OFFICE
OF ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts
Division of Occupational Licensure
Office of Public Safety and Inspections**

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

LAYLA R. D'EMILIA
UNDERSECRETARY, CONSUMER
AFFAIRS AND BUSINESS
REGULATION

SARAH R. WILKINSON
COMMISSIONER, DIVISION OF
OCCUPATIONAL LICENSURE

NOTICE OF MEETING

In accordance with the provisions of G. L. c. 30A, §20, and Chapter 22 of the Acts of 2022, notice is hereby given that a meeting of the Board of Elevator Regulations will be held on Wednesday, May 1, 2024, at 1:00 p.m. As this will be a hybrid meeting, the meeting will be conducted in-person at the location referenced below and can be accessed remotely via the links and dial-in information below:

**Meeting of the
Board of Elevator Regulations
May 1, 2024, at 1:00 p.m.**

**1000 Washington Street
Boston, MA 02118
1st Floor-Room 1D**

Microsoft Teams meeting
Join on your computer, mobile app or room device

[Join the meeting now](#)

Meeting ID: 213 829 764 05
Passcode: dE8AZ8

Dial-in by phone

[+1 857-327-9245](tel:+18573279245),[836571338](tel:+18573279245)# United States, Boston
[Find a local number](#)

Phone conference ID: 836 571 338#

It is anticipated that the following topics will be discussed at the aforementioned meeting:

1. Roll Call
2. **VAR24-0009**
1101 Kirkbride Drive Danvers
STATE ID: 71-P-220 & 71-P-221
Code: Section 2.26.4.1



Petitioner: MA Testing

The petitioner is seeking a variance from Section 2.26.4.1, the requirement for the main line disconnect handles to be within 18" of the door lock jamb in their current location due to limited space in machine room. The NE Permit was pulled in early 2007 so these units would fall under the 2004 code for the new install.

3. VAR24-0018

18 Frances Street Woburn

STATE ID: 347-P-152

Code: 524 CMR 35:00 Section §2.8.3.3

Petitioner: Yahuda Raindel

The petitioner is seeking a variance on 524 CMR 35:00 Section §2.8.3.3 to allow for sprinklers in the elevator machine room and elevator shafts to satisfy NFPA requirement section 8.15.5.

4. Review and Approval of Minutes:

- a. Meeting minutes from March 5, 2024.
- b. Meeting minutes from April 2, 2024.

5. Matters not reasonably anticipated 48 hours in advance of meeting.

If you need reasonable accommodations to participate in the meeting, please reach out to Cheryl Yebba at 617-701-8711. While the Board will do its best to accommodate you, certain accommodations may not be available if requested immediately before the meeting.