



MAURA HEALEY
GOVERNOR

KIM DRISCOLL
LIEUTENANT GOVERNOR

YVONNE HAO
SECRETARY, HOUSING AND
ECONOMIC DEVELOPMENT

Commonwealth of Massachusetts
Division of Occupational Licensure
Office of Public Safety and Inspections

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

LAYLA R. D'EMILIA
UNDERSECRETARY, CONSUMER
AFFAIRS AND BUSINESS
REGULATION

SARAH R. WILKINSON
COMMISSIONER, DIVISION OF
OCCUPATIONAL LICENSURE

NOTICE OF MEETING

In accordance with the provisions of G. L. c. 30A, §20, and Chapter 22 of the Acts of 2022, notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Wednesday, May 3, 2023, at 12:00 noon**. It is anticipated that the following will be discussed at the aforementioned meeting:

Microsoft Teams meeting
Join on your computer, mobile app, or room device

[Click here to join the meeting](#)

Meeting ID: 260 181 603 128

Passcode: CBm4RE

[Download Teams](#) | [Join on the web](#)

Or call in (audio only)

[+1 857-327-9245](tel:+18573279245), [913075274#](tel:+1913075274) United States, Boston

Phone Conference ID: 913 075 274#

1. Roll Call

2. Jason Tellier, TK Elevator

Product name: North American EOX

Petitioner is looking for a product variance for new EOX product

3. MBTA Southcoast Rail RTE 18 Acushnet Avenue, New Bedford New Installation

Petitioner is seeking relief from A17.1-2013, rule 2.11.10.1.1 metal fascia requirement- substitute with glass fascia on two (new) elevators. The MBTA is required, per it's settlement with the Boston Center for Independent Living, to provide maximum transparency of the elevator cab in an effort to promote safety through visibility. A solid panel of smooth steel fascia would negate the visibility so required. A smooth laminated glass fascia, exceeding the properties of the .055" thick smooth steel is proposed for use between the top of the MBTA pedestrian tunnel elevator door and the Street level in lieu of the smooth steel, for maximum visibility into the elevator cab. The remaining fascia would be smooth steel as required.



4. 238 West Main Street, Northborough

State IDs: 215-P-11 and 215-P-36

Petitioner is requesting from 524 CMR a new waiver for one year (February 17, 2024) to meet the requirements of K351 to allow sprinklers to be installed in the facility hydraulic elevator shaft and the elevator hydraulic machine room.

5. Approval of meeting minutes from January 17, 2023, January 31, 2023, and February 14, 2023

6. Old business (The Board may or may not discuss):

• 267 Old Colony Avenue, Boston

New Installation

Petitioner was in front of the Board requesting a variance for a new installation of a semi-automated parking unit, 524 CMR 26.07 protection at other levels, 524 CMR 26.11 car enclosure and car gates. Placed on hold to come back in front of the Board with additional information.

• 33 A Street, Boston

New Installation

Petitioner was in front of the Board requesting a variance for a new installation of a semi-automated parking unit, 524 CMR 26.07 protection at other levels, 524 CMR 26.11 car enclosure and car gates. Placed on hold to come back in front of the Board with additional information.

• Continued discussion and review of 524 CMR Section 26.00: Certain Elevator Equipment Used as Motor Vehicle Parking Devices.

• Discussion regarding FS90 repairs and permit filing.

7. Matters not reasonably anticipated 48 hours in advance of meeting