

**CHARLES D.
BAKER**
GOVERNOR

KARYN E. POLITO
LIEUTENANT GOVERNOR

MIKE KENNEALY
SECRETARY OF HOUSING AND
ECONOMIC DEVELOPMENT

**Commonwealth of Massachusetts
Division of Professional Licensure**

1000 Washington Street, Suite 710
Boston, Massachusetts 02118

EDWARD A. PALLESCHI
UNDERSECRETARY OF CONSUMER
AFFAIRS AND BUSINESS
REGULATION

LAYLA R. D'EMILIA
COMMISSIONER, DIVISION OF
PROFESSIONAL LICENSURE

NOTICE OF MEETING

In accordance with the provisions of M.G.L.c. 30A, §20 notice is hereby given that a meeting of the Board of Elevator Regulations will be held on **Tuesday, July 20, 2021 at 1:00 p.m.**, at **1000 Washington Street, Boston, MA 02118** on the **1st Floor – Room 1D**. It is anticipated that the following will be discussed at the aforementioned meeting:

1. Roll Call
2. **165 Beares Way – Hyannis**
State ID: 21-W-121
Withdrawal request submitted.
3. **115 Holliston Street, Medway**
State ID: 177-P-5 and 177-P-6
Petitioner is requesting a variance to allow sprinkler protection for the elevator and hydraulic elevator machine room in accordance with 42CFR 483.90 (a)(6), NFPA 13, 2010 Edition, Section 8.15.5.
4. **426 Stuart Street – Boston**
State ID: 1-P-10317
Continuation of hearing. Petitioner provided additional information to the Board for further review.
5. **4 Hodges Street, Attleboro**
State ID: 17-P-28
Petitioner is seeking an interpretation and affirmation that a 4" drain be placed through the demising wall between the existing elevator pit into the new elevator pit no more than 8" to 12" above the floor of the pits (the pit floors are at the same level) would meet the requirements outlined in ASME A17.1 2013 Section 2.2.2 Design and Construction of Pit.
6. **54 Auburn Street, Brookline**
Product Variance
Petitioner is seeking a site-specific product variance to install a fully automated aisle system, one level below grade and one loading cabin offering 18 spaces.

7. **Interpretation**

Petitioner is requesting the Board's Interpretation of section 2.2.4.4 - Access to Pit Areas.

8. Matters not reasonably anticipated 48 hours in advance of meeting.