



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
5 Randolph Street, Canton, MA 02021
Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
Governor

KARYN E. POLITO
Lieutenant Governor

MARYLOU SUDDERS
Secretary

MONICA BHAREL, MD, MPH
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

April 25, 2017

Thomas M. Hodgson, Sheriff
Bristol County Sheriff's Office
Dartmouth I.C.E. Facility
400 Faunce Corner Road
North Dartmouth, MA 02747

Re: Facility Inspection - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Dartmouth I.C.E. Facility on March 30, 2017 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 5 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Visitor's Entrance

Bathroom (Right)

No Violations Noted

Bathroom (Left)

No Violations Noted

Common Area

Lobby

No Violations Noted

Control

105 CMR 451.200*

Food Storage, Preparation and Service: Food storage not in compliance with 105 CMR 590.000, ice build-up in freezer

Garage Bathroom

No Violations Noted

Units

Unit A

Nurse's Office

No Violations Noted

Nurse's Bathroom

No Violations Noted

Inmate Bathroom Area

105 CMR 451.123

Maintenance: Wall tile missing under sink

Showers

105 CMR 451.123

Maintenance: Ceiling tiles water stained outside showers

105 CMR 451.123

Maintenance: Mold on ceiling tiles outside shower

Laundry

No Violations Noted

Classroom

No Violations Noted

Janitor's Closet

105 CMR 451.353*

Interior Maintenance: Wet mop stored in bucket

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

B Unit

Nurse's Office

105 CMR 451.110(A)*

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Bathroom

No Violations Noted

Shower

No Violations Noted

Laundry

No Violations Noted

Janitor's Closet

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

Observations and Recommendations

1. The inmate population was 117 at the time of inspection.
2. During the inspection, the Department found all toilet and shower stalls without any identification system. The Department recommended implementing a simple numbering system to all toilet and shower stalls to allow the Department and correctional staff to better recognize where issues exist.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X – Minimum Sanitation Standards for Food Establishments" and "[1999 Food Code](#)".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Timothy Miley, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Thomas Turco, Commissioner, DOC
Steven Sousa, Superintendent
Andrew Mitzan, Lieutenant, EHSO
Christopher Michaud, RS, Health Director, Dartmouth Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPSS
Jennifer Gaffney, Director, Policy Development and Compliance Unit