



The Commonwealth of Massachusetts
 Executive Office of Health and Human Services
 Department of Public Health
 Bureau of Environmental Health
 Community Sanitation Program
 5 Randolph Street, Canton, MA 02021
 Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
 Governor

KARYN E. POLITO
 Lieutenant Governor

MARYLOU SUDDERS
 Secretary

MONICA BHAREL, MD, MPH
 Commissioner

Tel: 617-624-6000
www.mass.gov/dph

November 13, 2019

Thomas M. Hodgson, Sheriff
 Bristol County Sheriff's Office
 Dartmouth I.C.E. Facility
 400 Faunce Corner Road
 North Dartmouth, MA 02747 (electronic copy)

Re: Facility Inspection – Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 2013 Food Code; 105 CMR 500.000 Good Manufacturing Practices for Food; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; the Department's Community Sanitation Program (CSP) conducted an inspection of the Dartmouth I.C.E. Facility on October 22, 2019 accompanied by Lieutenant Andrew Mitzan, Environmental Health and Safety Officer. Violations noted during the inspection are listed below including 2 repeat violations:

Should you have any questions, please don't hesitate to contact me.

Sincerely,

Nicholas Gale
 Environmental Health Inspector, CSP, BEH

cc: Monica Bharel, MD, MPH, Commissioner, DPH (electronic copy)
 Jana Ferguson, Director, BEH (electronic copy)
 Steven Hughes, Director, CSP, BEH (electronic copy)
 Marylou Sudders, Secretary, Executive Office of Health and Human Services (electronic copy)
 Carol A. Mici, Commissioner, DOC (electronic copy)
 Thomas Turco, Secretary, EOPSS (electronic copy)
 Nelson Alves, Director, Policy Development and Compliance Unit (electronic copy)
 Steven Sousa, Superintendent (electronic copy)
 Andrew Mitzan, Lieutenant, EHSO (electronic copy)
 Christopher Michaud, RS, Health Director, Dartmouth Board of Health (electronic copy)
 Clerk, Massachusetts House of Representatives (electronic copy)
 Clerk, Massachusetts Senate (electronic copy)

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Visitor's Entrance

Bathroom (Right) No Violations Noted

Bathroom (Left) No Violations Noted

Visiting Room # 1 No Violations Noted

Visiting Room # 2 No Violations Noted

Common Area

Garage Bathroom No Violations Noted

Lobby No Violations Noted

Control No Violations Noted

Units

Unit A

Nurse's Office No Violations Noted

Nurse's Bathroom No Violations Noted

Inmate Bathroom Area No Violations Noted

Shower Area Unable to Inspect Shower # 4 – In Use
105 CMR 451.123 Maintenance: Drain flies observed in shower # 2, 3, and 5
105 CMR 451.123 Maintenance: Walls and floor dirty in shower # 2 and 3

Laundry No Violations Noted

Classroom No Violations Noted

Janitor's Closet No Violations Noted

Sleeping Area
105 CMR 451.322* Cell Size: Inadequate floor space in dorm sleeping area

B Unit

Visitor's Room

No Violations Noted

Nurse's Office

No Violations Noted

Nurse's Bathroom

No Violations Noted

Inmate Bathroom Area

105 CMR 451.123

Maintenance: Ceiling vent dusty above toilet stall

Shower Area

105 CMR 451.130

Plumbing: Plumbing not maintained in good repair, shower # 2 and 6 leaking

Laundry

No Violations Noted

Janitor's Closet

No Violations Noted

Classroom

No Violations Noted

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm sleeping area

Observations and Recommendations

1. The inmate population was 127 at the time of inspection.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment Regulations or download a copy, please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Retail food". Then under DPH Regulations and FDA Code click "Merged Food Code" or "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Program regulations". Then under Food Processing click "105 CMR 500.000: Good Manufacturing Practices for Food".

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,

A handwritten signature in blue ink that reads "Nicholas Gale". The signature is written in a cursive style with a large initial 'N' and a long, sweeping tail.

Nicholas Gale
Environmental Health Inspector, CSP, BEH