



BWH TBI Epidemiology

Imoigele P. Aisiku, **MD, MSCR, MBA**

Assistant Professor, Chief, Division of Emergency Critical Care Medicine

Department of Emergency Medicine

Harvard University/Brigham and Women's Hospital



BWH TBI Epidemiology

| Problem Snapshot | |
|-----------------------------------|-----------------------|
| BWH/BWF Annual ED volume | 80,000 patient visits |
| Estimated TBI patients per year | 600-800 patients |
| Average ED charges per patient | \$5,000 per patient |
| BWH readmission rate | 13.5% for FY13 |
| TBI projected readmission charges | \$405,000-\$540,000 |

BWH TBI Epidemiology


Brigham and Women's Hospital Trauma Demographics April 2016-January 2019 (n=1066)

| | |
|-----------------------------|-----|
| Gender (male) | 607 |
| Age (mean) | 66 |
| Glasgow Coma Scale (GCS) | 13 |
| Injury Severity Score (ISS) | 16 |
| Hospital LOS (day) | 7 |
| Mortality (Alive) | 980 |

BWH TBI Epidemiology

Male: 57%
Female 43%

Gender




■ Female ■ Male

BWH TBI Epidemiology

Dead 8%
Alive 92%

Mortality



■ Dead ■ Alive

BWH TBI Epidemiology

| | | | |
|----------------|---------------------------|-------|-----|
| Primary Payor: | PPO | 9.3% | 99 |
| | HMO | 6.8% | 73 |
| | Blue Cross Blue Shield | 9.8% | 105 |
| | Medicare | 53.6% | 571 |
| | Medicaid | 6.1% | 65 |
| | Other Commercial | 4.7% | 50 |
| | Other Government | 8.3% | 89 |
| | Automobile | 1.6% | 17 |
| | Workers Compensation | 1.7% | 18 |
| | Other | 0.9% | 10 |
| | Unknown | 0.1% | 1 |
| | Not Billed for Any Reason | 0.1% | 1 |
| | Self Pay | 0.3% | 3 |
| | Charity | 0.3% | 3 |
| | Military (Tricare) | 0.2% | 2 |

BWH TBI Epidemiology

| | | | |
|---------------|------------------------------|-------|-----|
| Discharge To: | Home with Services | 15.6% | 166 |
| | Rehab/Inpatient | 22.0% | 235 |
| | Skilled Nursing Facility | 17.1% | 182 |
| | Home or Self-Care/Routine | 31.4% | 335 |
| | Long-Term Care | 2.6% | 28 |
| | Mental Health/Psychiatric | 0.4% | 4 |
| | Left AMA | 1.4% | 15 |
| | Hospice | 1.6% | 17 |
| | Acute Care Facility | 0.1% | 1 |
| | Correctional Facility/Court/ | 0.1% | 1 |
| | Nursing Home | 0.2% | 2 |
| | Morgue | 8.0% | 85 |

BWH TBI Epidemiology

| Data to Date | |
|------------------------------|----|
| Number of referrals produced | 43 |
| Scheduling success | 10 |
| Number of clinic visits | 12 |

BWH TBI Epidemiology

| Data to Date | |
|------------------------|--|
| Trauma Etiology | MVC, Work Related, Mechanical Fall, Sports Related (1) |
| PROMIS (Multi-Symptom) | 6/10 Abnormal |
| MoCA (Cognitive) | 3/4 Abnormal |

BWH TBI Epidemiology

- Summary
 - Male/Female ratio almost even
 - Age > 65
 - GCS Mild TBI predominance
 - 30 percent Home
 - No cognitive data
 - 0.4% Mental Health and TBI
 - More Data
 - Mild TBI discharged
 - Concurrent Psychiatric D/o
 - Home without services data