

780 CMR: MASSACHUSETTS AMENDMENTS TO THE *INTERNATIONAL BUILDING CODE 2009*

CHAPTER 30: ELEVATORS AND CONVEYING SYSTEMS

3001.1 Replace as follows:

3001.1 Scope. 524 CMR governs the design, construction, installation, alteration and repair of elevators and conveying systems and their components.

3001.2 Replace as follows:

3001.2 Referenced Standards. *See* 524 CMR.

3001.3 Replace as follows:

3001.3 Accessibility. *See* 521 CMR.

3001.4 Replace as follows:

3001.4 Change in Use. *See* 524 CMR.

3002.1.1 Replace the exception as follows:

Exception. The operation of elevator car doors and the associated hoistway enclosure doors at the floor level designated for recall is governed by 524 CMR.

3002.1.2 to 3002.6 and 3002.8 Replace the text of each of these sections with: 'For requirements of these sections *see* 524 CMR.'

3003 through 3006 Replace the text of each of these sections with: 'For requirements of these sections *see* 524 CMR.'

3007 FIRE SERVICE ACCESS ELEVATOR

3007.1 Replace as follows:

3007.1 General. Where required by Section 403.6.1, every floor of the building shall be served by a fire service access elevator. Except as modified in this section, the fire service access elevator shall be installed in accordance with this chapter.

3007.3 Replace as follows:

3007.3 Hoistway lighting. Reserved

3007.6 Replace as follows:

3007.6 Elevator System Monitoring. The fire service access elevator shall be continuously monitored at the fire command center in accordance with Section 911.1.5.

3007.7 Replace as follows:

3007.7 Electrical Power. Power for the fire service access elevator shall be in accordance with Chapter 27 and Chapter 30.

3007.7.1 Replace as follows:

3007.7.1 Protection of Wiring or Cables. Reserved

3008 OCCUPANT EVACUATION ELEVATORS: Reserved

NON-TEXT PAGE