

8 Literature Cited and General References

- Aber, J.D., J.M. Melillo, and C.A. McClaugherty. 1989. Predicting long-term patterns of mass loss, nitrogen dynamics, and soil organic matter formation from initial fine litter chemistry in temperate forest ecosystems. *Canadian Journal of Botany*. 68:2201-2208.
- Aber, J.D., J.M. Melillo, K.J. Nadelhoffer, J. Pastor, and R.D. Boone. 1991. Factors controlling nitrogen cycling and nitrogen saturation in northern temperate forest ecosystems. *Ecological Applications*, 1(3), pp. 303-315.
- Aber, J.D. 1993. Modification of nitrogen cycling at the regional scale: the subtle effects of atmospheric deposition. pp. 163-174. In: McDonnell, M.J. and S.T.A. Pickett (eds.), *Humans as components of ecosystems: the ecology of subtle human effects and populated areas*. Springer-Verlag, N.Y. 364 pp.
- Aber, J.D. 1992. Nitrogen cycling and nitrogen saturation in temperate forest ecosystems. In: *TREE*. 7(7):220-224.
- Aber, J.D., J. Knute, P.S. Nadelhoffer, and J.M. Melillo. 1989. Nitrogen saturation in northern forest ecosystems: excess nitrogen from fossil fuel combustion may stress the biosphere. *Bioscience*. 39(6):378-386.
- Agren, G.I. and E. Bosatta. 1988. Nitrogen saturation of terrestrial ecosystems. *Environmental Pollution*, 54: 185-197.
- Apple, L.L. no date. Riparian habitat restoration in cold desert, gully-cut stream systems: an innovative, cost effective, ecological approach. unpubl. manuscript. U.S. Bureau of Land Management, Rock Springs, Wyoming.
- Arbogast, C., Jr. 1985. Marking guides for northern hardwoods under the selection system. USDA Forest Service, Lake States Forest Experiment Station Paper 56, 19 pp.
- Art, H.W. and D.P. Dethier. 1986. Influence of vegetative succession on soil chemistry of the Berkshires. Water Resources Research Center Publication, University of Massachusetts, Amherst, Project No. G912-05.
- Attiwill, P.M. 1994. The disturbance of forest ecosystems: the ecological basis for conservative management. *Forest Ecology and Management* 63:247-300.
- Austin, P., R. Bishop, D. Chandler, and P. Deslauriers. 1990. 1990 water quality report: Quabbin Reservoir and Ware River watersheds. Metropolitan District Commission, Division of Watershed Management. 89 pp.
- Austin, P., R. Bishop, D. Chandler, P. Deslauriers, and M. Hopkinson. 1992. 1992 water quality report: Quabbin Reservoir and Ware River watersheds. Metropolitan District Commission, Division of Watershed Management. 120 pp.

- Baker, John H. 1984. Sulfate retention by Forest Soils of Central New England. Publication No. 151, Water Resources Research Center, University of Massachusetts at Amherst.
- Barnes, William J., and Eric Dribble. 1988. The effects of beaver on riverbank forest succession. *Can. J. Bot.* 66:40-44.
- Batchelder, G.L., Yuretich, R.F. and W.C. Leonard. 1983. Hydrogeochemical cycling in a watershed-groundwater system: Fort River and Cadwell Creek, Massachusetts. Water Resources Research Center, University of Massachusetts. Pub. No. 145. 80 pp.
- Benton, C., F. Khan, P. Monaghan, W.N. Richards and C.B. Shedden. 1983. The contamination of a major water supply by gulls (*Larus* sp.): a study of the problem and remedial action taken. *Water Res.* 17:789-798.
- Bishop, R.P. 1992. Quabbin Reservation sanitary district: a survey of potential water pollution sources. Metropolitan District Commission, Division of Watershed Management.
- Blodgett, D. 1985. Snag and den tree management guidelines. *Habitat Highlights*. Vol. 5. No. 4. 2pp.
- Blodgett, B. G. and R.A. Clark. no date. A check list for birds of the Quabbin Reservation, west central Massachusetts. Friends of Quabbin, Belchertown.
- Bolgiano, C. 1989. A case for eastern old-growth. *Amer. Forests*. May-June:26-31,48.
- Bormann, F.H. and G.E. Likens. 1970. The nutrient cycles of an ecosystem: measurements taken in a New Hampshire forest. *Scientific American*. 223(4).
- Bormann, F.H. and G.E. Likens. 1979b. Patterns and process in a forested ecosystem; disturbance, development and the steady state based on the Hubbard Brook Ecosystem Study. Springer-Verlag. New York, N.Y. 253 pp.
- Bormann, F.H. and G.E. Likens. 1979a. Catastrophic disturbance and the steady state in Northern Hardwood Forests. *American Scientist* 67:660-669.
- Bowden, R.D., M.S. Castro, J.M. Melillo, P.A. Steudler and J.D. Aber. 1993. Fluxes of greenhouse gases between soils and the atmosphere in a temperate forest following a simulated hurricane blowdown. *Biogeochemistry*, 21:61-71.
- Branvold, D.K., C.J. Popp and J.A. Brierly. 1976. Waterfowl refuge effect on water quality: II. chemical and physical parameters. *J. Wat. Poll. Control Fed.* 48(4):680-687.
- Brayton, D. Scott. 1984. The beaver and the stream. *J. Soil Water Conser.* March/April:108-109.
- Bromley, P. T., J. Starr, J. Sims, and D. Coffman. 1997. A landowner's guide to wildlife abundance through forestry. Univ. Virginia Coop. Ext. Pub. 420-138.
- Brown, G.W. 1976. Forestry and water quality. School of Forestry, Oregon State University, Corvallis, Oregon. Reprinted by the Oregon State University Book Stores, Inc.

- Brown, K.A., P.H. Freer-Smith, G.D. Howells, R.A. Skeffington, and R.B. Wilson. 1988. Rapporteurs report on discussions at the workshop on excess nitrogen deposition, Leatherhead, September 1987. *Environmental Pollution*, 54:285-295.
- Burns, R.M. and B.H. Honkala, tech. coords. 1990. *Silvics of North America: Vol.1. Conifers, Vol.2. Hardwoods. Agricultural Handbook #654.* U.S. Department of Agriculture, Forest Service, Washington, D.C. Vol.1. 675 pp.; Vol.2. 877 pp.
- Buzzell, G. 1991. 1990 Wachusett storm salvage study. MDC Publication.
- Carlson, J. 1994. Effects of a simulated hurricane on downed woody fuel loading in a central Massachusetts hardwood stand. Abstr. 5th Ann. Harvard Forest Ecology Symp., April 25.
- Carlton, M. 1990. Literature review: water quality implications of converting forested watersheds to principally herbaceous cover - implications to the Quabbin watershed. MDC Publication.
- Chadwick, N.L., D. R. Progulske, and J. T. Finn. 1986. Effects of fuelwood cutting on birds in southern New England. *J. Wildl. Manage.* 50(3):398-405.
- Cline, A.C. 1939. The restoration of watershed forests in the hurricane area. *Journal of the New England Water Works Association.* 53(2):223-237.
- Cline, A.C. and S.H. Spurr. 1942. The virgin upland forest of central New England: a study of old growth stands in the Pisgah Mountain section of southwestern New Hampshire. *Harvard Forest Bulletin No 21*, 58 pp.
- Connecticut Department of Environmental Protection. 1991. Guidelines for enhancing Connecticut's wildlife habitat through forestry operations. Dept. Environ. Prot. Wildl. Div. 14pp.
- Corbett, E.S. and W. Spencer. 1975. Effects of management practices on water quality and quantity: Baltimore, Maryland municipal watersheds. In: *Municipal Watershed Management Symposium Proceedings*, USDA Forest Service General Technical Report NE-13, pp 25-31.
- Cosby, B.J., Wright, R.F., Hornberger, G.M., and J.N. Galloway. 1985. Modeling the effects of acid deposition: estimation of long-term water quality responses in a small forested catchment. *Water Resources Research* 21(11):1591-1601.
- Craun, G.F. 1984. Waterborne outbreaks of giardiasis, current status. IN: Erlandsen and Meyer (eds.). *Giardia and giardiasis.* Plenum Press. N.Y. pp. 243-261.
- Currie, W. and J.D. Aber. 1994. Modeling litter decomposition and N dynamics across LTER sites as part of the LIDET study. Abstracts from the 5th Annual Harvard Forest Ecology Symposium. Petersham, MA.
- Curtis, J.T. 1959. *The vegetation of Wisconsin.* Univ. Wisconsin Press, Madison. 657 pp.
- Davies, R.B. and C.P. Hibler. 1976. Animal reservoirs and cross-species transmission of *Giardia*. pp. 104-126 IN: Jakubowski and Hoff (eds). *Waterborne transmission of giardiasis.* U.S. EPA - 600/9-79-001.

- Davis, J.W., G.A. Goodwin, and R.A. Ockenfels. 1983. Snag habitat management: proceedings of the symposium. U.S. For. Serv. Gen. Tech. Rep. RM-99. 226pp.
- DeGraaf, R.M., and K.E. Evans. 1980. Management of northcentral and northeastern forests for nongame birds. U.S. For. Serv. Gen. Tech. Rep. NC-51. 275pp.
- DeGraaf, R.M., and W.M. Healy. 1988. Is forest fragmentation a management issue in the northeast? U.S. For. Serv. Gen. Tech. Rep. NE-140. 32pp.
- DeGraaf, R.M. and D.A. Richard. 1987. Forest wildlife of Massachusetts: cover type, size class and special habitat relationships. Univ. Mass. Coop. Ext. Serv. Publ. C-182.
- DeGraaf, R.M., and D.D. Rudis. 1986. New England wildlife: habitat, natural history, and distribution. U.S. For. Serv. Gen. Tech. Rep. NE-108. 491pp.
- DeGraaf, R.M., and A.L. Shigo. 1985. Managing cavity trees for wildlife in the Northeast. U.S. For. Serv. Gen. Tech. Rep. NE-101. 21pp.
- DeGraaf, R.M., M. Yamasaki, W.B. Leak, and J.W. Lanier. 1992. New England wildlife: management of forested habitats. U.S. For. Serv. Gen. Tech. Rep. NE-144. 271pp.
- DeMaynadier, P. G., and M. L. Hunter, Jr. 2000. Road effects on amphibian movements in a forested landscape. *Nat. Areas. J.* 20:56-65.
- Devito, K. J., and P. J. Dillion. 1993. Importance of runoff and winter anoxia to the P and N dynamics of a beaver pond. *Can. J. Fish. Aquat. Sci.* 50:2222-2244.
- Diesch, S.L. 1970. Disease transmission of water-borne organisms of animal origin. pp. 269-285 IN: T.L. Willrich and G.E. Smith (eds). *Agricultural practices and water quality.* Iowa St. Univ. Press.
- Dincauze, D.S. 1974. An introduction to archaeology in the greater Boston area. *Archaeology of Eastern North America.* 2(1):47.
- Dobson, J.E., R.M. Rush, and R.W. Peplies. 1990. Forest blowdown and lake acidification. *Annals of the Association of American Geographers.* 80(3):343-361.
- Donkor, N.T., and J.M. Fryxell. 1999. Impact of beaver foraging on structure of lowland boreal forests of Algonquin Provincial Park, Ontario. *For. Ecol. Manage.* 118:83-92.
- Douglass, J.E. and W.T. Swank. 1972. Streamflow modification through management of eastern forests. U.S.D.A. Forest Service, Research Paper SE-94, 15p.
- Driscoll, Charles T., G.E. Likens, L.O. Hedin, J. S. Eaton and F.H. Bormann. 1989. Changes in the chemistry of surface waters: Twenty-five year results at the Hubbard Brook Experimental Forest, NH. *Environ. Sci. Technol.* 23(2):137-143.
- Dunne, T. and L.B. Leopold. 1978. *Water in environmental planning,* W.H. Freeman and Company, New York, NY, 818 pp.

- Dyrness, C.T. 1965. Erodibility and erosion potential of forest watersheds. In: Forest Hydrology: Proceedings of a National Science Foundation Advanced Science Seminar at Pennsylvania State University, University Park, PA, August 29-Sept 10, 1965, Edited by William E. Sopper and Howard W. Lull, Pergamon Press, London, pp 559-611.
- Edwards, Nicole T., and David L. Otis. 1999. Avian communities and habitat relationships in South Carolina Piedmont beaver ponds. *Am. Midl. Nat.* 141:158-171.
- Elliot, C. A. 1988. A forester's guide to managing wildlife habitats in Maine. U. Maine Coop. Ext. 46pp.
- Erlandsen, S.L. and W. J. Bemrick. 1988. Waterborne giardiasis: sources of Giardia cysts and evidence pertaining to their implication in human infection. pp. 227-236 IN: P.M. Wallis and B.R. Hammond (eds). *Advances in Giardia research*. Univ. Calgary Press, Calgary, Alberta.
- Eschner, A.R. and D.R. Satterlund. 1965. Forest protection and streamflow from an Adirondack watershed. *Wat. Res. Res.* 2(4):765-783.
- Executive Office of Environmental Affairs, Commonwealth of Massachusetts. 2000. The state of our environment. 150 pp.
- Fed Register. 1987. 52(212):42178. Nov. 3.
- Fennell, H., D.B. James and J. Morris. 1974. Pollution of a storage reservoir by roosting gulls. *Wat. Treat. Exam.* 23:5-24.
- Flatebo, G., C. R. Foss, and S. K. Pelletier. 1999. Biodiversity in the forests of Maine: guidelines for land management. Univ. Maine Coop. Ext. #7147 167pp.
- Forman, R.T.T. and M. Godron. 1986. *Landscape ecology*. Wiley & Sons, N.Y.
- Foster, D.R. 1988. Species and stand response to catastrophic wind in central New England, U.S.A. *Journal of Ecology* 76:135-151.
- Foster, D.R. and E.R. Boose. 1992. Patterns of forest damage resulting from catastrophic wind in central New England, U.S.A. *Journal of Ecology* 80:79-98.
- Foster, D. R. 1999. *Thoreau's Country*. Harvard University Press, Cambridge, MA.
- Foster, N.W., Nicolson, J.A., and P.W. Hazlett. 1989. Temporal variation in nitrate and nutrient cations in drainage waters from a deciduous forest. *Journal of Environmental Quality* 18: 238-244.
- France, R. L. 1997. The importance of beaver lodges in structuring littoral communities in boreal headwater lakes. *Can. J. Zool.* 75:1009-1013.
- French, J.M. 1988. MDC-DFWELE land acquisition program: MDC watersheds. Unpublished MDC report.
- French, J.M. and G.S. Buzzell. 1992. Wachusett Reservoir Arborvitae Hedge Report. MDC.

- Garrett, J.D., T. Cassidy, K. McGarigal, K.B. Searcy, and R. Harrington. 2000. Rare, unique, and exemplary natural communities of Quabbin watershed. University of Massachusetts, Department of Natural Resources Conservation report prepared for MDC/DWM.
- Geldreich, E.E. 1972. Water-borne pathogens. Chapter 9 IN: Mitchell (ed.). Water pollution microbiology. John Wiley & Sons.
- Goldstein, R.A., Chen, C.W., and S.A. Gherini. 1985. Integrated lake-watershed acidification study: summary. Water, Air, and Soil Pollution 26:327-337.
- Gould, D.J. and M.R. Fletcher. 1978. Gull droppings and their effects on water quality. Water Res. 12:665-672.
- Hägglund, Å., and G. Sjöberg. 1999. Effects of beaver dams on the fish fauna of forest streams. For. Ecol. Manage. 115:259-266.
- Hakanson, L., T. Andersson, and A. Nilsson. 1990. New method of quantitatively describing drainage areas. Environ. Geol. Sci 15(1):61-69.
- Hall, C.A.S. and J.W. Day, Jr. 1977. Ecosystem modeling in theory and practice. Wiley-Interscience, New York, N.Y. 684p.
- Hammerson, G.A. 1994. Beaver (*Castor canadensis*): Ecosystem alterations, management, and monitoring. Nat. Areas J. 14(1):44-57.
- Hartman, E.M., P.E. Austin, and K.M. Keohane. 1992. Quabbin tributaries: water quality data report. Commonwealth of Massachusetts, Department of Environmental Protection and Metropolitan District Commission. Pub. No. 17158-195-50. 196 pp.
- Healy, W. M. 1997. Thinning New England oak stands to enhance acorn production. N. Journ. Appl. For. 14(3):152-156.
- Healy, W.M., R.T. Brooks and R.M. DeGraaf. 1989. Cavity trees in sawtimber-size oak stands in central Massachusetts. North. J. Appl. For. 6(2):61-65.
- Healy, W.M., R.T. Brooks and P.J. Lyons. 1987. Deer and forests on Boston's municipal watershed after 50 years as a wildlife sanctuary. IN: Proceedings: deer, forestry, and agriculture: interactions and strategies for management. June 15-17, 1987. Warren, PA. Allegheny Society of American Foresters.
- Hemond, H., K. Eshleman, K. O'Connor, B. Gordesky, and D. Chen. 1987. Surface hydrology and wetland roles in acid deposition on the Bickford Pond watershed. Commonwealth of Massachusetts, Dept. of Environmental Quality Engineering, Project 84-26-WPC. 71 pp.
- Hemond, H.F. and K.N. Eshleman. 1984. Neutralization of acid deposition by nitrate retention at Bickford watershed, Massachusetts. Water Resources Research. 20(11):1718-1724.
- Herkert, J.R., R. E. Szafoni, V. M. Kleen, and J.E. Schwegman. 1993. Habitat establishment, enhancement and management for forest and grassland birds in Illinois. Ill. Dept. Conserv. Div. Nat. Herit. 1. 19pp.

- Hewlett, J.D. and W.L. Nutter. 1969. An outline of forest hydrology. University of Georgia Press, Athens, GA, 137 pp.
- Hibbert, A.R. 1967. Forest treatment effects on waters yield. IN: International Symposium on Forest Hydrology, W.E. Sopper and H.W. Lull, eds, Pergamon Press, Oxford, England, pp 527-543.
- Hill, E.P. 1982. Beaver. pp. 256-281 IN: J.A. Chapman and G.A. Feldhammer (eds), Wild mammals of North America: biology, management and economics. John Hopkins Univ. Press.
- Hobbie, J.E. and G.E. Likens. 1973. Output of phosphorus, dissolved organic carbon, and fine particulate carbon from Hubbard Brook watersheds. Limnology and Oceanography, 18(5):734-742.
- Hobson, S.S., J.S. Barclay, and S.H. Broderick. 1993. Enhancing wildlife habitats: a practical guide for forest landowners. NE Reg. Agric. Engin. Serv. 172pp.
- Hodkinson, I.D. 1975. Energy flow and organic matter decomposition in an abandoned beaver pond ecosystem. Oecologia (Berl.) 21:131-139.
- Hoekstra, T.W., and J. Capp. 1988. Integrating forest management for wildlife and fish. U.S.D.A. For. Serv. Gen. Tech. Rep. NC-122. 63pp.
- Hornbeck, J.W., and W.B. Leak. 1992. Ecology and management of northern hardwood forests in New England. U.S.D.A. For. Serv. Gen. Tech. Rep. NE-159. 44p.
- Hornbeck, J.W., C.W. Martin, R.S. Pierce, F.H. Bormann, G.E. Likens and J.S. Eaton. 1987. Northern hardwood forest ecosystem: ten years of recovery from clearcutting. U.S.D.A. Forest Service, Northeastern Forest Experiment Station. Broomall, PA. NE-RP-596. 30 p.
- Hornbeck, J.W., M.B. Adams, E.S. Corbett, E.S. Verry, and J.A. Lynch. 1993. Long-term impacts of forest treatments on water yield: a summary of northeastern USA. Journal of Hydrology, 150:323-344.
- Horsley, S.B. and D.A. Marquis. 1982. Interference by weeds and deer with Allegheny hardwood reproduction. Can. J. For. Res. 13:61-69.
- Hunt, F.M. 1961. Forest resources on Metropolitan District Commission lands surrounding Quabbin Reservoir. Master's Thesis. University of Massachusetts, Department Forestry and Wildlife Management, Amherst, MA. 128 pp.
- Hunt, P., and D. De Luca. 1997. Survey and management recommendations for grassland and shrubland birds in New Hampshire. Audubon Soc. of NH. 46pp.
- Hunter, M.L. 1990. Wildlife, forests, and forestry; principles of managing forests for biological diversity. Prentice Hall, Englewood Cliffs, N.J. 370 pp.
- Hunter, M.L. Jr. 1999. Maintaining biodiversity in forest ecosystems. Cambridge University Press. 698pp.

- Hussong, D., J.M. Damare, R.J. Limpert, W.J.L. Sladenk, R.M. Weiner and R.R. Colwell. 1979. Microbial impact of Canada geese (*Branta canadensis*) and whistling swans (*Cygnus columbianus columbianus*) on aquatic ecosystems. *Appl. Envir. Microbiol.* 37:14-20.
- Indiana Department of Natural Resources. Undated. Managing woodlands for wildlife. DNR. Manage. Series No. 3. 9pp.
- Johnson, D.W. and R.I. VanHook, eds. 1989. Analysis of biogeochemical cycling processes in Walker Branch watershed. Springer-Verlag, New York, NY. 401 pp.
- Johnston, W.S., G.K. MacIachlan and G.F. Hopkins. 1979. The possible involvement of seagulls (*Larus* sp.) in the transmission of salmonella in dairy cattle. *Veterinary Record.* 105:526-527.
- Johnston, C.A. and R.J. Naiman. 1990. Browse selection by beaver: effects on riparian forest composition. *Can. J. For.* 20:1036-1043.
- Johnston, C.A. and R. J. Naiman. 1990. Aquatic patch creation in relation to beaver population trend. *Ecology.* 71(4):1617-1621.
- Jones, A.L., and P.D. Vickery. 1998. Conserving grassland birds: managing large grasslands including conservation lands, airports, and landfills over 75 acres for grassland birds. Mass. Audubon. 17pp.
- Jones, A.L., and P.D. Vickery. 1998. Conserving grassland birds: managing agricultural lands including hayfields, crop fields, and pastures for grassland birds. Mass Audubon. 17pp.
- Jones, A.L., and P.D. Vickery. 1998. Conserving grassland birds: managing small grasslands including conservation lands, corporate headquarters, recreation fields, and small landfills for grassland birds. Mass. Audubon. 16pp.
- Jones, C.G., J.H. Lawton, and M. Shachak. 1997. Positive and negative effects of organisms as physical ecosystem engineers. *Ecology.* 78(7):1946-1957.
- Jones, W.R. 1951. The deer herd of Prescott Peninsula, Quabbin Reservation, and its ecology. M.S. Thesis, Univ. of Massachusetts, Amherst. 126 pp.
- Jones, F., P. Smith and D.C. Watson. 1978. Pollution of a water supply catchment by breeding gulls and the potential environmental health implications. *J. Inst. Wat. Eng. & Sci.* 32:469-482.
- King, S.L., B.D. Keeland, and J.L. Moore. 1998. Beaver lodge distributions and damage assessments in a forested wetland ecosystem in the southern United States. *For. Ecol. Manage.* 108:1-7.
- Klein, R.M. and T.D. Perkins. 1988. Primary and secondary causes and consequences of contemporary forest decline. *The Botanical Review.* 54(1), Jan-Mar, 43 pp.
- Klotz, R. L. 1998. Influence of beaver ponds on the phosphorus concentration of streamwater. *Can. J. Fish. Aquat. Sci.* 55:1228-1235.
- Krug, E.C. and C.R. Frink. 1983. Acid rain on acid soil: a new perspective. *Science.* 221:520-525.
- Kyker-Snowman, T.D. 1989. Quabbin forest regeneration study. MDC Publication.

- Lawrence, G.B., D.A. Burns and P.S. Murdoch. 1993. Work plan of the Neversink watershed study. United States Geological Survey. Albany, N.Y.
- Leak, W.B. and J.H. Gottsacker. 1985. New approaches to uneven-age management in New England. *Northern Journal of Applied Forestry*. 2:28-31.
- Leak, W.B. and C.W. Martin. 1975. Relationship of stand age to streamwater nitrate in New Hampshire. USDA Forest Service Research Note NE-211, 5 pp.
- Leonard, W.C., R.F. Yuretich, and S.J. Pohanka. 1984. Hydrogeology and processes of acid neutralization in Cadwell Creek, Quabbin Reservation, Massachusetts. Water Resources Research Center, University of Massachusetts, Pub. No. 148. 122 pp.
- Lorimer, C. 1977. The presettlement forest and natural disturbance cycle of northeastern Maine. *Ecology*. 58(1):139-148.
- Mader, D.L., W.P. MacConnell, and J.W. Bauder. 1972. The effect of riparian vegetation control and stand density reduction on soil moisture in the riparian zone. University of Mass. Agric. Exp. Sta. Research Bulletin No. 597, Sept.
- Magill, A. and J. Aber. 1993. Changes in nitrogen mineralization, nitrification and nitrogen leaching in the chronic N plots at Harvard Forest. IN: Long Term Ecological Research at Harvard Forest, Foster, D.R. and D.R. Smith eds., 109 pp.
- Malben, G. and J.B. Foote. 1955. Beaver activity and water quality. *J. Amer. Water Works Assoc.* 47:503-507.
- Maret, T.J., M. Parker, and T.E. Fannin. 1987. The effect of beaver ponds on the nonpoint source water quality of a stream in southwestern Wyoming. *Wat. Res.* 21(3):263-268.
- Marks, P.L. and F.H. Bormann. 1972. Revegetation following forest cutting: mechanisms for return to steady-state nutrient cycling. *Science*. 176:914-915.
- Marquis, D.A., P.L. Eckert, and P.A. Roach. 1976. Acorn weevils, rodents, and deer all contribute to oak regeneration difficulties in Pennsylvania. USDA, For. Service Research Paper NE-356, 5 pp.
- Marquis, D.A., T.J. Grisez, J.C. Bjorkbom, and B.A. Roach. 1975. Interim guide to regeneration of Allegheny hardwoods. USDA Forest Service Gen. Tech. Rep. NE-19.
- Marquis, David A. 1991. Uneven-Aged Management in the Cherry-Maple Forest. Proceedings of the Allegheny Society of American Foresters Symposium on Uneven-aged Management.
- Martin, C.W. and R.S. Pierce. 1980. Clearcutting patterns affect nitrate and calcium in streams in New Hampshire. *Journal of Forestry*. May: 268-272.
- Mather, M. E. 1993. The Quabbin ecosystem: an interdisciplinary ecological review. Final report of the seminar. University of Massachusetts, Department of Forestry and Wildlife Management.
- Matthews, J.D. 1989. *Silvicultural systems*. Oxford University Press, New York, NY.

- McAvoy, D.C. 1989. Episodic response of aluminum chemistry in an acid-sensitive Massachusetts catchment. *Water Resources Research*. 25(2):233-240.
- McColl, J.G. and D.F. Grigal. 1975. Forest fire: effects on phosphorus movement to lakes. *Science*. 188:1109-1111.
- McKee, W. 1993. Personal communication. Southeastern Forest Experiment Station, U.S.D.A. Forest Service.
- McRae, G., and C. J. Edwards. 1994. Thermal characteristics of Wisconsin headwater streams occupied by beaver: implications for brook trout habitat. *Trans. Am. Fish. Soc.* 123:641-656.
- MDC, Division of Watershed Management. 1988. Water quality report: Quabbin Reservoir and Wachusett Reservoir: watershed monitoring results. Unpublished MDC report.
- MDC, Division of Watershed Management. 1991. Quabbin Reservation white-tailed deer impact management plan. Unpublished MDC report.
- MDC/MWRA. 1991. Watershed protection plan: Quabbin Reservoir and Ware River watersheds. Prepared by Rizzo Assoc. and CH2M Hill. February 28, 1991.
- Melillo, J.M., J.D. Aber, P.A. Steudler and J.P. Schimel. 1983. Denitrification potentials in a successional sequence of northern hardwood forest stands. *Environmental Biogeochemistry Ecological Bulletin, Stockholm*. 35:217-228.
- Metzmaker, J.B. and A.E. Rosquist. 1986. Watershed monitoring to assess the risk of a *Giardia lamblia* contamination of unfiltered municipal water supplies. *International Symposium on Water-Related Health Issues, American Water Resources Association, November*, pp 145-151.
- Meyer, J.L. and G.E. Likens. 1979. Transport and transformation of phosphorus in a forest stream ecosystem. *Ecology*. 60(6):1255-1269.
- Micks, P., R. Boone and S. Scott. 1994. Abiotic N fixation by forest floor material from the chronic N plots. *Abstr. 5th Annual Harvard Forest Ecology Symposium*. April 25, 1994.
- Miller, D.R., M.J. Focazio, and M.A. Dickinson. 1986. A user's guide to a model for estimating the hydrological effects of land use change (BROOK). Cooperative Extension, University of Massachusetts, University of Connecticut.
- Mladenoff, D.J., M.A. White, J. Pastor, and T.R. Crow, 1993. Comparing spatial pattern in unaltered old-growth and disturbed forest landscapes. *Ecological Applications* 3(2):294-306.
- Monaghan, P., C.B. Shedden, K. Ensor, C.R. Fricker and R.W.A. Girdwood. 1985. Salmonella carriage by herring gulls in the Clyde area of Scotland in relation to their feeding ecology. *J. Appl. Ecol.* 22:669-680.
- Monzingo, D.L., Jr. and C.P. Hibler. 1987. Prevalence of *Giardia sp.* in a beaver colony and the resulting environmental contamination. *J. Wildlf. Dis.* 23(4):576-585.
- Moore, S.T. 1966. Management of a municipal supply watershed. *Symposium of Forest Watershed Management: Practical Aspects*. Society of American Foresters, Corvallis, Oregon. pp 61-68.

- More, M.E. and J.W. Soper. 1990. GEIR forestland management practices. Massachusetts Department of Environmental Management, EOE File Number 6307, 475 pp.
- Motzkin, G., D. Foster, A. Allen and J. Harrod. 1994. Vegetation and regional physiographic and disturbance gradients. Abstracts from the 5th Annual Harvard Forest Ecology Symposium. Petersham, M.A.
- Mrazik, B.R., D.L. Mader, and W.P. MacConnell. 1980. Integrated watershed management: an alternative for the northeast. Mass. Agricultural Experiment Station, Research Publication Number 664, Univ of Mass, Amherst.
- Murdoch, P. 1993. Personal communication. USGS Water Res. Div., Albany, N.Y.
- Murdoch, P.S. and J.L. Stoddard. 1992. The role of nitrate in the acidification of streams in the Catskill Mountains of New York. *Water Resources Research*. 28(10):2707-2720.
- Nadelhoffer, K.J., J.D. Aber and J.M. Melillo. 1984. Seasonal patterns of ammonium and nitrate uptake in nine temperate forest ecosystems. *Plant and Soil*, 80: 321-335.
- Naiman, R.J., J.M. Melillo and J.E. Hobbie. 1986. Ecosystem alteration of boreal forest streams by beaver (*Castor canadensis*). *Ecology* 67(5):1254-1269.
- Naiman, R.J., C.A. Johnston and J.C. Kelly. 1988. Alteration of North American streams by beaver. *BioScience* 38(11):753-762.
- Naiman, R.J. and J.M. Melillo. 1984. Nitrogen budget of a subarctic stream altered by beaver (*Castor canadensis*). *Oecologia (Berlin)* 62:150-155.
- Naiman, R.J., G. Pinay, C.A. Johnston, and J. Pastor. 1994. Beaver influences on the long-term biogeochemical characteristics of boreal forest drainage networks. *Ecology* 75(4):905-921.
- Nihlgard, B. 1985. The ammonium hypothesis - an additional explanation to the forest dieback in Europe. *Ambio*. 14(1):2-8.
- Nilsson, A. and L. Hakanson. 1992. Relationships between drainage area characteristics and lake water quality. *Environ. Geol. Water Sci.* 19(2):75-81.
- Nolet, B.A., A. Hoekstra, and M.M. Ottenheim. 1994. Selective foraging on woody species by the beaver (*Castor fiber*), and its impact on a riparian willow. *Forest. Biol. Cons.* 70:117-128.
- Norton, D.A. 1999. Chapter 16, Forest Reserves in M.L. Hunter, Jr. 1999. *Maintaining biodiversity in forest ecosystems*. Cambridge University Press. 698pp.
- Norvell, W.A. and C.R. Frink. 1975. Estimation of potential nutrient enrichment of Lake Wononscopomuc by wild geese. unpubl. manuscript. Conn. Agric. Exp. Station., New Haven.
- Novak, M. 1987. IN: M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch, eds. *Wild furbearer management and conservation in North America*. Ontario Ministry of Natural Resources, Toronto. Pp. 283-312

- Odum, E. P. 1969. The strategy of ecosystem development. *Science*. 164:262-270.
- Ollinger, S., J. Aber and C. Federer. 1994. A GIS modeling approach to estimating regional carbon and water balances for the Northeastern U.S. Abstracts from the 5th Annual Harvard Forest Ecology Symposium. Petersham, M.A.
- Ottenheimer, D.G. 1992. Hurricane susceptibility and water quality at Quabbin Forest, Massachusetts. M.S. Thesis. State University of New York, Syracuse. 70pp, +app.
- Parsons, W.F.J., D.H. Knight and S.L. Miller. 1994. Root gap dynamics in lodgepole pine forest: nitrogen transformations in gaps of different size. *Ecological Applications*. 4(2):354-362.
- Patric, J.H, J.O. Evans, and J.D. Helvey. 1984. Summary of sediment yield data from forested land in the United States. *J. For.* 82(2): 101-104.
- Patric, J.H. 1978. Harvesting effects on soil and water in eastern hardwoods forests. *Southern Journal of Applied Forestry* 2(3):66-73.
- Payne, N.F. and F.C. Bryant. 1994. Techniques for wildlife habitat management of uplands. McGraw-Hill, Inc. 840pp.
- Peters, N.E. and P.S. Murdoch. 1985. Hydrogeologic comparison of an acidic-lake basin with a neutral-lake basin in the west-central Adirondack Mountains, New York. *Water, Air, and Soil Pollution*. 26:387-402.
- Petersen, C. and G.C. Smith. 1989. Are the forests of Massachusetts in decline?. IN: Current issues in forestry, Cooperative Extension, University of Mass., Amherst, Vol I, No 2, May, 4 pp.
- Portnoy, J.W. 1990. Gull contributions of phosphorous and nitrogen to a Cape Cod kettle pond. *Hydrobiologia* 202:61-69.
- Putz, F.E. and R.R. Sharitz. 1991. Hurricane damage to old-growth forest in Congaree Swamp National Monument, South Carolina, U.S.A. *Can. J. For. Res.* 21: 1765-1770.
- Raup, H.M. 1957. Vegetational adjustment to the instability of site. in Proc. 6th Tech. Meet. 1956 Int. Un. Conserv. Nature Nat. Resources, Edinburgh. pp 36-48.
- Reese, K.P. and J.D. Hair. 1976. Avian species diversity in relation to beaver pond habitats in the Piedmont region of South Carolina. *Proc. Southeast Assoc. F & W Agencies Conf.* 30:437-447.
- Reich, P.B. and R.G. Amundson. 1985. Ambient levels of ozone reduce net photosynthesis in tree and crop species. *Science*. 230:566-570.
- Reid, J. 1992. Personal communication. Hampshire College, Amherst, MA.
- Reinhart, K.G. and A.R. Eschner. 1962. Effects on streamflow of four different forest practices in the Allegheny Mountains, *J. Geophys. Research*. 67:2433-2445.

- Reinhert, R.H. and J.A. Hroncich. 1990. Source water quality management. pp. 189-228 IN: F.W. Pontius (ed). Water quality and treatment: a handbook of community water supplies. AWWA. McGraw-Hill.
- Remillard, M.M., G.K. Gruendling and D.J. Bogucki. 1987. Disturbance by beaver (*Castor canadensis*) and increased landscape heterogeneity. Chapt. 6 IN: M.G.Turner (ed), Ecological Studies: Vol 64. Landscape heterogeneity and disturbance. Springer-Verlag, N.Y.
- Reuss, J.O. and D.W. Johnson. 1986. Acid deposition and the acidification of soils and waters. Ecological Studies. Springer-Verlag; New York, N.Y.
- Rittmaster, R.L. and J.B. Shanley. 1990. Effects of atmospheric wet deposition on the water quality of two streams in the Quabbin Reservoir watershed, central Massachusetts, 1983-85. U.S. Geological Survey. Water-Resources Investigations Report 90.
- Rose, J.B. 1988. Occurrence and significance of *Cryptosporidium* in water. J. Amer. Wat. Works Assoc.:53-58.
- Rothacher, J. 1970. Managing forest land for water quality. IN: Proceedings of the Joint FAO/U.S.S.R. international symposium on forest influences and watershed management, Moscow, U.S.S.R. by USDA Forest Service.
- Runkle, J.R. 1985. Disturbance regimes in temperate forests. IN: The ecology of natural disturbance and patch dynamics. S.T.A. Pickett and P.S. White (Editors), Academic Press, Orlando, FL, pp. 17-33.
- Russell, K.R., C.E. Moorman, J.K. Edwards, B.S. Metts, and D.C. Guynn, Jr. 1999. Amphibian and reptile communities associated with beaver (*Castor canadensis*) ponds and unimpounded streams in the piedmont of South Carolina. J. Freshwater Ecol. 14(2):149-160.
- Sample, D.W. and M.J. Mossman. 1997. Managing habitat for grassland birds: a guide for Wisconsin. Wis. Dept. Nat. Res. 154pp.
- Savill, P.S. 1983. Silviculture in windy climates. Forestry Abstracts. 44(8):473-488.
- Schindler, D.W., R.W. Newbury, K.G. Beaty, J. Prokopowich, T. Ruszczynski, and J.A. Dalton. 1980. Effects of a windstorm and forest fire on chemical losses from forested watersheds and on the quality of receiving streams. Canadian Journal of Fisheries Aquatic Science. 37:328-334.
- Schindler, D.W. 1988. Effects of acid rain on freshwater ecosystems. Science. 239:149-157.
- Schofield, C.L., J.N.Galloway, and G.R. Hendry. 1985. Surface water chemistry in the ILWAS Basins. Abstract. Water, Air, and Soil Pollution. 26:403-423.
- Scudder, J.H. 1949. A preliminary study of forest succession in central New England. Masters thesis, Harvard University. 69 pp.
- Searcy, K.B. 1996. 1996 rare plant survey: Quabbin, Ware River, Wachusett, and Sudbury watersheds. Final report to MDC.
- Searcy, K.B. 1995. Quabbin rare plant survey, June-August, 1995. Final report to MDC.

- Shanley, J.B. 1993. Personal communication. United States Geological Survey.
- Sheehan, K.C. 1982. Development of environmental impact criteria for recreational use of the Quabbin Reservoir. Master's thesis, Dept. Civil Engineering, University of Massachusetts. 95 pp.
- Shepard, J.P., M.J. Mitchell and T.J. Scott, and C.T. Driscoll. 1990. Soil solution chemistry of an Adirondack spodosol: lysimetry and N dynamics. *Canad. Journ. Forest Resources*, 20:818-824.
- Skeffington, R.A. and E.J. Wilson. 1988. Excess nitrogen deposition: issues for consideration. *Environmental Pollution*. 54:159-184.
- Smith, D.M. 1986. The practice of silviculture, eighth edition. John Wiley and Sons, New York, NY. 527 pp.
- Smith, M.E., C.T. Driscoll, B.J. Wyskowski, C.M. Brooks and C.C. Cosentini. 1991. Modification of stream ecosystem structure and function by beaver (*Castor canadensis*) in the Adirondack Mountains, New York. *Can. J. Zool.* 69:55-61.
- Smith, W.H. 1981. Air pollution-effects on the structure and function of the temperate forest ecosystem. In: *Air pollution and forests*. Springer-Verlag, New York. 379 pp.
- Snodgrass, J.W. 1997. Temporal and spatial dynamics of beaver-created patches as influenced by management practices in a south-eastern North American landscape. *J. Appl. Ecol.* 34:1043-1056.
- Snodgrass, J.W. and G.K. Meffe. 1998. Influence of beavers on stream fish assemblages: effects of pond age and watershed position. *Ecology*. 79(3):928-942.
- Snow, D.R. 1980. The archaeology of New England. Academic Press, New York, N.Y.
- Sorrie, B.A. 1989. Massachusetts flora: a review of current distribution and conservation of rare species. *Rhodora* 91:116-120.
- Speranza, D.E. 1988. An investigation of *Giardia lamblia* in the Quabbin and Wachusett reservoirs. M.S. Thesis, University of Massachusetts, Amherst.
- Spurr, S.H. and B.V. Barnes. 1980. Forest ecology (third edition). John Wiley and Sons, Inc. New York, NY. 687 pp.
- Standridge, J.H., J.J. Delfino, L.B. Kleppe and R. Butler. 1979. Effect of waterfowl (*Anas platyrhynchos*) on indicator bacteria populations in a recreational lake in Madison, Wisconsin. *Appl. Envir. Microbiol.* 38:547-550.
- Stekl, P.J. 1985. A hydrogeologic investigation of two small watersheds of the eastern Quabbin basin. Masters Thesis, University of Massachusetts.
- Stephens, E.P. 1956. The uprooting of trees: a forest process. *Proceedings of the Soil Science Society of America*. 20:113-116.

- Stoddard, J.L. 1991. Trends in Catskill stream water quality: evidence from historical data. *Water Resources Research*. 27(11):2855-2864.
- Stone, E.L., W.T. Swank, and J.W. Hornbeck. 1979. Clearcutting versus alternative timber harvest and regeneration systems: impacts on soils and streamflow in the eastern deciduous region. USDA Forest Service.
- Suurballe, N.C. 1992. Effects of a wetland on quality of Natty Pond Brook, Massachusetts, 1985-86. U.S. Geological Survey. *Water-Resources Investigations Report* 91-4144. 52 pp.
- Swank, W.T. 1972. Water balance, interception, and transpiration studies on a watershed in the Puget lowland region of western Washington. Ph.D. Dissertation, University of Washington, Seattle.
- Tamm, C.O. 1991. Nitrogen in terrestrial ecosystems: questions of productivity, vegetational changes, and ecosystem stability. *Ecological Studies*. Springer-Verlag, New York, N.Y. 116p.
- Thompson, C. H. and T.D. Kyker-Snowman. 1989. Evaluation of non-point source pollution problems from crossing streams with logging equipment and off-road vehicles in Massachusetts: 1987-1988. Report produced as part of Generic Environmental Impact Report on Forest Management in Massachusetts. Massachusetts Department of Environmental Management.
- Thompson, F.R. III and D.R. Dessecker. 1997. Management of early successional communities in central hardwood forests. USDA For. Serv. Gen. Tech. Rep. NC-195. 33pp.
- Tubbs, C.H., R.M. DeGraaf, M. Yamasaki and W.M. Healy. 1987. Guide to wildlife tree management in New England northern hardwoods. USDA For. Serv. Gen. Tech. Rep. NE-118.
- Tyrrell, L.E. and T.R. Crow. 1994. Structural characteristics of old-growth hemlock-hardwood forests in relation to age. *Ecology* 75(2):370-386.
- Tzipori, S. 1983. Cryptosporidiosis in animals and humans. *Microbiol. Rev.* 47:84.
- U.S.D.A. Forest Service. 1990. *Silvics of North America*. Vol.1 Conifers, Vol.2 Hardwoods. *Agricultural Handbook* 654. Vol.1 675 pp; Vol.2 877 pp.
- U.S.D.A. Forest Service. 1991. Riparian forest buffers; function and design for protection and enhancement of water resources. NA-PR-07-91.
- Van Miegroet, H. and D.W. Johnson. 1993. Nitrate dynamics in forest soils. IN: Nitrate: processes, patterns and management. T.P. Burt, A.L. Heathwaite, S.T. Trudgill, eds. John Wiley and Sons, New York, N.Y. 444p.
- Veneman, P.L.M. 1984. Evaluation of the buffering capacity of Massachusetts soils to negotiate the impact of acid deposition on water quality. Completion Report to the Massachusetts Dept. of Environmental Quality Engineering Division of Air Quality control. University of Massachusetts at Amherst.
- Vernegaard, L., R. Hopping, and D. Reid. 1998. Ecological management of grasslands: guidelines for managers. The Trustees of Reservations, Massachusetts. 20pp.

- Verry, E.S. 1986. Forest harvesting and water: the Lakes States experience. *Water Resources Bulletin*. 22(6):1039-1047.
- Vitousek, P.M., J.R. Gosz, C.C. Grier, J.M. Melillo, W.A. Reiners and R.L. Todd. 1979. Nitrate losses from disturbed ecosystems. *Science*. 204:469-474.
- Vitousek, P.M. 1977. The regulation of element concentrations in mountain streams in the northeastern U.S. *Ecol. Monographs*, Vol. 47, pp 65-87.
- Vitousek, P. M., W.A. Reiners, J.M. Melillo, C.C. Grier, and J.R. Gosz. 1981. IN: Stress effects on natural ecosystems. pp. 115-127.
- Vitousek, P.M. and W.A. Reiners. 1975. Ecosystem succession and nutrient retention: a hypothesis. *Bioscience* Vol. 25(6) pp. 376-381.
- Vitousek, P.M. 1985. Community turnover and ecosystem nutrient dynamics. Chapt. 18 IN: The ecology of natural disturbance and patch dynamics. S.T.A. Pickett and P.S. White (eds.). Academic Press. 472 pp.
- von Oettingen, S.L. 1982. A survey of beaver in central Massachusetts for *Giardia lamblia*. M.S. Thesis, University of Massachusetts, Amherst. 57 pp.
- Walters, C.J. 1986. Adaptive management of renewable resources. MacMillan Publishing Company, New York, NY.
- Wandle, S.W. n.d. Estimating peak discharges of small, rural streams in Massachusetts. U.S. Geological Survey Water-Supply Paper 2214. 25 pp.
- Waring, R.H. and W.H. Schlesinger. 1985. Forest ecosystems: concepts and management. Academic Press, Inc. Harcourt Brace Jovanovich. New York, N.Y.
- Webster, B. 1983. The shy beaver: powerful effects on ecology seen in new research. N.Y. Times, Tues. Jan. 11.
- Whigham, D.F., C. Chitterling, and B. Palmer. 1988. Impacts of freshwater wetlands on water quality: a landscape perspective. *Environmental Management*. 12(5):663-671.
- Williamson, S. J. n.d.. Forester's guide to wildlife habitat improvement. Univ. New Hampshire, Coop. Ext. 41pp.
- Wilde, S.A., C.T. Youngberg and J.H. Hovind. 1950. Changes in composition of ground water, soil fertility and forest growth produced by the construction and removal of beaver dams. *J. Wildl. Manage.* 14(2):123-128.
- Wilen, B.O., W.P. McConnell and D.L. Mader. no date. The effects of beaver activity on water quantity and quality. Unpubl. manuscript. Univ. of Mass., Amherst, MA.
- Woo, M-K. and J.M. Waddington. 1990. Effects of beaver dams on subarctic wetland hydrology. *Arctic*. 43(3):223-230.

- Wright, R.F. 1976. The impact of forest fire on the nutrient influxes to small lakes in northeastern Minnesota. *Ecology*. 57:649-663.
- Yuretich, R.F., P.J. Stekl and S.J. Pohanka. 1986. Hydrogeology and mineral weathering reactions in watersheds of Central Massachusetts. Water Resources Research Center, University of Massachusetts, Pub. No. 152. 85 pp.
- Yuretich, R.F., ed. 1992. Impacts of acid deposition on watersheds of the Quabbin Reservoir. Water Resources Research Center, University of Massachusetts, Pub. No. 166. 229 pp.