Business and Consumer Services Worksite Assessment Checklist

General Health and Safety

| | Yes | No | N/A | Comments |
|--|-----|----|-----|----------|
| Are stepladders or step stools readily available for | | | | |
| use? | | | | |
| Are rolling ladders readily available for use, in | | | | |
| warehouse settings? | | | | |
| Are ladders in good condition? (e.g., no missing | | | | |
| rungs) | | | | |
| Are employees using/wearing PPE? | | | | |
| Safety glasses (warehouse settings) | | | | |
| Hearing protection (warehouse settings) | | | | |
| Dust masks/Respirators (e.g. artificial nail | | | | |
| filing) | | | | |
| Gloves (nitrile, etc.) | | | | |
| Apron | | | | |
| Is there a separate area for lunch/eating, away from | | | | |
| hazardous substances? | | | | |
| Are cash registers closed when not in use? | | | | |
| Are panic buttons available? (e.g. reception, | | | | |
| heavily trafficked public places) | | | | |
| Is there a workplace violence prevention program | | | | |
| in place, or incorporated into an existing accident | | | | |
| prevention program or employee handbook? | | | | |

Chemicals and Storage

| | Yes | No | N/A | Comments |
|--|-----|----|-----|----------|
| Are containers with chemicals, <i>including items like</i> | | | | |
| nail polish, covered/closed when not in use? | | | | |
| Are trash cans lidded and closed? | | | | |
| Is there a ventilation system? (HVAC, manicure | | | | |
| tables w/built in vents, other) | | | | |
| Are there proper stations for clean and soiled | | | | |
| towels? | | | | |
| Is there a labeled fire-safe storage cabinet? | | | | |
| Is there a flammable storage permit? | | | | |
| Are tools sanitized regularly? (i.e., Soaking in | | | | |
| chemical solution or stored in autoclave when not | | | | |
| in use) | | | | |

Electrical

| | Yes | No | N/A | Comments |
|--|-----|----|-----|----------|
| Are GFCIs (ground-fault circuit interrupters) used | | | | |
| near sinks/water sources? | | | | |
| Are there enough outlets available? (e.g., One | | | | |
| socket = plug) | | | | |
| Is portable electric equipment (hair dryers, clothes | | | | |
| irons, etc.) unplugged when not in use? | | | | |

Ergonomics

| | Yes | No | N/A | Comments |
|---|-----|----|-----|----------|
| Do workspaces have enough room to move around | | | | |
| and perform work comfortably and without injury? | | | | |
| Are headsets or other adaptive devices for | | | | |
| telephones available? (e.g. employees can keep | | | | |
| head upright/shoulders relaxed while using | | | | |
| computer at the same time) | | | | |
| Are electrical rooms/areas free from non-electrical | | | | |
| storage? (e.g. no housekeeping supplies in | | | | |
| electrical rooms, do not block circuit panels) | | | | |
| Are regular breaks encouraged? | | | | |