


CZ-Tip - Learn What Lurks in a Massachusetts Tide Pool

This is a printer-friendly PDF version of [CZ-Tip - Learn What Lurks in a Massachusetts Tide Pool](#) developed by the Massachusetts Office of Coastal Zone Management (CZM).

As the tide recedes along the shore, isolated pools of seawater collect in low spots and form tide pools. Tide pools are typically found on rocky shorelines where water gets trapped between the rocks, but can also form on sandy or mixed sediment shores where seawater collects in depressions at low tide. Tide pools provide habitat for many marine plants, algae, and animals. They serve as temporary shelters (or prisons!) for creatures stranded when the tide goes out and more permanent homes for species adapted to survive the stresses of changing tides, waves, salinity, temperature, and oxygen. Given that Massachusetts has more than 1,500 miles of coastline, you don't need to go far to explore the diverse world of tide pools. This tip covers common plants and animals in a Massachusetts tide pool, invasive tide pool species, some of the best tide pool spots in the state, and suggestions for having a responsible, hands-on tide pool experience.

Life in a Tide Pool

Tide pools provide a glimpse into the daily interactions of marine life. Here you can witness fierce battles between predators and prey, exemplary (yet borderline weird) displays of survival, and quirky methods of reproduction and regrowth. The following are a few examples of common plants and animals in Massachusetts tide pools with highlights of some of their more uncommon characteristics.



The species links below are to the following sources: CZM's [Marine Invasive Species ID Cards](#) (crabs), Woods Hole Oceanographic Institution's [Life in a Massachusetts Tide Pool website](#) (barnacles, sea cucumbers, sea squirts, sea stars, and sea urchins); National Geographic's [Resource Library](#) (plankton and sea anemone); and [Encyclopedia of Life](#) (bladder wrack, periwinkles, dogwinkles, mummichogs, and mussels). All photos are by CZM unless otherwise noted.

- a **Plankton** - Named for the Greek word for “drifter” or “wanderer,” plankton are the tiny plants and animals that float in the ocean with the currents. The tiny plants are called phytoplankton and they produce their own food through photosynthesis, a process that also releases oxygen into the air (it is estimated that 80% of the oxygen on Earth is produced by phytoplankton). The tiny animals are the zooplankton, some of which remain zooplankton all their life while others grow to become strong-swimming, non-plankton adults. *(Fun fact: There can be 50,000 plankton in a gallon of sea water.)*



- b **Bladder Wrack** and **Other Seaweeds and Algae** - Bladder wrack and knotted wrack, two common seaweeds in a tide pool, use air bladders to float when the tide is in (giving them access to sunlight and creating a forest under the water) and then lay flat on the rocks when the tide is out, forming a thick cover for other species. Sea lettuce is the green alga that has bright green silky sheets and ruffled margins. Irish moss (the small reddish-purple, fan-shaped seaweed) and other species of red algae are abundant where they can be submerged for most of the day. *(Fun fact: [Simple seaweeds may have been the Earth's first plants](#).)*




- c **Barnacles** - When barnacles are young, they are free swimmers and resemble tiny shrimp. Once they find an appropriate place to settle down, they glue their heads to a rock and begin the process of building their shells. The result—pointed shells with doors that click open and shut (and that are known for their scrape-inducing characteristics on unprotected skin). When the barnacles open, feathery legs extend out of the shells and sift the water for food, namely plankton. *(Fun fact: The adhesive property of the glue that barnacles make to attach to rocks is being researched for use in dental work.)*



d **Blue Mussels** - Also known as the common mussel, these edible mollusks typically live between the high-tide and low-tide line, often just beneath the knotted wrack and bladder wrack. They have a slender foot for temporarily holding themselves in place but use their tough byssal threads to more permanently adhere to the rocks. By spinning and cutting these threads, mussels can also use them to move. *(Fun fact: To avoid being eaten, mussels can use their byssal threads to tether and immobilize predators like the dog whelk.)*




e **Periwinkles** - These are the snails that you find peacefully grazing on seaweed and other plants. Periwinkles move slowly on one foot and scrape up food with a coiled tongue. When the periwinkle pulls itself into its shell, it will close a little trap door called an operculum. *(Not-so-fun fact: The common periwinkle, a non-native invasive species, has out-competed some native species, altered the distribution and abundance of algae on rocky shores, and even converted soft-sediment habitats to hard substrates by preventing the accumulation of sediment and algal cover.)*



f **Dogwinkles/Dog Whelks** - Though similar to periwinkles, these somewhat longer, pointier, and whorled sea snails are ferocious carnivorous. They feed on periwinkles, mussels, barnacles, and clams by grinding a round hole right through the shells with their drill-like tongues and sucking out the animal inside. *(Fun fact: The color of the New England dog whelk depends on what it eats—those that consume mussels are dark reddish-brown and those that eat barnacles are white or yellowish-brown.)*



g **Sea Anemones** - The sea anemone may look harmless, but it is a fierce predator. The petal-like arms or tentacles on this animal contain stinging capsules that paralyze prey, such as shrimp and sea stars. When alarmed, the anemone will pull the tentacles in and shrink down to a small blob. The anemones that are common to Massachusetts do not have enough stinging power to harm humans. *(Fun fact: A sea slug is the only animal that can eat the stinging tentacles of the anemone.)*



h [Sea Cucumbers](#) - Even though they are named after a vegetable, sea cucumbers are animals. The tube feet that cover their body are used to attach themselves to rocks and other surfaces, and the modified tube feet around their mouth are used to capture food such as zooplankton. The most common sea cucumber in New England is the orange-footed, which grows up to 12 inches long. (*Fun fact: Dried sea cucumbers are considered a delicacy in Asia.*)



Photo: Woods Hole, U.S. Geological Survey

i [Sea Squirts/Tunicates](#) - True to their name, these sac-like animals pump water in and out of their bodies—filtering food, expunging wastes, and “squirting” water. (*Fun fact: These animals have a spine and brain—at least in the larval stage when the animal swims freely and resembles a tadpole. The larvae eventually attach themselves to hard surfaces with adhesive organs and begin transforming into full grown sea squirts. This process involves absorbing the brain, nerve cord, and tail that they no longer need.*)



j [Sea Stars \(aka Starfish\)](#) - It is easy to recognize sea stars with their spiny skin and star-like shape (typically with five arms, though some species have more). Each of these arms contains an eye that is sensitive to light. The tube feet on the underside of the sea star help the animal move and feed. The sea star has the ability to pry apart two halves of a mussel shell, push its stomach out its mouth and into the mollusk to digest the animal, and then pull its stomach and the mussel contents back in! (*Fun fact: Not only can a sea star regrow a lost arm, but an arm can regrow the sea star body.*)



Photo: Becca Toppin

k [Sea Urchins](#) - Often found submerged in the deeper parts of the tide pool, sea urchins are noted for their long spines, which help fend off predators. Under the spines lies a hard outer body and tubed feet that help the animal move. When the urchin dies, the spines fall off. Sea urchins use their beak-like mouth to voraciously feed on kelp, though they will also feed on plankton, periwinkles, and even barnacles and mussels. (*Fun fact: Sea urchins will react immediately if something touches them by pointing all of their spines towards the area of provocation.*)



Photo: NOAA Photo Library

I [Crabs](#) (PDF, 3 MB) - The most common crab in New England is the non-native green crab, an invasive species that lives in crevices in the rocks, in kelp, or under submerged rocks. The Asian shore mcrab, another invasive and voracious predator, competes with the green crab and native crabs for habitat. The native rock and jonah crabs can often be found under rocks deep in a tide pool. Spider crabs may occasionally be found in a tide pool—they are the ones camouflaging themselves with algae. Hermit crabs, which have no hard exoskeleton and actually look like tiny lobsters with a hook-like abdomen, inhabit discarded periwinkle shells for protection. (*Fun fact: Crabs can re-grow missing legs and claws.*)



m [Mummichogs and Other Fish](#) - Small fish, such as mummichogs (also known as killifish or salt water minnows), tautogs, blennies, naked gobies, and rock gunnels, may occasionally get caught in a tide pool. Fortunately, most of these fish are well adapted to changes in oxygen, salinity, and temperature and can survive the tidal cycle. (*Fun fact: Some mummichogs will walk across the rocks on their fins to get back to the ocean.*)



A Note on the Slipper Snail

Though found in tidepools, the [Common Slipper Snail](#) is most often seen when washed ashore. Typically found growing atop each other in fastened stacks, each individual shell has a distinct ledge where this small gastropod tucks itself away (and gives the shell an overall appearance of a slipper). Unlike other snail species that scrape algae off hard surfaces, the slipper snail is a filter feeder that uses cilia to catch floating phytoplankton and algae (similar to mussels and clams). (*Fun fact: these snails start off as males and eventually become females as they mature. When stacked, the older and larger snail on the bottom of the pile is female, while the smaller snails on top are males. As the pile grows, the males become females—which allows for continued mating.*)



Invasive Tide Pool Species

Some of the creatures that inhabit Massachusetts tide pools are travelers that have overstayed their welcome. Marine invasive species—plants or animals that have invaded marine ecosystems beyond their natural or historic range—can jeopardize the ecology and economy of the Bay State by out-competing native plants and animals and reducing biodiversity. To learn more about invasive species, such as the European green crab and various species of sea squirts, visit the following resources.

- [Marine Invasive Species Identification Cards](#) - These identification cards (updated by CZM in 2019) can be used to help recognize, detect, and monitor 18 established marine invasive species in the region. The front of each card includes identification information and natural history background while the back describes similar-looking native and invasive species.
- [Story Map of Marine Invasive Species Monitoring Data](#) - This website includes photos and descriptions of marine invasive species monitored in Massachusetts, maps of where each species has been seen, and additional information.
- [CZ-Tip - Learn to Spot, and Deal with, the Aliens in Our Midst](#) - This web page discusses steps that you can take to reduce the spread of invasive species.
- [Non-Native Seaweed in Massachusetts](#) (PDF, 2 MB) - This CZM fact sheet provides information on invasive seaweed species in Massachusetts, their ecology, and potential impacts to the marine ecosystem and economy.

Tide Pool Destinations

Tide pools can be found in many nooks and crannies along the coast, but if you are looking for some notable tide pools loaded with diversity, check out the following locations and links. Don't forget to confirm that the tide will be low before you head out—see the [Massachusetts Marine Trades Association website](#) for tide charts all along the region's coast.

- [Wingaersheek Beach](#) (Gloucester) - When the tide is low, large rock formations on this wide sandy beach offer tide pools filled with creatures such as sea stars, crabs, and even sand dollars.
- [Halibut Point State Park](#) (Rockport) - Halibut Point is a coastal seascape managed for scenic, historic, and



conservation purposes by the Massachusetts Department of Conservation and Recreation (DCR) and the Trustees of Reservations. An adjacent property owned by the Town of Rockport—Sea Rocks—offers trails, rocky ledges, sweeping ocean views, and extensive tide pools for exploration.

- **Castle Rock Park** (Marblehead) - A small beach next to the castle rock outcropping contains numerous deep tide pools that are often full of sea stars and anemones. See “Castle Rock Park” on the Town of Marblehead’s [Parks web page](#) for information on how to get there.
- **[Chandler Hovey Park](#)** (Marblehead) - This 3.74-acre park overlooks the mouth of Marblehead Harbor and the shorelines of Beverly and Manchester-by-the-Sea. As well as offering pavilions, benches, picnic tables, restrooms, and swimming, the park is home to many rocky tide pools.
- **Red Rock Park** (Lynn) - As part of DCR’s [Lynn Shore and Nahant Beach Reservation](#), Red Rock Park with its rocky intertidal area offers tide pools filled with colorful critters.
- **[Skaket Beach](#)** (Orleans) - Though a sandy beach, Skaket is home to large tide pools at low tide that reveal some interesting finds, such as sea stars and hermit crabs.
- **[Mayflower Beach](#)** (Dennis) - Another wide sandy beach on Cape Cod Bay, Mayflower Beach offers easily accessible tide pools at low tide.
- **[Menemsha Hills](#)** (Martha’s Vineyard) - This 211-acre conservation area managed by The Trustees of Reservations offers miles of trails through wetlands, woodland groves, a hilltop, open coastal plains, and rocky shores where tide pools are abundant.
- **[Mass Audubon’s Joppa Flats Education Center](#)** (Newburyport) - Each summer, the center offers free “Nature Play” areas where children can handle and identify sea shells, crab molts, and egg capsules at a sand table, view and handle live creatures (such as sea stars, urchins, mummichugs, and hermit crabs) in a tide pool touch tank, and more. Dates vary, but the program generally runs from mid-June to mid-August. See the [Young Explorers Activities page](#) for more details.
- **[Northeastern University Marine Science Center \(MSC\)](#)** (Nahant) - For school groups, don’t miss this field trip to the MSC, where students explore tide pools at a rocky intertidal shore, conduct scientific field work, and visit a touch tank. Programs are offered year-round, but typically take place between April and November. To learn more about rocky intertidal shores and tide pools, visit the [MSC Educator Resources page](#) for rocky intertidal species identification guides, presentations, posters, and activities.
- **[Seacoast Science Center Tide Pools](#)** - Located within Odiorne Point State Park in Rye, New Hampshire, the Seacoast Science Center offers visitors the option to explore tide pools on their own or join naturalist-led [on-site field trips](#). Also check out their online resources, such as their page on [Everything you need to know to dip your toes in the tide pools!](#), links to an interactive [Virtual Tide Pool](#), the handy [Atlantic Ocean Rocky Shore Guide](#) (PDF, 628 KB), and the [Rocky Shore Curriculum](#) for lessons and activities at home or in the classroom.

- [NOAA Virtual Tide Pool](#) - Even if you can't leave the house, this online resource provides an interactive way to learn about tide pools, the challenges of living in this harsh environment, and the creatures that live there, such as sea stars and anemones.

Tide Pool Etiquette

Though tide pools are an excellent, hands-on way to learn about diverse marine life, the critters need to be handled with care. Here are a few tips for being responsible at the tide pool.

- In general, view animals from the surface—they will likely be more inclined to “act naturally” with a hands-off approach. You can view the creatures with extra clarity using a homemade aquascope—see Friends of Haystack Rock's [Make an Aquascope to Explore Tide Pool Life page](#).
- When looking under the seaweed and turning over rocks to find crabs and other species, put the items back as you found them. Some species that live under rocks will perish if you leave their homes upside down.
- Creatures that you collect should be placed back in the water as soon as possible. Animals, such as sea stars, need to be underwater to breathe. Although buckets are a useful tool for temporary observations, the critters may be harmed when water temperatures increase and oxygen levels drop.
- Avoid prying animals off of rocks since this is their strategy for surviving tides and waves.
- For further study, collect a water sample to look at plankton under a microscope—see the Center for Ocean Sciences Education Excellence [Identification of Common Marine Plankton](#) (PDF, 124 KB) to help you identify what you might find in New England waters.

Links for Further Reading

- ***Tide Pools—Depths Observable from Dry Land*** - This article on page 24 of CZM's [Winter 2004-2005 Coastlines magazine](#) (PDF, 38 MB) provides interesting insight into the dynamics and interactions of the inhabitants of a tide pool.
- [Life in a Massachusetts Tide Pool](#) - This Woods Hole Oceanographic website offers detailed descriptions of many of the seaweeds and marine life in a tide pool.
- [Identification - Harvested Seaweeds of Maine](#) - This website of the Maine Seaweed Council details characteristics and other identifying features of common seaweeds along the Maine shore. The website also explores the history of the seaweed fishing industry and current practices for sustainable cultivation and harvest.

