# Year 7 Annual Report

# Massachusetts Small MS4 General Permit Reporting Period: July 1, 2024-June 30, 2025

\*\*Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form. Also ensure any websites included on this form are to publicly accessible sites\*\*

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2024 and June 30, 2025 unless otherwise requested.

## **Part I: Contact Information**

Name o	of Municipality or Organi	zation: Departmen	t of Conserv	ration and Recreatio	n
EPA N	PDES Permit Number: M	IAR043001			
Primar	ry MS4 Program Manag	ger Contact Inform	mation		
Name:	Name: Robert Lowell			Deputy Chief Engi	neer
Street A	Address Line 1: 10 Park F	Plaza			
Street A	Address Line 2:				
City:	Boston	State: M	A Zip Co	ode: 02116	
Email:	robert.lowell@mass.gov		Phon	ne Number: (508) 50	09-1757
	water Management Prog Location (publicly avail		https://www	•	nils/dcr-stormwater-
Date S'	WMP was Last Updated:	5/20/2025			
If the S	SWMP is not available on	the web please pro	ovide the ph	ysical address:	
SWMP	P Location (publicly available) WMP was Last Updated:	able web address):  5/20/2025	https://www managemen	ıt	nils/der-stormwat

## Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state

nere. <u>mups.//</u>	www.epa.gov/imai/region-1	<u>-impairea-waiers-ai</u>	tu-505u-tists-state	
Impairment(	<u>(s)</u>			
	⊠ Bacteria/Pathogens	⊠ Chloride	⊠ Nitrogen	
	⊠ Solids/ Oil/ Grease (H	ydrocarbons)/ Metal	S	
TMDL(s)				
In State:	☐ Assabet River Phospho	orus 🗵 Bacte	eria and Pathogen	☐ Cape Cod Nitrogen
		ed Phosphorus	∠ Lake and Pond	Phosphorus
Out of State:	☐ Bacteria/Pathogens	☐ Metals	⊠ Nitrogen	☐ Phosphorus
			Cl	ear Impairments and TMDLs
you have con	ff all requirements below th <b>npleted that permit requires</b> dditional information will b	<b>nent fully.</b> If you ha	ve not completed a re	ch box you are certifying that equirement leave the box
Year 7 Requir	rements			
☐ Comp	leted catchment investigation	ons associated with I	Problem Outfalls	
1 1 -	leted catchment investigation ted sewer input	ns where information	on gathered on the out	fall/interconnection
Annual Requi	<u>irements</u>			
$\boxtimes$ Provid with S	led an opportunity for public tate Public Notice requirem	e participation in revents	riew and implementat	cion of SWMP and complied
⊠ Kept r	ecords relating to the permi	t available for 5 yea	rs and made available	e to the public
IVI	SO inventory has been upda nented	ted, including the st	atus of mitigation and	l corrective measures
	O This is not applicable	because we do not h	nave sanitary sewer	
	O This is not applicable		•	
	O The updated SSO inve	-		
	• The updated SSO inve	ntory can be found	at the following publi	cly available website:
	https://www.mass.gov	/doc/illicit-discharg	e-detection-and-elimi	nation-idde-plan/download
⊠ Update	ed system map due in year 1	0 with information	from completed catch	ment investigations
⊠ Provid	led training to employees in	volved in IDDE pro	gram within the repo	rting period
	rly stored and disposed of caing waters	atch basin cleanings	and street sweepings	so they did not discharge to

- ⊠ All curbed roadways were swept at least once within the reporting period
- Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- ☑ Updated inventory of all permittee owned facilities as necessary
- ⊠ O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- ☑ Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- ☐ Inspected all permittee owned treatment structures (excluding catch basins)

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

DCR inspected 491 (100%) DCR maintained subsurface and 268 (100%) DCR maintained surface treatment structures (BMPs) in Permit Year 7. DCR owns 9 subsurface BMPs which are maintained by others. In PY8, DCR will work with the responsible maintenance parties to confirm/document that those 9 BMPs are being inspected and maintained on an annual basis. DCR has utilized ArcGIS Dashboards and webmaps to help track progress towards inspecting all BMPs. DCR will continue to use these tools for Permit Year 8 and continue working to optimize maintenance activities that need to occur based on the inspections.

DCR expended significant resources including consultant and subcontractor budget and DCR staff resources to investigate problem and highest priority (where information gathered on the outfall/interconnection indicated sewer input) outfalls in PY7. Since highest priority outfalls are based on sewer input indicators during dry weather sampling some of these issues have only recently been identified, as new outfalls are added to the IDDE program. DCR was able to identify the illicit discharge source or confirm that no illicit discharge is present for 10 of 21 problem outfall catchments and 13 of 18 highest priority outfall catchments. DCR has invested significant time and resources identifying illicit discharges including CCTV investigations, dye testing, sampling of parameters not traditionally required by the permit including bacteriodes, and extensive coordination with interconnecting drainage system and adjacent sewer systems owners. Where illicit discharges have been identified, DCR has made considerable efforts to remove discharges including lining and regrouting drainage systems, capping laterals, and coordination with other agencies in the removal of illicit connections. The urban nature, age of systems, and interconnection with other MS4 systems has complicated many of these investigations. Catchment investigations are actively underway for all of the remaining problem and highest priority outfalls.

DCR will prioritize completing the remaining problem and highest outfall catchment investigations in PY8. The attached Permit Year 7 IDDE Summary Report provides the status of each problem and highest priority catchment investigation as well as DCR's next steps for closing any investigations currently open.

**Bacteria**/ **Pathogens** (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

<u>Annual Requirements</u>

Annual message was distributed encouraging the proper manageme existing ordinances where appropriate	ent of pet waste, including noting any
Permittee or its agents disseminated educational material to dog ow renewal of dog license, or other appropriate time	ners at the time of issuance or
Provided information to owners of septic systems about proper main discharges to a water body impaired for bacteria	ntenance in any catchment that
This is not applicable because there are no septic system	ns present
* Public education messages can be combined with other public education Appendix F and H for more information)	tion requirements as applicable (see
Optional: If you would like to describe progress made on any incomplete any additional details, please use the box below:	requirements listed above or provide
Chloride	
Annual Requirements	
Public Education and Outreach	
Included an annual message in November/ December to private roa  ☐ industrial site owners on the proper storage and application rates of the steps that can be taken to minimize salt use and protect local wa	winter deicing material, along with
The following type(s) of salt were applied during this reporting period	od (year 7):
⊠ Sodium chloride	
Calcium chloride	
Potassium chloride	
☐ Magnesium chloride	
☐ Brine solution	
Total amount of salt applied during this reporting period (year 7) including units:	4,531 tons

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

DCR is responsible for maintenance of all DCR-owned surfaces which have snow and ice removal, therefore DCR follows the requirements for municipally maintained surfaces in Appendix H Part IV.4.a for snow and ice removal activities. An annual message in November/ December to private road salt applicators and commercial industrial site owners is a requirement from Appendix H Part IV.4.b for private applicators which is not applicable for DCR.

Winter maintenance at DCR facilities is usually performed by either DCR or MassDOT, depending on the road. Both DCR and MassDOT provide annual trainings to their winter maintenance operators, which cover proper storage and application rates of winter deicing material along with the steps that can be taken to minimize salt use and protect waterbodies. DCR uses contractors to help with winter maintenance at certain facilities. DCR is working to confirm that all contractors follow the best practices in Appendix H Part IV.4.a,

but since DCR is the owner and maintainer of these facilities, public education and outreach requirements (Appendix H Part IV.4.b) for privately maintained facilities do not apply. More information about DCR's salt practices can be found in the Salt Reduction Plan and O&M Plan found here: https://www.mass.gov/infodetails/dcr-stormwater-management

Salt application amount listed above is an approximated combined total from all DCR depots (note that DCR shares salt bins with MassDOT at the Blue Hills, Stoneham and Nahant depots).

DCR also uses social media to educate the public on winter maintenance activities. See MCM 2 for specific statistics about the interaction on each of these posts about salt reduction methods the public can use.

Based on DCR's review of the 2022 303d list, DCR incorporated four new waterbodies newly impaired for chloride to their Salt Reduction Plan, including Aberjona River (MA71-01), Alewife Brook (MA71-20), Little River (MA71-21) and Beaver Brook (MA72-28). DCR finished these updates in PY7. The updated Salt Reduction Plan can be found here: https://www.mass.gov/info-details/dcr-stormwater-management

Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

#### **Annual Requirements**

Public Education and Outreach\*

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter
- \* Public education messages can be combined with other public education requirements as applicable (see Appendix F and H for more information)

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

#### Structural BMPs

Installed a structural BMP as a demonstration project within the drainage area of the water quality limited water or its tributaries. The type of BMP installed is (*e.g. biofiltration*):

The MS4 Permit requires DCR to install a minimum of one structural BMP as a demonstration project within six years of the permit effective date for each NSIR watershed. As of PY7, demonstration BMPs have been installed in all four NSIR watersheds. At the end of PY6, construction was underway for a demonstration BMP in the Proctor Brook watershed (at the McVann O'Keefe Skating Rink), and this construction has since been completed. Initially, DCR planned to install the Long Island Sound watershed demonstration BMP in PY6 as part of Chicopee State Park bathhouse improvements project, but the boathouse improvement project has been delayed. Therefore, in order to meet the demonstration BMP requirements in the Long Island Sound watershed, DCR installed a leaching line and leaching catch basin at the Sarah Jane Sherman Pool in the Spring of 2025. Demonstration BMPs in the Mount Hope Bay NSIR and Outer New Bedford Harbor NSIR watersheds were installed in PY6.

Any structural BMPs listed in Attachment 3 to Appendix F already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design

⊠ consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated nitrogen removed in mass per year by the BMP were documented.

	3. T	D) (1	`			11 1
( )	Nο	$\mathbf{R}\mathbf{M}\mathbf{H}$	os v	vere	insta	Hed

- O The above referenced BMP information is attached to the email submission
- The above referenced BMP information can be found at the following publicly available website:

https://vhb.maps.arcgis.com/apps/webappviewer/index.html?id=1fffa8d7b9e144e793dcffb0445846e2

Total estimated nitrogen removed in lbs/year from the installed BMPs: 61.9

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

The BMP type, total area treated by the BMP, and the estimated N removed for all structural BMPs can be found at the publicly available website linked above. DCR did not include Design Storage Volume (DSV) because DCR currently assumes a runoff depth of 0.5 inches to calculate BMP pollutant reduction. DCR will work over the next few years to calculate more accurate DSV values for BMPs, starting with BMPs where information is more readily available.

DCR's MS4 regulated property extends into 4 watersheds that require Nitrogen Source Identification Reports (NSIRs). The sum of nitrogen removed in these watersheds is 61.9 lb/yr with the following existing treatment in each watershed:

Long Island Sound: 47.9 lb/yr Mount Hope Bay: 4.3 lb/yr

Outer New Bedford Harbor: 4.8 lb/yr

Proctor Brook: 4.9 lb/yr

DCR has BMPs throughout the state that remove nitrogen from runoff. The treatment tallied above is only for MS4-creditable BMPs within DCR's NSIR watersheds. The location of each BMP in a NSIR watershed can be found here: https://vhb.maps.arcgis.com/apps/webappviewer/index.html? id=1fffa8d7b9e144e793dcffb0445846e2

In general, DCR uses a conservative assumption of 0.5 inches of runoff depth as a first estimate of water quality treatment. As discussed with EPA during DCR's MS4 audit in spring 2025, DCR will update these assumptions to estimate more accurate DSV values for BMPs, starting with BMPs where information is more readily available.

Based on DCR's review of the 2022 303d list, DCR needs to address three additional waterbody segments newly impaired for nitrogen, all of which are segments of the Taunton River (MA62-02, MA62-03, MA62-04), by February 2026. Since the watersheds associated with these segments are all nested within the existing Mount Hope Bay Watershed, DCR will create an addendum to the Mount Hope Bay NSIR to address this update by February 2026.

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

#### **Annual Requirements**

Public Education and Outreach\*

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter
- \* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

#### Structural BMPs

Installed a structural BMP as a demonstration project within the drainage area of the water quality limited water or its tributaries. The type of BMP installed is (*e.g. biofiltration*):

The MS4 Permit requires DCR to install a minimum of one structural BMP as a demonstration project within six years of the permit effective date. As of PY7, demonstration BMPs are installed in all the watersheds where a Phosphorus Source Identification Report (PSIR) is required (Blackstone River PSIR, Merrimack River PSIR, Mother Brook PSIR, Mystic River PSIR, Ten Mile River PSIR, and Proctor Brook NSIR-PSIR watersheds).

Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated phosphorus removed in mass per year by the BMP were documented.

- O No BMPs were installed
- The above referenced BMP information is attached to the email submission
- The above referenced BMP information can be found at the following publicly available website:

https://vhb.maps.arcgis.com/apps/webappviewer/index.html?id=1fffa8d7b9e144e793dcffb0445846e2

Total estimated phosphorus removed in **lbs/year** from the installed BMPs: 112

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

The BMP type, total area treated by the BMP, and the estimated P removed for all structural BMPs can be found at the publicly available website linked above. DCR did not include Design Storage Volume (DSV) because DCR currently assumes a runoff depth of 0.5 inches to calculate BMP pollutant reduction. DCR will work over the next few years to calculate more accurate DSV values for BMPs, starting with BMPs where information is more readily available.

DCR MS4 regulated property extends into 6 watersheds that require PSIRs and 4 watersheds that require Phosphorus Control Plans (PCPs). The sum of phosphorus removed in these watersheds is 112 lb/yr with the

following existing treatment in each watershed:

**PSIR Watersheds:** 

Mystic River: 16.3 lb/yr Blackstone River: 8.2 lb/yr Merrimack River: 4.2 lb/yr Mother Brook: 4.0 lb/yr Proctor Brook: 0.4 lb/yr Ten Mile River: 0.5 lb/yr

#### PCP Watersheds:

Charles River: 78.6 lb/yr

Lake Quinsigamond & Flint Pond: 4.9 lb/yr\* Bents Pond/Ramsdall Pond: 0.5 lb/yr\* Auburn Pond/Leeseville Pond: 2.5 lb/yr\*

\*Treatment in the 3 PCP watersheds with an asterisk are not summed in the total listed in the box above (8 lb/yr) to avoid double-counting treatment because the treatment in these watersheds are also within a PSIR watershed.

DCR has BMPs throughout the state that remove phosphorus from runoff. The treatment tallied above is only for MS4-creditable BMPs within DCR's PSIR and PCP watersheds. The location of each BMP in a PSIR or PCP watershed can be found here: https://vhb.maps.arcgis.com/apps/webappviewer/index.html? id=1fffa8d7b9e144e793dcffb0445846e2

In general, DCR uses a conservative assumption of 0.5 inches of runoff depth as a first estimate of water quality treatment. As discussed with EPA during DCR's MS4 audit in spring 2025, DCR will work over the next few years to estimate more accurate DSV values for BMPs, starting with BMPs where information is more readily available.

Based on DCR's review of the 2022 303d list, DCR needs to address one additional waterbody segment of the Taunton River newly impaired for phosphorus, and two de-listed segments of the Nashua River which were previously impaired for phosphorus (segments MA81-07 & MA81-09). Since the watershed associated with newly added Taunton River segment is within the existing Mount Hope Bay Watershed, DCR will create an addendum to the Mount Hope Bay NSIR to document this update and Mount Hope Bay will become a PSIR-NSIR. An addendum will also be created for the Merrimack River PSIR to document the two de-listed segments of the Nashua River. Neither of these updates have a functional impact on the NSIR/PSIRs, since these changes will not add or remove DCR facilities from the reports. These addenda will be completed by February 2026.

#### Solids, Oil and Grease (Hydrocarbons), or Metals

#### **Annual Requirements**

Good Housekeeping and Pollution Prevention for Permittee Owned Operations
Increased street sweeping frequency of all municipal owned streets and parking lots to a schedule that
targets areas with potential for high pollutant loads
The street sweeping schedule is attached to the email submission

• The street sweeping schedule can be found at the following publicly available website:

https://www.mass.gov/guides/dcr-street-sweeping

Prioritized inspection and maintenance for catch basins to ensure that no sump shall be more than 50 percent full; Cleaned catch basins more frequently if inspection and maintenance activities indicated excessive sediment or debris loadings

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

DCR developed a ranking system to prioritize catch basin inspections and cleaning so that no sump is more than 50 percent full. The rankings recalculate based on new inspections records. DCR created a ArcGIS dashboard and map to show the catch basins that require cleaning and suggested cleaning frequency. This process has allowed DCR field staff to focus efforts on catch basins that need immediate attention and plan out cleaning schedules.

#### **Charles River Watershed Phosphorus TMDL**

Below, calculate your current phosphorus export rate by first filling out the individual phosphorus loading components (labeled [A], [B], [C], and [D]) and then computing your current phosphorus export rate using the equation provided.

the equation p	rovided.	
	873	
	Total phosphorus reduction from all nonstructural controls implemented <b>this reporting period (lbs/year) [B]</b> :	31
	Total phosphorus reduction from all structural controls installed this reporting period and all previous years (lbs/year) [C]:	47.6
	Phosphorus load increase due to development incurred since 2005 in <b>lbs/year [D]</b> :	3.1
Current phosp from above]:	horus export rate from the PCP Area in lbs/year [=A-(B+C)+D	97.5
claimed with ma	under penalty of law that all source control and treatment Best Manager of the phosphorus reduction credit have been inspected, maintained and anufacturer or design specification. I certify that, to the best of my known ement Practices being claimed for a phosphorus reduction credit are pedd.	repaired in accordance whedge, all Best

- All municipally owned and maintained turf grass areas are being managed in accordance with Massachusetts Regulation 331 CMR 31 pertaining to proper use of fertilizers on turf grasses
- Implemented all nonstructural control measures **during this reporting period** and documented the measures and their phosphorus reduction. The nonstructural control measure information:
  - O is attached to the email submission
  - can be found at the following publicly available website:

Found in Section 4.1 of the Charles River PCP available here: https://www.mass.gov/infodetails/dcr-stormwater-management

Documented the structural control measures implemented during <b>this reporting period and all</b>   <b>previous years</b> , including location, phosphorus reduction in mass/year, and date of last completed maintenance and inspection for each control. The structural control measure information:	
<ul> <li>○ is not applicable; no structural control measures were implemented</li> <li>○ is attached to the email submission</li> </ul>	
Can be found at the following publicly available website:	_

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

DCR has inspected all BMPs in the PCP areas in Permit Year 7 and is actively working to ensure all non-DCR maintained BMPs get inspected by third parties. DCR is also working to ensure all BMPs get inspected annually and maintained by developing inspection schedules and reviewing inspection data to determine maintenance needed. All BMPs are maintained in accordance with DCR's O&M Plan which is available here: https://www.mass.gov/doc/operations-and-maintenance-om-plan/download

#### **NON-TRADITIONAL AND TRANSPORTATION MS4s ONLY-** municipalities please skip this section:

Describe the planned phosphorus reduction activities on site and coordination progress with the applicable municipality:

Planned phosphorus reduction activities are addressed in the Charles River PCP. Because DCR has already met its Phase 1 PCP target with existing BMPs, significant coordination with municipalities has not been necessary yet. However, DCR has been coordinating with some municipalities, including discussing a possible partnership on a grant opportunity with one large municipality in the Charles River Watershed, and working to compare mapping data with several other communities.

#### **Lake and Pond Phosphorus TMDL**

from above]:

Below, calculate your current phosphorus export rate by first filling out the individual phosphorus loading components (labeled [A], [B], [C], and [D]) and then computing your current phosphorus export rate using the equation provided.

Baseline phosphorus export rate from LPCP Area (lbs/year) [A]:	24.7
Total phosphorus reduction from all nonstructural controls this reporting period (lbs/year) [B]:	0.04
Total phosphorus reduction from all structural controls installed this reporting period and all previous years (lbs/year) [C]:	7.9
Phosphorus load increase due to development incurred since baseline loading was calculated in <b>lbs/year [D]</b> :	0
Current phosphorus export rate from the LPCP Area in <b>lbs/year [=A-(B+C)+D</b> from abovel:	.76

I certify under penalty of law that all source control and treatment Best Management Practices being claimed for phosphorus reduction credit have been inspected, maintained and repaired in accordance   ⊠ with manufacturer or design specification. I certify that, to the best of my knowledge, all Best Management Practices being claimed for a phosphorus reduction credit are performing as originally designed.
All municipally owned and maintained turf grass areas are being managed in accordance with Massachusetts Regulation 331 CMR 31.00 pertaining to proper use of fertilizers on turf grasses
Implemented all nonstructural control measures <b>during this reporting period</b> and documented the measures and their phosphorus reduction. The nonstructural control measure information:
<ul><li>is attached to the email submission</li><li>can be found at the following publicly available website:</li></ul>
Found in Section 4.1 of the LPCP document available here: https://www.mass.gov/infodetails/dcr-stormwater-management
Documented the structural control measures implemented during <b>this reporting period and all</b>   previous years, including location, phosphorus reduction in weight/year, and date of last completed maintenance and inspection for each control. The structural control measure information:
<ul><li>is not applicable; no structural control measures were implemented</li><li>is attached to the email submission</li></ul>
• can be found at the following publicly available website:
https://vhb.maps.arcgis.com/apps/webappviewer/index.html?id=1fffa8d7b9e144e793dcffb0445846e2
The LPCP: (select one of the following options. If you submitted your LPCP in a prior year and have an updated website, please include the website below)
O was submitted with a prior annual report
is attached to the email submission
• can be found at the following publicly available website:
https://www.mass.gov/info-details/dcr-stormwater-management
ptional: If you would like to describe progress made on any incomplete requirements listed above or provide y additional details, please use the box below:
CR MS4 regulated property extends into 3 watersheds that require Lake Phosphorus Control Plans. The ams from all three of DCR's LPCP watersheds are provided in the boxes above, but the breakdown for each vatershed is as follows:
Al Baseline phosphorus export rate:

[A] Baseline phosphorus export rate:

Lake Quinsigamond & Flint Pond: 18.5 lb/yr

Bents Pond/Ramsdall Pond: 1.7 lb/yr Auburn Pond/Leeseville Pond: 4.5 lb/yr

[B] TP reduction from all nonstructural controls:

Lake Quinsigamond & Flint Pond: 0.03 lb/yr

Bents Pond/Ramsdall Pond: 0.0 lb/yr Auburn Pond/Leeseville Pond: 0.01 lb/yr [C] Total phosphorus reduction from installed BMPs:

Lake Quinsigamond & Flint Pond: 4.9 lb/yr

Bents Pond/Ramsdall Pond: 0.5 lb/yr Auburn Pond/Leeseville Pond: 2.5 lb/yr

[D] DCR evaluated each PCP watershed for changes to baseline load due to development. In the three Lakes and Ponds watersheds there was no change in load due to development.

Current Phosphorus Export Rate:

Lake Quinsigamond & Flint Pond: 13.57 lb/yr

Bents Pond/Ramsdall Pond: 1.2 lb/yr Auburn Pond/Leeseville Pond: 1.99 lb/yr

DCR has inspected all BMPs in the PCP areas in Permit Year 7 and is actively working to ensure all non-DCR maintained BMPs get inspected by third parties. DCR is also working to insure all BMPs get inspected annually and maintained by developing inspection schedules and reviewing inspection data to determine maintenance needed. All BMPs are maintained in accordance with DCR's O&M Plan which is available here: https://www.mass.gov/doc/operations-and-maintenance-om-plan/download

*Optional:* Use the box below to provide any additional information you would like to share as part of your self-assessment:

As a statewide agency with hundreds of facilities and over 1,500 MS4 regulated outfalls, DCR has invested significant effort over the past 7 years developing a geodatabase of facilities, drainage systems, and BMPs. Continued refinement of the stormwater data has allowed DCR to develop a better understanding of the regulated drainage system and prioritize efforts to meet the MS4 requirements including crediting structural BMPs for pollutant removal throughout the state, but most specifically the PCP and NSIR/PSIR watersheds.

DCR has developed ArcGIS dashboards and web applications to help track and visualize data as well as plan for inspections and maintenance activities for catch basins, BMPs, and quarterly SWPPP inspections. DCR will continue to use these tools to improve the process for field inspections to meet the permit requirements.

DCR continues to require stormwater improvements on projects in line with our Stormwater Handbook and the Stormwater Group reviews plans for compliance.

The size of DCR's regulated area results in DCR being required to develop and implement 4 PCPs and 9 NSIR/PSIRs. Through DCR's work in Permit Years 4 through 7 DCR was able to calculate credit for existing BMPs in all 9 of the PSIR/NSIR watersheds to meet the demonstration BMP requirements. DCR's continued emphasis on implementing BMPs into DCR projects allows DCR to maximize treatment in PCP watersheds. Because of DCR's efforts to incorporate BMPs into programmed projects DCR is currently meeting the Charles River Phase 1 PCP phosphorus reduction requirements and working to implement BMPs to meet the Phase 2 required reduction. Additionally, DCR began tracking leaf and yard waste disposal amounts in Permit Year 6 and is continuing to do so in PY7 to help understand the increased effort needed to potentially receive treatment credit in the future. In Permit Year 7, DCR removed over 4070 cubic yards of leaf litter and yard waste.

DCR continues to make progress on IDDE requirements, has expended significant resources towards

identifying and removing sources of non-stormwater flows, and has field staff performing catchment investigations to the extent funding allows to try to make progress toward closing catchment investigations in the DCR drainage system.

DCR has added full-time staff to the stormwater team to help meet the MS4 requirements and hopes to add additional staff dedicated to the stormwater program. Additionally, the hiring of construction inspection staff has helped better track the completion of construction site inspections and enforcement actions in Permit Year 7.

# Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any	changes to your	lists of receiving	g waters, outfalls,	or impairments	since the NOI was
submitted?					

YesNo

If yes, describe below, including any relevant impairments or TMDLs:

Since submitting the NOI, we completed a GIS analysis of DCR-owned and maintained properties in Year 1 and have further refined the list of regulated facilities in each permit year as DCR's GIS drainage mapping is refined and facilities are evaluated more closely in support of the development of PCPs and NSIRs.

In Permit Year 7, along with refining certain facility boundaries, two facilities were removed and one was added after a review of the MassGIS Protected and Recreational OpenSpace layer against DCR's existing facilities layer. See the attached facility update memo for more information on this review.

Newly mapped outfalls were added to the database in Permit Year 7 through continued field mapping. Each new outfall was evaluated by DCR and assigned a regulated status, IDDE priority status and receiving waterbody based on its location. New outfalls that are not exempt from IDDE requirements get prioritized for dry weather screening. The receiving waterbody impairments were updated in Permit Year 7 to reflect the updated 2022 303d list. The regulated facilities and outfalls can be viewed online at: https://vbb.maps.arcgis.com/apps/webappviewer/index.html?id=1fffa8d7b9e144e793dcffb0445846e2

#### **Part IV: Minimum Control Measures**

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

#### **MCM1: Public Education**

Number of educational messages completed during this reporting period:	4
Number of educational messages completed during this reporting period.	7

Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

#### **BMP: 1-1 Social Media Public Service Messages**

Message Description and Distribution Method:

All messages are shared and viewable on DCR's X (formerly Twitter) and Instagram feeds @MassDCR

- Fall message was focused on leaf litter pollution and proper collection
- Spring message was focused on managing grass clippings and fertilizers
- Summer message was focused on dog waste management
- SWMP posting message noting updated SWMP and encouraging public's review

Targeted Audience: Visitors, General Public

Responsible Department/Parties: Division of Water Supply Protection, Office of Watershed Management

Measurable Goal(s):

- @MassDCR X (formerly Twitter) account has 26,900 followers
- @MASSDCR Instagram has 26,700 followers
- Fall message: leaf litter X: 6 reposts/14 likes/2,700 views. Instagram: 48 likes
- Spring message: grass clippings: X: 1 repost/2 likes/1,300 views. Instagram 102 likes
- Spring message: fertilizer X: 3 reposts/6 likes/1,700 views. Instagram: 36 likes
- Summer message: pet waste X: 11 reposts/8 likes/3,800 views
- SWMP message X: 7 likes/4 reposts/2,400 views. Instagram: 124 likes

Message Date(s): Fall message 10/9/024; Spring messages 4/28/2025,4/30/2025, 4/26/2025; Summer messages 8/1/2024, 6/17/2025; SWMP message 7/1/2025

Message Completed for: Appendix F Requirements ⊠ Appendix H Requirements ⊠

Was this message different than what was proposed in your NOI? Yes • No

If yes, describe why the change was made:

Social media public service messages have replaced the 'Downstream Newsletter' which is no longer being published. The increased use of Twitter and Instagram has allowed DCR to share stormwater messages with a larger audience and better track engagement. DCR's SWMP has been updated to reflect this in BMP 1-1.

#### **BMP:1-2: Signs about Not Feeding Gulls**

Message Description	n and Distrib	ution Method:	
1		tain signs around Wachusett Reservoir and the Wachusett Reservoir o feed seagulls, as part of an ongoing water quality protection program.	
Targeted Audience:	geted Audience: Visitors, General Public, Staff		
Responsible Departr	nent/Parties:	Division of Water Supply Protection, Office of Watershed Management	
Measurable Goal(s):			
		Leominster, 1 in Shrewsbury, 1 in Northborough, 2 in Clinton, 4 in rlborough, 2 in Fitchburg, 1 in Medway, 1 in Framingham, 1 in Charlton, 1 in	
Message Date(s): On	ngoing		
Message Completed Was this message di If yes, describe why	fferent than v	endix F Requirements ☐ Appendix H Requirements ☐ what was proposed in your NOI? Yes ○ No • was made:	

#### **BMP:1-3 Stormwater Posters and Brochures**

Message Description and Distribution Method:

DCR displays educational signage and distributed brochures about water quality and stormwater pollution prevention.

Brochures include information about water supply watershed protection, surface water quality, winter salt usage, stormwater pollution and proper disposal of pharmaceuticals.

- Brochures are available at various Water Supply/Reservoir facilities and are distributed to town halls, businesses, and others as applicable in water supply watersheds.
- Brochures, signage and educational videos are also available at: https://www.mass.gov/service-details/brochures-fact-sheets-posters-and-reports

The Lakes and Ponds Program has an educational guide available at:

https://www.mass.gov/doc/lakes-ponds-guide-0/download

Targeted Audience: Visitors, Staff

Responsible Department/Parties: External Affairs

#### Measurable Goal(s):

Educational Signage:

- 2 signs at Wachusett Reservoir about Direct Discharge Elimination
- 2 signs at Longfellow Bridge/Charles River Reservation about Clean Water/Green Infrastructure
- 5 signs at Magazine Beach/Charles River Reservation about watersheds
- 1 sign at Bajko Rink about the subsurface infiltration system under the parking lot
- 1 sign at Kings Beach/Stacy Brook/Lynn Shore Reservation about why swimming isn't allowed at the beach
- 7 signs total at the salt/sand sheds in the watershed towns of the Quabbin Reservoir about "Salt Smarter not Harder"

Brochures: Updated Road Salt outreach palm cards were provided for the Massachusetts Municipal Association annual conference trade show. DCR staff provided outreach brochures and the hands-on EnviroScape model at the Fall Wachusett Dam Day.
Message Date(s): Ongoing
Message Completed for: Appendix F Requirements ☐ Appendix H Requirements ☐ Was this message different than what was proposed in your NOI? Yes ○ No • If yes, describe why the change was made:
BMP:1-4: Dog Waste Management  Message Description and Distribution Method:  Continued to post signs at DCR properties about dog waste management. Provided mutt mitt stations at highuse dog walking areas. Initiated commercial dogwalker permit program. Maintained website with educational materials about dog waste management.
Targeted Audience: Visitors
Responsible Department/Parties: External Affairs/Operations
Measurable Goal(s):
<ul> <li>Maintained Dog Waste Signage at Quabbin Reservoir available at:         https://www.mass.gov/doc/quabbin-reservoir-dog-brochure/download     </li> <li>Maintained Dog Waste Signage at Watershed Protection Areas: Ware River/Wachusett Reservoir/Sudbury Reservoir Facilities - https://www.mass.gov/doc/dog-waste-and-surface-water-quality-0/download</li> <li>Maintained mutt-mitt stations and signage at various park facilities (including Lake and Pond watershed locations) - mutt-mitt stations/dogwalking permit information</li> <li>Commercial Dog Walker Permits with brochures - 94 permits</li> <li>Commercial Dog Walker Application available at:         https://www.mass.gov/how-to/apply-for-a-commercial-dog-walking-permit     </li> <li>DCR Parks Dog Rules and Regulations: https://www.mass.gov/guides/dogs-in-dcr-parks</li> </ul>
Watershed Protection Facilities signage - ongoing Park Facility mutt mitt stations/ dog walking permit information - Ongoing All website locations - Ongoing Dog Walking Permit Information - permits issued annually
Message Completed for: Appendix F Requirements ⊠ Appendix H Requirements ⊠ Was this message different than what was proposed in your NOI? Yes ○ No • If yes, describe why the change was made:

# **BMP:1-5 Stormwater Management Website** Message Description and Distribution Method: Posted permit documents to DCR Stormwater Management website https://www.mass.gov/service-details/dcr-stormwater-management Targeted Audience: Staff, Visitors, General Public, Designers/Contractors Responsible Department/Parties: Engineering/External Affairs Measurable Goal(s): SWMP document downloads - 130 downloads IDDE Plan downloads - 30 downloads O+M Plan downloads - 30 downloads Message Date(s): 7/10/2024; Permit Year 7 version updated 5/20/2025, posted on 6/30/2025 Appendix F Requirements Appendix H Requirements Message Completed for: Yes O No • Was this message different than what was proposed in your NOI? If yes, describe why the change was made: **BMP:1-6 Project Kick-off Meeting** Message Description and Distribution Method: DCR will discuss relevant stormwater and permitting requirements at project kick-off meetings with contractors to inform them about relevant stormwater issues. These meetings will highlight expectations related to Illicit Discharge Detection and Elimination (MCM 3), Construction Site Stormwater Runoff Control (MCM 4), and Post-Construction Stormwater Management (MCM 5). Targeted Audience: |Contractors Responsible Department/Parties: Design and Engineering Measurable Goal(s): Number of kick-offs held in permit year: 4 Message Date(s): various dates based on project start dates Appendix F Requirements Appendix H Requirements Message Completed for: Yes O No • Was this message different than what was proposed in your NOI? If yes, describe why the change was made:

BMP:[Message name here]
Message Description and Distribution Method:
Targeted Audience:
Responsible Department/Parties:
Measurable Goal(s):
Message Date(s):
Message Completed for: Appendix F Requirements  Appendix H Requirements
Was this message different than what was proposed in your NOI? Yes ○ No ●
If yes, describe why the change was made:
Add an Educational Message
MCM2: Public Participation
Describe the opportunity provided for public involvement in the development of the Stormwater Management
Program (SWMP) during this reporting period:
The Permit Year 7 version of the SWMP was updated on 5/20/2025 and was posted on 6/30/2025.
https://www.mass.gov/service-details/dcr-stormwater-management.  DCR X (Twitter) and Instagram, both @MassDCR, posted about the comment period on 7/1/2025. No
comments were received during this period.
Was this opportunity different than what was proposed in your NOI? Yes ○ No ●

Describe any other public involvement or participation opportunities conducted **during this reporting period**: DCR continues to increase efforts to use social media, including Instagram, X (previously known as Twitter), and YouTube, to educate the public about water quality and the MS4 permit requirements as well as encourage them to get involved in environmental efforts. Posts include 6 about Park Serve Day to bring attention to the importance of clean parks and recruit as many people as possible to participate in the cleanup, receiving 8,257 total views, 1,178 likes, & 21 shares. DCR posted on Instagram and X about creating salt brine to educate the public about winter roadway salt use and the benefits of brine, receiving 27,021 total likes

and 22,000 shares. Additionally, DCR posted about a variety of topics including stormwater pipe lining to prevent groundwater infiltration (2,100 views, 756 likes, and 109 shares), reminders to carry-in/carry-out any trash in DCR parks during the winter season (642 likes, 116 shares), reminder to compost leaf litter and keep it out of the streets (48 likes and 7 shares), and the Boston Harbor Clean-up where the public could volunteer to work together with DCR's federal, state, and non-profit partners to clean-up the Boston Harbor and learn about the impacts of the project (39,358 views, 32,532 likes, and 70 shares).

DCR hosted multiple cleanup events this permit year. DCR had its 19th Annual Park Serve Day, welcoming more than 2,000 volunteers collected over 14,000 pounds of trash across 30 DCR parks, reservations, beaches, and forests. DCR hosted COASTSWEEP Cleanups where more than 1,300 volunteers helped collect over 3,300 pounds of trash across 65 DCR parks, reservations, beaches, and islands. DCR also hosted a Neponset River cleanup where 250 volunteers helped remove over 200 bags of trash across the Neponset River, its tributaries, and surrounding parks.

DCR has attended multiple events to spread information on the importance of watershed protection and stormwater pollution prevention including a Build a Watershed Model seminar at the Leominster Library (attendance of 30), a Stormwater Basin Tour as part of the Watershed Wednesday series (attendance of 5), a "Forest to Faucet Homeschool Tour" (attendance of 20), "Enviroscape interactive model at Dam Day and at Truck or Treat (total attendance 150), the Fay School Southborough Water Symposium (attendance of 105), Envirothon Workshop and Water Station mini test (attendance of 120), Lawrence High School Water Quality field trip (attendance of 10), Salt Brine Workshop as part of the Watershed Wednesday series (attendance of 4), two lessons at Sterling Elementary school on the water cycle and watershed modeling (attendance of 800, and Southborough Girl Scouts Watershed Protection field trips (attendance of 17). DCR also held a virtual lunch and learn on porous pavement and its use in New England.

DCR has made efforts to highlight the MS4 program and share best practices at industry and educational events, including the Massachusetts Municipal Association annual conference trade show where DCR provided updated road salt outreach palm cards, the Three Rivers Report Card Event where DCR gave a presentation, and the Northeastern Career Event where DCR manned a table.

## MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)	
Check off the box below if the statement is true.	
☐ This SSO section is NOT applicable be	cause we DO NOT have sanitary sewer
Below, report on the number of SSOs identified in the M  Number of SSOs identified: 3  Number of SSOs removed: 3	1S4 system and removed during this reporting period.
MS4 System Mapping	

Optional: Provide additional status information regarding your map:

Percent of Phase II map complete:

DCR is continuously updating and refining our drainage infrastructure mapping in GIS as we conduct our

infrastructure and maintenance program and IDDE investigation work. The percentage above reflects a weighted average of all DCR drainage infrastructure (26,455 structures, 99% complete) and all mapped catchments (1,421 catchments,61.4% complete). Additionally, while DCR generally does not own sewer or combined systems, DCR has collected municipal sanitary sewer systems and combined sewer systems on 28 municipalities and state organizations where DCR has facilities to help inform catchment investigations.

#### **Screening of Outfalls/Interconnections**

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring
results should include the date, outfall/interconnection identifier, location, weather conditions at time of
sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses.
Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

	1	,	$\sigma_{\sigma}$	9	O
$\circ$	No outfalls were inspec	ted			
$\circ$	The above referenced o	utfall screen	ng data	a is attached to the email submission	
	The above referenced of	utfall screeni	ng data	a can be found at the following publicly ava	ilable
	website:				
	https://ovporiones.orggis	, aama/axxmamia		h20000 a7ah46fa04h66da20aa04f00	

Below, report on the number of outfalls/interconnections screened during this reporting period.

Number of outfalls screened: 54

Below, report on the percent of outfalls/interconnections screened to date.

Percent of outfalls screened: 95.3

Optional: Provide additional information regarding your outfall/interconnection screening:

The percent outfalls shown reflects the percent of all regulated outfalls. As DCR continues to update mapping, including defining interconnections, new regulated outfalls have been mapped and therefore the overall number of regulated outfalls has increased each year since the original outfall inventory was finished in Permit Year 3. Newly identified regulated outfalls/ interconnections are the reason why the percent complete is not 100%.

The number of outfalls will continue to be updated as new outfalls are located and existing outfalls are further reviewed for ownership/maintenance responsibility, location, outlet discharge type, and drainage infrastructure mapping. DCR will continue to screen newly identified outfalls each year and will screen those that were not addressed in PY7 early in PY8 to try to maintain 100% screening.

#### **Catchment Investigations**

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- O No catchment investigations were conducted
- O The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following publicly available website:

https://experience.arcgis.com/experience/8ab39988c7eb46fc94b66dc29ac04f08

Below, report on the number of catchment investigations completed during this reporting period.

Department of Conservation and Recreation	Page 22
Number of catchment investigations completed this reporting period:	229
Below, report on the percent of catchments investigated <b>to date.</b>	
Percent of total catchments investigated: 31.8	
Optional: Provide any additional information for clarity regarding the catchment inve	estigations below:
As a statewide agency with over 1,400 outfalls in the IDDE program, completion of I investigations is a massive undertaking for DCR. In PY7, DCR focused on further ref watersheds with key junction manholes and identifying those where catchment invest performed to continued focused field work efforts. DCR will continue this work in PY Additionally, DCR has continued refining and reviewing catchments without key junctioned based on screening data. DCR has made significant progress on these effort closed catchment investigations from 15.3% to 31.8%.	fining catchment igations should be Y8.
DCR will continue efforts to close catchments in PY8 and plans on completing proble catchments as soon as possible. Refer to the IDDE Summary Report for records on hi actions for each problem/highest priority catchment: www.mass.gov/info-details/dcr-sDCR has also focused on field work and collaboration with adjacent municipalities for	storic and planned stormwater-management r problem and highest
priority (where information gathered on the outfall/interconnection indicated sewer in intensive and requires significant coordination. DCR has expended significant resourcemoving illicit discharges in these catchments as detailed in the Permit Year 7 IDDE attached.	ces identifying and

#### **IDDE Prog**i

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

$\circ$	No illicit discharges were found
$\odot$	The illicit discharge removal report is attached to the email submission
$\bigcirc$	The illicit discharge removal report can be found at the following publicly available website:

Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed during this reporting period.

Number of illicit discharges identified:	1	
Number of illicit discharges removed:	2	
Estimated volume of sewage removed:	310	gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed since the effective date of the permit (July 1, 2018).

Total number of illicit discharges identified: 9

Total number of illicit discharges removed: 5

*Optional:* Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Details about each illicit discharge are included in the IDDE Summary Report included as an attachment to this annual report. The one illicit discharge identified in PY7 and the illicit discharges identified prior to PY7 all have planned actions to eliminate the discharges in PY8, which are documented in the summary report and DCR's database. Removal of these discharges is a priority for DCR to reduce pollutants to our waterbodies.

#### **Employee Training**

Describe the frequency and type of employee training conducted **during this reporting period**:

DCR has provided annual Stormwater Unit staff training to employees in April and June 2025 which focused on IDDE investigations, GIS mapping, SWPPP inspections, and BMP inspections.

#### MCM4: Construction Site Stormwater Runoff Control

Below, report on the construction site plan reviews, inspections, and enforcement actions completed during this reporting period.

Number of site plan reviews completed: 17

Number of inspections completed: 16

Number of enforcement actions taken: 0

*Optional:* Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

DCR ensures construction site erosion and sediment controls for stormwater management through compliance with the NPDES Construction General Permit (CGP). These are completed by another department at DCR currently and the DCR Stormwater Team is working with the other group to get a summary of number of inspections completed for future permit years. DCR includes special provisions in construction documents for projects which meet or exceed the one-acre land disturbance threshold. The special provisions require preparation of a Stormwater Pollution Prevention Plan (SWPPP) and ongoing site inspections in accordance with the CGP.

DCR has begun incorporating site plan reviews into our overall project review process - DCR's Green Docket process. This process flags when a project is subject the CGP requirements and that appropriate staff has reviewed the site plans for appropriate controls.

# MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

#### **As-built Drawings**

Below, report on the number of	as-built drawings received	during this reporting period.
--------------------------------	----------------------------	-------------------------------

Number of as-built drawings received: 0

Optional: Enter any additional information relevant to the submission of as-built drawings:

DCR's general construction specifications requires as-built drawings at the completion of a project. The Engineering group has been developing a procedure to gather the submitted as-builts and add new or reconstructed drainage infrastructure and treatment to the MS4 GIS database. DCR will continue to work on building out this procedure in PY8.

#### Street Design and Parking Lots Report

Below, describe any changes made or planned to be made to local regulations and guidelines based on the report completed in Year 4:

DCR does not have the authority to develop ordinances or regulations and relies on master planning and professional design standard practices, such as MassDOT's Project Design and Development Guide (PDDG) for project designs. DCR's review of Street Design and Parking Lot guidelines concluded that DCR's current approach, using the PDDG and the DCR Stormwater Handbook, along with DCR's focus on facility context and landscape consistency in its parks encourages LID measures. DCR will continue to provide training to project managers on the Handbook and encouraging LID measures as the first step to design. DCR's Stormwater Group will continue using the Green Docket review process to ensure projects are maximizing the use on LID measures.

#### **Green Infrastructure Report**

Below, describe progress towards making green infrastructure practices allowable based on the report completed in Year 4:

Since DCR is a non-traditional MS4, DCR is not subject to the requirements of Section 2.3.6.c of the MS4 Permit and does not have the authority to create regulations. DCR did complete this evaluation in parallel with the evaluation of street design and parking lot guidelines to review if there were improvements DCR can make to best support green infrastructure. DCR's Stormwater Handbook includes an initial review of green infrastructure that can be incorporated into designs. DCR will continue to encourage designers to first consider LID measures and green infrastructure in their designs.

#### **Retrofit Properties Inventory**

Below, list remaining permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas (must maintain a minimum of 5 sites in inventory until less than 5 sites remain):

- 1. Chicopee State Park Chicopee
- 2. Hammond Pond Parkway Newton
- 3. Quincy Shore Drive Quincy
- 4. Christian A. Herter Park Boston
- 5. Memorial Drive Phase 3 Cambridge

See attached DCR Retrofit Opportunities Memo summarizing the planned and constructed retrofit BMPs at each location listed above.

Below, list all properties that have been modified or retrofitted with BMPs to mitigate impervious area that were inventoried as part of 2.3.6.d of the permit and the type of BMP(s) implemented. Non-MS4 owned properties that have been modified or retrofitted with BMPs to mitigate impervious area may also be listed, but must be indicated as non-MS4.

The following DCR properties have been retrofitted with BMPs that were constructed in Permit Year 7. All BMPs and their installation dates are available on DCR's MS4 Web Viewer: https://vhb.maps.arcgis.com/apps/webappviewer/index.html?id=1fffa8d7b9e144e793dcffb0445846e2

- 1. McVann O'Keefe Memorial Skating Rink, Peabody 1 infiltration trench
- 2. Sarah Jane Sherman Pool, Chicopee 1 leaching line, 1 leaching catch basin
- 3. Gerald J. Mason Pool, Agawam 1 leaching basin

## MCM6: Good Housekeeping

#### **Catch Basin Cleaning**

Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period.

Number of catch basins inspected	:	2,255	

Number of catch basins cleaned: 1,755

Total volume or mass of material removed from all catch basins: 981 tons

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins: 7,087

#### If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

DCR developed a ranking system to prioritize catch basin inspections and cleaning with the goal to maintain sumps being more than 50 percent full. The rankings recalculate when new inspections records are recorded in GIS. DCR created a ArcGIS dashboard and map to show the catch basins that require cleaning and the

frequency at which they need to be cleaned. This process has allowed DCR field staff to focus efforts on catch basins that need immediate attention. If a catch basin sump has been reported as more than 50% full after two annual inspection/cleaning visits, the inspection and cleaning schedule for that catch basin will be changed to twice a year.

# **Street Sweeping**

N/A

Report on street sweeping completed during t	this reportin	<b>ig period</b> using <u>one</u> of the th	hree metrics below.
O Number of miles cleaned:			
O Volume of material removed:		[Select Units]	
• Weight of material removed:	1,500	tons	
Stormwater Pollution Prevention Plan (SW Below, report on the number of site inspection reporting period.  Number of site inspections con Describe any corrective actions taken at a face	ns for facilities mpleted: 52		ompleted <b>during this</b>
DCR completed four rounds of quarterly inspfacilities had at least one inspection complete	pections at e	ach of the 13 regulated faci eather conditions. Staff shor	rtages kept DCR from
completing wet weather inspections at all fac facilities in PY8 to confirm conditions. DCR that require follow-up or maintenance, and to	has develop	ed an ArcGIS dashboard to	=
Ado  Monitoring or Study Results  Results from any other stormwater or receiving period not otherwise mentioned about the permit effectiveness must be attached.	ng water qua	•	
<ul><li>Not applicable</li></ul>			
The results from additional rewebsite(s):	•		
If such monitoring or studies were conducted entities were reported to you, a brief descripti described below:	•	•	•

Page	27

#### **Additional Information**

Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above.

DCR has continued to improve upon our GIS mapped drainage data in PY7, confirming accurate mapping through site inspections, CCTV investigations and collaborating with adjacent municipalities to identify interconnections. DCR has worked with 28 municipalities and state organizations to share mapped drainage and sewer data, confirm ownership of structures and identify interconnections and is continuing this work in PY8. DCR will continue to work with neighboring municipalities throughout the state to share GIS and eliminate illicit discharges. DCR stormwater staff has encouraged design projects to incorporate stormwater treatment practices to go above those required for the project in an effort to reduce pollutants from DCR properties, especially in TMDL watersheds like the Charles River.

#### Year 8

#### **Activities Planned for Next Reporting Period**

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 8 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree 🗵

#### **Annual Requirements**

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities

- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)
- Identify additional permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas so that the permittee maintains a minimum of 5 sites in their inventory, until such a time when the permittee has less than 5 sites remaining

Provid	e any	addı	tıonal	detail	s on	activi	ties p	lanned	to	r permi	t year	8	bel	low:
--------	-------	------	--------	--------	------	--------	--------	--------	----	---------	--------	---	-----	------

DCR p	ans to continue meeting the annual requirements of the permit, continue on the progress made in Per	rmit
Year 7	and expand the MS4 program to meet Permit Year 8 requirements, as documented in DCR's SWMP	<b>.</b>

# Part V: Certification of Small MS4 Annual Report 2025

#### 40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:		Title:	:				
	Signatory may be a duly authorized	Date:					
representative]  Note: When prompted during signing, save the document under a new file name.							
Annual Report Submission							
Please submit the form electronically via email to both EPA and MassDEP by clicking on one of the links below or using the email addresses listed below. Please ensure that all required attachments are included in the email and not attached to this PDF.							

MassDEP: Stormwater.DEP@mass.gov

#### **Paper Signature:**

If you did not sign electronically above, you can print the signature page by clicking the button below.

Print Signature Page

EPA: stormwater.reports@epa.gov

Optional: If you did not sign electronically above, you may lock the form by clicking the "Lock Form" button below which will prompt you to save the locked version of the form. Save this locked version under a new file name.

Lock Form

# Part V: Certification of Small MS4 Annual Report 2025

#### 40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:	Nicole LaChapelle	Title:	Commissioner
	[Signatory may be a duly authorized representative]	Date:	09/29/25