

Department of Environmental Protection

Central Regional Office • 8 New Bond Street, Worcester MA 01606 • 508-792-7650

Charles D. Baker Governor

Karyn E. Polito Lieutenant Governor Matthew A. Beaton Secretary

> Martin Suuberg Commissioner

November 10, 2017

Mr. Gary Basilesco Exelon West Medway II LLC P.O. Box 720 Medway, MA 02053 **RE:** Medway

FMF No.: 309313 Draft Phase II Acid Rain Permit

Dear Mr. Basilesco:

The Department of Environmental Protection ("MassDEP") is issuing the enclosed Draft Phase II Acid Rain Permit for Exelon West Medway II LLC located at 9 Summer St in Medway, Massachusetts.

This Draft Phase II Acid Rain Permit is being issued in accordance with 310 CMR 7.00: APPENDIX C(3)(n) of the Air Pollution Control Regulations ("the Regulations"), as adopted pursuant to M.G.L. c. 111, §§ 142 A through O inclusive.

The Draft Phase II Acid Rain Permit is subject to a public comment period. Public notice of the Draft Phase II Acid Rain Permit will be published by MassDEP in accordance with the requirements of 310 CMR 7.00: Appendix C in the Worcester Telegram and Gazette on November 15, 2017. The public comment period shall extend to December 15, 2017.

Should you have any questions concerning this Draft Phase II Acid Rain Permit, please contact me at (508) 767-2845.

Sincerely, This final document copy is being provided to you electronically by the Department of Environmental Protection. A signed copy of this document is on file at the DEP office listed on the letterhead.

Roseanna E. Stanley Permit Chief Bureau of Air and Waste

ecc: Medway Board of Health, Medway Fire Department



Department of Environmental Protection

Central Regional Office • 8 New Bond Street, Worcester MA 01606 • 508-792-7650

Charles D. Baker Governor

Karyn E. Polito Lieutenant Governor Matthew A. Beaton Secretary

> Martin Suuberg Commissioner

DRAFT PHASE II ACID RAIN PERMIT

Issued by the Massachusetts Department of Environmental Protection ("MassDEP") pursuant to its authority under M.G.L. c. 111, §142A - §142O, 310 CMR 7.00 et seq., and in accordance with the provisions of 310 CMR 7.00: Appendix C(3)(n).

ISSUED TO ["the Permittee"]: Exelon West Medway II, LLC PO Box 720 Medway, MA 02053 **INFORMATION RELIED UPON:** Phase II Acid Rain Permit Application

Phase II Acid Rain Permit Application

FACILITY LOCATION:

Exelon West Medway II, LLC 9 Summer Street West Medway, MA 02053

FACILITY IDENTIFYING NUMBERS:

AQ ID: 1200133 ORIS NO: 59882 FMF FAC NO.: 309313

DESIGNATED REPRESENTATIVE:

Name: Gary Basilesco Title: Alternate CAMD Designated Representative

This Phase II Acid Rain Permit is in effect until the earlier of, DATE, or until such time as it is incorporated into the Facility's Operating Permit. The Phase II Acid Rain Permit will renew with the Operating Permit.

For the Department of Environmental Protection, Bureau of Air and Waste

Roseanna Stanley, Permit Chief

Date

Printed on Recycled Paper

1) Statement of Basis

Statutory and Regulatory Authorities: In accordance with M.G.L. c. 111, 142A-142O and Titles IV and V of the Clean Air Act, the Department of Environmental Protection issues this permit pursuant to 310 CMR 7.00: Appendix C(3)(n).

2) SO₂ Allowance Allocations for each affected unit

SO ₂ Allowances Allocations					
Emission Unit	Year 1	Year 2	Year 3	Year 4	Year 5
J4	0	0	0	0	0
J5	0	0	0	0	0

3) Comments, Notes and Justifications: None.

4) Additional Requirements:

- a. This permit does not relieve the Permittee of the responsibility to conduct, maintain and operate the regulated activity in compliance with all applicable requirements of any federal or state agency. Nothing in this permit shall relieve the permittee of other obligations under applicable federal, state or local law.
- b. This permit may be revoked, suspended, modified or transferred in accordance with applicable law.
- c. Any document which is required to be submitted to the Department under this permit shall be signed by the designated representative or alternative designated representative as defined at 40 CFR Parts 72-76 and 310 CMR 7.00: Appendix C.

5) **Permit Application:** Attached.