

Atlantic Flyway Eastern Forest Priority Birds

Atlantic Flyway A3 Forest Priority Birds¹

Northern Biome Priority Forest Birds*

Bay-breasted Warbler Bicknell's Thrush

Black-and-white Warbler

Blackburnian Warbler Black-throated Blue Warbler

Black-throated Green Warbler

Blue-headed Vireo Canada Warbler Magnolia Warbler Northern Saw-whet Owl White-throated Sparrow

Alder Flycatcher

American Three-toed Woodpecker

Black-backed Woodpecker

Yellow-bellied Sapsucker

Blackpoll Warbler Cape May Warbler Chestnut-sided Warbler

Dark-eyed Junco

Gray Jay Hermit Thrush Kirtland's Warbler Least Flycatcher Lincoln's Sparrow Mourning Warbler Nashville Warbler

Ovenbird
Palm Warbler
Philadelphia Vireo
Rusty Blackbird
Spruce Grouse
Tennessee Warbler

Veerv

Yellow-bellied Flycatcher

Eastern Biome Priority Forest Birds#

Acadian Flycatcher
Blue-winged Warbler
Carolina Chickadee
Cerulean Warbler
Eastern Towhee
Hooded Warbler
Kentucky Warbler
Louisiana Waterthrush

Wood Thrush

Worm-eating Warbler Yellow-throated Warbler Bachman's Sparrow Brown-headed Nuthatch

Carolina Wren Chuck-will's-widow Florida Scrub-Jay Pine Warbler

Prothonotary Warbler
Red-bellied Woodpecker
Red-cockaded Woodpecker
Red-shouldered Hawk
Swainson's Warbler
Tufted Titmouse
White-eyed Vireo

Includes BCRs 13, 27,28,29,30,31

.

^{*}Includes all of the US portion of BCR 14

¹ Global (A3) IBAs are identified for a suite of forest birds that have 80% or more of their population within one of the avifaunal biomes. There are parts of two avifaunal biomes in the Atlantic Flyway: the Eastern Deciduous Forest Biome and the Northern Forest Biome

Atlantic Flyway B3 Forest Priority Birds²

BCR13: Lower Great Lakes/St Lawrence Plain

Baltimore Oriole Black-billed Cuckoo Rose-breasted Grosbeak

BCR14: Atlantic Northern Forest

Bicknell's Thrush*

Northern Saw-whet Owl*

American Redstart

Bay-breasted warbler

Black-and-white Warbler

Blackburnian Warbler

Black-throated Blue Warbler

Black-throated Green Warbler

Blue-headed Vireo

Canada Warbler

Evening Grosbeak

Magnolia Warbler

Northern Parula

Purple Finch

White-throated Sparrow

Yellow-bellied Sapsucker

BCR27: Southeastern Coastal Plain

Acadian Flycatcher

Bachman's Sparrow

Brown Thrasher

Brown-headed Nuthatch

Carolina Chickadee

Carolina Wren

Chimney Swift

Chuck-will's-widow

Downy Woodpecker

Eastern kingbird

Eastern Towhee

Hooded Warbler

Indigo Bunting

Northern Parula

Orchard Oriole

Pileated Woodpecker

Pine Warbler

Prairie Warbler

Prothonotary Warbler

Red-bellied Woodpecker

BCR28: Appalachian Mountains

Acadian Flycatcher

Blue-winged Warbler

Broad-winged Hawk

Carolina Chickadee

Cerulean Warbler

Chimney Swift

Downy Woodpecker

Eastern Towhee

Hooded Warbler

Indigo Bunting

Kentucky Warbler

Louisiana Waterthrush

Scarlet Tanager

Wood Thrush

Worm-eating Warbler

Yellow-throated Vireo

Yellow-throated Warbler

BCR29: Piedmont

Blue Grosbeak

Brown Thrasher

Brown-headed Nuthatch

Carolina Chickadee

Carolina Wren

Chimney Swift

Eastern Towhee

Eastern Wood-pewee

Field Sparrow

Indigo Bunting

Pine Warbler

Prairie Warbler

riallie warblei

Whip-poor-will

Wood Thrush

Yellow-throated Vireo

BCR30: New England/Mid-Atlantic Coast

Blue-winged Warbler

BCR31: Peninsular Florida

Florida Scrub-Jay*

Bachman's Sparrow

Chuck-will's-widow

Eastern Towhee

² Continental (B3) IBAs are identified at smaller sub-regions of the biomes known as Bird Conservation Regions or BCRs for suites of species with at least 30% of their populations concentrated within a BCR and/or a Partners in Flight Continental Stewardship or Regional Stewardship ranking for a BCR.

BCR27: Southeastern Coastal Plain (cont.)

Red-cockaded Woodpecker Red-shouldered Hawk Summer Tanager Swainson's Warbler White-eyed Vireo Yellow-billed Cuckoo Yellow-throated Vireo

BCR31: Peninsular Florida (cont.)

Gray Kingbird Red-shouldered Hawk White-eyed Vireo

*Not included in Mapping analysis due to lack of data

2/27/2014