



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
250 Washington Street, Boston, MA 02108-4619
Phone: 617-624-5757 Fax: 617-624-5777
TTY: 617-624-5286

CHARLES D. BAKER
Governor

KARYN E. POLITO
Lieutenant Governor

MARYLOU SUDDERS
Secretary

MONICA BHAREL, MD, MPH
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

December 1, 2015

Frank G. Cousins, Jr., Sheriff
Essex County Sheriff's Department Headquarters
20 Manning Avenue
Middleton, MA 01949

Re: Facility Inspection – Essex County Correctional Facility, Middleton

Dear Sheriff Cousins:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Minimum Requirements for the Management of Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Essex House of Correction on November 16 and 17, 2015 accompanied by Lieutenant Peter Lundy, EHSO; and Corey Mathieson, EHSO. Violations noted during the inspection are listed below including 66 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

ADMINISTRATION BUILDING

Front Lobby

No Violations Noted

Female Bathroom # 1002

No Violations Noted

Male Bathroom # 1003

105 CMR 451.123

Maintenance: Wall damaged behind toilet

105 CMR 451.123

Maintenance: Wall damaged behind handwash sink

Second Floor

Administration Area

Female Bathroom # 2002

No Violations Noted

Male Bathroom # 2003

No Violations Noted

Kitchenette # 2011

FC 4-602.12(A)*

FC 4-204.112(A)

Cleaning of Equipment and Utensils; Frequency: Interior of toaster oven dirty
Design and Construction, Functionality: No functioning thermometer in refrigerator

Office # 2007

No Violations Noted

Bathroom # 2012

105 CMR 451.123

Maintenance: Ceiling vent dusty

Slop Sink # 2018

No Violations Noted

First Floor

Administration Hallway

Kitchenette # 1007

FC 4-204.112(A)

Design and Construction, Functionality: No functioning thermometer in refrigerator

Training 1 # 1008

No Violations Noted

Training 2 # 1009

No Violations Noted

Administration # 1012

No Violations Noted

Female Staff Bathroom # 1013

No Violations Noted

Male Staff Bathroom # 1014

105 CMR 451.123

Maintenance: Wall damaged behind toilet

Training # 1015

Unable to Inspect – Occupied

Storage # 1016

105 CMR 451.353*

Interior Maintenance: Light shield missing

Mop/Hot Water Heater Room # 1017

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Weight Room # 1018

No Violations Noted

Male Staff Locker Room # 1030

105 CMR 451.123*

105 CMR 451.123

105 CMR 451.123

Maintenance: Ceiling vent dusty

Maintenance: Wall mirror loose at sink # 4

Maintenance: Shower # 4 leaking

Female Staff Locker Room # 1031

105 CMR 451.123* Maintenance: Ceiling vent dusty
105 CMR 451.110(A) Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Control

FC 4-204.112(A) Design and Construction, Functionality: No functioning thermometer in refrigerator
FC 4-501.11(B) Maintenance and Operation, Equipment: Equipment components not maintained in a state of good repair, refrigerator gasket damaged

Control Bathroom # 1004

105 CMR 451.123 Maintenance: Ceiling left unfinished

Office Area

Office # 1003B

No Violations Noted

Urine Room # 1005

No Violations Noted

FOOD SERVICE AND MEDICAL BUILDING

105 CMR 451.350* Structural Maintenance: Entrance not rodent and weathertight

Visitor Entrance Area

105 CMR 451.353* Interior Maintenance: Floor drain cover missing

Visitor Area

No Violations Noted

Bathroom – Room # 64

105 CMR 451.123 Maintenance: Light out
105 CMR 451.110(A) Hygiene Supplies at Toilet and Handwash Sink: No toilet paper in stall

Bathroom 2

Unable to Inspect – Locked

Visitor's Area # 142A

105 CMR 451.124 Water Supply: Insufficient water supply in quantity and pressure at bubbler

Roll Call Room

Room # 1001C

Unable to Inspect – Occupied

Male Bathroom # 1169

Unable to Inspect – Occupied

Female Bathroom # 1168

Unable to Inspect – Occupied

Records Hallway

Male Staff Bathroom # 1010

Unable to Inspect – Occupied

Records Office # 1011

Unable to Inspect – Under Construction

Female Staff Bathroom # 1012

105 CMR 451.123*

Maintenance: Ceiling vent dusty

105 CMR 451.123*

Maintenance: Debris on floor

Break Room # 1013

Unable to Inspect – Under Construction

Muster Room # 1015

Unable to Inspect – Locked

Intake Hallway # 1016

Slop Sink Room # 1034

105 CMR 451.353

Interior Maintenance: Door stuck shut

Property Room # 1035

Unable to Inspect – Under Construction

Shift Commander's Office # 1039

Unable to Inspect – Under Construction

Female Holding Unit # 1018

Shower Area

105 CMR 451.123*

Maintenance: Floor paint damaged

105 CMR 451.123

Maintenance: Wall tiles missing

Holding Tanks # 1-5

No Violations Noted

Storage Room

FC 3-304.12(A)

Preventing Contamination from Utensils: Ice scoop not stored properly

Common Area

FC 4-501.11(A)

Maintenance and Operation, Equipment: Equipment not maintained in a state of good repair, microwave missing interior plate

Patrol Area

Break Room # 1050

No Violations Noted

Visitor's Room # 1047

No Violations Noted

Staff Dining # 1041

FC 6-301.12

Numbers and Capacity; Handwashing Facilities: No hand drying method available at handwash sink

Food Service Area

Mechanical Tray Warewash Area

FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, floor damaged under mechanical warewashing machine
FC 6-501.12(A)*	Maintenance and Operation; Cleaning: Facility not cleaned properly, ceiling dirty
FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, baseboard damaged throughout warewashing area
FC 6-501.12(A)	Maintenance and Operation; Cleaning: Facility not properly cleaned, floor dirty under sink

Manual Warewash Room

FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, baseboard damaged
FC 4-501.11(A)	Maintenance and Operation, Equipment: Equipment not maintained in a state of good repair, overhead sprayer leaking

Spray Room

FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, floor damaged
--------------	--

Walk-In Refrigerator # 1

FC 3-305.11(A)(2)*	Preventing Contamination from Premises: Food exposed to contaminants, ceiling dirty near fans, possible mold growth
FC 3-304.12(A)	Preventing Contamination from Utensils: Service utensils handle stored below the food and container line, spoons left in tub of butter
FC 6-501.12(A)	Maintenance and Operation; Cleaning: Facility not properly cleaned, floor dirty

Freezer # 2

FC 3-302.11(A)(4)	Preventing Food and Ingredient Contamination: Preventing cross contamination, 2 boxes of hamburgers not appropriately covered
FC 3-302.11(A)(4)	Preventing Food and Ingredient Contamination: Preventing cross contamination, 2 pots of sauce not appropriately covered

Walk-In Cooler # 3

FC 3-302.11(A)(4)	Preventing Food and Ingredient Contamination: Preventing cross contamination, macaroni left uncovered
FC 6-501.11	Maintenance and Operation; Repairing: Facility not in good repair, wall paint damaged
FC 6-501.12(A)	Maintenance and Operation; Cleaning: Facility not properly cleaned, debris on floor

Food Preparation and Baking Area

FC 6-501.12(A)	Maintenance and Operation; Cleaning: Facility not properly cleaned, standing water under table
----------------	--

Pull Cage

FC 3-302.11(A)(4)	Preventing Food and Ingredient Contamination: Preventing cross contamination, large bag of potato chips left uncovered
FC 6-301.14	Numbers and Capacity; Handwashing Facilities: No handwashing signage located at handwashing sink

Kettle Hood Area

FC 4-501.114(C)(2)	Maintenance and Operation; Equipment: Quaternary ammonium solution greater than the manufacturers recommended concentration
--------------------	---

Oven Hood Area

No Violations Noted

Front Hoods and Tray Prep Area

FC 6-501.11	Maintenance and Operation; Repairing: Facility not in good repair, floor damaged near doorway
FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, floor damaged under tilt skillets
FC 2-304.11	Clean Condition: Worker uniforms torn and dirty

Boiler Room # 1030

FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, wall and baseboard damaged
FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, hole in wall
FC 6-202.15(A)(2)*	Design, Construction, and Installation; Functionality: Outer door not weather and vermin tight

Barrel Room

No Violations Noted

Chemical Room # 196

FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, ceiling vent rusted
--------------	--

Inmate Break Room

No Violations Noted

Aramark Training Room

FC 6-501.11*	Maintenance and Operation; Repairing: Facility not in good repair, ceiling tiles water stained
--------------	--

Utensil Storage Room

No Violations Noted

Slop Sink Room

No Violations Noted

Loading Dock

FC 6-202.15(A)(3)*	Design, Construction, and Installation; Functionality: Exit door not weather and vermin tight
--------------------	---

Hallway

No Violations Noted

Archive File Room # 1025

No Violations Noted

Staff Locker Room and Mop Closet # 1026

No Violations Noted

Female Staff Bathroom # 1199

105 CMR 451.123*	Maintenance: Ceiling vent dusty
------------------	---------------------------------

Male Staff Bathroom # 1200

105 CMR 451.123*	Maintenance: Ceiling vent dusty
------------------	---------------------------------

Spice Room # 1027

No Violations Noted

Back Storage

No Violations Noted

Back Cage

FC 6-501.11*

FC 3-302.11(A)(4)

Maintenance and Operation; Repairing: Facility not in good repair, floor tiles damaged
Preventing Food and Ingredient Contamination: Preventing cross contamination, muffin mix left uncovered

FC 3-302.11(A)(4)

Preventing Food and Ingredient Contamination: Preventing cross contamination, dry beans left uncovered

FC 3-302.11(A)(4)

Preventing Food and Ingredient Contamination: Preventing cross contamination, various spices left uncovered

FC 3-302.11(A)(4)

Preventing Food and Ingredient Contamination: Preventing cross contamination, unlabeled food left uncovered

Refrigerator # 4

No Violations Noted

Inmate Bathroom #1029

105 CMR 451.123*

105 CMR 451.123

Maintenance: Light switch damaged

Maintenance: Debris in handwash sink

Staff Dining Room # 1041

No Violations Noted

Inmate Dining Room

FC 4-501.114(A)

Maintenance and Operation; Equipment: Chlorine Sanitizer solution tested less than recommended concentration

Shift Supervisor # 1050

Unable to Inspect – Under Construction

Medical Housing Unit

Entrance

No Violations Noted

Inmate Bathroom #2002

105 CMR 451.123

Maintenance: Debris on floor

Waiting Lobby

No Violations Noted

Nurse's Office # 2003

No Violations Noted

Nurse's Break Room # 2004

No Violations Noted

II-Isolation Room # 2005

No Violations Noted

II-Isolation Room # 2006

No Violations Noted

Waiting Room # 2007

No Violations Noted

<i>Janitor's Closet # 2008</i>	No Violations Noted
<i>Interview Room # 2040</i>	No Violations Noted
<i>Intake Processing Room # 2041</i>	Unable to Inspect – Occupied
<i>Common Area</i>	No Violations Noted
<i>Nurse's Desk</i> 105 CMR 451.123*	Maintenance: Desk damaged
<i>R1 (2009)</i>	No Violations Noted
<i>R2 (2010)</i>	No Violations Noted
<i>R3 (2011)</i>	No Violations Noted
<i>R4 (2012)</i>	No Violations Noted
<i>R5 (2014)</i> 105 CMR 451.322*	Cell Size: Inadequate floor space in dorm room
<i>R5 (2014) Bathroom</i>	Unable to Inspect – Occupied
<i>R6 (2015)</i> 105 CMR 451.322*	Cell Size: Inadequate floor space in dorm room
<i>R6 (2015) Bathroom</i>	Unable to Inspect – Occupied
<i>Storage # 2016</i> 105 CMR 451.353	Interior Maintenance: Oxygen tanks stored in cola rack
<i>Inmate Shower # 2017</i>	No Violations Noted
<i>Conference Room # 2018</i>	No Violations Noted
<i>Staff Bathroom # 2019</i>	No Violations Noted
<i>Staff Break Room # 2022</i> FC 4-602.12(B)	Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty

<i>Storage # 2037</i>	No Violations Noted
Back Hallway	
<i>Staff Bathroom</i>	No Violations Noted
<i>Hallway Sink</i>	No Violations Noted
<i>Dentist Room # 2029</i>	No Violations Noted
<i>X-Ray Room # 2030</i>	No Violations Noted
<i>Dark Room # 2031</i>	No Violations Noted
<i>Urine Lab Room # 2032</i>	No Violations Noted
<i>Exam Room # 2033</i>	Unable to Inspect - Occupied
<i>Diabetic Room # 2034</i>	No Violations Noted
<i>Medicine Room # 2035</i>	No Violations Noted
<i>Medical Waste Storage Room</i> 105 CMR 480.500(A)(3)	Procedures; Records; Record-Keeping Log: Generator had no written documentation for blood borne pathogen training
<u>240 BUILDING (J)</u>	
A & B Control 105 CMR 451.353*	Interior Maintenance: Ceiling tiles water damaged
<i>Control Bathroom</i>	Unable to Inspect – Occupied
A Block	
<i>Common Area</i>	No Violations Noted
<i>Slop Sink Room</i>	No Violations Noted
<i>Cells</i>	No Violations Noted

Shower Area

No Violations Noted

Handicapped Shower

105 CMR 451.123

Maintenance: Shower out of order

B Block

Common Area

No Violations Noted

Slop Sink Room (downstairs)

105 CMR 451.331*

Radiators and Heating Pipes: Pipes not properly insulated, insulation damaged

105 CMR 451.353

Interior Maintenance: Light out

Cells

No Violations Noted

Slop Sink Room (upstairs)

Unable to Inspect – Locked

Shower Area

No Violations Noted

Handicapped Shower

No Violations Noted

C & D Control

No Violations Noted

Control Bathroom

Unable to Inspect – Occupied

C Block

Common Area

105 CMR 451.360

Protective Measures: Birds observed near ceiling

FC 5-205.15(B)

Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, hot water faucet loose and leaking

FC 6-501.12(A)

Maintenance and Operation; Cleaning: Facility not properly cleaned, debris on floor behind ice machine

Slop Sink Room

105 CMR 451.130*

Plumbing: Plumbing not maintained in good repair, faucet damaged

Cells

No Violations Noted

Shower Area

No Violations Noted

Handicapped Shower

No Violations Noted

D Block

Common Area
FC 3-304.12(A)
FC 6-201.11

Preventing Contamination from Utensils: Ice scoop not stored properly
Design, Construction and Installation: Floor not easily cleanable, floor damaged in front of ice machine

Slop Sink Room

No Violations Noted

Cells

No Violations Noted

Shower Area

No Violations Noted

Handicapped Shower

No Violations Noted

PROGRAM BUILDING (K)

Lower Programs

Chapel # 1009A

Unable to Inspect - Occupied

Inmate Bathroom # 1004

No Violations Noted

Hot Water Heater Room # 1005
105 CMR 451.353*

Interior Maintenance: Floor tiles missing

Clergy # 1006

No Violations Noted

Clergy # 1007

No Violations Noted

Clergy # 1008

Unable to Inspect – Occupied

Classrooms

No Violations Noted

Library

No Violations Noted

Exterior Hallway Door
105 CMR 451.350*

Structural Maintenance: Doorway not rodent and weathertight

Teacher's Office # 1014

No Violations Noted

Inmate Bathroom

No Violations Noted

Male Staff Bathroom # 1015

No Violations Noted

Female Staff Bathroom # 1016

No Violations Noted

Upper Programs

Bathroom # 1277

No Violations Noted

Slop Sink # 1278

105 CMR 451.353

Interior Maintenance: Debris in slop sink

Male Staff Bathroom # 2024

No Violations Noted

Female Staff Bathroom # 2025

No Violations Noted

Conference Room # 2036

FC 4-602.12(B)*

Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty

Offices

105 CMR 451.353*

Interior Maintenance: Ceiling tiles missing in office # 2009

105 CMR 451.353*

Interior Maintenance: Ceiling tiles water stained in office # 2009 and 2011

VOCATIONAL EDUCATION BUILDING

First Floor

Laundry

105 CMR 451.331*

Radiators and Heating Pipes: Pipes not properly insulated, insulation damaged

105 CMR 451.350

Structural Maintenance: Doorway not rodent and weathertight

Sewing Room

No Violations Noted

Laundry Storage

No Violations Noted

Voke Hallway

No Violations Noted

Staff Bathroom # 0913

No Violations Noted

Slop Sink Room

No Violations Noted

Voke 1

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

Common Area

105 CMR 451.353*	Interior Maintenance: Floor tiles damaged
105 CMR 451.353	Interior Maintenance: Paint peeling on table
105 CMR 451.353	Interior Maintenance: Screen damaged
105 CMR 451.353	Interior Maintenance: Light shield missing

Voke 1 Bathroom/showers

105 CMR 451.123*	Maintenance: Soap scum on walls in shower # 2, 3, and 5
------------------	---

Voke 2

105 CMR 451.322*	Cell Size: Inadequate floor space in dorm room
------------------	--

Common Area

105 CMR 451.353	Interior Maintenance: Floor tile damaged
-----------------	--

Voke 2 Bathroom/showers

105 CMR 451.123	Maintenance: Toilet # 2 out of order
-----------------	--------------------------------------

Warehouse # 0911

No Violations Noted

Voke 3

105 CMR 451.322*	Cell Size: Inadequate floor space in dorm room
------------------	--

Common Area

105 CMR 451.353	Interior Maintenance: Hole in wall at slop sink
-----------------	---

Voke 3 Bathroom/showers

No Violations Noted

Second Floor

Hallway

No Violations Noted

Classroom # 2003

No Violations Noted

Staff Bathroom # 2005

Unable to Inspect - Locked

Slop Sink Room # 2006

Unable to Inspect - Locked

Classroom # 2011

Unable to Inspect – Locked

Classroom # 2010

No Violations Noted

Barber Shop # 2008

105 CMR 451.353*	Interior Maintenance: Countertop damaged, held together by duct tape
------------------	--

Print Shop # 2009

No Violations Noted

Voke 4

Shower Area

No Violations Noted

Kitchenette

No Violations Noted

Toilet Room

No Violations Noted

Common Area

No Violations Noted

120 BUILDING (F)

Entryway

No Violations Noted

A & B Control

No Violations Noted

Control Bathroom

No Violations Noted

A Block (Segregation Unit)

Common Area

105 CMR 451.353

Interior Maintenance: Standing water on floor between cell # 108 and 109

Slop Sink Room

No Violations Noted

Cells

No Violations Noted

Shower Area

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # 1, 2, 3, 8, and 9

105 CMR 451.123

Maintenance: Soap scum on floor in shower # 4, 5, 6, and 7

105 CMR 451.123*

Maintenance: Hair on floor in shower # 6

B Block

Common Area

FC 3-304.12(A)*

Preventing Contamination from Utensils: Ice scoop not stored properly

Slop Sink Room

105 CMR 451.353

Interior Maintenance: Drain cover missing

105 CMR 451.353

Interior Maintenance: Floor tiles missing

Cells

No Violations Noted

Shower Area

105 CMR 451.123*

Maintenance: Soap scum on floor in shower # 9

Handicapped Shower

No Violations Noted

60 BUILDING (G)

Control

No Violations Noted

Control Bathroom

No Violations Noted

Cell Block

Common Area

No Violations Noted

Slop Sink Room

105 CMR 451.353

Interior Maintenance: Slop sink drain cover missing

Cells

No Violations Noted

Lower Shower Area

105 CMR 451.123*

Maintenance: Mold like substance observed on ceiling above shower # 1-3

Handicapped Shower

No Violations Noted

Upper Shower Area

Unable to Inspect – Under Construction

80 BUILDING (H)

Lower 80 – First Floor

Control

No Violations Noted

Control Bathroom

No Violations Noted

Common Area

105 CMR 451.353*

Interior Maintenance: Couch damaged

Storage Room

No Violations Noted

Inmate Bathroom

105 CMR 451.123

Maintenance: Urinal # 1 out-of-order

Slop Sink Room

No Violations Noted

Staff Bathroom

No Violations Noted

Dorm Rooms

105 CMR 451.322* Cell Size: Inadequate floor space in all dorm rooms

Dorm Room # 401

No Violations Noted

Dorm Room # 402

No Violations Noted

Dorm Room # 403

No Violations Noted

Dorm Room # 404

No Violations Noted

Dorm Room # 405

No Violations Noted

Dorm Room # 406

No Violations Noted

Dorm Room # 407

No Violations Noted

Dorm Room # 408

No Violations Noted

Dorm Room # 409

No Violations Noted

Dorm Room # 410

No Violations Noted

Program Director's Office

No Violations Noted

80 Building Stairway

No Violations Noted

Upper 80 - Second Floor

Control

No Violations Noted

Control Bathroom

No Violations Noted

Common Area

105 CMR 451.353 Interior Maintenance: Standing water in bucket near ice machine

Storage

105 CMR 451.353* Interior Maintenance: Ceiling tiles water stained

Inmate Bathroom

105 CMR 451.123 Maintenance: Toilet # 1 out-of-order

105 CMR 451.123 Maintenance: Urinal # 1 out-of-order

Staff Bathroom

No Violations Noted

Slop Sink Room

No Violations Noted

Dorm Rooms

105 CMR 451.322*

Cell Size: Inadequate floor space in all dorm rooms

Dorm Room # 411

No Violations Noted

Dorm Room # 412

No Violations Noted

Dorm Room # 413

No Violations Noted

Dorm Room # 414

No Violations Noted

Dorm Room # 415

No Violations Noted

Dorm Room # 416

No Violations Noted

Dorm Room # 417

No Violations Noted

Dorm Room # 418

No Violations Noted

Dorm Room # 419

No Violations Noted

Dorm Room # 420

No Violations Noted

GYM BUILDING (I)

105 CMR 451.350*

Structural Maintenance: Exterior corner of building damaged near entrance

Gym

No Violations Noted

Weight Area

105 CMR 451.353*

Interior Maintenance: Exercise equipment surface damaged and no longer easily cleanable

Storage Room

No Violations Noted

Inmate Bathroom

105 CMR 451.123*

Maintenance: Ceiling vent dirty

105 CMR 451.123*

Maintenance: Rust stains on floor

105 CMR 451.123

Maintenance: Wall damaged

OUTSIDE THE FENCE

Warehouse

FC 4-602.11(E)(4)(b)

Cleaning of Equipment and Utensils, Frequency: Mold growth observed on interior surfaces of ice machine

Door to Outside

No Violations Noted

Bathroom # 1003

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Slop Sink Room # 1004

No Violations Noted

Garage

Bathroom # 1007

No Violations Noted

Office

No Violations Noted

Storage

No Violations Noted

Intake Building

Lobby

No Violations Noted

Male Bathroom

No Violations Noted

Female Bathroom

No Violations Noted

Intake Area

No Violations Noted

Holding Cells

No Violations Noted

Medical Screening

No Violations Noted

Booking Area

No Violations Noted

Handicapped Bathroom

No Violations Noted

Handicapped Shower

No Violations Noted

<i>Shower # 1</i>	No Violations Noted
<i>Shower # 2</i>	No Violations Noted
<i>Property Room</i>	No Violations Noted
<i>Inmate Bathroom</i>	No Violations Noted
<i>Staff Bathroom</i>	No Violations Noted
<i>Storage Room</i>	No Violations Noted

Observations and Recommendations

1. The inmate population was 1,160 at the time of inspection.
2. At the time of inspection, the Department recommended the facility increase ventilation to the storage room in the laundry area where chemicals are being stored.
3. The kitchen exhaust system was not in compliance with the provisions for inspection, cleaning and labeling required by 527 CMR 11.00 Commercial Cooking Operations, 4 hoods were not labeled. The Department recommends you contact the Department of Fire Services for further information.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X – Minimum Sanitation Standards for Food Establishments" and "[1999 Food Code](#)".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,

A handwritten signature in blue ink, appearing to be 'J. Brown', with a long horizontal flourish extending to the right.

Jonathan Brown
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Jay Youmans, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Michael Marks, Superintendent
Administrative Captain Arthur Statezni, EHSO
Derek Fullerton, RS, CHO, Health Director, Middleton Health Department
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPSS