

**MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**FACT SHEET**

**MASSACHUSETTS PERMIT TO DISCHARGE POLLUTANTS TO SURFACE WATERS**

**MA PERMIT NUMBER:** MA0003531

**NAME AND MAILING ADDRESS OF APPLICANT:**

Bird, Incorporated d/b/a CertainTeed  
1077 Pleasant Street  
Norwood, MA 02062

**NAME AND ADDRESS OF FACILITY WHERE DISCHARGE OCCURS:**

Bird, Incorporated d/b/a CertainTeed  
1077 Pleasant Street  
Norwood, MA 02062

**RECEIVING WATER AND CLASSIFICATION:**

Neponset River (Segment MA73-01), Class B – Warm Water Fishery  
Boston Harbor Watershed

**PUBLIC NOTICE DETAILS:**

Public comment time period: January 22, 2026 – February 23, 2026

Address where comments can be received:

Via email: [massdep.publiccommentnpdes@mass.gov](mailto:massdep.publiccommentnpdes@mass.gov) or to the below mailing address

Include the following subject line: CertainTeed

**MASSDEP CONTACT:**

Person to contact for additional information:

Samuel Ashbrook, 857-278-2231, [Samuel.Ashbrook@mass.gov](mailto:Samuel.Ashbrook@mass.gov)

**MAILING ADDRESS:**

MassDEP NPDES Program, C/o Samuel Ashbrook, 100 Cambridge Street, Suite 900,  
Boston, MA 02114.

---

This Fact Sheet for the above-referenced draft MassDEP Surface Water Discharge Permit (SWDP) incorporates by reference the entire Fact Sheet for the 2026 draft NPDES Permit No. MA0003531 issued by the United States Environmental Protection Agency (EPA), Region 1, to the CertainTeed on January 22, 2026, including all attachments and appendices to the Fact Sheet. In addition to the information contained in the EPA Fact Sheet incorporated herein by reference, MassDEP includes the information that follows.

---

**NARRATIVE EFFLUENT LIMITATIONS**

The 2026 draft CertainTeed NPDES Permit does not include certain narrative effluent limitations included in the previous discharge permit issued jointly by MassDEP and EPA to CertainTeed. In order to ensure that the discharge does not cause or contribute to a violation of the Massachusetts Surface Water Quality Standards set forth in 314 CMR 4.00, MassDEP has included appropriate narrative effluent limitations in its draft Surface Water Discharge Permit (SWDP) and draft Water Quality Certification (WQC). These effluent limitations are included pursuant to MassDEP's authority under M.G.L. c. 21, §§ 26-53, and 314 CMR 3.00 and 4.00, including but not limited to 314 CMR 3.11(3), 314 CMR 3.19(1), and 314 CMR 4.05.

#### **PER – AND POLYFLUROALKYL SUBSTANCES (PFAS)**

MassDEP is concerned about the potential impacts that PFAS in wastewater discharges may have on downstream drinking water, recreational, and aquatic life uses. The Massachusetts Surface Water Quality Standards do not include numeric criteria for PFAS. However, the narrative criterion for toxic pollutants at 314 CMR 4.05(5)(e) states:

*All surface waters shall be free from pollutants in concentrations or combinations that are toxic to humans, aquatic life or wildlife.*

In addition, this narrative criterion is further elaborated on at 314 CMR 4.05(5)(e)2.e. which states:

*Unlisted Pollutants; Combinations of Pollutants. Any pollutant or combination of pollutants within the meaning of 314 CMR 4.05(5)(e) for which 314 CMR 4.05(5)(e)1. does not establish a generally applicable criterion shall not be discharged to surface waters in a quantity or manner that would: i. exceed safe exposure levels for aquatic life as determined by toxicity testing using methods approved by MassDEP pursuant to 314 CMR 4.03(6); or ii. cause adverse human health effects due to the ingestion, inhalation or dermal absorption of such toxins attributable to such waters during their reasonable use as designated in 314 CMR 4.00; or iii. result in a human health excess lifetime cancer risk level greater than 10 for -6 individual carcinogens.*

To assess whether PFAS is in wastewater discharges and whether PFAS may be contributing to a violation of the narrative toxics criteria, MassDEP requires that all Massachusetts Surface Water Discharge Permit and NPDES permit PFAS and Adsorbable Organic Fluorine (AOF) monitoring results be submitted to the MassDEP electronic database referred to as eDEP. This will provide a means for MassDEP to better access all the data relative to its water quality standards. Information about submitting data to eDEP is available at the following website: <https://www.mass.gov/how-to/submit-wastewaterresiduals-pfas-data-via-edep>. Also, data is available for review by the public at the following website: <https://eeaonline.eea.state.ma.us/porta#!/search/npdes>.

#### **REQUEST FOR A PUBLIC HEARING**

According to 314 CMR 2.07(1), the applicant or permittee for a surface water discharge permit can request a public hearing, or the Department can determine a public hearing is in the public interest. In either case, the Department shall schedule and conduct such

hearing in a community within the area(s) affected by the facility or discharge which is the subject of the permit. The Department may satisfy a public hearing requirement through a public hearing jointly held with EPA.