Massachusetts Fire Training Council Firefighter Practical Certification Examination FF-I-102 03-01-21 Candidate Number Skill Sheet No. Skill Title: DAILY IN-SERVICE INSPECTION OF SCBA NFPA Objective: 4.3.1, 4.5.1 Minimum to pass 12 PERFORMANCE: $P \mid F$ 1. Candidate appropriately wears full protective clothing Candidate ensures all components of SCBA are present and checked for integrity: 2. harness assembly, cylinder, facepiece, hoses, end of service indicators, regulators, and accessories (e.g., PASS device). Candidate removes cylinder from harness and inspect all components of SCBA for 3. cleanliness and damage. Immediately cleans dirty components. If damage is found, candidate should verbalize that 4. they would remove a damaged unit from service. 5. Checks integrity of facepiece for cracking and that straps are fully extended. 6. Checks facepiece lens for excessive scratches, cracks or separation from mask. 7. Checks hydrostatic test date. Checks position of mainline, by-pass, don/doffing switch and positive pressure valves. 8. (Manufacturer dependent) Checks cylinder pressure and determines if full. (90% or above-2216 psi = 1994psi/4500 psi = 4050/5500 psi = 4950 psi) Opens cylinder valve fully, checking for low air audible alarm. (Note: on some SCBA, the audible alarm does not sound when the cylinder valve is 10 opened.) 11 Integrated PASS device turns on and sounds, if equipped. Compares cylinder gauge to remote pressure gauge. 12 (Difference between cylinder and remote gauge shall not exceed 100 psi. 5500 psi systems not to exceed 250 psi.) 13 Checks operation of by-pass, purge, and mainline valves. (Manufacturer dependent) 14 Checks operation of PASS. 15 Connects facepiece to regulator and inhales to inspect operation of the regulator. 16 Closes cylinder valve and continues inhaling to check the activation of the low air alarm. 17 Deactivates PASS device, if integrated. 18 Detaches the facepiece and returns SCBA to original area ready for donning. Failure of this critical portion is cause for entire skill failure. Date: ___/__/ Examiner Print Name: _____ Examiner Signature: Please circle: Pass Fail Retake

	Skill	ill Sheet No. FF-I- 103 03-01-21 Candidate Number										
r	Skill	Title: DO	SCBA – OVER THE	HEAD MET	THOD							
	NFP	A Objective:	4.3.1		Minimum to pass	1	15					
	PERI	FORMANCE:				P	F					
	1.	Candidate as	organistaly waste full	arotostiva s	othina							
	2.	<u>*</u>	propriately wears full	<u> </u>								
	3.	Crouches or kneels at end of SCBA opposite cylinder valve. Checks cylinder gauge and determines if full.										
	^{3.}	(90% or above-2216 psi = 1994/4500 psi = 4050/5500 psi = 4950)										
	4.		· · · · · · · · · · · · · · · · · · ·									
	 	Opens cylinder valve to its maximum. Low air alarm must sound, and PASS device must turn on.										
	5.		linder gauge to remot	e nressure a	auge							
	 				shall not exceed 100 psi. 5500	Ш						
			not to exceed 250 psi.		. Shall not exceed 100 psi. 0000	Ш						
	6.		plate/harness assemb		hands.	Н						
_	7.		olate/harness assembl	-								
	8.		alances backplate/cyl		oly on upper back.							
	9.	Connects necessary buckles and adjusts underarm straps until snug.										
	10.		ist strap and adjusts (<u> </u>	П						
	11.	Dons facepie	_			П						
	12.	<u>_</u>	epiece fit test. Adjust	s straps if ne	eded.	П						
	13.	Properly don	s protective hood, cor	npletely cove	ring head and shoulders.							
	14	Dons helmet	with ear covers down									
	15	Connects and	d adjusts chinstrap un	der chin and	not facepiece.							
	16	Turns on PA	SS device, if not integi	rated.								
	17	Dons gloves.										
	18	Connects fac	epiece to regulator. (A	Activate posit	ive pressure)							
	19	Declares col	ors present on heads (up display, if	equipped.							
		(ex. 2 green,	no red)									
	20	All Personal	Protective Equipment	is properly v	vorn.	Ш						
	21	•	ithin one minute and									
			this skill will begin when th their first positive pressure		s" Please begin" and will stop when the							
_												
		Fa	ilure of this critical por	rtion is cause	for entire skill failure.							
					~							
	⊨xamin	er Print Name:			/Date://	_						
	Examin	er Signature:			Please circle: Pass Fail Retak	e						

					-			
Skill S	Sheet No.	FF-I- 104	03-01-21	Candidate Number				
Skill T	Skill Title: DON SCBA-OVER COAT METHOD							
NFPA	Objective:	4.3.1		Minimum to pass		15		
PERF	ORMANCE:				P	F		
1.	Candidate a	ppropriately wears full p	orotective clothing					
2.		kneels at end of SCBA						
3.	Checks cylinder gauge and determine if full.							
	- 	- 2216 psi = 1994/4500 psi : der valve to its maximun	·					
4.	device must		II. LUW all alariii i	ilust soullo, allo PASS				
			nressure daude					
5.	(Difference bet	Compares cylinder gauge to remote pressure gauge. (Difference between cylinder and remote gauge shall not exceed 100 psi. 5500 psi systems not to exceed 250 psi.)						
6.	Grasps right	Grasps right (left) shoulder strap with right (left) hand.						
7.	Raises SCBA and rest right (left) strap on right (left) shoulder.							
8.	Inserts opposite arm through other strap having entire unit rest on both shoulders.							
9.	Connects ne	ecessary buckles and adj	justs underarm st	raps until snug.				
10.	Connects wa	aist strap and adjusts ur	ntil snug.					
11.	Dons facepi	ece.						
12.	Performs fa	cepiece fit test. Adjust s	straps if needed.					
13.	Properly do	ns protective hood, com	pletely covering h	ead and shoulders.				
14.	Dons helme	t with ear covers down.						
15.	Connects an	nd adjusts chinstrap und	ler chin and not fa	cepiece.				
16.	Turns on PA	ASS device, if not integra	ited.					
17.	Dons gloves	j.						
18.	Connects fa	cepiece to regulator. (Ad	tivate positive pre	essure)				
19.	Declares col (ex. 2 green, n	lors present on heads up to red)	o display, if equipp	oed.				
20.	All Personal	l Protective Equipment is	s properly worn.					
21.	Completes v	within one minute and fi	fteen seconds.					
	_	of this skill will begin when the takes their first positive pressu		_				

Failure of this critical portion is cause for enti	re skill failure.
Examiner Print Name:	Date://
Examiner Signature:	Please circle: Pass Fail Retake

					_
Skill Sheet No.	FF-I- 106	03-01-21	Candidate Number		
Skill Title:	DOFF SCBA				
NFPA Objective:	4.1.2		Minimum to pass	13	3
Performance:				P	F

-0.4			42.0	
	1	Candidate appropriately wears full protective clothing		
	2	Deactivate positive pressure if so equipped and disconnect facepiece from		
		the regulator.		
	3	Releases chin strap and removes helmet.		
	4	Slide protective hood, if utilized, off head and down around neck.		
	5	Release facepiece straps and remove face piece.		
	6	Extend facepiece straps fully.		
	7	Disconnect and fully extend the waist strap.		
	8	Crouch or kneel to the ground.		
	9	Lean forward and release shoulder strap buckles and fully extend straps.		
	10	Grasp shoulder strap, which has regulator attached, with the same side		
	10	hand. (Manufacturer dependent)	\perp	
	11	Remove arm from opposite side shoulder strap.	\perp	
		Grasp regulator and lock it into waist regulator cup if so equipped, if a		
	12	regulator cup is not provided the candidate should protect the regulator with		
		free hand.		
	13	Remove remaining shoulder strap while protecting regulator.		
	14	Lower unit to the ground or place in case.		
	15	Close cylinder valve.		
	16	Release all pressure through the regulator.		
	17	Turns off PASS device.		

Failure of this critical portion is cause for entire skill failure.								
Examiner Print Name: _		-	Date://					
Examiner Signature:		Please circle:	Pass Fail Retake					

Skill Sheet No.	FF-I- 201	03-01-21	Candidate Number						
Skill Title: CONDUCT A PRIMARY SEARCH									
NFPA Objective:	4.3.9, 5.3.2		Minimum to pass	1	2				
PERFORMANCE:				P	F				

1	All Personal Protective Equipment (PPE) is properly worn including SCBA and PASS device.		
2	Carries a forcible entry tool.		
3	Candidate verbalizes an intended search pattern.		
4	Initiate accountability system by confirming his/her accountability tag has been placed on the board.		
5	Searches on hands and knees in low visibility.		
6	Starts and maintains "left" or "right" search pattern, updates IC on progress as significant benchmarks are achieved.		
7	Control all doors as search is conducted to prevent flow path development.		
8	Searches behind and under all objects.		
9	Searches all areas such as closets, showers, etc.		
10	Searches one room before moving onto the next.		
11	Marks rooms that have been searched.		
12	Pauses occasionally to listen for cries for help, other rescuers, etc.		
13	Moves up and down stairs, head always up.		
14	Finds victim.		
15	Notifies Command or Supervisor of Location, Identification, and Problem (victim rescue).		
16	Exits structure, reports assignment completion to IC.		

Failure of this critical portion is cause for ent	ire skill failure.	
Examiner Print Name:	Date:	_//
Examiner Signature:	Please circle: Pass	Fail Retake

Skill Sheet No. FF-I- 202				03-01-21	Candidate Numb	er						
S	Skill Title: SCBA USE WHILE DISORIENTED/EMERGENCY PROCEDURES											
NFPA Objective: 4.2.4, 4.3.5 Minimum to pass								1	0			
P	PERFORMANCE:]	P		F_
	1.	utilizes p	Candidate appropriately wears full protective clothing, utilizes positive pressure SCBA, and PASS device is activated.									
	2.	Candidat	te r	emains calm.								
	3.	Candida	te s	tops movemer	ıt a	and breathe	es normally.					
	4.	If radio equipped, candidate communicates "Mayday, Mayday, Mayday".										
	5.	Candidate notifies Command or Supervisor of Location, Identification, and Problem. (disoriented)										
	6.	Activates PASS device manually to alarm mode.										
	7.	Candidate activates flashlight to increase visibility, uses a tool or other object to attract attention.										
	8.	Candida	te fi	nds hoseline.		·						
	9.	Uses hoseline coupling configuration to determine exit path. (Long lug out)										
	10.	Remains	lov	N.								
	11.	Ascends	or	descends stai	rs	head towar	d upper floor.					
	12.	Exits bui	ldir	ng or area usin	g l	noseline as	a guide.					
	13.	Notifies	Cor	Notifies Command or Supervisor of status.								

Failure of this critical portion	is cause for entire skill failure
Examiner Print Name:	/Date://
Examiner Signature:	Please circle: P F Retake

Skill Sheet No.	FF-I- 203	03-01-21	Candidate Number		
Skill Title:					
NFPA Objective:	4.3.9		Minimum to pass	6	<u> </u>
Performance:			8 - 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	P	F

1	Candidate appropriately wears full protective clothing, uses positive pressure SCBA, and PASS device is activated.	
2	Candidate positions victim for rescue by rolling victim onto the back if necessary.	
3	Candidate kneels at the victims head facing the feet.	
4	Support the victims head and neck. NOTE: If head or neck injury is suspected, provide appropriate support for head during movement.	
5	Candidate lifts the victim's upper body into a sitting position.	
6	Candidate uses right arm, reach under the victims right arm, across his or her chest, the victims chest, and grasps the wrist of his or her left arm. the victims arm, Repeat for the victims other arm.	
7	Candidate stands.	
8	Drags victim safely using the incline drag.	

	Failure of this critical portion is cause for entire skill failure.							
Examiner Print Name: _		-	Date://					
Examiner Signature:		Please circle:	Pass Fail Retake					

Skill Sheet No. FF-I- 204 03-01-2		03-01-21	Candidate Number		
Skill Title:	EXTREMETIES CAR	RY RESCU	E - RESCUER ONE		
NFPA Objective:	4.3.9		Minimum to pass	5	
Performance:		•		P	F

1	Candidate appropriately wears full protective clothing, uses positive pressure SCBA, and PASS device is activated.		ı
2	Candidate stands at the victims head facing the feet.		
3	Candidate supports the victims head and neck. NOTE: If head or neck injury is suspected, provide appropriate support for head during movement.		
4	With assistance from rescuer two, positions the victim into a sitting position.		
5	Candidate uses right arm, reach under the victims right arm, across his or her chest, the victims chest, and grasps the wrist of his or her left arm. the victims arm, Repeat for the victims other arm.		
6	Stands using leg, not back muscles.		
	Carries the victim to safety using the extremities carry.		
			Ī

Failure of this critical portion is cause for entire skill failure.						
Examiner Print Name: _		-	Date://			
Examiner Signature:		Please circle:	Pass Fail Retake			

Skill Sheet No.	FF-I- 205	03-01-21	Candidate Number		
Skill Title:	EXTREMETIES	CARRY F	RESCUE - RESCUER TWO		
NFPA Objective:	4.3.9		Minimum to pass	5)
Performance:			9	P	F

1	Candidate appropriately wears full protective clothing, uses positive pressure SCBA, and PASS device is activated.	
2	Candidate stands at the victims feet.	
3	Grasps the victims arms and assists rescuer one in moving the victim to a sitting position.	
4	Facing away from the victim, kneels with feet together between the victims legs and grasps the victim under the knees.	
5	Stands using leg, not back muscles.	
6	Carries the victim to safety using the extremities carry.	1

Failure of this critical portion is cause for entire skill failure.							
Examiner Print Name: _		-	Date://				
Examiner Signature:		Please circle:	Pass Fail Retake				

Skill Sheet No.	FF-I- 301	03-01-21	Candidate Number		
Skill Title:	FIGURE EIGHT				
NFPA Objective:	4.3.20, 4.1.2		Minimum to pass	(5
Performance:				P	F

1.	All Personal Protective Equipment (PPE) is properly worn.		
2.	Makes a bight in the working end of the rope.		
3.	Passes the working end completely around the standing part.		
4.	Inserts the working end back through the bight.		
5.	Dresses the knot by pulling the working end and the standing part at the same time.		
6.	Secures with an overhand safety as needed.		
7.	Completes the correct figure eight (stopper knot) and displays to the examiner.		
8.	Completes within 1 minute.		

Note: Gloves are not required while tying knots.

Failure of this critical portion is cause for	entire skill fail	ure		
Examiner Print Name:	Date:	_/	_/_	_
Examiner Signature:	_ Please circle:	Р	F	Retake

	1 11	origines i ractice	ii Collineat	IOII L'Autimidition			
Skill S	Sheet No.	FF-I- 302	03-01-21	Candidate Number			
Skill T	Title: FIGU	RE EIGHT ON A E	BIGHT				
NFPA	Objective:	4.3.2, 4.1.2		Minimum to pass	7	7	
PERF	ORMANCE:				P	F	
				282	_	_	
1.	All Person	nal Protective Eq	uipment (PPI	E) is properly worn.			
2.	Forms a b	Forms a bight in the working end of the rope.					
	 						

Passes the bight under the standing part and then over the

Extends the bight through the knot to whatever size working

Uses an overhand safety knot on the working end to secure

Completes the correct figure eight on a bight and displays to

Note: Gloves are not required while tying knots.

Failure of this critical portion is cause for entire skill failure

Examiner Signature: Please circle: P F Retake

Date: / /

2023

loop and down through it; this forms the figure eight.

Passes it over the standing part to form a loop.

3.

4.

5.

6.

7.

8.

9.

loop is needed.

the knot.

the examiner.

Completes within one minute.

Examiner Print Name: _____

Dresses the knot.

Skill Sheet No.	FF-I-303	03-01-21	Candidate Number		
Skill Title:	WATER KNOT				
NFPA Objective:	4.3.20, 4.1.2		Minimum to pass	5	5
PERFORMANCE:		•		P	F

1.	All Personal Protective Equipment (PPE) is properly worn.	
2.	Ties an overhand knot loosely in the end of the webbing.	
3.	Take the opposite end of the webbing and retrace the overhand knot.	
4.	Tightens by pulling both working ends while holding the ends with your thumbs.	
5.	Dresses the knot by pulling the appropriate ends at the same time.	
6.	Completes the correct Water Knot and displays to the examiner.	
7.	Completes within one minute.	

Note: Gloves are not required while tying knots.

Failure of this critical portion is cause for entire skill failure.				
Examiner Print Name:				
Examiner Signature:	Please circle: PASS FAIL RETAKE			

Skill Sheet No.	FF-I- 304	03-01-21	Candidate Number		
Skill Title: OVER	HAND SAFETY KN	TOI			
NFPA Objective:	4.3.2, 4.1.2		Minimum to pass	5	5
PERFORMANCE:				P	F

	_	
1	All Personal Protective Equipment (PPE) is properly worn.	
2	Brings the working end by the standing part, forming a loop.	
3	Continues working end back around the standing part, then directs the working end through the loop.	-
4	Dresses the knot by pulling the appropriate ends at the same time.	
5	Completes the correct overhand safety knot and displays to the examiner.	
6	Completes within 1 minute.	

	Failure of this critical portion is cause for ent	ire skill failure
Examiner Print Name:		Date://
Examiner Signature: _		Please circle: Pass Fail Retake

Skill Sheet No.	FF-I- 305	03-01-21	1-21 Candidate Number		
Skill Title:	HOIST A LADDER U	ISING A FIG	GURE EIGHT ON A BIGHT		
NFPA Objective:	4.3.2, 4.1.2	Minimum to pass		1	12
Performance:				P	F

		 	_					
1.	All Personal Protective Equipment (PPE) is properly worn.							
2.	Candidate measures sufficient rope to form the size of the knot as required by the ladder to hoist.							
3.	Make a large loop in the end of the rope using a figure-eight on a bight.							
4.	Ties an overhand safety knot in the working end of the rope.							
5.	Displays correctly completed Figure Eight on a Bight and safety knot to the examiner.							
6.	Candidate places the closed loop under the ladder and brings it up between the rung about one-third the distance from the hoisting end.							
7.	Candidate opens the loop and place it over the tip of the ladder.							
8.	Candidate arranges the standing part under the ladder rungs.							
9.	Candidate tightens the loop around the beams, pulling the standing part of the rope up behind rungs toward ladder tip.							
10.	Candidate ties a tag/guideline to the ladder.							
11.	Completes to this point within 2 minutes.							
12.	Dons gloves if removed to tie knot.							
13.	Hoists the ladder at least fifteen (15) feet.							
14.	Lowers the ladder to the ground.							
15.	The knots maintain integrity throughout the evolution.							
16.	Unties the knot and returns the rope and ladder to its original area.							
	Note: Gloves are not required while tying knots.							

Failure of this critical portion is cause for	entire skill	failure		
Examiner Print Name:	Date:	_/	/	
Examiner Signature:	Please circle:	PASS	FAIL	Retake

Skill Sheet No.	FF-1-306	03-01-21	Candidate Number		
Skill Title: H	OIST A PIKE POLE				
NFPA Objective:	4.3.2, 4.1.2	ľ	Minimum to pass		9
PERFORM	IANCE			P	F

_			
(6)	1.	All personal protective equipment (PPE) is properly worn.	
	2.	Approximately twelve inches (12) from the end of the pike pole handle applies a clove hitch.	
	3.	Candidate leaves enough excess running end so that it becomes the tag/guideline.	
	4.	Ties an overhand safety knot.	
	5.	Ties two additional half hitches around the pike pole with one in the middle of the handle and one on the head around the pike hook.	
	6.	Completes the correct knots and displays them to examiner.	
	7.	Completes to this point within 2 minutes.	
	8.	Dons gloves, if removed to tie the knot.	
	9.	Hoists pike pole, pike up, at least fifteen (15) feet.	
	10.	Lowers the pike pole to the ground.	
2	11.	The knots maintain integrity throughout the evolution.	
	12.	Unties the knots and returns the rope and the pike pole to its original area.	

NOTE: Gloves are not required while tying knots.

	Failure of this critical portion is cause for entire skill failure	e		
Examiner Printed Name:	Date:		/	_/
Examiner Signature:	Please circle:	P	F	Retake

Skill Sheet No. FF-I- 310				FF-I- 310	03-01-21	Candidate Number		_0223	
Skill Title: TIE A CLOVE HITCH AROUND AN OBJECT									
	NFI	PA Objective	e:	4.3.2	20, 4.1.2	Minimum to pass		5	
F	erfo	rmance:					P	F	
	1.	All Perso	nal	Protective E	quipment (PPE) is properly worn.			
	2.	Makes one complete loop around the object, crossing the working end over the standing part.							
	3.	Complete	es t	ne round tur	n immediately	to the side of the first loop.			
	4. Passes working end under the wrap just above the cross and pulls the knot tight.								
	5.								
	6.	Complete	es t	ne correct clo	ove hitch and d	isplays to the examiner.			
	7.	Complete	25 W	ithin one mi	nute.				
			N	lote: Gloves	are not require	d while tying knots.			
	Failure of this critical portion is cause for entire skill failure								
E	Examiner Printed Name: Date://								
Examiner Signature: Please circle: P F Retake									

FF-I- 407	03-01-21	Candidate Number		
HOSELINE	EXTENS	ON USING A HOSE CLAMP		
4.3.10		Minimum to pass	8	3
			P	F
	HOSELINI	4.3.10	HOSELINE EXTENSION USING A HOSE CLAMP 4.3.10 Minimum to pass	HOSELINE EXTENSION USING A HOSE CLAMP 4.3.10 Minimum to pass 8

1.	All Personal Protective Equipment (PPE) is properly worn.	
2.	Carries hose sections to the nozzle end of the hoseline.	
3.	Candidate restricts the flow of water using a hose clamp positioned approximately 5 feet (1.5 m) behind the nozzle.	
4.	Opens nozzle to relieve pressure.	
5.	Removes the nozzle utilizing either the foot-tilt or the over-hip method.	
6.	Connects the additional sections of hose hand tight.	
7.	Reconnects the nozzle to the extended hose line hand tight.	
8.	Checks that the nozzle is closed.	
9.	Candidate recharges the hoseline by slowly releasing the hose clamp.	
10.	Straightens the hose line to remove kinks.	
11.	Candidate checks the nozzle pattern and bleed the air from the hose line.	

Failure of this critical portion is cause for entire skill failure.								
Examiner Print Name:	Date:/							
Examiner Signature:	_ Please circle: P F Retake							

Skill Sheet No.	FF-I- 408	03-01-21	Candidate Number		
Skill Title: REF	PLACE A SECTION I	N A CHARGE	ED LINE		
NFPA Objective:	4.3.10		Minimum to pass		5
PERFORMANCE:		P	F		

1.	All Personal Protective Equipment (PPE) is properly worn.		
2.	Candidate applies a hose clamp on the supply side approximately 5 feet from the coupling of the hose to be replaced.		
3.	Carries two new sections of hose to the site of replacement.		
4.	Uncouples the damaged section of hose utilizing either the foot-tilt or the over-hip method.		
5.	Removes damaged sections.		
 6.	Replaces damaged section with both replacement hoses until hand tight.		
7.	Candidate slowly releases the hose clamp.		
8.	Straightens the hoseline to remove kinks.		

	Failure of this critical portion is cause for entire	skill failure			
Examiner Print Name: _		Date:	/		-
Examiner Signature:		Please circle:	P	F	Retake

			N			
Skill Sheet No.	Skill Sheet No. FF-I- 409		Candidate Number			
Skill Title:	NOZZLE OPERA	NOZZLE OPERATION AND STREAM ADJUSTMENT				
NFPA Objective:	4.3.7, 4.3.10		Minimum to pass		3	
Performance:				P	F	

1.	All Personal Protective Equipment (PPE) is properly worn.		
2.	Holds the nozzle with one hand and grasps the hose with the other hand.		
3.	Straightens the hoseline behind the nozzle a distance of at least ten (10) feet.		
4.	Faces the direction of stream projection.		
5.	Anchors the hose to the ground with a foot and cradles it against the front of the body or hip.		
6.	Upon direction from the examiner, the candidate slowly opens the nozzle until it is fully open.		
7.	Sets the nozzle pattern on straight stream upon direction from the examiner.		
8.	Sets the nozzle pattern for a narrow angle fog (long-reach) pattern upon direction from the examiner.		
9.	Sets the nozzle pattern for a wide angle for (short reach) pattern upon direction from the examiner.		
10.	Slowly closes the nozzle to avoid creating a water hammer until fully closed upon direction from the examiner.		
11.	Completes nozzle operation without losing control of nozzle.		

Failure of this critical portion is cause for enti	re skill failure			
Examiner Printed Name:	Date:	_/_	_/_	_
Examiner Signature:	Please circle:	Р	F	Retake

				100						
S	kill Sl	heet No.	No. FF-I- 416 03-01-21 Candidate Number							
Skill Title: CONNECT HOSE LINES TO A FIRE DEPARTMENT CONNECTION										
NFPA Objective: 4.3.10 Minimum to pass 6										
PERFORMANCE: P								P	F	
			<u>.</u>							
	1.	All Perso	onal	Protective Equipment	ment (PPE)	is pr	operly worn.			
	2.	Selects proper supply hose, stretches hose lines to fire department sprinkler connection.								
	3.	Assures LDH or threaded male couplings are toward connections.								
	4.	Removes protective caps (screw plug or breakaway) from connection.								
	5.	Inspects connection for debris, damaged threads, or missing gaskets. Replace gaskets, if necessary.								
	6.	Connects hoselines to fire department connection.								
	7.	Removes kinks from charged hoseline.								
	8.	Communicates to pump operator that connections are complete and the hoselines are ready to be charged.								

Failure of this critical portion is cause for entire skill failure						
Examiner Name:						
Signature:		Please circle: PASS FAIL RETAKE				

Skill Sheet No. FF-I- 501 03-01-21 Candidate Number					
Skill Title: HYDRANT TO PUMPER CONNECTION-ONE SOFT SLEEVE		E			
NFPA Objective: 4.3.15 Minimum to pass 9)	
PERFORMANCE	E;			P	F

1.	All Personal Protective Equipment (PPE) is properly worn.		_
2.	Directs apparatus at the hydrant for the connection.		
3.	Removes the intake cap.		
4.	Removes the appropriate hydrant discharge cap and places the hydrant wrench on the hydrant operating nut.		
5.	Inspects hydrant threads for damage and integrity. Inspects inside outlet for debris.		
6.	Flush the hydrant to ensure that it is free of debris.		
7.	Attaches the appropriate female end of the soft suction hose to the hydrant.		
8.	Attaches the appropriate female end of the soft suction hose to the intake. (pumper may be repositioned)		
9.	Opens intake valve before opening hydrant.		
10.	Slowly opens the hydrant fully.		
11.	Reduces any leakage by tightening connections and assures soft suction hose has no kinks.		
12.	Adds a chafing block at the point where hose touches the ground, if necessary.		
13.	Completes the connection as directed by the examiner.		

Failure of this critical portion is cause for	or entire skill	failu	re I	
Examiner Print Name:	Date:	_/	/	
Examiner Signature:	Please circle:	P	F	RETAKE





Skill Sheet No. FF-I- 601 03-01-21 Candidate Num		Candidate Number			
Skill Title: ON	E FIREFIGHTER SH	OULDER LAD	DER CARRY FROM THE GR	OUN	1D
NFPA Objective	: 4.3.6, 4.3.11, 4.	3.12	Minimum to pass	9)
PERFORMANO	E:			P	F

1.	All Personal Protective Equipment (PPE) is properly worn.		
	Visually inspects the work area.		
2.	a. Inspects terrain for solid, level footing.		
	b. Inspects overhead for electrical wires and obstructions.	ш	
3.	Faces the tip of the ladder near the center of ladder.		
4.	Crouches/kneels beside the ladder on knee closest to ladder.		
5.	Grasps rung nearest the ladder's balance point, with the hand		
3 .	closest to the ladder and places the ladder on its beam.		
6.	Stands and pivots into the ladder inserting the other arm		
U.	through the rungs.		
7.	Faces ladder butt and places the upper beam onto the shoulder.		
8.	Steadies ladder with both hands.		
9.	Tilts butt end so it is lowered slightly toward the ground as it is		
9.	carried.		
10	Uses leg, not back muscles, throughout the entire skill.		
	Carries the ladder to the destination as directed by the examiner		
11	and places the ladder flat on the ground (both beams touching		
	the ground).		
12	Carries the ladder using the low shoulder carry as directed.		

Failure of this critical portion is cau	se for entire skil	l fail	ure	
Examiner Print Name:	Date:/	_/_		
Examiner Signature:	Please circle:	P	F	RETAKE





S	skill s	Sheet No.	FF-I- 602	03-01-21	Skill Sheet No. FF-I- 602 03-01-21 Candidate Number						
S	Skill	Γitle:	ONE FIREFIGHTER FI		OF AN EXTENSION LADE	ER					
1	JFPA	Objective:	4.3.6, 4.3.11, 4.3.12		Minimum to pass	T	11				
	Performance:										
	1.	All Personal	Protective Equipment (F	PPE) is prope	erly worn.						
		Visually ins	pects the work area.								
		a. Inspects	terrain for solid, level foo	oting.							
	2.	b. Inspects	and verbalizes that the o	verhead is c	lear of electrical wires and						
		obstructions	5.								
	3	Positions th	e ladder butt for the rais	e with the b	utt spurs against the wall						
	3.	of the buildi	ing.	CHU							
	_	Raises the l	adder, hand over hand, t	oward the la	dder butt until ladder is						
	4.	vertical agai	inst the building.		1						
	5.	Rolls the lac	dder to position the fly so	ection of the	ladder toward the building,						
	J.	if necessary	. // / 🖽	10 11 11 11 11 11 11 11 11 11 11 11 11 1							
	6.	Positions th	e tip of the ladder away	from the bui	lding to a proper location		:				
	0.	for extendin	g the fly.								
	7.	Steadies the	e ladder with the instep,	knee, and le	g. =						
		Grasps the	halyard and extends the	fly hand ove	r hand to a height as						
	8.	directed by	the examiner.								
	9.	Locks the fly	y into place with the paw	ıls.	(9)						
	10	Places ladde	er against the building a	nd rolls ladd	er over so fly section is out.						
	11	Grasps a low		ve the butt a	way from the building to						
			proper placement, climbi	ng angle, an	d makes necessary			\exists			
	12	adjustments			-						
	13	Secures the									
	14	Uses leg, no	ot back, muscles through	out the entir	e skill.						
	15	Performs th	e flat raise as directed.								
		Fa	ilure of this critical porti	on is cause f	or entire skill failure						
	Exami	ner Print Name: _			Date://						
	Exami	ner Signature:		14.7	Please circle: P F RETA	ΙKΕ					





S	Skill Sheet No. FF-1-603 03-01-21 Candidate Number									
S	kill 7	Title:	TWO FIREFIGHTE BUTT	R SHOULDE	R CARRY FROM THE GROU	ND-				
N	IFPA	Objective:	4.3.6, 4.3.11, 4.3.12		Minimum to pass	1:	2			
P	ERF	ORMANCE:				P	F			
	1	Candidate a	ppropriately wears f	ull protective	clothing					
		Visually insp	ects the work area.							
	2		errain for solid, leve							
		b. Inspects of	overhead for electric	al wires and	obstructions.					
	3	Position is o	n the same side of t	he ladder re	ative to the tip firefighter.					
	4	Crouches/kr ladder.	neels next to the lade	der facing th	e tip on the knee closest to					
	5	Grasps a rui	ng with the hand nea	arest to the la	adder, palms facing forward.					
	6	Stands ladde	er on the beam.							
	7	Verbalizes c	ommands to lift ladd	der to the she	oulder.					
	8	Stands and	pivots into the ladde	r toward the	butt.					
	9	Places the fr	ee arm between the	e rungs.						
	10	Lowers the u	upper beam onto the	shoulder.						
	11	Is so position	ned as to be able to	reach beyor	nd the butt of the ladder.					
	12	Provides cor	mmands to advance	to destination	on.	1				
	13	Controls the	ladder with the insid	de hand.						
	14	Uses leg, no	t back, muscles thro	oughout the	entire skill.					
	15		adder to the destina the ground on the b		ted by the examiner and					
	16	Carries the I	adder using the low	shoulder ca	rry as directed.					
		F	ailure of this critical p	ortion is caus	se for entire skill failure.					
	Exan	niner Print Name:			/ Date:/	_/_				
	Exan	Examiner Signature: Please circle one: Pass Fail Retake								





		0/81				
S	kill S	heet No. FF-I- 604	03-01-21	Candidate Number	•	
S	kill Ti	tle: TWO FIREFIGHTER	SHOULDER	CARRY FROM THE	GROUN	ND-
N	IFPA	Objective: 4.3.6, 4.3.11, 4	I.3.12 N	Minimum to pass	11	
P	ERF	ORMANCE:			Р	F
Ü	1.	All Personal Protective Equipme	nt (PPE) is pro	perly worn.	696	
		Visually inspects the work area.				
	2.	a. Inspects terrain for solid, level	footing.			
		b. Inspects overhead for electric	al wires and ob	structions.		
	3.	Position is on the same side of the	ne ladder relativ	e to the butt firefighter.		
	4.	Crouches/kneels next to the ladd closest to ladder.	ler facing the tip	o while on the knee		
	5.	Grasps a rung with the hand nea	rest to the ladd	ler, palms facing forward		
	6.	Stands ladder on beam.				
	7.	Obeys commands to lift ladder to	the shoulder.			
	8.	Stands and pivots into the ladde	r toward the but	tt.		
	9.	Places the free arm through the	rungs.			
	10.	Lowers the upper beam onto the	shoulder.			
	11.	Obeys commands to advance to	destination.			
	12.	Controls the ladder with the free	hand.			
	13.	Uses leg, not back muscles, thro	ughout the enti	re skill.		
	14.	Carries the ladder to the destinate places onto the ground on the be		by the examiner and		
	15.	Carries the ladder using the low	shoulder carry	as directed.	100	

Failure of this critical portion is cause fo	r entire skill failure
Examiner Print Name:	Date://
Examiner Signature:	Please circle: P F RETAKE





	X1					- 33					
S	kill S	heet No.	FF	-I- 605	03-01-2	21	Candidate Num	ber			
S	kill Ti	יבודי		FIREFIGHTER FL THE GROUND-E		E C	OF AN EXTENSI	ON L	ADDE	∃R	
Ν	FPA	Objective	:	4.3.6, 4.3.11, 4.3	.12	M	inimum to pass		10		
P	ERF	ORMANC	E:		•				Р	Π	F
										_	
	1.	All Persor	al P	rotective Equipment	(PPE) is p	оре	erly worn.				
	2.	Visually in	spe	cts the work area.							
		a. Inspect	s ter	rain for solid, level fo	oting.						
		b. Inspect		d verbalizes that the ns.	overhead	s cl	ear of electrical wire	es			
	3.	ground. (p	erpe	adder butt for the rais endicular to the struct e building).			•				
	4.	rung and I	eani					upper			
	5.	Grasps su	icce:	ssively higher rungs a	as ladder o	om	es to the vertical.				
	6.	Steadies I	adde	er in preparation for e	extending t	he f	ly section.				
	7.			lyard and extends the tip firefighter.	e fly, hand	ove	er hand, to a height	as			
	8.	Locks the	fly i	n place with the pawl	S.						
	9.	Slowly lov	vers	the ladder into the bu	uilding.						
	10.	structure a	and (alyard <u>after</u> properly climbing angle adjust	ments are	ma	de.				
	11.	Provides of	comi	mands throughout the	e evolution	to	allow for fluid motio	n.			
	12.	Uses leg,	not l	back, muscles throug	hout the e	ntire	e skill.				
	13.	Performs	the f	lat raise of an extens	ion ladder	as	directed.				

Failure of this critical portion is cause for	entire skill fa	ailure		
Examiner Print Name:	Date:/_	_/_		
Examiner Signature:	Please circle:	P	F	RETAKE



MASSACHUSETTS FIRE TRAINING COUNCIL Firefighter Practical Certification Examination



SKILL SHEET NO.	FF – I - 606	03 – 01 - 21	Candidate Number		
SKILL TITLE	TWO FIRE FIGHT FROM THE GROU		ISE OF AN EXTENSION L	ADD	ER
NFPA OBJECTIVE	4.3.6, 4.3.11, 4.3.12	2	Minimum to pass	1()
PERFORMANCE				P	F

	1	All Personal Protective Equipment (PPE) is properly worn.		
	2	Visually inspects the work area: a. Inspects the terrain for solid, level footing. b. Inspects the overhead for electrical wires and obstructions.		
	3	Raises the ladder by advancing hand over hand along the rungs toward the butt end of the ladder, until the ladder is in a vertical position		
·	4	Heels the ladder at the assigned beam.		
	5	Braces the ladder, with both hands on the beams, as the fly is extended.		
	6	Informs the butt firefighter when the desired height has been reached.		
	7	Assures the fly is locked with the pawls.		
	8	Slowly lowers the ladder into the building, bracing with a foot on the rung.		
	9	Checks for proper placement, climbing angle, and makes the necessary adjustments.		
	10	Obeys commands to allow fluid motion.		
ų.	11	Uses leg muscles, not the back muscles throughout the entire skill.		
1	12	Performs the flat raise of an extension ladder as directed.		

Failure of this critical portion is cause for entire skill failure.		
Examiner Print Name: _		
Examiner Signature:	Please circle: Pass Fail Retake	





								_
S	kill S	heet No. FF-I- 607	03-01-21	Candidate Num	ber			
S	kill Ti	tle: TWO FIREFIGHTER <u>BE</u> FROM THE GROUND-E		OF AN EXTENS	ION LA	DDE	ER 	
Ν	FPA	Objective: 4.3.6, 4.3.11, 4.3	.12 N	/linimum to pass		10		200
P	ERF	ORMANCE:				Р	F	
								_
	1.	All Personal Protective Equipment	(PPE) is prop	perly worn.				_
		Visually inspects the work area.						
	2.	a. Inspects terrain for solid, level fo	0	-1				
		b. Inspects and verbalizes that the and obstructions.	overnead is	clear of electrical wire	38			
	3.	Positions the ladder beam butt on t	_					٦
_		(approximately ¼ the usable height	t from the bui	lding).				\dashv
	4.	Places foot on the beam at a spur.				\sqcup		_
	5.	Grasps the upper beam and counted	erbalances th	e weight of the ladde	er.			
	6.	Pivots the ladder to position the fly section of the ladder away from the building, if necessary.						
	7.	Faces the tip firefighter and braces the ladder.						
	8.	Grasps the halyard and extends the fly, hand over hand, to a height as directed by the tip firefighter.						
	9.	Locks the fly in place with the pawl	S.					
	10.	Slowly lowers the ladder into the bu	uilding.					
	11.	Secures the halyard <u>after</u> properly structure and climbing angle adjust			he			
	12.	Provides commands to allow for flu	id motion.					
	13.	Uses leg, not back, muscles throug	hout the enti	re skill.				
	14.	Performs the beam raise as directed	ed.					
								_

Failure of this critical portion is cause for	entire skill failure
Examiner Print Name:	Date://
Examiner Signature:	Please circle: P F RETAKE





Skill Sheet No.	FF-I- 608	03-01-21	Candidate Number		
Skill Title:	TWO FIREFIGHTE LADDER FROM TH		ISE OF AN EXTENSION D-TIP		
NFPA Objective:	4.3.6, 4.3.11, 4.3.12		Minimum to pass	1	10
Performance:				P	F

			 	200
	1.	All Personal Protective Equipment (PPE) is properly worn.		
		Visually inspects the work area.		
	2.	a. Inspects terrain for solid, level footing.		
		b. Inspects overhead for electrical wires and obstructions.	\perp	
	3.	Lifts and rests the beam of the ladder onto the shoulder.		
	4.	Advances, hand over hand, along beam toward the butt end until ladder is in a vertical position.		
	5.	Pivots the ladder to position the fly section of the ladder away from the building, if necessary.		
	6.	Faces the butt firefighter and braces the ladder.		
	7.	Informs butt firefighter when the fly has reached the desired height as directed.		
	8.	Assures the fly is locked with the pawls.		
	9.	Slowly lowers the ladder into the building while bracing with foot on rung.		
	10.	Checks for proper placement, climbing angle, and makes the necessary adjustments.		
	11.	Obeys commands to allow for fluid motion.		
W	12.	Uses leg, not back, muscles throughout the entire skill.		
	13.	Performs and completes the beam raise as directed.		

Failure of this critical portion is cause	for entire skill failure
Examiner Print Name:	Date://
Examiner Signature:	Please circle: P F RETAKE

MASSACHUSETTS FIRE TRAINING COUNCIL FIREFIGHTER PRACTICAL CERTIFICATION EXAM

Skill Sheet No.	FF-1-815	03-01-21	Candidate Number		
Skill Title:			OR CLASS "A" MATERIALS RST BACK UP	3 -	
NFPA Objective:	4.3.10, 4.3.11,	5.3.4	Minimum to pass	1	1
Performance				P	F

1.	Appropriately wears full protective clothing, utilizes positive pressure SCBA, and Pass device activated.		
2.	Observes fire behavior and smoke conditions, maintains high level of situational awareness, verbalizes findings.		
3.	Takes a position on the same side of the hose line relative to nozzle fire fighter		
4.	Carries a forcible entry tool		
5.	Stays low when entering structure displaying hostile/low visibility conditions.		
6.	Keeps hose line in the outer half of the stairway		
7.	Removes kinks in hose line during advancement		
8.	Keeps hose line opposite protruding corners to avoid kinking		
9.	Advances hose line based on the need of the nozzle firefighter as quickly as possible to get underneath thermal layer.		
10.	Joins the nozzle firefighter once the hose line is in position.		
11.	Upon order from nozzle firefighter, opens structure for ventilation, if possible.		
12.	Overhauls burning materials with tool, not hands.		
13.	Orders nozzle firefighter back to origin to wet burning materials, if necessary.		
14.	Assures fire is overhauled and extinguished.		
15.	Completes the evolution using safe fire suppression skills.		

Failure of this critic	al portion is cause for entire skill failure
Examiner Name:	Date:/
Examiner Signature:	Please circle: PASS FAIL RETAKE