



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|---|--------------------|
| Skill Sheet No. FFI C 001 | Receipt and Dispatch of Calls for Assistance | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.2.1, 4.2.2, 4.2.3 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|-------------------------|---|--------|---|
| | | P | F | P | F |
| 1* | Verbalizes that needed materials are available. | | | | |
| 2 | Correctly follows provided SOP when answering the phone when a call for assistance is received. | | | | |
| 3 | Identifies and correctly documents the location of the emergency. | | | | |
| 4 | Verbally verifies and documents a callback number for the reporting party. | | | | |
| 5* | Determines and documents the nature of the emergency. | | | | |
| 6 | Determines the number of people involved and their locations as appropriate. | | | | |
| 7* | Activates Fire Department alerting equipment. | | | | |
| 8 | Dispatches appropriate units for nature of call. Provides correct address, nature of the call and time of dispatch. | | | | |
| 9 | Acknowledges response of units via radio and documents the response time. | | | | |
| 10* | Correctly prioritizes and responds to ensure the delivery of emergency information to responding units/command. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET **■***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|-----------------------------------|--------------------|
| Skill Sheet No. FFI C 002 | Respond in/on an Apparatus | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.2 | Date: 01/25/2025 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Candidate doffs and correctly mounts SCBA to easily Don it before exiting the apparatus. | | | | |
| 3 | Candidate mounts apparatus in a safe manner utilizing integrated steps and hand holds on apparatus. (Fire Helmet is not worn while mounting or traveling in the apparatus.) | | | | |
| 4 | Helmet is secured on the candidates' person or in apparatus. Not on the head. | | | | |
| 5 | Candidate sits in a seat; in the direction the seat is oriented. | | | | |
| 6* | Fastens seatbelt correctly and before apparatus moves. | | | | |
| 7 | The candidate waits until the apparatus is fully stopped and secured and then disconnects seatbelt. (i.e. Maxi-Brake engaged, out of gear.) | | | | |
| 8 | Dons SCBA prior to dismount. (Face piece is not to be donned) | | | | |
| 9* | Opens door and dismounts apparatus utilizing integrated steps and hand holds on apparatus | | | | |
| 10 | Completes the donning SCBA (all straps buckled and tightened correctly) | | | | |
| 11 | Completes the donning of PPE. (Gloves, Helmet.) | | | | |
| 12 | Secures helmet chin strap. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|----------------------------|---|--------------------|
| Skill Sheet No. FFI - C101 | Don Personal Protective Clothing | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.1.2 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------------------------|---|
| | | P | F | P | F |
| 1* | Dons trouser/boot combination. | | | | |
| 2 | Physically verified suspenders are attached to trousers. | | | | |
| 3 | Trousers are pulled on and fastened at waist. | | | | |
| 4 | Suspenders are adjusted over shoulders. | | | | |
| 5* | Dons protective hood, pulling down around neck and shoulders. | | | | |
| 6* | Don turnout coat. | | | | |
| 7 | Ensures all closures are fastened as designed. | | | | |
| 8 | Ensures collar is turned up and secured around neck. | | | | |
| 9* | Dons helmet with earflaps down. | | | | |
| 10 | Fastens and adjusts chin strap under chin. | | | | |
| 11* | Don gloves and ensure no skin is exposed between the cuff of coat and glove as per recommendations of manufacturer. | | | | |
| 12 | Completes within one minute. TIME: _____ | | | | |
| FFI 9 of 12 | | TOTAL | | | |
| | | | | TOTAL: ONLY if Retesting | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | | | | |
|---|--|--------------------|---|--------|---|
| Skill Sheet No. FFI - C102 | Daily In-Service Inspection of SCBA | Passing Score: 70% | | | |
| NFPA 1001-2019 edition | Objective: 4.3.1, 4.5.1 (NFPA 1852-2019 edition, 3.3.6) | Date: 01-01-25 | | | |
| MINIMUM TO PASS: 14 FFI 14 of 19 (all worth 1 point) | | 1st Test | | Retest | |
| | | P | F | P | F |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Candidate verbalizes all components of SCBA are present and checked for integrity: harness assembly, cylinder, facepiece, hoses, end of service indicators, regulators, PASS device. | | | | |
| 3 | Candidate verbalizes removing cylinder from harness and verbalizes process while inspecting all components of SCBA for cleanliness and damage. | | | | |
| 4* | Identifies and verbalizes the need to clean dirty components. If damage is found, the candidate must verbalize and correctly identify which component is damaged and that they remove the damaged unit from service. | | | | |
| 5 | Candidate verbalizes checking the facepiece (damage, wear) and that straps are fully extended. | | | | |
| 6 | Closes purge valve and depresses don/doffing switch. | | | | |
| 7 | Checks and verbalizes cylinder hydrostatic test date and reinstalls cylinder. | | | | |
| 8* | Verbalizes cylinder pressure and determines if it is full. (90% or above: 2216psi = 1994psi; 4500psi = 4050psi; 5500psi = 4950psi). | | | | |
| 9* | Opens the cylinder valve fully and verbalizes that the low air audible alarm sounded. | | | | |
| 10 | Verifies then verbalizes that PASS device turns on and sounds. | | | | |
| 11 | Verbalizes and compares the cylinder gauge to remote pressure gauge. | | | | |
| 12* | Verbalizes that the unit would be taken out of service if cylinder gauge and remote pressure gauge discrepancy exceeds 100psi. (5500psi system is not to exceed 250psi). | | | | |
| 13 | Demonstrates operation of purge valve. | | | | |
| 14* | Checks operation of PASS device by allowing passive activation/alarm, and then manual activation, then reset. | | | | |
| 15 | Connect facepiece to regulator and inhales to inspect operation of the regulator. | | | | |
| 16* | Closes the cylinder valve and continues inhaling to check the activation of the low air alarm. | | | | |
| 17 | Deactivates PASS device. | | | | |
| 18 | Depresses don/doff switch and verbalizes the correct status of the SCBA. | | | | |
| 19 | Detaches the facepiece and returns SCBA to original area ready for donning. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET *

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|---|--------------------|
| Skill Sheet No. FFI C 103 | Don SCBA-Over the Head Method | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.1.2, 4.3.1 (NFPA 1852 – 2019 edition 3.3.6) | Date: 01-01-25 |

| MINIMUM TO PASS: 14 FFI 14 of 19 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Crouches or kneels at end of SCBA opposite cylinder valve. | | | | |
| 3* | Verbalizes while checking cylinder gauge pressure and indicates if full. (90% or above: 2216psi = 1994psi; 4500psi = 4050psi; 5500psi = 4950psi). | | | | |
| 4* | Opens cylinder valve completely. Verbalizes status of low air alarm and PASS Device. | | | | |
| 5* | Verbalizes while comparing remote gauge pressure to cylinder pressure and verbalizes difference between gauges. <i>(The difference between cylinder and remote gauge shall not exceed 100psi. 5500psi systems not to exceed 250psi).</i> | | | | |
| 6 | Grasps backplate/harness assembly with both hands. | | | | |
| 7 | Raises backplate/harness assembly overhead. | | | | |
| 8 | Places and balances backplate/cylinder assembly on upper back. | | | | |
| 9 | Connects all straps and adjusts until snug. | | | | |
| 10* | Dons facepiece and performs facepiece fit test. Adjust straps and retests if needed. Verbalizes successful fit test when achieved. | | | | |
| 11* | Properly dons protective hood, ensuring no gaps/exposed skin. | | | | |
| 12 | Dons helmet with ear covers down. Connect and adjust chinstrap under chin and not on facepiece. | | | | |
| 13 | Dons gloves and ensures no gaps/exposed skin between gloves and coat sleeves. | | | | |
| 14* | Correctly connects facepiece to regulator, inhales. | | | | |
| 15 | Verbalizes cylinder pressure indicated on heads-up display (ex. 2 green, no red). | | | | |
| 16* | All Personal Protective Equipment is properly worn. | | | | |
| 17* | Completes within one minute and fifteen seconds. Always log the Time: _____ | | | | |
| 18 | Deactivates PASS device. | | | | |
| 19* | Detaches the facepiece and returns SCBA to original area ready for donning. | | | | |

Note: Timing of this skill will begin when the examiner states, "please begin" and will stop when the candidate takes their first breath from a properly sealed facepiece.

MINIMUM TO PASS: **14** TOTALTOTAL: **ONLY if Retesting**

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET *

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

Candidate number

| | | |
|----------------------------|---|--------------------|
| Skill sheet No. FFI - C104 | Don SCBA-Over Coat Method | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.1.2, 4.3.1 (NFPA 1852 – 2019 edition 3.3.6) | Date: 01-01-25 |

| MINIMUM TO PASS: 12 FFI 12 of 17 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Crouches or kneels at end of SCBA with cylinder valve. | | | | |
| 3* | Verbalizes cylinder gauge pressure and indicates if full. (90% or above: 2216psi = 1994psi; 4500psi = 4050psi; 5500psi = 4950psi). | | | | |
| 4* | Opens cylinder valve completely. Verbalizes status of low air alarm and PASS Device. | | | | |
| 5* | Verbalizes comparing remote gauge pressure to cylinder pressure and verbalizes difference between gauges. (The difference between cylinder and remote gauge shall not exceed 100psi. 5500psi systems not to exceed 250psi). | | | | |
| 6 | Protects regulator by grasping left shoulder strap and low-pressure hose. Swings SCBA into position on back with arms through straps. | | | | |
| 7 | Connects all straps and adjust until snug. | | | | |
| *8 | Dons facepiece and performs facepiece fit test. Adjust straps and retests if needed. Verbalizes successful fit test when achieved. | | | | |
| 9* | Properly dons protective hood, ensuring no gaps/exposed skin. | | | | |
| 10 | Dons helmet with ear covers down, connects, and adjusts chinstrap under chin and not on facepiece. | | | | |
| 11 | Dons gloves and ensures no gaps/exposed skin between gloves and coat sleeves. | | | | |
| 12* | Correctly connects facepiece to regulator, inhales. | | | | |
| 13 | Verbalizes Cylinder pressure indicated on heads up display (ex. 2 green, no red). | | | | |
| 14* | All Personal Protective Equipment is properly worn. | | | | |
| 15* | Completes within one minute and fifteen seconds. Always log the Time: _____ | | | | |
| 16 | Deactivates PASS device. | | | | |
| 17* | Detaches the facepiece and returns SCBA to original area ready for donning. | | | | |

Note: Timing of this skill will begin when the examiner states, "please begin" and will stop when the candidate takes their first breath from a properly sealed facepiece.

TOTAL

TOTAL: ONLY if Retesting

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION



| | | |
|----------------------------|---|--|
| Skill Sheet No. FFI - C105 | SCBA Cylinder Replacement- One Firefighter Method | Candidate number Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.1.2, 4.3.1, 4.5.1 | Date: 01-01-25 |

| MINIMUM TO PASS: 15 FFI 15 of 21 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| | | | | | |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Obtains a full cylinder and positions it for easy access. | | | | |
| 4 | Verbalizes checking cylinder gauge pressure and indicates if full. (90% or above: 2216psi = 1994psi; 4500psi = 4050psi; 5500psi = 4950psi). | | | | |
| 4* | Fully closes the cylinder valve on the used cylinder. | | | | |
| 5* | Releases pressure from the high-pressure hose line through regulator system (not by disconnecting high pressure hose line from empty cylinder). | | | | |
| 6 | Resets PASS device. | | | | |
| 7 | Once all pressure is released, disconnects high-pressure hose line from used cylinder. | | | | |
| 8 | Releases cylinder clamps. | | | | |
| 9 | Removes used cylinder from the harness assembly. | | | | |
| 10 | Verbalizes checking replacement cylinder opening for debris. Open the cylinder valve to clear debris if necessary. | | | | |
| 11 | Verbalizes checking high-pressure hose line connection for debris and O-ring for integrity. | | | | |
| 12* | Installs replacement cylinder into the harness assembly. | | | | |
| 13* | Securely connects high-pressure hose line connection (hand tight). | | | | |
| 14* | Adjusts cylinder strap, if necessary, in harness and secures clamps. | | | | |
| 15* | Opens cylinder valve completely. Verbalizes status of low air alarm and PASS Device. | | | | |
| 16 | Verbalizes comparing remote gauge pressure to cylinder pressure and verbalizes difference between gauges. (The difference between cylinder and remote gauge shall not exceed 100psi. 5500psi systems not to exceed 250psi). | | | | |
| 17 | Closes cylinder valve. | | | | |
| 18 | Releases all pressure through the regulator system via purge valve. | | | | |
| 19* | Turns off the PASS device. | | | | |
| 21 | Places unit back in service. | | | | |
| 21* | Verbalizes that equipment will be cleaned and dried as needed. | | | | |
| TOTAL | | | | | |

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET

Examiner name: (Printed) _____

Examiner Signature: _____

Coordinator review: Date: ____/____/____

Date: ____/____/____

Circle one: **PASS** **FAIL**

Initials: _____

PASS **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

Candidate number

| | | |
|----------------------------|-------------------------|--------------------|
| Skill Sheet No. FFI - C106 | DOFFING SCBA | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.1.2, 4.5.1 | Date: 01-01-25 |

| MINIMUM TO PASS: 11 FFI 11 of 15 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Disconnects face piece from the regulator. Controls and corrects airflow. | | | | |
| 3 | Releases chin strap and removes helmet. | | | | |
| 4 | Slides protective hood, off head and down around neck. | | | | |
| 5* | Releases facepiece straps and removes facepiece. | | | | |
| 6 | Extends facepiece straps fully. | | | | |
| 7 | Disconnects and fully extends all midline straps. | | | | |
| 8* | Crouch or kneel, Leans forward and releases shoulder strap buckles and fully extend straps. | | | | |
| 9 | Grasps shoulder strap, which has regulator attached, with the same side hand. | | | | |
| 10 | Removes arm from opposite side shoulder strap. | | | | |
| 11 | Grasps the regulator and locks it into waist regulator cup (if so equipped), if a regulator cup is not provided the candidate should protect the regulator with a free hand. | | | | |
| 12* | Removes remaining shoulder strap while still protecting the regulator. | | | | |
| 13 | Lowers unit to ground or places in case. | | | | |
| 14* | Closes cylinder valve. | | | | |
| 15* | Releases all pressure through the regulator system via purge valve. | | | | |

Note: Timing of this skill will begin when the examiner states, "please begin" and will stop when the candidate takes their first breath from a properly sealed facepiece.

TOTAL

TOTAL: ONLY if Retesting

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

Candidate number

| | | |
|----------------------------|--|--------------------|
| Skill Sheet No. FFI - C107 | Doff Personal Protective Clothing | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.1.2, 4.5.1 | Date: 01-01-25 |

| MINIMUM TO PASS: 11 FFI 11 of 15 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Loosens chinstrap of helmet. | | | | |
| 3 | Doffs helmet. | | | | |
| 4 | Doffs protective hood. | | | | |
| 5 | Unfastens collar. | | | | |
| 6 | Unfastens remaining coat closures. | | | | |
| 7* | Doffs gloves. | | | | |
| 8* | Doffs coat. | | | | |
| 9 | Removes suspenders from shoulders. | | | | |
| 10 | Unfastens waist closure(s). | | | | |
| 11 | Rolls trousers down to each ankle with suspenders draping from each side. | | | | |
| 12 | Doffs trouser/boot combination. | | | | |
| 13* | Verbalizes inspection of PPE for damage. Removes damaged equipment from service. | | | | |
| 14* | Candidate shall verbalize that they would clean (decon), and dry equipment as needed. | | | | |
| 15* | Places PPE in a ready state so that all PPE components are accessible and can be quickly donned without delay. | | | | |
| FFI 11 of 15 TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET

Examiner name: (Printed) _____

Date: ____/____/____

Examiner Signature: _____

Circle one: PASS FAIL

Coordinator review: Date: ____/____/____

Initials: _____

PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|----------------------------|---------------------------------|--------------------|
| Skill Sheet No. FFI –C 201 | Conduct a Primary Search | Passing Score: 70% |
| NFPA1001-2019 edition | Objective: 4.1.2, 4.3.9 | Date: 04-21-25 |

| MINIMUM TO PASS: 12 FFI 12 of 16 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|--------------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Carries a forcible entry tool | | | | |
| 3 | Initiates accountability system by confirming their accountability tag has been placed on the board. | | | | |
| 4* | Candidate verbalizes an intended search pattern. | | | | |
| 5* | Chooses and conducts appropriate search positioning for rapid movement based upon conditions. | | | | |
| 6* | Maintains “left” or “right” search pattern, updates IC on progress as significant benchmarks are achieved. | | | | |
| 7 | Controls all doors as search is conducted to prevent flow path development. | | | | |
| 8 | Searches behind and under all objects. | | | | |
| 9 | Searches all areas such as closets, showers, etc. | | | | |
| 10 | Searches one room before moving on to the next. | | | | |
| 11 | Marks rooms that have been searched. | | | | |
| 12 | Pauses, holds breath, and instructs other searcher(s) to do same, to listen for cries for help, other rescuers, etc. | | | | |
| 13* | Moves up and down stairs, always oriented with head up. | | | | |
| 14* | Finds victim; notifies command. | | | | |
| 15* | Exits structure with victim, reports assignment completion to IC. | | | | |
| 16* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| MINIMUM TO PASS: 12 | | TOTAL | | | |
| | | TOTAL: ONLY if Retesting | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|----------------------------|--------------------|
| Skill Sheet No. FFI – C 203 | Incline Drag Rescue | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.9 | Date: 04-21-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Candidate positions victim for rescue by rolling the victim onto their back, if necessary. | | | | |
| 3 | The candidate kneels at victim's head facing the victim's feet. | | | | |
| 4 | Supports the victim's head and neck. NOTE: if a head or neck injury is suspected, provides appropriate support for head during movement. | | | | |
| 5 | The candidate lifts the victim's upper body into a sitting position. | | | | |
| 6 | The candidate uses right arm, reaches under the victim's right arm, across their chest, and grasps the wrist of their left arm. Repeats for the victim's other arm. | | | | |
| 7* | Candidate stands keeping victim with them. | | | | |
| 8* | Drags victim to safety using the incline drag. | | | | |
| 9* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 204 | Extremities Carry Rescue -Rescuer One | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.9 | Date: 04-21-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | The candidate stands at the victim's head facing their feet. | | | | |
| 3 | The candidate supports the victim's head and neck. NOTE: If a head or neck injury is suspected, provide appropriate support for the head during movement. | | | | |
| 4 | With assistance from rescuer two, positions victim into a sitting position. | | | | |
| 5 | The candidate uses right arm, reaches under the victim's right arm, across their chest, and grasps the wrist of their left arm. Repeats for the victim's other arm. | | | | |
| 6 | Stands using legs, not back muscle, keeping victim with them. | | | | |
| 7* | Carries the victim to safety using the extremities carry. | | | | |
| 8* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 205 | Extremities Carry Rescue -Rescuer Two | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.9 | Date: 04-21-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|---|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | | |
| 2 | The candidate stands at the victim's feet facing the victim. | | | | | |
| 3 | Grasps victim's arms and assists rescuer one in moving victim to a sitting position. | | | | | |
| 4 | Facing away from the victim, kneels with feet together between the victim's legs and grasps the victim under the knees. | | | | | |
| 5 | Stands using legs, not back muscles, keeping victim with them. | | | | | |
| 6* | Carries the victim to safety using the extremities carry. | | | | | |
| 7* | The candidate completed all tasks safely and efficiently per instructions. | | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 206 | Through the lock entry procedures with the K-tool | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.4 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Tries to open the door to determine if actually locked. (Try before you pry) | | | | |
| 3 | Identifies and then verbalizes lock type. | | | | |
| 4 | Select the correct tool(s) for through the lock entry. | | | | |
| 5* | Ensure eye protection is lowered into position. | | | | |
| 6 | Places K-tool into position behind the ring and face of the cylinder. | | | | |
| 7* | Inserts Halligan bar onto the K-tool and forces the K-tool onto the cylinder. | | | | |
| 8 | Pries the cylinder from the door. | | | | |
| 9 | Insert key tool(s) into the cylinder hole. | | | | |
| 10 | Moves locking bolt to open position. | | | | |
| 11* | Opens the door to access the structure. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 207 | Firefighter Exit Through a Restricted Opening | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.1, 4.3.5 | Date: 04-21-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Candidate identifies then verbalizes that they need to breach a wall to safely exit the IDLH environment. | | | | |
| 3 | Use the handle of the tool to make initial penetration of the wall. | | | | |
| 4 | Determines then verbalizes the absence of any obstructions that would hinder successful completion of this procedure. | | | | |
| 5 | Uses tool to create an opening large enough to fit through. | | | | |
| 6 | Ensures then verbalizes that it is safe to pass through the opening. (Absence of fire, sounding floor in adjoining room.) | | | | |
| 7* | Choosing appropriate method to exit through restricted opening (swim, dive, low profile, reduced profile) while protecting regulator/low pressure hose and successfully completes the skill. | | | | |
| 8* | Redons SCBA as needed, collects tool and proceeds to make way out of the building. | | | | |
| 9* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 209 | Rescuing a Downed Firefighter with Functioning SCBA – Searcher one | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.5, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|-------------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Gathers necessary equipment (tool, flashlight). | | | | |
| 3 | Takes position on the rope behind the team leader. Rope in left hand. | | | | |
| 4* | Follows directions of team leader to search for downed firefighter. | | | | |
| 5 | When directed by team leader, evaluates breathing status and air supply of downed firefighter. Verbalizes status to team leader. | | | | |
| 6 | Assists Searcher 2 with converting the SCBA harness for rescue. | | | | |
| 7* | Monitors personal air supply and communicates to Team Leader. | | | | |
| 8 | Works with Searcher 2 to remove downed firefighter. | | | | |
| 9 | Follows commands of Team Leader to exit the IDLH environment. | | | | |
| 10 | Activates downed firefighters PASS device. | | | | |
| 11* | Exits the IDLH environment safely. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|----------------------------|---|--------------------|
| Skill Sheet No. FFI- C 210 | Rescuing a Downed Firefighter with Functioning SCBA – Searcher Two | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.5, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|--|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | | |
| 2 | Gathers necessary equipment (tool, flashlight). | | | | | |
| 3 | Takes position on the rope behind the Searcher 1. Rope in left hand. | | | | | |
| 4* | Follows directions of team leader to search for downed firefighter. | | | | | |
| 5 | When directed by team leader, correctly converts downed firefighter SCBA harness for rescue. Verbalizes status to team leader. | | | | | |
| 6* | Monitors personal air supply and communicates to Team Leader. | | | | | |
| 7 | Works with team members to remove downed firefighter. | | | | | |
| 8 | Follows commands of Team Leader to exit the IDLH environment. | | | | | |
| 9 | Secures search rope in area of downed firefighter. Communicates to Team Leader. | | | | | |
| 10* | Exits the IDLH environment safely. | | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 211 | Rescuing a Downed Firefighter with Functioning SCBA – Air Position | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.5, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|---|--|-------------------------|---|--------|---|
| | | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | | |
| 2 | Gather the necessary equipment (RIT Pack, flashlight). | | | | | |
| 3 | Ensures RIT cylinder is closed. | | | | | |
| 4 | Takes position on the rope behind Searcher 2. Rope in left hand. | | | | | |
| 5 | Follows directions of team leader to search for downed firefighter. | | | | | |
| 6* | Monitors personal air supply and communicates to Team Leader. | | | | | |
| 7 | Assists as directed by Team Leader to remove downed firefighter. | | | | | |
| 8 | Follows commands of Team Leader to exit the IDLH environment. | | | | | |
| 9* | Exits the IDLH environment safely. | | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 213 | Rescuing a Downed Firefighter with Non-Functioning SCBA – Searcher one | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.5, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|-----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Gathers necessary equipment (tool, flashlight). | | | | |
| | 3 | Takes position on the rope behind the team leader. Rope in left hand. | | | | |
| | 4 | Follows directions of team leader to search for downed firefighter. | | | | |
| | 5 | When directed by the team leader, evaluates breathing status and air supply of downed firefighter. Verbalizes status to team leader. | | | | |
| | 6 | Calls for Air Position to address SCBA air issues. | | | | |
| | 7 | Converts the SCBA harness for rescue. | | | | |
| | 8* | Monitors personal air supply and communicates to Team Leader. | | | | |
| | 9 | Works with Air Position to remove downed firefighter. | | | | |
| | 10 | Follows commands of Team Leader to exit the IDLH environment. | | | | |
| | 11 | Secures search rope around the area of the downed firefighter. | | | | |
| | 12* | Exits the IDLH environment safely. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 214 | Rescuing a Downed Firefighter with Non- Functioning SCBA – Searcher 2 | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.5, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Gather necessary equipment (tool, flashlight). | | | | |
| | 3 | Takes position on the rope behind the Searcher 1. Rope in left hand. | | | | |
| | 4 | Follows directions of team leader to search for downed firefighter. | | | | |
| | 5* | Monitors personal air supply and communicates to Team Leader. | | | | |
| | 6 | Works with team members to remove downed firefighter. | | | | |
| | 7 | Follows commands of Team Leader to exit the IDLH environment. | | | | |
| | 8* | Exits the IDLH environment safely. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET **■***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 215 | Rescuing a Downed Firefighter with Non-Functioning SCBA – Air Position | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.5, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 13 FFI 13 of 18 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Gathers the necessary equipment (RIT Pack, flashlight). | | | | |
| 3 | Ensures RIT cylinder is closed. | | | | |
| 4 | Takes position on the rope behind Searcher 2. Rope in left hand. | | | | |
| 5 | Follows directions of team leader to search for downed firefighter. | | | | |
| 6* | When called up with RIT pack, initiates RIT air supply procedures. | | | | |
| 7* | Turns on RIT Cylinder once in position next to downed firefighter. | | | | |
| 8 | Locates the head of the downed firefighter. On knees, places one leg on each side of the downed firefighter's head. | | | | |
| 9 | Verbalizes and assesses the integrity of SCBA mask. | | | | |
| 10* | Makes determination about the most appropriate method to supply air. (Swap regulator, swap mask, low pressure hose quick connect, buddy breather, UAC) | | | | |
| 11* | Successfully supplies air to downed firefighter. | | | | |
| 12 | Secures RIT pack to downed firefighter. | | | | |
| 13* | Notifies Team Leader when the downed firefighter is on air. | | | | |
| 14* | Monitors personal air supply and communicates to Team Leader. | | | | |
| 15 | Assists as directed by Team Leader to remove downed firefighter. | | | | |
| 16 | Follows commands of Team Leader to exit the IDLH environment. | | | | |
| 17 | Activates the downed firefighters PASS device when directed to exit. | | | | |
| 18* | Exits the IDLH environment safely. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 216 | Forcible Entry with Power Tools | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.4, 4.5.1 | Date: 01-01-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Tries to open door to determine if locked (try before you pry). | | | | |
| | 3* | Selects appropriate tools to cut given material. | | | | |
| | 4* | Ensure eye protection is properly worn. | | | | |
| | 5 | Ensures then verbalizes tool is properly fueled. | | | | |
| | 6 | Ensures then verbalizes tool oil reservoir is full. | | | | |
| | 7* | Make necessary cuts as directed by examiner. | | | | |
| | 8* | Operates tool in a safe manner. | | | | |
| | 9 | Opens the door to access the structure. | | | | |
| | 10 | It is verbalized that tools would be cleaned and returned to service. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 218 | Conduct a Primary Search – Searcher Two | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.9 | Date: 04-21-25 |

| MINIMUM TO PASS: 12 FFI 12 of 16 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Carries a forcible entry tool. | | | | |
| 3* | Initiates the accountability system by confirming and verbalizing their accountability tag has been placed on the board. | | | | |
| 4* | Candidate acknowledges intended search pattern dictated by team lead. | | | | |
| 5 | Chooses and conducts appropriate search positioning for rapid movement based upon conditions. | | | | |
| 6* | Maintains “left” or “right” search pattern. | | | | |
| 7 | Controlling all doors as search is conducted to prevent flow path development. | | | | |
| 8* | Searches behind and under all objects. | | | | |
| 9* | Search in all areas such as closets, showers, etc. | | | | |
| 10 | Search one room before moving on to the next. | | | | |
| 11 | Marks rooms that have been searched. | | | | |
| 12 | Pauses, holds breath, and instructs other searcher(s) to do same, to listen for cries for help, other rescuers, etc. | | | | |
| 13* | Moves up and down stairs, always oriented with head up. | | | | |
| 14* | Finds victim; notifies team lead | | | | |
| 15 | Exits structure with victim. | | | | |
| 16* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | |
| TOTAL: <i>ONLY if Retesting</i> | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|--------------------------|--------------------|
| Skill Sheet No. FFI C 301 | Figure Eight | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 04-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Appropriate Personal Protective Equipment is properly worn. | | | | |
| 2 | Makes a bight in the working end of the rope. | | | | |
| 3 | Passes the working end completely around the standing part. | | | | |
| 4 | Inserts the working end back through the bight. | | | | |
| 5 | Dresses the knot by pulling the working end and the standing part at the same time. | | | | |
| 6* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 7* | Verbalizes assessing webbing /Rope for damage and that the webbing/Rope and any tools would be cleaned and dried when returning to service as needed. | | | | |

NOTE: gloves are not required while tying knots.

| | | |
|---------------------------|---------------------------------|--|
| MINIMUM TO PASS: 5 | TOTAL | |
| MINIMUM TO PASS: 5 | TOTAL: ONLY if Retesting | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|----------------------------------|--------------------------------|--------------------|
| Skill Sheet No. FFI C 302 | Figure Eight on a Bight | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Forms a bight in the working end of the rope. | | | | |
| 3 | Passes it over the standing part to form a loop. | | | | |
| 4 | Passes the bight under the standing part and then over the loop and down through it; forming the figure eight. | | | | |
| 5 | Extends the bight through the knot to whatever size working loop is needed. | | | | |
| 6 | Dresses the knot. | | | | |
| 7* | Uses an overhand safety knot on the working end to secure the knot. | | | | |
| 8* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 9* | Verbalizes assessing webbing/Rope for damage and that the webbing/Rope and any tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: gloves are not required while tying knots. | | | | | |
| TOTAL | | | | | |

TOTAL: **ONLY if Retesting**

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|--------------------------|--------------------|
| Skill Sheet No. FFI C 303 | Water Knot | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Ties an overhand knot loosely in the end of the webbing. | | | | |
| 3 | Take the opposite end of the webbing and retrace the overhand knot. | | | | |
| 4 | Tightens by pulling both working ends while holding the ends with your thumbs. | | | | |
| 5 | Dresses the knot by pulling the appropriate ends at the same time. | | | | |
| 6* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 7 | Unties the knots and returns the webbing to its original area | | | | |
| 8* | Verbalizes assessing webbing/rope for damage and that the webbing/rope and any tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: Gloves are not required while tying knots. | | | | | |
| MINIMUM TO PASS: 6 | | TOTAL | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|----------------------------------|-----------------------------|--------------------|
| Skill Sheet No. FFI C 304 | Overhand Safety Knot | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Brings the working end by the standing part forming a loop. | | | | |
| 3 | Continues the working end back around the standing part, then directs the working end though the loop. | | | | |
| 4 | Dress the knot by pulling the appropriate ends at the same time. | | | | |
| 5* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 6 | Unties the knots and returns the rope to its original area | | | | |
| 7* | Verbalizes assessing rope/ webbing for damage and that the rope/ webbing and tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: Gloves are not required while tying knots. | | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|---|--------------------|
| Skill Sheet No. FFI C 305 | Hoist a Ladder Using a Figure Eight on a Bight | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 12 FFI 12 of 17 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Candidate measures sufficient rope to form the size of the knot as required by the ladder to hoist. | | | | |
| 3 | Makes a large loop in the end of the rope using a figure-eight on a bight. | | | | |
| 4* | Secures with an overhand safety as needed. | | | | |
| 5* | Displays correctly completed figure-eight on a bight and safety knot to the examiner. | | | | |
| 6 | Candidate places the closed loop under the ladder and brings it up between the rung about one-third the distance from the hoisting end. | | | | |
| 7 | Candidate opens the loop and places it over the tip of the ladder. | | | | |
| 8 | Candidate arranges the standing part under the ladder rungs. | | | | |
| 9 | Candidate tightens the loop around the beams, pulling the standing part of the rope up behind the rungs toward ladder tip. | | | | |
| 10 | Candidate ties or verbalizes tying a tag/guideline towards the opposite end of the ladder. (Non-hoist end) | | | | |
| 11* | Correctly completed knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 12* | Dons gloves if removed to tie knot before hoisting the ladder. | | | | |
| 13* | Hoists the ladder a minimum of fifteen (15) feet above grade | | | | |
| 14 | Lowers the ladder to the ground. | | | | |
| 15* | The knots maintain integrity throughout the evolution. | | | | |
| 16 | Unties the knot and returns the rope and ladder to its original area. | | | | |
| 17* | Verbalizes assessing rope/ webbing for damage and that the rope/ webbing and tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: Gloves are not required while tying knots. | | | | | |

MINIMUM TO PASS: **12**

TOTAL

TOTAL: **ONLY if Retesting**

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|--------------------------|--------------------|
| Skill Sheet No. FFI C 306 | Hoist a Pike Pole | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Approximately twelve (12) inches from the end of the pike pole handle, applies a clove hitch. | | | | |
| 3 | Secures with an overhand safety as needed. | | | | |
| 4 | Ties two additional half hitches around the pike pole with one in the middle of the handle and one around the pike pole under the pike hook. | | | | |
| 5 | Candidate ties or verbalizes tying a tag/guideline opposite the working end. | | | | |
| 6* | Correctly completed knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 7* | Dons gloves if removed to tie knots before hoisting the Pike Pole. | | | | |
| 8* | Candidate hoists the Pike pole a minimum of fifteen (15) feet above grade | | | | |
| 9 | Lowers the pike pole to the ground. | | | | |
| 10* | The knots maintain integrity throughout the evolution. | | | | |
| 11 | Unties the knots and returns the rope and the pike pole to its original area. | | | | |
| 12* | Verbalizes assessing rope/ webbing for damage and that the rope/ webbing and tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: gloves are not required while tying knots. | | | | | |

MINIMUM TO PASS: **9** TOTAL

TOTAL: **ONLY if Retesting**

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|----------------------------------|--------------------|
| Skill Sheet No. FFI C 307 | Hoist a Charged Hose Line | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Approximately twelve (12) inches below the nozzle and its coupling, ties a clove hitch. | | | | |
| 3 | Secures with an overhand safety as needed. | | | | |
| 4 | Ties a half hitch through the nozzle bale and around the nozzle itself in a manner that allows the rope to hold the nozzle shut while it is being hoisted. | | | | |
| 5* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 6* | Dons gloves if removed to tie knots before hoisting the hose line. | | | | |
| 7* | Hoists charged hose line a minimum of fifteen (15) feet above grade. | | | | |
| 8 | Lowers charged hoseline to the ground. | | | | |
| 9* | The knots maintain integrity throughout the evolution. | | | | |
| 10 | Unties the knots and returns the rope and the hoseline to its original area. | | | | |
| 11* | Verbalizes assessing rope for damage and that the rope and tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: gloves are not required while tying knots. | | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|-------------------------------------|--------------------|
| Skill Sheet No. FFI C 308 | Hoist an Uncharged Hose Line | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Folds the nozzle and end of hose back onto itself forming a bight in the hose between four (4) and five (5) feet long. | | | | |
| 3 | Ties a clove hitch, with an overhand safety knot around the nozzle, directly in front of the nozzle bale and the hose it is folded against, so that they are lashed together. | | | | |
| 4 | Places a half hitch on the doubled hose about twelve (12) inches from the loop end. | | | | |
| 5* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 6* | Dons gloves if removed to tie knots before hoisting the hose line. | | | | |
| 7* | Hoists uncharged hose line a minimum of fifteen (15) feet above grade. | | | | |
| 8 | Lowers the uncharged hoseline to the ground. | | | | |
| 9* | The knots maintain integrity throughout the evolution. | | | | |
| 10 | Unties the knots and returns the rope and the hoseline to its original area. | | | | |
| 11* | Verbalizes assessing rope for damage and that the rope and tools would be cleaned and dried when returning to service as needed. | | | | |

NOTE: gloves are not required while tying knots.

| | | |
|---------------------------------|--|--|
| TOTAL | | |
| TOTAL: ONLY if Retesting | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|-----------------------------------|--------------------|
| Skill Sheet No. FFI C 309 | Secure the Tip of a Ladder | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-01-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | From the inside of the building, ties a clove hitch with an overhand safety knot on a ladder rung which is on the same plane as the windowsill. | | | | |
| 3 | Places a pike pole or other tool properly inside the window opening to secure the ladder tip | | | | |
| 4 | Ties a clove hitch with an overhand safety knot to the pike pole or other tool, making the rope tight between the ladder and the pike pole. | | | | |
| 5* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 6 | Unties the knots and returns the rope to its original area | | | | |
| 7* | Verbalizes assessing rope for damage and that the rope and tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: Gloves are not required while tying knots. | | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|---|--------------------|
| Skill Sheet No. FFI C 310 | Tie a Clove Hitch around an object | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.20, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Makes one complete loop around the object, crossing the working end over the standing part. | | | | |
| 3 | Completes the round turn immediately to the side of the first loop. | | | | |
| 4 | Passes working end under the wrap just above the cross and pulls the knot tight. | | | | |
| 5 | Ties a safety knot by forming a loop around the standing part, passing the running part through the center of the loop and pulling the knot tight. | | | | |
| 6* | Correctly completes knots and displays to the examiner. Completes to this point within two (2) minutes. (Always record time.) Time: _____ | | | | |
| 7 | Unties the knots and returns the rope and pike pole to its original area | | | | |
| 8* | Verbalizes assessing rope/ webbing for damage and that the rope/ webbing and tools would be cleaned and dried when returning to service as needed. | | | | |
| NOTE: Gloves are not required while tying knots. | | | | | |
| MINIMUM TO PASS: 6 | | TOTAL | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---------------------------|--------------------|
| Skill Sheet No. FFI – C 401 | Straight Hose Roll | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.5.2 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Lays out hose on a flat, clean surface. | | | | |
| 3 | Removes twists and lays hose flat in a straight line. | | | | |
| 4* | If hose contains water, female coupling shall be on downhill side. | | | | |
| 5 | Positions self at male coupling. | | | | |
| 6 | Male coupling is rolled onto hose towards female end. | | | | |
| 7 | Upon reaching female end, the roll is laid on its side on the ground. | | | | |
| 8 | Any protruding coils are gently tamped with foot. | | | | |
| 9* | Completes the straight roll. | | | | |
| 10 | Notes and verbalizes any damage to the hose and marks for repair as appropriate. (ex. Missing gasket). | | | | |
| 11* | Verifies and verbalizes hose is cleaned and dried before returning to service if needed. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|-----------------------------|--------------------|
| Skill Sheet No. FFI – C 402 | Twin Donut Hose Roll | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.5.2 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Lays out the hose on a flat, clean surface. | | | | |
| 3* | If the hose contains water, couplings shall be on the downhill side. | | | | |
| 4 | Lays hose halves parallel to each other, flat and untwisted. | | | | |
| 5 | Folds the loop onto both hose sections. | | | | |
| 6 | Rolls both lines simultaneously toward coupling ends. | | | | |
| 7* | Upon completion of the roll, secures the roll with a rope or strap. | | | | |
| 8* | Completes twin donut roll. | | | | |
| 9* | Notes and verbalize any damage to the hose and mark for repair as appropriate. | | | | |
| 10* | Verifies and verbalizes hose will be cleaned and dried before returning to service if needed. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 407 | Hoseline Extension Using a Hose Clamp | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Carries hose sections to the nozzle end of the hoseline. | | | | |
| 3* | Candidate applies a hose clamp on the supply side approximately five (5) feet from the coupling of the hose to be replaced stopping the flow of water. | | | | |
| 4* | Opens nozzle to relieve pressure. | | | | |
| 5 | Removes the nozzle. | | | | |
| 6 | Connects the additional sections of hose hand tight. | | | | |
| 7 | Reconnects the nozzle to the extended hoseline hand tight. | | | | |
| 8* | Verifies and verbalizes a manual check that the nozzle is closed. | | | | |
| 9* | Candidate recharges the hoseline by slowly releasing the hose clamp to prevent damage to equipment. | | | | |
| 10* | Straightens the hoseline to remove kinks. | | | | |
| 11* | Verifies and verbalizes checking nozzle pattern and bleeds the air from the hoseline. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 408 | Replace a Section in a Charged Line | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Candidate applies a hose clamp on the supply side approximately 5 feet from the coupling of the hose to be replaced stopping the flow of water. | | | | |
| 3 | Carries two new sections of hose to the site for replacement. | | | | |
| 4 | Uncouples the damaged section of hose. | | | | |
| 5 | Removes damaged sections. | | | | |
| 6 | Replaces damaged hose with <u>both</u> replacement hoses until hand tight. | | | | |
| 7* | Candidate slowly releases the hose clamp to prevent damage to equipment. | | | | |
| 8* | Straightens the hoseline to remove kinks. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 409 | Nozzle Operation and Stream Adjustment | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Holds the nozzle with one hand and grasps the hose with the other hand. | | | | |
| 3 | Straightens the hoseline behind the nozzle a distance of at least ten feet. | | | | |
| 4 | Faces the direction of stream projection. | | | | |
| 5 | Cradles hose against the front of the body or hip to stabilize. | | | | |
| 6* | Upon direction from the examiner, the candidate slowly opens the nozzle until it is fully open. | | | | |
| 7 | Sets the nozzle pattern on straight stream upon direction from the examiner. | | | | |
| 8 | Sets the nozzle pattern for a narrow-angle fog (long-reach) pattern upon direction from the examiner. | | | | |
| 9 | Sets the nozzle pattern for a wide-angle for (short reach) pattern upon the direction from the examiner. | | | | |
| 10* | Slowly closes the nozzle to avoid creating a water hammer until fully closed upon direction from the examiner. | | | | |
| 11* | Completes the nozzle operation without losing control of the nozzle. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 410 | Uncharged Hoseline Advancement up a Ladder - Nozzle | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 4 FFI 4 of 5 (all worth 1 point) | | 1 st Test | | Retest | |
|--|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Carries the nozzle on the back with the hose going over the shoulder towards the front then under the arm to the rear. | | | | |
| 3 | Advances the hoseline by climbing the ladder keeping the hanging loop of hose outside the ladder beam on the working side of the ladder. | | | | |
| 4* | Advances to the first fly section and awaits the backup firefighter. | | | | |
| 5* | Advances the hoseline to a point as directed by the examiner. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 411 | Uncharged Hoseline Advancement up a Ladder - Backup | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|--|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | | |
| 2 | Candidate grips the hose approximately 20-25 feet behind the nozzle. | | | | | |
| 3* | Places a loop of hose over the shoulder keeping the hose on the same side as the nozzle firefighter. | | | | | |
| 4 | Moves up approximately ten (10) feet behind the nozzle firefighter. | | | | | |
| 5 | Advances the hoseline by climbing the ladder keeping the hanging loop of hose outside the ladder beam on the working side of the ladder. | | | | | |
| 6* | Candidate locks in with a leg lock or Class I safety harness, leaving hands free to control and advance the hose. | | | | | |
| 7* | Advances the hose to the nozzle firefighter until signaled to stop as directed by the examiner. | | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 412 | Operate a Charged Line from a Ladder | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Places the nozzle between two of the ladder rungs. | | | | |
| 3* | Candidate locks in with a leg lock or Class I safety harness, leaving hands free to control and advance the hose. | | | | |
| 4 | Correctly secures the hoseline to the ladder rung using a hose strap, rope, etc., appropriately. | | | | |
| 5* | Safely opens the nozzle maintaining control. | | | | |
| 6 | Operates the stream as directed by the examiner. | | | | |
| 7 | Properly shuts down the stream as directed by the examiner. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 413 | Connect and Advance a Hoseline from a Standpipe – Nozzle Position/Crew Leader | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Carries hose into the structure to the standpipe, via the stairwell, to one (1) level below the fire floor. | | | | |
| 3 | Lays hose on the stairwell landing. | | | | |
| 4 | Advances the fire department hoseline from the standpipe to the landing of the fire floor. | | | | |
| 5 | Candidate lays excess hose UP stairwell towards floor above. | | | | |
| 6* | Ensures nozzle is closed. | | | | |
| 7 | Orders backup firefighter to charge hoseline. | | | | |
| 8 | Removes kinks from charged hoseline in vicinity of the nozzle. | | | | |
| 9* | Slowly opens the nozzle, bleeds air and flows water to assure proper flow. | | | | |
| 10* | Slowly closes the nozzle to prevent damage to equipment. | | | | |
| 11* | Ensures backup firefighter is on same side of the hoseline and ready to enter. | | | | |
| 12* | Checks door for heat. | | | | |
| 13* | Controls door while entering fire floor. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 414 | Connect and Advance a Hoseline from a Standpipe – Backup Position | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Assists carrying hose into the structure to the standpipe, via the stairwell, to one (1) level below the fire floor. | | | | |
| 3 | Lays hose in the stairwell. | | | | |
| 4 | Detaches or verbalizes checking for building hoseline or removes protective cap (screw cap or breakaway) for standpipe (if so equipped or provided). | | | | |
| 5 | Verbalizes and then inspects standpipe outlet for debris, damaged threads, etc. | | | | |
| 6 | Connects (if necessary) adapters to allow fire department hoseline attachment. | | | | |
| 7 | Connects fire department hose line to standpipe hand tight. | | | | |
| 8* | Upon orders from the nozzle operator, slowly charges the fire department hoseline with the standpipe valve. | | | | |
| 9 | Advances to fire floor, removing kinks from the charged hoseline. | | | | |
| 10* | Backs up the nozzle operator on same side of hoseline. | | | | |
| 11* | Assists the nozzle operator with advancing hoseline onto fire floor. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 415 | Operation of Fog & Solid Master Stream Nozzles | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.8 | Date: 01-25-25 |

| MINIMUM TO PASS: 12 FFI 12 of 16 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Carries master stream device to set-up area. | | | | |
| 3 | Positions device on solid, level surface. | | | | |
| 4* | Secures the monitor. | | | | |
| 5* | Adjust the nozzle to proper elevation. | | | | |
| 6* | Aims female swivels opposite stream direction and utilizes the swivel locking device, if present. | | | | |
| 7* | Extends hoselines around the front of the device from opposite sides forming two large loops to reduce nozzle reaction (10-foot diameter minimum). | | | | |
| 8 | Attaches hoseline to device. | | | | |
| 9 | Attaches tip to deliver appropriate stream as directed by examiner (solid, fog, straight). | | | | |
| 10 | Signals for water; flows stream and adjust direction of water flow as necessary. | | | | |
| 11 | Removes kinks in hoselines as necessary. | | | | |
| 12* | Upon direction from examiner, signals to shut down monitor. | | | | |
| 13 | Changes tip to deliver appropriate stream as directed by examiner (solid, fog, straight). | | | | |
| 14 | Signals for water. Flows stream. | | | | |
| 15* | Upon direction from examiner, signals to stop water. | | | | |
| 16* | Breaks down and returns all equipment to original location. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 416 | Connect Hoselines to a Fire Department Connection | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.10 | Date: 01-25-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Selects proper supply hose, stretches hoselines to fire department sprinkler connection. | | | | |
| 3 | Assures LDH or threaded male couplings are toward connections. | | | | |
| 4 | Removes protective caps (screw plug or breakaway) from connection. | | | | |
| 5 | Verify then verbalize inspecting connection for debris, damaged threads, or missing gaskets. Replace gaskets, if necessary. | | | | |
| 6* | Connects hoselines to fire department connection. | | | | |
| 7* | Communicates to pump operator that connections are complete and the hoselines are ready to be charged. | | | | |
| 8* | Removes kinks from charged hoseline. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---------------------|--------------------|
| Skill Sheet No. FFI – C 417 | Hose Washing | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.5.2 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 6 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Positions hose for washing. | | | | |
| 3 | Washes hose given hose washing equipment and soap. | | | | |
| 4* | Checks gaskets and replaces as needed. | | | | |
| 5* | Identifies and verbalizes any damage to hose, removes from service as necessary and properly documents. | | | | |
| 6 | Verbalizes hose drying process. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|-------------------|--------------------|
| Skill Sheet No. FFI – C 418 | HOSE LOADS | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.5.2 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 6 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Gathers hose of appropriate size and quantity for loading on apparatus. | | | | |
| 3* | Ensures hose is connected to appropriate discharge, as necessary. | | | | |
| 4* | Appropriately loads hose so that it will deploy without snagging. | | | | |
| 5 | Verifies and verbalizes nozzle is secured, if applicable. | | | | |
| 6 | Completes evolution as directed by examiner. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|----------------------------|--|--------------------|
| Skill Sheet No. FFI C 501A | Hydrant to Pumper Connection- Side Intake | Passing Score: 70% |
| NFPA1001-2019 EDITION | Objective: 4.3.15 | Date: 01-25-25 |

NOTE ** For Front suction pumpers use Skill Sheet C 501

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|---------------------------------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Directs apparatus at the hydrant for the connection. | | | | |
| 3 | Assures pumper intake is closed. | | | | |
| 4* | Opens intake bleeder valve before opening hydrant. | | | | |
| 5 | Removes the appropriate hydrant discharge cap(s), attaches gates, and places the hydrant wrench on the hydrant operating nut. | | | | |
| 6 | Verbalizes and then inspects hydrant threads for damage and integrity. Verbalizes and then inspects inside outlet for debris. | | | | |
| 7 | Flush the hydrant to ensure that it is free of debris. (May verbalize) | | | | |
| 8 | Attaches the appropriate end of the hose to the hydrant. Attaches the appropriate end of the hose to the intake. (pumper may be repositioned) | | | | |
| 9* | Slowly opens the hydrant fully to prevent water hammer. | | | | |
| 10 | Stands to the rear of the hydrant while opening the hydrant. | | | | |
| 11* | Reduces any leakage by tightening connections and ensures the hose has no kinks. | | | | |
| 12 | Adds a chafing block at the point where hose touches the ground, if necessary. | | | | |
| 13* | Completes the connections as directed by the examiner. | | | | |
| MINIMUM TO PASS: 10 | | TOTAL | | | |
| | | | | TOTAL: ONLY if Retesting | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 501 | Hydrant to Pumper Connection- Front Intake | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Directs apparatus at the hydrant for the connection. | | | | |
| 3 | Removes the intake cap. | | | | |
| 4 | Removes the appropriate hydrant discharge cap(s), attaches gates and places the hydrant wrench on the hydrant operating nut. | | | | |
| 5 | Verbalizes and then inspects hydrant threads for damage and integrity. Verbalizes and then inspects inside outlet for debris. | | | | |
| 6 | Flush the hydrant to ensure that it is free of debris. (May verbalize) | | | | |
| 7 | Attaches the appropriate end of the hose to the hydrant. Attaches the appropriate end of the hose to the intake. (pumper may be repositioned) | | | | |
| 8* | Opens intake valve before opening hydrant. | | | | |
| 9* | Slowly opens the hydrant fully to prevent water hammer. | | | | |
| 10 | Stands to the rear of the hydrant while opening the hydrant. | | | | |
| 11* | Reduces any leakage by tightening connections and ensures hose has no kinks. | | | | |
| 12 | Adds a chafing block at the point where hose touches the ground, if necessary. | | | | |
| 13* | Completes the connections as directed by the examiner. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|---|--------------------|
| Skill Sheet No. FFI C 502 | Hydrant to Pumper Connection – Forward Lay | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Pull enough supply hose from the apparatus to reach and wrap around the hydrant. | | | | |
| | 3* | Secure a loop of hose around the hydrant. Wrap the hose around the hydrant in a manner that restrains it when the pumper moves away from the hydrant. | | | | |
| | 4* | Signal the driver/operator to proceed and deploy the hose to the incident. | | | | |
| | 5 | Removes the hydrant caps and places the hydrant wrench on the hydrant operating nut. | | | | |
| | 6 | Verbalizes and then inspects hydrant threads for damage and integrity. Verbalizes and then inspects inside outlets for debris. | | | | |
| | 7 | Flush the hydrant to ensure that it is free of debris. (May verbalize) | | | | |
| | 8 | Attaches appropriate gates to the hydrant discharge ports. | | | | |
| | 9 | Connects the hoseline to the appropriate port. | | | | |
| | 10* | Fully opens the hydrant, then the hydrant gate(s) slowly to charge the line(s) when signaled to do so by the pump operator. | | | | |
| | 11 | Stands to the rear of the hydrant while opening the hydrant. | | | | |
| | 12 | Reduces any leakage by tightening connections and assures hoseline(s) have no kinks. | | | | |
| | 13* | Completes the assembly as directed by the examiner. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 504 | Hand Lay Hose from Pumper to Water Source – Firefighter One | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Removes hydrant wrench from pumper. | | | | |
| | 3 | Removes the gates and appropriate amount of supply hose from the hose bed. Transfers to a flat shoulder load. | | | | |
| | 4* | Waits for a second firefighter to remove additional hose from bed. | | | | |
| | 5 | Advances with second firefighter toward water source. | | | | |
| | 6 | Once the second firefighter has unloaded their shoulder load, first firefighter starts allowing his hose to lay out on ground. | | | | |
| | 7 | Continues to advance toward water source. | | | | |
| | 8 | If source is not reached after both firefighters have laid their shoulder loads, they must return to the pumper and pull off sufficient hose to reach source. | | | | |
| | 9 | Places hydrant wrench on operating stem. | | | | |
| | 10* | Attaches appropriate gates. Attaches a hose into one gate. | | | | |
| | 11* | Completes evolution as directed by the examiner. | | | | |

Note: Candidate cannot return to apparatus solely to retrieve hydrant wrench.

TOTAL

TOTAL: **ONLY if Retesting**

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 505 | Hand Lay Hose from Pumper to Water Source – Firefighter Two | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 6 FFI 6 of 8 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Waits for first firefighter to remove hose, gates, and hydrant wrench from hose bed before removing hose. | | | | |
| | 3 | Removes appropriate amount of supply hose and transfers to a flat shoulder carry. | | | | |
| | 4* | Advances with first firefighter towards water source. | | | | |
| | 5 | Allows hose to lay out on ground as advancement continues. | | | | |
| | 6 | If source is not reached after both firefighters have laid their shoulder loads, they must return to pumper and pull off sufficient hose to reach source. | | | | |
| | 7 | Assists first firefighter in attaching hydrant gates and/or hose as needed. | | | | |
| | 8* | Completes evolution as directed by the examiner. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: **PASS** **FAIL**

Coordinator review: Date: ____/____/____ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|------------------------------------|--------------------|
| Skill Sheet No. FFI – C 506 | Assemble Drafting Equipment | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Removes pumper intake cap. | | | | |
| 3* | Verbalizes and then checks the hard suction couplings. Removes any dirt or debris. Replaces worn Gaskets. | | | | |
| 4* | As a team, attaches two sections of hard suction together, taking care not to get dirt in the couplings. | | | | |
| 5* | As a team, attaches strainer to hard suction hose male coupling. | | | | |
| 6 | As a team, utilizes rubber mallet, as necessary, to provide an airtight connection. | | | | |
| 7 | Attaches rope to strainer. | | | | |
| 8 | As a team, lowers hose and strainer into static source (portable tank). | | | | |
| 9 | Attaches female coupling of hard suction hose to pumper intake. | | | | |
| 10 | Secures strainer to stationary object. | | | | |
| 11* | Ensures the strainer and strainer to hose coupling is under water. | | | | |
| 12* | Completes the assembly as directed by the examiner. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 507 | Hydrant to Pumper Connection Reverse Lay - Attack | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Pulls sufficient hose from the supply pumper to reach the intake valve on the attack pumper. | | | | |
| | 3* | Street anchor the hose before the supply pumper proceeds to the water source. | | | | |
| | 4 | Signals the driver/operator to proceed and deploy the hose to the attack pumper. | | | | |
| | 5 | Once sufficient hose is laid, releases street anchor. | | | | |
| | 6 | Makes connection to attack pump intake and calls for water. | | | | |
| | 7* | Completes as directed by the examiner. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 508 | Hydrant to Pumper Connection – Reverse Lay - Supply | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Upon signal from street anchor firefighter, proceeds to the hydrant. | | | | |
| | 3* | Pulls the remaining length of the last section of hose from the hose bed. | | | | |
| | 4 | Disconnects the couplings and returns the unused coupling to the hose bed and provides the hose to the pump operator. | | | | |
| | 5 | Removes the hydrant caps and places the hydrant wrench on the hydrant operating nut. | | | | |
| | 6 | Verbalizes and then inspects hydrant threads for damage and integrity. Inspects inside outlets for debris. | | | | |
| | 7 | Attaches two closed gates to the hydrant discharge ports. | | | | |
| | 8 | Connects the hoseline(s) to the appropriate port(s). | | | | |
| | 9 | Stands to the rear of the hydrant. | | | | |
| | 10* | Fully opens the hydrant, then the hydrant gate(s) slowly to charge the line(s) when signaled to do so by the attack pump operator. | | | | |
| | 11* | Proceeds along the hose to the fire scene, removing kinks and checking for leaks. | | | | |
| | 12* | Completes as directed by the examiner. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 509 | Set Up Portable Tanks for Drafting and Water Transfer – 2-4 Firefighters | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.15 | Date: 01-25-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2 | Identifies appropriate area for placement of tanks (flat ground, free of debris). | | | | |
| 3 | As a team, orients first tank so that the drain is at the lowest point. | | | | |
| 4* | As a team, grasps tank frame, avoiding pinch points, and unfolds tank to open position. | | | | |
| 5 | Secures drain so that water does not leak from tank. | | | | |
| 6 | Fills first tank with water. | | | | |
| 7 | As a team, places second tank next to first tank. | | | | |
| 8 | As a team, orients second tank so that the drain is at the lowest point. | | | | |
| 9* | As a team, grasps tank frame, avoiding pinch points, and unfolds tank to open position. | | | | |
| 10 | Secures drain so that water does not leak from tank. | | | | |
| 11 | Fills second tank with water. | | | | |
| 12* | As a team, sets up equipment to transfer water between tanks (inchworm, Jet Siphon, Flexible Suction Hose). | | | | |
| 13* | Transfers water between tanks. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|---------------------------|--|--------------------|
| Skill Sheet No. FFI C 601 | One Firefighter Shoulder ladder Carry from the Ground | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1st Test | | Retest | |
|---|---|-------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations. | | | | |
| 3 | Faces toward the tip of the ladder, positioned near the center of the ladder. | | | | |
| 4 | Crouches/kneels beside the ladder on knee closest to ladder. | | | | |
| 5 | Grasps rung nearest the ladder's balance point, with the hand closest to the ladder, pulls ladder towards them by placing ladder on its beam. | | | | |
| 6 | Stands and pivots into the ladder inserting the other arm through the rungs, bringing ladder up with them as they stand. | | | | |
| 7 | Faces ladder butt and places the beam onto the shoulder. | | | | |
| 8 | Steadies/balances ladder with both hands. | | | | |
| 9 | Tilts butt end so it is lowered slightly toward the ground as it is carried in order to not have the ladder impact line of sight. | | | | |
| 10 | Uses leg, not back muscles, throughout the entire skill. | | | | |
| 11* | Carries the ladder to the destination as directed by the examiner and places the ladder flat on the ground (both beams touching the ground). | | | | |
| 12* | Carries the ladder using the low shoulder carry as directed. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 602 | One Firefighter Flat Raise of an Extension Ladder from the Ground | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.5.1 | Date: 04-21-25 |

| MINIMUM TO PASS: 11 FFI 11 of 15 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations. | | | | |
| 3 | Positions the ladder butt for the raise with the butt spurs against the wall of the building. | | | | |
| 4 | Raises the ladder, hand over hand, toward the ladder butt until the ladder is vertical against the building. | | | | |
| 5 | Rolls the ladder to position the fly section of the ladder toward the building, if necessary. | | | | |
| 6 | Pulls the tip of the ladder away from the building so that the tip of the ladder will not catch on the building while extending the fly. | | | | |
| 7 | Steadies the ladder with the foot, knee and hip. | | | | |
| 8 | Grasps the halyard and extends the fly hand over hand to a height as directed by the examiner. | | | | |
| 9* | Locks the fly into place with the pawls. Verbalizes "Pawls are locked". | | | | |
| 10 | Places the ladder against the building and rolls the ladder over so the fly section is out. | | | | |
| 11 | Grasps a lower rung to carefully move the butt away from the building to the desired position. | | | | |
| 12* | Physically checks for proper placement, climbing angle, and makes necessary adjustments. | | | | |
| 13* | Secures the halyard to ladder rung. | | | | |
| 14 | Uses leg, not back muscles throughout the entire skill. | | | | |
| 15* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL⁵



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 603 | Two Firefighter Shoulder Carry from the Ground-Butt Position | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations | | | | |
| 3 | Positions on the same side of the ladder relative to the tip firefighter. | | | | |
| 4 | Crouches/kneels next to the ladder facing the tip on the knee closest to the ladder. | | | | |
| 5 | Grasps a rung with the hand nearest to the ladder, palms facing forward and stands ladder on the beam by pulling the ladder towards them. | | | | |
| 6 | Verbalizes commands to lift ladder to the shoulder, then stands and pivots into the ladder toward the butt placing the free arm between the rungs. | | | | |
| 7 | Lowers the beam onto the shoulder. | | | | |
| 8 | The ladder is positioned as to be able to reach beyond the butt of the ladder. | | | | |
| 9 | Provides commands to advance to destination. | | | | |
| 10 | Controls the ladder with the inside hand. | | | | |
| 11 | Uses leg, not back muscles throughout the entire skill. | | | | |
| 12* | Carries the ladder to the destination as directed by the examiner and places onto the ground on the bed section. | | | | |
| 13* | Carries the ladder using the low shoulder carry as directed. | | | | |
| MINIMUM TO PASS: 10 TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL⁵



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 604 | Two Firefighter Shoulder Carry from the Ground-Tip | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations | | | | |
| 3 | Positions on the same side of the ladder relative to the butt firefighter. | | | | |
| 4 | Crouches/kneels next to the ladder facing the tip on the knee closest to the ladder. | | | | |
| 5 | Grasps a rung with the hand nearest to the ladder, palms facing forward and stands ladder on the beam by pulling towards them. | | | | |
| 6 | Obeys commands to lift ladder to the shoulder, then stands and pivots into the ladder towards the butt, placing the free arm through the rungs. | | | | |
| 7 | Lowers the upper beam onto the shoulder. | | | | |
| 8 | Obeys commands to advance to the destination. | | | | |
| 9 | Controls the ladder with the free hand. | | | | |
| 10 | Uses leg, not back muscles throughout the entire skill. | | | | |
| 11* | Carries the ladder to the destination as directed by the examiner and places onto the ground on the bed section. | | | | |
| 12* | Carries the ladder using the low shoulder carry as directed. | | | | |
| MINIMUM TO PASS: 9 TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 605 | Two Firefighter Flat Raise of an Extension Ladder from the Ground-Butt | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|--|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations | | | | |
| 3 | Positions the ladder butt for the raise with the fly section against the ground. (Perpendicular to the structure, approximately ¼ of the usable height from the building). | | | | |
| 4 | Braces the ladder by standing on the bottom rung, grasping an upper rung and leaning back. | | | | |
| 5 | Grasps successively higher rungs as ladder comes to vertical. | | | | |
| 6 | Steadies ladder in preparation for extending the fly section. | | | | |
| 7 | Grasps the halyard and extends the fly, hand over hand, to a height as directed by the tip firefighter. | | | | |
| 8* | Locks the fly in place with the pawls. | | | | |
| 9 | Slowly lowers the ladder into the building. | | | | |
| 10* | Secures the halyard to a rung after properly positioning the ladder resting on the structure and climbing angle adjustments are made. | | | | |
| 11 | Provides commands throughout the evolution to allow for fluid motion. | | | | |
| 12 | Uses leg, not back muscles throughout the entire skill. | | | | |
| 13* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| MINIMUM TO PASS: 10 TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 606 | Two Firefighter Flat Raise of an Extension Ladder from the Ground -Tip | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12 | Date: 04-21-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations | | | | |
| 3 | Raises ladder by advancing hand over hand along the rungs toward the butt end until ladder is in a vertical position. | | | | |
| 4 | Heels the ladder at the assigned beam. | | | | |
| 5 | Braces the ladder, with both hands on the beams, thumbs clear of the fly as the fly is extended. | | | | |
| 6 | Informs the butt firefighter when the desired height has been reached. | | | | |
| 7* | Ensure the pawls are locked. Loudly Verbalizes “pawls are locked”. | | | | |
| 8 | Slowly lowers the ladder into the building, bracing with foot on the rung. | | | | |
| 9* | Physically checks for proper placement, climbing angle, and makes the necessary adjustments. | | | | |
| 10 | Obeys commands to allow for fluid motion. | | | | |
| 11 | Uses leg, not back, muscles, throughout the entire skill. | | | | |
| 12* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| MINIMUM TO PASS: 9 TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 607 | Two Firefighter <u>Beam Raise</u> of an Extension Ladder from the Ground- Butt | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 14 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|-------------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes then visually inspects the work area. | | | a | |
| | | a. Inspects terrain for solid level footing. | | | b | |
| | | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | | c. Inspects and verbalizes that the structure can support ladder operations | | | | |
| | 3 | Positions the ladder beam butt on the ground for the raise. (Approximately ¼ the usable height from the building). | | | | |
| | 4 | Places foot on the beam at the spur. | | | | |
| | 5 | Grasps the upper beam and counterbalance the weight of the ladder as it's raised. | | | | |
| | 6* | Pivots the ladder to position the fly section of the ladder away from the building, if necessary. | | | | |
| | 7 | Faces the tip firefighter and braces the ladder. | | | | |
| | 8 | Grasps the halyard and extends the fly, hand over hand, to a height as directed by the tip firefighter. | | | | |
| | 9* | Locks the fly in place with the pawls. | | | | |
| | 10 | Slowly lowers the ladder into the building. | | | | |
| | 11* | Secures the halyard to a rung after properly positioning the ladder resting on the structure and climbing angle adjustments are made. | | | | |
| | 12 | Provides commands to allow for fluid motion. | | | | |
| | 13 | Uses leg, not back muscles throughout the entire skill. | | | | |
| | 14* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 608 | Two Firefighter <u>Beam Raise</u> of an Extension Ladder from the Ground- Tip | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | a | |
| | a. Inspects terrain for solid level footing. | | | b | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | c | |
| | c. Inspects and verbalizes that the structure can support ladder operations | | | | |
| 3 | Lift and rests the beam of the ladder onto the shoulder. | | | | |
| 4 | Advances, hand over hand, along the beam toward the butt end until ladder is in a vertical position. | | | | |
| 5* | Pivots the ladder to position the fly section of the ladder away from the building, if necessary. | | | | |
| 6 | Faces the butt firefighter and braces the ladder, hands on the beams, thumbs clear of the fly as the fly is raised. | | | | |
| 7 | Informs butt firefighter when the fly has reached the desired height as directed. | | | | |
| 8* | Verifies and Loudly Verbalizes "Pawls are locked". | | | | |
| 9 | Slowly lowers the ladder into the building while bracing with foot on the rung. | | | | |
| 10* | Physically checks for proper placement, climbing angle, and makes the necessary adjustments. | | | | |
| 11 | Obeys commands to allow for fluid motion. | | | | |
| 12 | Use legs, not back muscles throughout the entire skill. | | | | |
| 13* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 609 | Two Firefighter Flat Lowering of an Extension Ladder to the Ground- Butt | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes then visually inspects the work area. | | | a | |
| | | a. Inspects terrain for solid level footing. | | | | |
| | | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | b | |
| | 3 | Unties the halyard and prepares to remove the ladder from the building. | | | | |
| | 4 | Removes ladder from the building to the vertical position. | | | | |
| | 5 | Extends the fly just enough to unlock the pawls. | | | | |
| | 6 | Maintains control of the fly section while lowering the fly section using the halyard, hand over hand, to its lowered position. | | | | |
| | 7 | Locks the pawls at the appropriate rung, if possible, and secures the halyard, if necessary. Loudly verbalizes - Pawls are locked". | | | | |
| | 8 | Braces the ladder butt, by standing on the bottom rung, grasping an upper rung and leaning back as it is lowered to the ground. | | | | |
| | 9 | Provides commands to allow for fluid motion throughout evolution. | | | | |
| | 10 | Uses leg, not back, muscles throughout the entire skill. | | | | |
| | 11* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| | 12* | Verbalize that equipment will be cleaned and dried as needed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 610 | Two Firefighter Flat Lowering of an Extension Ladder to the Ground- Tip | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12, 4.5.1 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|--|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | | |
| 2* | Verbalizes then visually inspects the work area. | | | | a | |
| | a. Inspects terrain for solid level footing. | | | | | |
| | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | | b | |
| 3 | Braces the ladder with one foot on the rung. | | | | | |
| 4* | Removes ladder from the building to the vertical position. | | | | | |
| 5 | Braces the ladder with hands on the beams, thumbs clear of the lowering fly. | | | | | |
| 6 | Informs the butt candidate when the fly section is unlocked. | | | | | |
| 7 | Steadies the ladder with both hands on the beams as the fly is lowered. | | | | | |
| 8 | Repositions for lowering the ladder to the ground and lowers the ladder hand over hand along the rungs toward the tip until the ladder is in the horizontal position, swinging out on command. | | | | | |
| 9 | Lowers ladder to the ground, kneeling down on the inside knee. | | | | | |
| 10 | Obeys commands to allow for fluid motion. | | | | | |
| 11 | Uses leg, not back, muscles throughout the entire skill. | | | | | |
| 12* | The candidate completed all tasks safely and efficiently per instructions. | | | | | |
| 13* | Verbalize that equipment will be cleaned and dried as needed | | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 611 | Two Firefighter Beam Lowering of an Extension Ladder to the Ground- Butt | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12, 4.5.1 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 14 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes then visually inspects the work area. | | | a | |
| | | a. Inspects terrain for solid level footing. | | | | |
| | | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | b | |
| | 3 | Unties the halyard and prepares to remove ladder from building. | | | | |
| | 4 | Removes ladder from the building to the vertical position. | | | | |
| | 5 | Extends the fly enough to unlock the pawls. | | | | |
| | 6 | Maintains control of the ladder fly while lowering the fly section using the halyard, hand over hand, to its lowered position. | | | | |
| | 7 | Locks the pawls at the appropriate rung, if possible, and secures the halyard, if necessary. Verbalizes Loudly - "Pawls are locked". | | | | |
| | 8 | Repositions for lowering by placing foot on the beam the ladder will be lowered on, at the spur. | | | | |
| | 9 | Grasps the upper beam and counterbalances the weight of the ladder. | | | | |
| | 10 | Steadies the ladder with both hands on the beams as the fly is lowered. | | | | |
| | 11 | Provides commands to allow for fluid motion throughout the evolution. | | | | |
| | 12 | Uses leg, not back, muscles throughout the entire skill. | | | | |
| | 13* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| | 14* | Verbalize that equipment will be cleaned and dried as needed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 612 | Two Firefighter Beam Lowering of an Extension Ladder to the Ground- Tip | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12, 4.5.1 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes then visually inspects the work area. | | | a | |
| | | a. Inspects terrain for solid level footing. | | | | |
| | | b. Inspects and verbalizes that the overhead is clear of wires and obstructions. | | | b | |
| | 3 | Faces the butt firefighter and braces the ladder with one foot on the rung. | | | | |
| | 4* | Removes ladder from the building to the vertical position. | | | | |
| | 5 | Braces the ladder with hands on the beams, thumbs clear of the lowering fly. | | | | |
| | 6 | Informs the butt candidate when fly section is unlocked. | | | | |
| | 7 | Steadies the ladder with both hands on the beams as the fly is lowered. | | | | |
| | 8 | Repositions for lowering the ladder to the ground. | | | | |
| | 9 | Lowers ladder, hand over hand, along the beam toward the tip until the ladder is lowered fully to the ground or shoulder. | | | | |
| | 10 | Obeys commands to allow for fluid motion. | | | | |
| | 11 | Uses leg, not back, muscles throughout the entire skill. | | | | |
| | 12* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| | 13* | Verbalize that equipment will be cleaned and dried as needed | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 613 | Deployment of a Roof Ladder-Raised to a Ladder – Single Firefighter | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.11, 4.3.12 | Date: 01-25-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Carries the roof ladder to the ground ladder to be ascended. | | | | |
| | 3 | Places the roof ladder on the ground, then opens the hooks. | | | | |
| | 4 | Raises the roof ladder, resting it against the ground ladder, hooks facing outward. | | | | |
| | 5 | Climbs the ground ladder positioning the shoulder about two (2) rungs above the midpoint of the roof ladder. | | | | |
| | 6 | Reaches through the rungs of the roof ladder and places it on the shoulder. | | | | |
| | 7 | Climbs to the top of the ground ladder with the roof ladder on the shoulder. | | | | |
| | 8* | Secures with a leg lock as directed by the examiner. | | | | |
| | 9 | Lowers the roof ladder from the shoulder onto the roof and, using the hand-over-hand method, pushes the roof ladder, hooks down, toward the ridge line. | | | | |
| | 10* | When the hooks of the ladder fall over the ridge line, tugs roof ladder and ascertains that the hooks are firmly secured over the peak. | | | | |
| | 11 | Uses leg, not back, muscles throughout the entire evolution. | | | | |
| | 12* | Deploys the roof ladder properly and safely as directed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 614 | Climbs Ladder with Tool, Performs Leg Lock then Performs Work | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.10, 4.3.11, 4.3.12, 4.5.1 | Date: 01-25-25 |

| MINIMUM TO PASS: 12 FFI 12 of 17 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Physically checks for correct climbing angle. | | | | |
| | 3 | Checks the ladder pawls are locked and verbalizes their status. | | | | |
| | 4* | Climbs the ladder to the desired height while carrying a forcible entry/ventilation tool. | | | | |
| | 5 | Keeps eyes forward with an occasional glance at the tip of the ladder. | | | | |
| | 6 | Slide the tool along the side of the ladder beam and the free hand under the other beam maintaining constant contact. | | | | |
| | 7 | Climbs one rung higher than working height. | | | | |
| | 8* | Extends leg <u>opposite</u> the working side through the rung. Bend knee. Bring foot through the ladder just below rung supporting the knee. | | | | |
| | 9 | Hooks foot over either a rung or top of beam. | | | | |
| | 10 | Rests on thigh and steps down one rung. | | | | |
| | 11* | Secures a leg lock as directed by the examiner. | | | | |
| | 12 | Simulates performing work off the side of the ladder. | | | | |
| | 13 | Releases the leg lock. | | | | |
| | 14 | Descends the ladder to the ground. | | | | |
| | 15* | Holds onto the tool at all times. | | | | |
| | 16* | Verbalizes that equipment would be cleaned and returned to service. | | | | |
| | 17* | Completes the evolution as directed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 615 | Assist a Conscious Victim Down a Ladder | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.9 | Date: 01-25-25 |

| | | MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | 1 st Test | | Retest | |
|--------------------------|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Receives the victim, feet first, from the building opening. | | | | |
| | 3 | Positions the victim to descend the ladder. | | | | |
| | 4* | Descends first keeping both arms around the victim under the armpits with hands on the rungs in front of the victim for support. | | | | |
| | 5* | Descends one rung at a time with the victim | | | | |
| | 6 | Always maintains contact with the victim. | | | | |
| | 7 | Always maintains three points of contact with the ladder. | | | | |
| | 8 | Supports and reassures the victim during descent. | | | | |
| | 9* | Fully descends the ladder with the victim to the ground. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 616 | Assist an Unconscious Victim Down a Ladder | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.9 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Receives the victim from the building opening, positioned facing the rescuer. | | | | |
| | 3 | Places the victim's legs and arms outside the beams of the ladder so that the victim's body wraps around the ladder. | | | | |
| | 4 | Fully supports the victim's body / weight of the victim. | | | | |
| | 5 | Keeps both arms around the victim. | | | | |
| | 6* | Maintains both contact and control of the victim. | | | | |
| | 7* | Keeps hands on the beams behind the victim. | | | | |
| | 8 | Lowers victim one rung at a time. | | | | |
| | 9* | Fully descends the ladder with the victim to the ground. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 617 | Two Person Deployment of a Roof Ladder – Raised to a Ladder - Butt Position | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.10, 4.3.12, | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Carries the roof ladder to the ground ladder to be ascended. | | | | |
| | 3 | Provides commands while approaching the ground ladder to ensure fluid movement. | | | | |
| | 4 | Positions the ladder butt to raise the roof ladder on the beam. | | | | |
| | 5* | Stabilizes the roof ladder as it is raised on the beam to the vertical position next to the ground ladder. | | | | |
| | 6 | Butt firefighter takes position to assist tip firefighter with carrying the ladder to the roof (after tip firefighter begins ascending the ground ladder with the roof ladder). | | | | |
| | 7 | Follows commands of tip firefighter as roof ladder is advanced. | | | | |
| | 8* | Ensures at least 10 feet of spacing is maintained. | | | | |
| | 9 | Uses leg not back muscles throughout the entire evolution. | | | | |
| | 10* | Deploys the roof ladder properly and safely as directed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI – C 618 | Two Person Deployment of a Roof Ladder – Raised to a Ladder - Tip Position | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.10, 4.3.12 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Carries the roof ladder to the ground ladder to be ascended. | | | | |
| | 3 | Deploys the roof hooks so that the hooks will face away from the firefighter as they are climbing the ground ladder. | | | | |
| | 4 | Raises the roof ladder to the vertical position alongside the ground ladder. | | | | |
| | 5 | Climbs the ground ladder and secures the tip of the roof ladder on their shoulder; and begins ascending the ground ladder with the roof ladder. | | | | |
| | 6 | Advances to edge of roof. | | | | |
| | 7* | Secures with a leg lock as directed by the examiner. | | | | |
| | 8 | Lowers the roof ladder from the shoulder onto the roof, and using hand over hand method, pushes the roof ladder, hooks down, toward the ridge line. | | | | |
| | 9* | When the hooks of the ladder fall over the ridgeline, tugs roof ladder and ascertains that the hooks are firmly secured over the peak. | | | | |
| | 10 | Uses leg, not back muscles throughout the entire evolution. | | | | |
| | 11 | Deploys the roof ladder properly and safely as directed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI – C 619 | Vertical Ventilation – Pitched Roof | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.10, 4.3.12 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Gathers necessary tools for ventilation. | | | | |
| | 3 | Verbalizes that if using power saws, the saw is started on the ground to ensure functioning, then shut off for climbing. | | | | |
| | 4* | Ascends to the roof with the appropriate tools for ventilation. | | | | |
| | 5 | Steps onto roof ladder for working on pitched roofs. | | | | |
| | 6 | Identifies and verbalizes area to be ventilated. | | | | |
| | 7* | Creates an opening in the roof as directed by examiner. | | | | |
| | 8* | Verifies then verbalizes no obstruction to the venting of smoke/hot gasses. | | | | |
| | 9 | Exits the roof. | | | | |
| | 10 | Descends the ladder with all tools. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET **■***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|------------------------------|-------------------------------------|--------------------|
| Skill Sheet No. FFI - C 620F | Vertical Ventilation – Floor | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.10, 4.3.12, | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Gathers necessary tools for ventilation. | | | | |
| | 3 | Verbalizes that if using power saws, the saw is started outside to ensure functioning, then shut off for transport. | | | | |
| | 4 | Ascends to the appropriate floor with the correct tools for ventilation. | | | | |
| | 5* | Sounds floor before stepping onto, and continuously sounds floor while walking. | | | | |
| | 6 | Identifies then verbalizes area to be ventilated. | | | | |
| | 7* | Creates an opening in the floor as directed by examiner. | | | | |
| | 8 | Verbalizes the creation of a horizontal opening to exhaust gasses from the building. | | | | |
| | 9* | Verifies then verbalizes no obstruction to the venting of smoke/hot gasses. | | | | |
| | 10 | Exit the floor with tools. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|------------------------------|---------------------------------------|--------------------|
| Skill Sheet No. FFI - C 620R | Vertical Ventilation Flat Roof | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.6, 4.3.10, 4.3.12 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Gathers necessary tools for ventilation. | | | | |
| | 3 | Verbalizes that if using power saws, the saw is started on the ground to ensure functioning, then shut off for climbing. | | | | |
| | 4 | Ascends to the roof with the correct tools for ventilation. | | | | |
| | 5* | Sounds roof before stepping onto, and continuously sounds while walking. | | | | |
| | 6 | Identifies then verbalizes area to be ventilated. | | | | |
| | 7 | Identifies then verbalizes roofing material to be removed prior to opening. | | | | |
| | 8* | Creates an opening in the roof as directed by examiner. | | | | |
| | 9* | Verifies then verbalizes no obstruction to the venting of smoke/hot gasses. | | | | |
| | 10 | Exit the roof with tools. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--------------------|--------------------|
| Skill Sheet No. FFI - C 701 | Salvage Cover Roll | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14 | Date: 01-25-25 |

| MINIMUM TO PASS: 12 FFI 12 of 17 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| ■ | 2* | Verbalizes that salvage cover will be cleaned and dried as needed. | | | | |
| | 3 | Lays salvage cover on a flat clean surface, finished side up. | | | | |
| | 4 | Takes a position at the end of the cover, kneeling, and facing the other firefighter. | | | | |
| | 5 | Grasps the edge of the cover with the outside hand midway between the center of the cover and the edge to be folded. | | | | |
| | 6 | Places free hand on cover midway between the outside hand and center. | | | | |
| | 7 | Folds cover by bringing fold over the pivot hand to center of cover to create an inside and outside fold | | | | |
| | 8 | Positions for next fold by placing hand at corner of cover and free hand as a pivot over the outside fold. point | | | | |
| | 9 | Grasp the outside corner with outside hand and using the inside hand as a pivot, brings outside corner to the center. | | | | |
| | 10 | Moves to other half of cover and completes steps 3 through 8 to fold. | | | | |
| | 11 | Straightens folds. | | | | |
| | 12 | Folds both ends of cover approximately 12 inches toward the center | | | | |
| | 13 | Repositions at one end with other firefighter. | | | | |
| | 14 | Rolls cover towards opposite end. | | | | |
| | 15 | Compresses cover tightly tucking wrinkles forming ahead of cover and keeping edges aligned. | | | | |
| | 16 | Secures roll with supplied equipment. | | | | |
| ■ | 17* | Completes the salvage Cover roll | | | | |
| TOTAL: | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 702 | Salvage Cover Fold for a One-Firefighter Spread | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14 | Date: 01-25-25 |

| MINIMUM TO PASS: 12 FFI 12 of 17 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|--|-------------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes that salvage cover will be cleaned and dried as needed. | | | | |
| | 3 | Lays salvage cover flat on a clean surface with finished side up. | | | | |
| | 4 | Takes a position at the end of the length of the cover, kneeling, and facing a helper firefighter. | | | | |
| | 5 | Grasps the edge of the cover with the outside hand midway between the center of the cover and the edge to be folded. | | | | |
| | 6 | Places free hand on cover midway between outside hand and center. | | | | |
| | 7 | Folds cover by bringing fold over pivot hand to center of cover to create an inside and outside fold. | | | | |
| | 8 | Positions for next fold by placing outside hand at corner of cover and free hand as a pivot over outside fold. | | | | |
| | 9 | Grasps the outside corner with outside hand and using inside hand as a pivot, brings outside corner to the center. | | | | |
| | 10 | Moves to other half of cover and completes steps 3 through 8 to fold. | | | | |
| | 11 | Repositions, standing alongside other helper firefighter at the same end, facing the cover. | | | | |
| | 12 | Picks up cover with one hand on the outside fold and one hand on the inside fold. | | | | |
| | 13 | Folds cover to a point just short of center (Approximately 4 inches) | | | | |
| | 14 | Using one hand as a pivot, brings the folded end over the top of the first fold. | | | | |
| | 15 | Folds cover again using techniques from steps 10 and 13. | | | | |
| | 16 | Aligns one set of folds on top of the other set using space between the two stacks as a hinge. | | | | |
| | 17* | Completes the salvage cover fold. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | | | | | | |
|---|-----|---|--|---------------------------------|--|---------------|--|
| Skill Sheet No. FFI - C 703 | | One-Firefighter Spread of a Rolled Salvage Cover | | Passing Score: 70% | | | |
| NFPA 1001-2019 edition | | Objective: 4.3.14 | | Date: 01-25-25 | | | |
| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | | | 1st Test | | Retest | |
| | | | | P | | F | |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | | |
| | 2* | Verbalizes that salvage cover will be cleaned and dried as needed. | | | | | |
| | 3 | Starts unrolling cover just enough to cover end of objects while keeping remainder of roll tight. | | | | | |
| | 4 | Positions cover on the top near the edge of the objects to be covered. | | | | | |
| | 5 | Unrolls cover across objects toward opposite end facilitating cover fall into place and cover opposite end of object(s). . | | | | | |
| | 6 | Repositions at one end and faces unrolled cover. | | | | | |
| | 7 | Grasps the cover with each hand at the open edges, snaps both hands up and out to open cover and spread out to cover objects. | | | | | |
| | 8 | Repositions at opposite end. | | | | | |
| | 9 | Grasps cover and covers objects using same technique as in task 7. | | | | | |
| | 10* | Tucks edges under and in to keep water out. | | | | | |
| | 11* | Completes the rolled salvage cover spread ensuring required object(s) are completely covered. | | | | | |
| | | | | TOTAL | | | |
| | | | | TOTAL: ONLY if Retesting | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI - C 704 | One-Firefighter Spread of a Folded Salvage Cover | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14 | Date: 01-25-25 |

| MINIMUM TO PASS: 11 FFI 11 of 15 (all worth 1 point) | | 1 st Test | | Retest | |
|---|---|--|---|--------|---|
| | | P | F | P | F |
| 1* | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes that salvage cover will be cleaned and dried as needed. | | | |
| 3 | Takes a position at one side of the objects to be covered. | | | | |
| 4 | Places cover on objects near the center. | | | | |
| 5 | Separates the stacked folds by unfolding the top folds at the hinge and laying fold flat. | | | | |
| 6 | Unfolds one-half of the cover toward one end, covering objects. | | | | |
| 7 | Repositions, and unfolds remaining half toward opposite end. | | | | |
| 8 | Allows cover to fall into place covering both ends fully. | | | | |
| 9 | Repositions at one end and faces unrolled cover. | | | | |
| 10 | Grasps the cover with each hand at the open edges. | | | | |
| 11* | Opens cover by snapping both hands up and out, covering objects. | | | | |
| 12 | Repositions at opposite end. | | | | |
| 13* | Grasps cover and covers objects using same technique as in task 11. | | | | |
| 14* | Tucks edges under and in to keep water out. | | | | |
| 15* | Completes the folded salvage cover spread completely covering all required object(s). | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--------------------------------------|--------------------|
| Skill Sheet No. FFI - C 705 | Construction of a Water Chute | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | 1 st Test | | Retest | |
|--|---|----------------------|---|--------|---|
| | | P | F | P | F |
| 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| 2* | Verbalizes that salvage cover will be cleaned and dried as needed. | | | | |
| 3 | Positions salvage cover at desired location, finished side down, flat, and open. | | | | |
| 4 | Places pike poles on opposite edges with pikes extending off end of cover. | | | | |
| 5 | Rolls both edges equally over pike poles until there is a three-foot width between the rolls. | | | | |
| 6 | Flips cover over keeping folds in place. | | | | |
| 7 | Elevates one end by hooking pike poles over object. | | | | |
| 8* | Extends chute out a door or window. | | | | |
| 9* | Correctly construct a water chute that would remove water and verbalizes when complete. | | | | |
| TOTAL | | | | | |
| TOTAL: ONLY if Retesting | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 706 | Construction of a Water Catch-All | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14 | Date: 01-25-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Verbalizes that salvage cover will be cleaned and dried as needed. | | | | |
| | 3 | Positions salvage cover at desired location, flat and open. | | | | |
| | 4 | Takes a position on one side of cover and rolls inward approximately 3 feet. | | | | |
| | 5 | Repositions to opposite side and rolls inward approximately 3 feet. | | | | |
| | 6 | Forms four corners by folding about 3 feet of the rolled edge toward center of cover forming a 90-degree angle. | | | | |
| | 7 | Repositions at an unrolled end. | | | | |
| | 8 | Tightly rolls cover up to and over right angle-edge roll. | | | | |
| | 9* | Locks corners formed by lifting edge roll with outside hand and tucking end roll under the edge. | | | | |
| | 10 | Repositions at opposite unrolled end. Repeat steps 7 and 8. | | | | |
| | 11* | Successfully completes construction of water catch-all and verbalizes when done. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 707 | Shutting Off Electrical Service to a Building | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.18 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Identify and verbalize location of electrical service box. | | | | |
| | 3* | Shuts off main breaker or pulls knife switch arm to shut off power. | | | | |
| | 4* | Looks away while manipulating breakers/switches. | | | | |
| | 5 | Applies lock out/tag out equipment (if available). | | | | |
| | 6 | Verbalizes assessing for any additional related electrical hazards. | | | | |
| | 7* | Verbalizes to examiner that electrical service has been shut off. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI - C 708 | Shutting Off Natural Gas Service | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.18 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Verbalizes then searches area/building for natural gas meter, verbalizing when located. | | | | |
| | 3* | Using a proper wrench, turns petcock to the "CLOSED" position. | | | | |
| | 4 | Turns any remaining visible valves to the "CLOSED" position. | | | | |
| | 5 | Applies lock out/tag out equipment (if available). | | | | |
| | 6 | Verbalizes assessing for any additional related hazards. | | | | |
| | 7* | Verbalizes to examiner that natural gas has been shut off. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 709 | Shutting Off LPG or CNG Service | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.18 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Locates and verbalizes location of LPG or CNG cylinder or tank. | | | | |
| | 3 | Locates shut-off on cylinder or tank. | | | | |
| | 4* | Closes shut-off valve. | | | | |
| | 5 | Applies lock out/tag out equipment (if available). | | | | |
| | 6 | Verbalizes assessing for any additional related hazards. | | | | |
| | 7* | Verbalizes to examiner that LPG or CNG service has been shut off. | | | | |
| TOTAL | | | | | | |
| TOTAL: <i>ONLY if Retesting</i> | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|-----------------------------------|--------------------|
| Skill Sheet No. FFI - C 710 | Shutting Off Water Service | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.18 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 6 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Locates then verbalizes location of main water feeder. | | | | |
| | 3* | Closes feeder-main valve fully. | | | | |
| | 4 | Applies lock out/tag out equipment (if available). | | | | |
| | 5 | Verbalizes assessing for any additional related hazards. | | | | |
| | 6* | Confirms verbally to examiner that water has been shut off. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 711 | Use of a Sprinkler Wedge or Stopper | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14, 4.3.18 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 6 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Correctly places ladder and then. | | | | |
| | 3 | Safely climbs ladder to within reach of sprinkler head. | | | | |
| | 4 | Inserts a wedge or inserts sprinkler tongs between head arms. | | | | |
| | 5 | Drives wedge into sprinkler or opens and locks tongs. | | | | |
| | 6* | Greatly reduces/stops flow of water from head. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI - C 712 | Open and Close a Sprinkler System Main Drain | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.14, 4.3.18 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 7 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Ensures then verbalizes water supply valves are closed. | | | | |
| | 3 | Applies lock out/tag out equipment (if available). | | | | |
| | 4 | Opens main drain valve. | | | | |
| | 5* | Opens main drain fully and confirms when completed. | | | | |
| | 6 | Verbalize when flow has stopped. | | | | |
| | 7* | Close main drain valve fully. | | | | |
| TOTAL | | | | | | |
| TOTAL ONLY if Retesting | | | | | | |

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ***

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI - C 713 | Operate Air Monitoring Equipment | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.21 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 10 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Follows manufacturers' recommendation. | | | | |
| | 3 | Verbalizes/demonstrates the inspection of the device. | | | | |
| | 4 | Turns device on in a well-ventilated space, allows warm up time. | | | | |
| | 5 | Verbalizes the alarm limits and gas limitations. | | | | |
| | 6 | Performs a fresh air calibration. | | | | |
| | 7* | Starts a test while ensuring air sampling only (no liquids). | | | | |
| | 8 | Allows time for a complete test, records results. | | | | |
| | 9* | Allows the device to reset in fresh air. | | | | |
| | 10* | Reports results to command with any mitigation needed. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 801 | Selection and Use of Portable Extinguishers | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.16 | Date: 01-25-25 |

| MINIMUM TO PASS: 10 FFI 10 of 14 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2* | Selects, verbalizes then visually inspects correct extinguisher given the size of the fire and the type of fuel burning. | | | | |
| *EXAMINER: Please indicate the candidates extinguisher selection by placing a check mark in A, B or C | | | | | | |
| | | A. Class A- Ordinary Combustibles | | | A | |
| | | B. Class B- Flammable Liquids and Gases | | | B | |
| | | C. Class C- Energized Electrical Equipment | | | C | |
| | 3 | Carries extinguisher to a safe distance from fire. | | | | |
| | 4 | Pulls pin at top of extinguisher, if equipped, and breaks seal. | | | | |
| | 5 | Stands to the side of the extinguisher and safely actuates the extinguisher if actuation is needed. | | | | |
| | 6* | Tests extinguisher before fire suppression to ensure proper agent discharge flow is present. | | | | |
| | 7* | Shuts off electricity (using a concentrated motion for a clean break while looking away from the switch panel) or fuel supply to the burning object if appropriate. | | | | |
| | 8 | Verbalizes then approaches fire from the upwind and uphill side, if possible. | | | | |
| | 9* | Properly aims the extinguisher and begins discharging agent from a safe distance. | | | | |
| | 10* | Properly discharges the extinguishing agent to the base of the fire. | | | | |
| | 11 | Keeps carbon dioxide extinguisher on the ground while discharging agent, if applicable. | | | | |
| | 12* | Sweeps the extinguisher nozzle across the base of the fire while discharging agent. | | | | |
| | 13* | Ensures the fire is extinguished and verbalizes when complete. | | | | |
| | 14* | Candidate <u>backs away</u> from the fuel source after fire is extinguished. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET *

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 805 | Extinguish a Vehicle Fire- Nozzle Firefighter/Crew Leader | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.7 | Date: 04-21-25 |

| MINIMUM TO PASS: 12 FFI 12 of 16 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|------|--|--------------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Continuously observes and verbalizes noted fire behavior and smoke conditions. | | | | |
| | 3* | Identifies and verbalizes vehicle fuel type. | | | | |
| | 4 | Sets nozzle for a straight stream pattern. Slowly opens the nozzle fully maintaining control of the hoseline to expel air and test the stream pattern. | | | | |
| | 5 | Ensures other two firefighters are ready to approach. | | | | |
| | 6 | Verbalizes then approaches from uphill, upwind, and from the side of the vehicle if possible. | | | | |
| | 7* | Opens the nozzle maintaining control of the hoseline. Advances hoseline toward vehicle utilizing the reach of the stream. | | | | |
| | 8 | Sweeps ground with stream underneath the vehicle. | | | | |
| | 9* | Properly and safely manages fire stream to cool vehicle hazard areas. | | | | |
| | 10* | Extinguishes surrounding fires, if present. | | | | |
| | 11 | Cools exposures, if present. | | | | |
| | 12* | Expands fog pattern size as distance to vehicle is reduced. | | | | |
| | 13* | Orders first backup firefighter to open vehicle compartments (door, hood, trunk). | | | | |
| | 14 * | Extinguishes compartment fires as discovered. | | | | |
| | 15* | Ensures fire is overhauled and extinguished; and controls any fuel leaks. | | | | |
| | 16* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| MINIMUM TO PASS: 12 | | | TOTAL | | | |
| | | | TOTAL: ONLY if Retesting | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 806 | Extinguish a Vehicle Fire- First Backup | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.7 | Date: 04-21-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|--------------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Continuously observes and verbalizes noted fire behavior and smoke conditions. | | | | |
| | 3 | Takes a position on the same side of the hoseline relative to nozzle firefighter. | | | | |
| | 4* | Carries a forcible entry tool. | | | | |
| | 5 | Advances hoseline based on the need of the nozzle firefighter. | | | | |
| | 6 | Removes kinks in hoseline. | | | | |
| | 7* | Opens vehicle compartments to expose potential hidden fires (doors, hood, trunk). | | | | |
| | 8* | Overhauls burning materials with the tool (NOT hands). | | | | |
| | 9* | Orders nozzle firefighter back to wet burning materials, if necessary. | | | | |
| | 10* | Ensures fire is overhauled and extinguished. | | | | |
| | 11* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| MINIMUM TO PASS: 8 | | | TOTAL | | | |
| | | | TOTAL: ONLY if Retesting | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI - C 807 | Extinguish a Vehicle Fire- Second Backup | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.7 | Date: 04-21-25 |

| MINIMUM TO PASS: 8 FFI 8 of 11 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Continuously observes and verbalizes noted fire behavior and smoke conditions. | | | | |
| | 3 | Takes a position on the same side of the hoseline relative to nozzle firefighter. | | | | |
| | 4 | Advances hoseline based on the need of the nozzle firefighter. | | | | |
| | 5* | Removes kinks in hoseline. | | | | |
| | 6 | Advances hoseline based upon the need of the nozzle firefighter. | | | | |
| | 7 | Moves up toward vehicle if called by the nozzle or first backup firefighter, or once the need for more hose ceases. | | | | |
| | 8* | Assists first backup firefighter with opening vehicle compartments. | | | | |
| | 9* | Assists with overhauling burning materials (with tool NOT hands). | | | | |
| | 10* | Ensures fire is overhauled and extinguished. | | | | |
| | 11* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 808 | Extinguish an Unattached Container Fire- Nozzle Firefighter/Crew Leader | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.8 | Date: 04-21-25 |

| MINIMUM TO PASS: 11 FFI 11 of 15 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Continuously observes and verbalizes noted fire behavior and smoke conditions. | | | | |
| | 3 | Sets nozzle for a straight stream pattern. Slowly opens the nozzle fully maintaining control of the hoseline to expel air and test the stream pattern. | | | | |
| | 4 | Ensures that the other two firefighters are ready to approach. | | | | |
| | 5 | Verbalizes then advances from uphill and upwind, if possible. | | | | |
| | 6* | Opens the nozzle maintaining control of the hoseline. Advances hoseline toward fire utilizing the reach of the stream. | | | | |
| | 7* | Properly and safely manages fire stream to cool the container and surrounding exposures. | | | | |
| | 8* | Extinguishes surrounding fires, if present. | | | | |
| | 9 | Orders first backup firefighter to open container openings. | | | | |
| | 10* | Extinguishes fire as burning material is exposed. | | | | |
| | 11 | Hydraulically overhauls material as much as possible limiting personnel exposure. | | | | |
| | 12* | Does not use excessive pressure during overhaul to avoid blowing and splattering material on personnel. | | | | |
| | 13* | Ensures fire is overhauled and extinguished. | | | | |
| | 14 | Verbalizes signs of origin and protects area for origin and cause investigation. | | | | |
| | 15* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI - C 809 | Extinguish an Unattached Container Fire First Back up | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.8 | Date: 04-21-25 |

| MINIMUM TO PASS: 9 FFI 9 of 12 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Continuously observes and verbalizes noted fire behavior and smoke conditions. | | | | |
| | 3 | Takes a position on the same side of the hoseline relative to nozzle firefighter. | | | | |
| | 4* | Carries a forcible entry tool. | | | | |
| | 5 | Advances hoseline based on the need of the nozzle firefighter. | | | | |
| | 6 | Removes kinks in hoseline during advancement. | | | | |
| | 7* | Upon order from nozzle firefighter, opens container openings with a tool. | | | | |
| | 8* | Overhauls burning material with tool, if necessary, limiting exposure to personnel. | | | | |
| | 9* | Orders nozzle firefighter back to wet burning materials. | | | | |
| | 10* | Assures fire is overhauled and extinguished. | | | | |
| | 11 | Verbalizes signs of origin and protects area for origin and cause investigation. | | | | |
| | 12* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|---|--------------------|
| Skill Sheet No. FFI - C 810 | Extinguish an Unattached Container Fire Second Back up | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.8 | Date: 04-21-25 |

| MINIMUM TO PASS: 10 FFI 10 of 13 (all worth 1 point) | | | 1 st Test | | Retest | |
|---|-----|---|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Continuously observes and verbalizes noted fire behavior and smoke conditions. | | | | |
| | 3* | Carries a forcible entry tool. | | | | |
| | 4 | Takes a position on the same side of the hoseline relative to nozzle firefighter. | | | | |
| | 5 | Advances hoseline based on the need of the first backup firefighter. | | | | |
| | 6 | Removes kinks in hoseline. | | | | |
| | 7 | Advances hoseline based on the need of the nozzle firefighter. | | | | |
| | 8* | Moves up toward container if called by the nozzle firefighter, first backup firefighter, or once the need for more hose ceases. | | | | |
| | 9* | Assists first backup firefighter with opening container openings with tool. | | | | |
| | 10* | Overhauls burning material with tool, as necessary. | | | | |
| | 11* | Ensures fire is overhauled and extinguished. | | | | |
| | 12 | Verbalizes signs of origin and protects area for origin and cause investigation. | | | | |
| | 13* | The candidate completed all tasks safely and efficiently per instructions. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

| | | |
|-----------------------------|-------------------------------------|--------------------|
| Skill Sheet No. FFI - C 817 | Combating a Groundcover Fire | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.19 | Date: 01-25-25 |

| MINIMUM TO PASS: 7 FFI 7 of 9 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Candidate arrives at test station wearing full complete Firefighting gear, with SCBA. | | | | |
| | 2 | Identifies and verbalizes threats to personal safety and property; and identifies and verbalizes safety zones. | | | | |
| | 3* | Protects exposures, as necessary. | | | | |
| | 4 | Verbalizes escape routes. | | | | |
| | 5* | Selects appropriate tool and successfully suppresses fire or creates a fire line. | | | | |
| | 6 | Approaches flame edge from the already burned area. | | | | |
| | 7* | Exit the hazard area. | | | | |
| | 8* | Safety was not compromised. | | | | |
| | 9 | Indicates to examiner that they have completed the evolution. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025



MASSACHUSETTS FIRE TRAINING COUNCIL
FIRE FIGHTER I CERTIFICATION EXAMINATION



CANDIDATE #

| | | |
|-----------------------------|--|--------------------|
| Skill Sheet No. FFI- C 817S | Combating Groundcover Fire Simulation | Passing Score: 70% |
| NFPA 1001-2019 edition | Objective: 4.3.19 | Date: 01-25-25 |

| MINIMUM TO PASS: 5 FFI 5 of 6 (all worth 1 point) | | | 1 st Test | | Retest | |
|--|----|--|----------------------|---|--------|---|
| | | | P | F | P | F |
| | 1 | Given an assignment, correctly identifies and minimizes threats. | | | | |
| | 2 | Identifies and protects exposures, as necessary and reports threats. | | | | |
| | 3 | Determines and provides appropriate tactic to extinguish the fire; create a fire line or suppression with handline, portable extinguisher, or hand tool. | | | | |
| | 4 | Ensures fires are suppressed. | | | | |
| | 5 | Completes evolution as necessitated by scenario. | | | | |
| | 6* | Obtains a minimum score of 70% on post-incident analysis. | | | | |
| TOTAL | | | | | | |
| TOTAL: ONLY if Retesting | | | | | | |

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: PASS FAIL

Coordinator review: Date: ____/____/____ Initials: _____ PASS FAIL

01012025