



CANDIDATE #

TOTAL: ONLY if Retesting

Skill Sh	eet No. FFI/II C 003	Operation and Maintenance of Emergency Scene Lighting	Passing Sco	ore: 70%
NFPA 1	.001-2019 edition	Objective: 4.3.17, 5.5.4	Date: ()1-24-25
	MINIMUM TO PA	SS: FFI 6 of 8, FFII 3 of 3 (all worth 1 point)	1st Test	Retest FFI F II
1	Appropriately wears	all PPE.		
2	Correctly selects all generator) as neede	needed equipment (lights, cords, tools, ed.		
3	Checks and then ver fuel and oil are full.	balizes fuel and oil levels in generator. Ensures		
4	Starts generator and recommendation.	d allows to warm up per manufacturers		
5*	Places light(s) so tha	at the defined area is fully illuminated.		
6		ls to power lights so that excess cord does not alkway to minimize any trip hazards and removes ds.		
7	Plugs cords into gen	erator, resets GFCI if necessary.		
8	. 1	caminer unplugs lights and shuts down generator ch, generator switch and fuel switch (if applicable) ition.		
9	Cleans and returns l storage area as defi	ighting equipment and cords to appropriate ned by scenario.		
10*	Cleans and refuels g	enerator.		
11*	Identifies and verba any issues requiring	lly reports to the examiner in order to document repair.		
		TOTAL		

* FAILURE OF THIS CRITICAL PORTION IS Candidate must pass all lower leve		
Examiner name: (Printed)		
Examiner Signature:		Circle one: FFI- RETEST: PASS FAIL
Coordinator review: Date://	Initials:	Circle one: FFII-RETEST: PASS FAIL PASS FAIL





		SCBA Use while Disoriented				
Skill	Sheet No. FFI/II–C 202	Emergency Procedures	Pass	sing S	core:	70%
NFPA 1001-2019 edition Objective: 4.2.4, 5.2.2			Date: 04-21-2			
MI	NIMUM TO PASS: FFI 8	FFII 2 FFI 8 of 11, FFII 2 of 2 (all worth 1 point)		Test FF II	F	Retest FF II
1	Candidate arrives at tes with SCBA.	t station wearing full complete Firefighting gear,				
2	The candidate remains	calm.				
3	The candidate stops mo	ovement and breathes normally.				
4*	The candidate commun radio.	icates "Mayday, Mayday, Mayday" over the				
5*	Candidate notifies Com Problem (disorientated	mand or Supervisor of Location, Identification, and Solution.				
6*	Activates PASS device n	nanually to alarm mode.				
7	Verbalize and/or use of (ex: flashlight, tool)	other methods to call for emergency assistance.				
8	Candidate finds hoselin times.	e and maintains contact with the hoseline at all				
9*	Uses hoseline coupling	configuration to determine exit path (long lug out).				
10	Ascends/descends stair floor.	s with head oriented upwards, toward upper				
11*	Exits building or area us	sing hoseline as a guide.			-	
12*	Notifies Command/Exa	miner of status via radio.				
13*	The candidate complete	ed all tasks safely and efficiently per instructions.				
		MINIMUM TO PASS: FFI 8, FFII 2 TOTAL				
		TOTAL: only if	Retes	sting		

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE Candidate must pass all lower levels to be eligible to be certified.	
Examiner name: (Printed)	//
Examiner Signature:	Circle one: FFI PASS FAIL
Coordinator review: Date:/ Initials: PASS	Circle one: FFII PASS FAIL S FAIL





Skill Sl 208	heet No. FFI/II – C	Rescuing a Downed Firefighter with Functioning SCBA – Team Leader	Passing Score: 70%
NFPA 1	1001-2019 edition	Objective: 4.3.5, 4.3.9, 5.2.2	Date: 01-25-25
	MINIMUM TO PASS: I	FFI 11, FFII 3 FFI 11 of 15, FFII 3 of 4 (all worth 1 point)	Test FF FF I II
1	Candidate arrives at tes	t station wearing full complete Firefighting gear, with SCBA.	
2	Gathers necessary equip	oment (search rope, TIC, flashlight).	
3	Verbalizes verification t	hat team members have appropriate equipment.	
4*		ermine tenability of environment and determines most efficient ped firefighter. Verbalizes this to examiner.	point
5*	Secures search rope to a	an immovable anchor in a safe area.	
6	Verbalizes verification t air).	hat all team members are ready to make entry (same side of line	, on
7	Upon direction from exa	aminer commences, search for downed firefighter.	
8	Enters IDLH environmer	nt. Scans with TIC (6 sides). Verbalizes listening for PASS.	
9*	Follows the sound of PA occasionally to scan wit	SS device and leads team to locate downed firefighter stopping h TIC.	
10	Utilizes team members	as appropriate to conduct search.	
11*	Locates a downed firefig	ghter. Notifies command via radio.	
12	Delegates member to se	ecure search rope to object in immediate area of downed firefigh	ter.
13	Delegates team membe	rs to assess for breathing and air status.	
14	Delegates additional tea	nm members to convert SCBA to rescue harness.	
15*	Notifies command at all firefighter).	benchmarks. (Located, on air, harness converted, removing	
16*	Maintains situational av	vareness. Verbalizes to examiner.	
17*		f monitoring team air supply. Communicates to command, requeates decision to exit to ensure team has enough air to safely exit	
18	Updates next rescue tea	nm to advise of down firefighter status, what objectives have bee	n
19*	Safely exits IDLH environ reports to command.	nment while monitoring conditions, maintaining crew integrity, a	nd
		TC	DTAL
*		TICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKI ass all lower levels to be eligible to be certified at a highe	
Examir	ner name: (Printed)	Date	e:/
			e: FFI PASS FAIL
Coordina	ator review: Date:/	/ Initials:	FFII PASS FAIL 01012025





Skill Sheet No. FFI/II – C 212	Rescuing a Downed Firefighter with Non-Functioning SCBA – Team Leader	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.3.5, 4.3.9, 5.2.2	Date: 01-25-25

			1st 7	Test	Re	test
		MINIMUM TO PASS: FFI 11, FFII 3 FFI 11 of 15, FFII 3 of 4 (all worth 1 point)	FFI	FF II	FFI	FF II
	1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
	2	Gathers necessary equipment (search rope, TIC, flashlight).				
	3	Verbalizes verification that team members have appropriate equipment.				
	4*	Performs and verbalizes size up to determine tenability of environment and verbalizes determined most efficient point of entry/route to downed firefighter.				
	5	Secures the search rope to an immovable anchor in a safe area.				
	6	Verbalizes verification that all team members are ready to make entry (same side of line, on air).				
	7	Upon direction from examiner commences, search for downed firefighter.				
	8*	Enters IDLH environment. Scans with TIC (6 sides). Verbalizes listening for PASS.				
	9	Follows the sound of PASS device and leads team to locate downed firefighter stopping occasionally to scan with TIC.				
	10	Utilizes team members as appropriate to conduct search.				
	11*	Locates a downed firefighter. Notifies command via radio.				
	12	Delegates member to secure search rope to object in immediate area of downed firefighter.				
	13	Delegates team members to assess for breathing and air status.				
-	14	Delegates additional team member to convert SCBA to rescue harness.				
	15*	Notifies command at all benchmarks. (Located, on air, harness converted, removing firefighter).		\prod		
	16*	Maintains situational awareness. Verbalizes to examiner.				
	17*	Monitors team air supply, communicates to command, requests second RIT team, and makes decision to exit to ensure team has enough air to safely exit the IDLH.		П		
	18	Updates next rescue team to advise of down firefighter status, what objectives have been completed.				
	19*	Safely exits IDLH environment while monitoring conditions, maintaining crew integrity, and reports to command.				
		TOTAL				
			1			

Examiner Signature: Circle one: FFI PASS FAIL				
Examiner name: (Printed)	Date:/			
Examiner Signature:	Circle one: FFI PASS 1	FAIL		
Coordinator review: Date:/ Initials:	FFII PASS	FAIL 01012025		





CANDIDATE#

TOTAL

TOTAL: ONLY if Retesting

FFII PASS FAIL 01012025

Skill S	Sheet No. FFI/II–C 217	Conduct a Primary Search – Searcher One/Team Leader	Passing	g Scor	e: 70	%
NFPA	1001-2019 edition	Objective: 4.3.9, 5.3.2	Da	te: 04	-21-2	25
	MINIMUM TO PASS: FFI	8, FFII 2 FFI 8 of 11, FFII 2 of 2 (all worth 1 point)	1 st	Test FF II	Rete	
1	Candidate arrives at gear, with SCBA.	test station wearing full complete Firefighting				
2	Carries a forcible ent	try tool.				
3	* Candidate verbalizes	an intended search pattern.	\			
4	Τ	ity system by confirming and verbalizing their as been placed on the board.				
Į	Chooses and conduct movement based up	ts appropriate search positioning for rapid on conditions.				
6	* Maintains "left" or " significant benchman	right" search pattern, updates IC on progress as rks are achieved.				
7	Fully searches one ro	oom before moving on to the next.				
8	Marks rooms that ha	eve been searched.				
g	4	, and instructs other searcher(s) to do same, to elp, other rescuers, etc.				
10	Moves up and down	stairs, always oriented with head up.				
11	* Finds victim; notifies	command	/			
12	Exits structure with	victim, reports assignment completion to IC.				
13	* The candidate completed	all tasks safely and efficiently per instructions.				

Coordinator review: Date: ____/____ Initials: _____



/			
(

Skill Sheet No. FFI /II– C 221	Displace a Vehicle Door Using Hydraulic tools	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.3, 5.4.1, 5.4.2	Date: 01-25-25

		MINIMUM TO PASS: FFI 2, FFII 10 FFI 2 of 2, FFII 10 of 13 (all worth 1 point)	1 st Test	Retest
			FFI II	FFI II
	1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.		
	2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles and or safety/police officers.		
	3	Places appropriate cribbing to stabilize vehicle.		
	4	Ensures battery is disconnected.		
	5*	Assesses then verbalizes passive restraint system for deployment.		
	6	Ensures door is not locked and cannot be opened as designed.		
	7*	Ensures patient is properly covered/protected.		
	8	Ensures personnel are clear of door area.		
	9*	Safely removes all door glass.		
	10	Provides access for hydraulic spreader at either the hinge or latch side of door.		
	11	Displaces first attachment side (hinge or latch).		
	12	Displaces second attachment side (hinge or latch).		
	13*	Does not jeopardize patient throughout the evolution.		
	14	Uses legs, not back muscles when lifting equipment.		
	15*	Displaces the vehicle door.		
		TOTAL		
		TOTAL: only if	Retesting	,
	*	FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SH Candidate must pass all lower levels to be eligible to be certified at a higher level		*
E	xamine	r name: (Printed) Date:	_//_	
E	xamine	r Signature: Circle one: FF	I PASS	FAIL
Coc	rdinat	or review: Date:/	II PASS	FAIL 01012025





CANDIDATE						
Sk	till She	et No. FFI /II– C 222	Displace a Vehicle Front Windshield Rescuer One	Passing Score: 70%		
N	FPA 10	01-2019 edition	Objective: 4.1.2, 4.3.3, 5.4.1, 5.4.2, 5.5.4	Date: 01-24-25		
		MINIMUM TO PASS: FF	1 2, FFII 9 FFI 2 of 2, FFII 9 of 12 (all worth 1 point)	Test F FF FI II Test FFI FF		
	1	Candidate arrives at with SCBA.	test station wearing full complete Firefighting ge	ear,		
	2*		izes scene safety, and cordons off work area wit nes/triangles, safety/police officers.	h		
	3	Places appropriate c	ribbing to stabilize vehicle.	\		
	4	Ensures battery is dis	sconnected.			
	5*	Ensures patient is pr	operly covered/protected.			
	6	Selects appropriate t	ool to remove windshield.			
	7	Takes a position opp vehicle.	osite the other rescuer on the other side of the			
	8	Starts at the top of the bottom edge of the	ne windshield and cuts across top, down the side the windshield.	e to		
	9	Passes the tool to th	e opposite rescuer.			
	10	Supports the windsh side.	ield as the other rescuer completes cutting othe	r		
	11	Working with other I	rescuer folds windshield down onto hood.			
	12	Places windshield eit of the immediate are	her under the vehicle or in other safe location o	ut		
	13*	Ensures the patient of the evolution.	does not receive any additional injury throughou	t		
	14*	Displaces the vehicle	windshield.			
				OTAL		
TOTAL: ONLY if Retesting						
	* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET Candidate must pass all lower levels to be eligible to be certified at a higher level.					
]	Examine	r name: (Printed)	Date	e:/		
]	Examine	r Signature:	Circle on	e: FFI PASS FAIL		
Co	Coordinator review: Date: / / Initials: EFIL DASS FAIL					





Skill Sheet No. FFI /II– C 223		et No. FFI /II– C 223	Displace a Vehicle Front Windshield Rescuer Two	Passin	g Sco	re: 70%
NF	FPA 10	01-2019 edition	Objective: 4.1.2, 4.3.3, 5.4.1, 5.4.2, 5.5.4	Da	ite: 0	1-25-25
	MINIMUM TO PASS: FFI 2, FFII 7 FFI 2 of 2, FFII 7 of 9 (all worth 1 point)			1st Test F FF	Retest	
	1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
	2*	/	izes scene safety, and cordons off work area wit nes/triangles, safety/police officers.	h		
	3	Places appropriate c	ribbing to stabilize vehicle.			
	4	Ensures battery is di	sconnected.			
	5*	Ensures patient is pr	operly covered/protected.			
	6	Takes a position opp vehicle.	osite the other rescuer on the other side of the			
	/		m opposite rescuer and continues cutting at the down the side to the bottom edge.	top		
	8	Working with other	rescuer folds windshield down onto hood.			
	9 Places windshield either under the vehicle or in other safe the immediate area.			ut of		
	10*	Ensures the patient does not receive any additional injury throughout the evolution.				
	11*	Displaces the vehicle	windshield.			
			Т	OTAL		
			TOTAL: o	NLY if Re	testin	g

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET Candidate must pass all lower levels to be eligible to be certified at a higher level.							
Examiner name: (Printed)	Date:/						
Examiner Signature:	Circle one: FFI PASS FAIL						
Coordinator review: Date:/ Initials:	FFII PASS FAIL 01012025						



Examiner name: (Printed)

Coordinator review: Date: _____

Examiner Signature:

MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I/II CERTIFICATION EXAMINATION



CANDIDATE #

Date:

Circle one: FFI PASS

FAIL

FFII PASS FAIL 01012025

Skill Sheet No. FFI /II– C 224	Displace a Vehicle Steering Column and Dashboard Using Hydraulic Tools	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.3, 5.4.1, 5.4.2, 5.5.4	Date: 01-25-25

	MINIMUM TO PASS: FFI 2, FFII 8 FFI 2 of 2, FFII 8 of 11 (all worth 1 point)	Test F FF FI II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.	
2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles, safety/police officers.	
3	Places appropriate cribbing to stabilize vehicle.	
4	Ensures battery is disconnected.	
5	Verbalizes then assesses passive restraint system for deployment.	
6*	Ensures the patient is properly covered/protected.	
7	Ensures both front doors and windshield have been removed.	
8	Makes relief cuts at the bottom of the "A" post as close to the rocker panel as necessary.	
9	Cuts top of the "A" post.	
10*	Properly utilizes cutters, rams, and/or spreaders to displace the steering column and dashboard simultaneously.	
11	Uses legs, not back muscles when lifting equipment.	
12*	Does not jeopardize the patient throughout the evolution.	
13*	Displaces the vehicle steering column and dashboard.	
	TOTAL	
	TOTAL: ONLY if	Retesting
*□□ Can	FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SH didate must pass all lower levels to be eligible to be certified at a high	EET

Initials: _





Skill Sheet No. FFI /II– C 225	Removal of a Passenger Vehicle Roof Using Hydraulic Tools/Powered Saws	Passing Score: 70%		
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.3, 5.4.1, 5.4.2, 5.5.4	Date: 01-25-25		

	N	MINIMUM TO PASS: FFI 2, FFII 12 FFI 2 of 2, FFII 12 of 16 (all worth 1 point) Test F F F F F F F F F
	1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.
	2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles, safety/police officers.
	3	Ensures vehicle is stable.
	4	Ensures battery is disconnected.
	5	Assesses then verbalizes passive/supplemental restraint system for deployment.
	6	Ensures door is not locked and cannot be opened as designed
	7*	Ensure patient is properly covered/protected.
	8	Ensures unnecessary personnel are clear of the extrication area.
,	9*	Ensures all glass in windshield, doors, and moon/sun windows, are safely removed. If operating as a team, each candidate must demonstrate cutting of at least one post.
	10	Provides access for hydraulic cutter/powered saw on both sides at posts.
	11	Candidate inspects and exposes interior molding of posts being cut. (Peel & peek)
	12	Candidate cuts post(s), fully disconnecting, roof from post avoiding cutting airbag deployment canisters.
	13	The candidate ensures additional personnel support the roof once final cuts are made.
	14	Candidate and additional personnel remove the roof entirely, out of the way in a safe manner.
	15	Candidate ensures sharp edges from extrication cuts are covered/protected.
1	L6*	Ensures the patient does not receive any additional injury throughout the evolution.
	17	Use legs, not back muscles when lifting equipment.
1	L8*	Removes/opens roof to gain appropriate access to patient for extrication.
		TOTAL
		TOTAL: ONLY if Retest
`		

$\square^*\square$ FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET $\square^*\square$ Candidate must pass all lower levels to be eligible to be certified at a higher level.				
Examiner name: (Printed)	Date:/			
Examiner Signature:	Circle one: FFI PASS FAIL			
Coordinator review: Date:/ Initials:	FFII PASS FAIL 01012025			



1	MAINING CO			CANDI	DATE#
		FDI/II G 000	Extinguish an Interior Class" A" Materials		- 00/
Sk	ill Shee	t No. FFI/II C 802	Fire- Nozzle Firefighter/Crew Leader	Passing Sco	ore: 70%
NF	FPA 100	01-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.1.2, 5.3.2, 5.3	.4 Date: 0	1-25-25
		MINIMUM TO PASS:	FFI 9, FFII 7 FFI 9 of 12, FFII 7 of 10 (all worth 1 point)	1st Test F FF FI II	Retest FFI FF II
	1	Candidate arrives SCBA.	at test station wearing full complete Firefighting gea		
	2	Continuously obsections.	rves and verbalizes noted fire behavior and smoke		
	3	Establishes and ve	erbalizes combative command over radio.	\	
	4	Verbally transfers	command via radio to next arriving company leader.	\	
	5	Sets nozzle for a s	traight stream.	\	
	6*		nozzle fully to prevent water hammer, prior to entering air and test the pattern.	ng the	
	7	Checks door for he	eat.		
	8	Directs second bageneration.	ck-up firefighter to maintain door control to avoid flo	w path	
	9	Ensures that the o	ther two firefighters are ready to enter the structure.		
	10*	Stays below the ne	eutral plane when entering structure.		
	11	Advances hoseline	e to fire room.		
	12	Keeps nozzle clos protection.	ed while advancing to fire unless necessary to opera	ate for	
	13*	Upon reaching fire conditions present	, manages the fire stream safely and properly based	d on the	
	14*	Calls for first back to start overhaul.	up firefighter to ventilate structure, calls for second b	packup	
	15	Places nozzle outs ventilation.	side of the building opening in preparation for hydrau	ılic	
	16	Successfully perfo	rms hydraulic ventilation and then closes nozzle.		
	17*	Verbalizes then er evidence related to	sures fire is overhauled and extinguished while preso fire's origin.	serving	
	18*	Successfully compand verbalizes wh	letes assigned evolution using safe fire suppressior en complete.	n skills	
-				TOTAL	
			TOTAL:	ONLY if Retestin	g
	* F.		TICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE S		*
т	Candidate must pass all lower levels to be eligible to be certified at a higher level.				
				Date:// e one: FFI PASS	FAIL
		_			
C0	orumato	r review: Date:/	/ Initials:	FFI PASS	FAIL 01012025





Skill Sheet No. FFI/II C 803		et No. FFI/II C 803	Extinguish an Interior Class" A" Materials Fire - First Backup	Passing Score: 70			70%		
NF	FPA 10	01-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.3.2, 5.3.4	D	ate	e: 01	-25	-25	
				Te	st est FF	Re	etest		
	1	Candidate arrives a with SCBA.	t test station wearing full complete Firefighting ge						
	2	Continuously obserconditions.	rves and verbalizes noted fire behavior and smoke						
	3	Takes a position or firefighter.	the same side of the hoseline relative to nozzle						
	4*	Carries a forcible e	ntry tool.						
	5*	Stays below neutral plane when entering a structure.							
	6	Removes kinks in h	oseline during advancement.						
	7	Keeps hoseline opp	oosite protruding corners to avoid kinking.						
	8	Advances hoseline based on the need of the nozzle firefighter.							
	9*	Joins the nozzle fire	efighter after the hoseline is in position.						
	10	Upon order from the possible.	ne nozzle firefighter, opens structure for ventilatio	n, if					
	11	Assists with overha	ul of burning materials with a tool, NOT the hands	5./					
	12	Orders nozzle firefighter back to origin to wet burning materials if necessary.							
	13*	Ensures fire is over related to fire's ori	hauled and extinguished while preserving evidenc gin.	e					
	14*	Completes evolution	on using safe fire suppression skills.						
			TO	OTAL					
			TOTAL: o	NLY if Ro	ete.	sting	,		

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET Candidate must pass all lower levels to be eligible to be certified at a higher level.				
Examiner name: (Printed)	Date:/			
Examiner Signature:	Circle one: FFI PASS	FAIL		
Coordinator review: Date:/ Initials:	FFII PASS	FAIL 01012025		





Skill Sheet No. FFI/II C 804		et No. FFI/II C 804	Extinguish an Interior Class" A" Materials Fire - Second Backup	Passii	ng S	Scor	e: 70)%
NF	FPA 10	01-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.3.2, 5.3.4	D	Date: 01-25-2			25
				1s Tes F I	st FF	Re	test FF II	
	1	Candidate arrives a with SCBA.	at test station wearing full complete Firefighting g	ear,				
	2	Continuously obse	rves and verbalizes noted fire behavior and smoke	9				
	3	Takes a position or firefighter.	the same side of the hoseline relative to nozzle					
	4*	Carries a forcible entry tool.						
	5*	Stays below neutral plane when entering a structure.						
	6	Remains outside of	f doorways while advancing hoseline.					
	7	Maintains door cor	ntrol to control flow path.					
	8	Removes kinks in h	oseline during advancement.					
	9	Keeps hoseline opp	posite protruding corners to avoid kinking.					
	10	Advances hoseline	based on the need of the nozzle firefighter.					
	11*	Moves up to the fir	re area once extra hose is no longer needed.					
	12*	Overhauls burning	materials with a tool, NOT hands.					
	13*	Ensures fire is over related to fire's ori	hauled and extinguished while preserving evidengin	ce				
	14*	Completes evolution	on using safe fire suppression skills.					
				OTAL				
			TOTAL: 0	ONLY if R	etes	ting		

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENCENDED Candidate must pass all lower levels to be eligible to be certified a	
Examiner name: (Printed)	Date:/
Examiner Signature:	Circle one: FFI PASS FAIL
Coordinator review: Date:/ Initials:	FFII PASS FAIL 01012025





Skill	Sheet No. FFI/II C 811	Grade Fire- Nozzle Firefighter/Crew Leader	Passing Score	e: 70%
NFPA	A 1001-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.1.2, 5.3.2, 5.3.4	Date: 01	-24-25
	MINIMUM TO PASS:	FFI 9, FFII 5 FFI 9 of 12, FFII 5 of 7 (all worth 1 point)	1st Test	Retest FFI FF II
1	Candidate arrives at test st	ation wearing full complete Firefighting gear, with SCBA.		
2	Continuously observes and	verbalizes noted fire behavior and smoke conditions.		
3	Establishes and verbalizes	combative command over radio.		
4	Verbally transfers comman	d via radio to next arriving company leader.		
5	Sets nozzle for a straight st	ream.		
6*	Slowly opens the nozzle fu structure, to expel air and	ly maintaining control of the hoseline, prior to entering the test the pattern.		
7*	Checks the door for heat.			
8	Directs second back-up fire	fighter to maintain door control to avoid flow path generation.		
9	Ensures the other two firef	ighters are ready to enter the structure.		
10*	Stays below the neutral pla	ne when entering structure.		
11	Advances hoseline to fire r	oom.		
12	Avoids staying in stairwells			
13	Keeps nozzle closed while a	advancing to fire unless necessary to operate for protection.		
14*	Upon reaching fire, manag present.	es the fire stream safely and properly based on the conditions		
15*	Calls for first backup firefig overhaul.	hter to ventilate structure, calls for second backup to start		
16	Places nozzle outside of the	e building opening in preparation for hydraulic ventilation.	/	
17	Successfully performs hydr	aulic ventilation and then closes nozzle.		
18*	Verbalizes then ensures fire to fire's origin.	e is overhauled and extinguished while preserving evidence relat	ted	
19*	Successfully completes ass when complete.	igned evolution using safe fire suppression skills and verbalizes		
	MINII	MUM TO PASS: FFI 9 FFII 5	TAL	
		TOTAL: ONLY if Retesti	ing	

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE Candidate must pass all lower levels to be eligible to be certified			*
Examiner name: (Printed)	Date: _	//_	
Examiner Signature:	_ Circle one:	FFI PASS	FAIL
Coordinator review: Date:/ Initials:	_	FFII PASS	FAIL 01012025





Skill Sheet No. FFI/II C 812	Extinguish an Interior Class "A" Materials Above Grade Fire First Backup	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.3.2, 5.3.4	Date: 01-25-25

	MINIMUM TO PASS: FFI 10, FFII 2 FFI 10 of 13, FFII 2 of 2 (all worth 1 point)	1 st Test	Retest FFI FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.		
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.		
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.		
4*	Carries a forcible entry tool.		
5*	Stays below neutral plane when entering a structure.		
6	Keeps hoseline in the outer half of the stairway.		
7	Removes kinks in hoseline during advancement.		
8	Keeps hoseline opposite protruding corners to avoid kinking.		
9	Advances hoseline based on the need of the nozzle firefighter.		
10*	Joins nozzle firefighter after the hoseline is in operation.		
11	Upon order from the nozzle firefighter, opens structure for ventilation, if possible.		
12*	Assists with overhaul of burning materials with a tool, NOT the hands.		
13	Orders nozzle firefighter back to origin to wet burning materials if necessary.		
14*	Ensures fire is overhauled and extinguished while preserving evidence related to fire's origin.		
15*	Completes evolution using safe fire suppression skills.		
	MINIMUM TO PASS: FFI 10 FFII 2 TOTAL		
	TOTAL: ONLY	f if Retesting	

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENCENDED Candidate must pass all lower levels to be eligible to be certified		*
Examiner name: (Printed)	Date:/	
Examiner Signature:	Circle one: FFI PASS F	FAIL
Coordinator review: Date:/ Initials:		FAIL 01012025





Skill Sheet No. FFI/II C 813	Extinguish an Interior Class "A" Materials Above Grade Fire Second Backup	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.3.2, 5.3.4	Date: 01-25-25

	MINIMUM TO PASS: FFI 9, FFII 2 FFI 9 of 12, FFII 2 of 2 (all worth 1 point)	1 st Test	Retest FFI FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.		
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.		
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.		
4*	Carries a forcible entry tool.		
5*	Stays below neutral plane when entering a structure.		
6	Remains outside of doorways while advancing hoseline.		
7	Maintains door control to control flow path.		
8	Removes kinks in hoseline during advancement.		
9	Keeps hoseline opposite protruding corners to avoid kinking.		
10	Advances hoseline based on the need of the nozzle firefighter.		
11*	Moves up to fire area if called by the nozzle firefighter, first backup firefighter, or as need for more hose ceases.		
12*	Overhauls burning materials with a tool, NOT hands.		
13*	Ensures fire is overhauled and extinguished while preserving evidence related to fire's origin		
14*	Completes evolution using safe fire suppression skills.		
	TOTAL		
	TOTAL: ONLY	f Retesting	

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE Candidate must pass all lower levels to be eligible to be certified	
Examiner name: (Printed)	Date:/
Examiner Signature:	_ Circle one: FFI PASS FAIL
Coordinator review: Date:/ Initials:	FFII PASS FAIL 01012025





Skill Sheet No. FFI/II C 814	Extinguish an Interior Class "A" Materials Below Grade Fire-Nozzle Firefighter/Crew Member	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.1.2, 5.3.2, 5.3.4	Date: 01-25-25

	MINIMUM TO PASS: FFI 10, FFII 5 FFI 10 of 14, FFII 5 of 7 (all worth 1 point)	1 st T	Retest	-
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.			
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.			
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.			
4	Establishes and verbalizes combative command over radio.			
5	Verbally transfers command via radio to next arriving company leader.			
6*	Sets nozzle for a straight stream.			
7*	Slowly opens the nozzle fully maintaining control of the hoseline, prior to entering the structure, to expel air and test the pattern.			
8	Checks the door for heat.			
9	Ensures the other two firefighters are ready to enter the structure.			
10	Opens door slowly and allows trapped heat /smoke to vent from area.			
11*	Briefly applies a solid stream into the area below grade before entering.			
12*	Stays below the neutral plane when entering structure.			
13	Keeps hose line in the outer half of the stairway.			
14	With hose line and while staying low, descend stairwell on hip as quickly as possible to get underneath thermal layer.			
15	Keeps nozzle closed while advancing to fire unless necessary to operate for protection.			
16*	Upon reaching fire, manages the fire stream safely and properly based on the conditions present to extinguish the fire.			
17	Calls for first backup firefighter to ventilate structure, calls for second backup to start overhaul.			
18	Places nozzle outside of the building opening in preparation for hydraulic ventilation.			
19	Successfully performs hydraulic ventilation and then closes nozzle.			
20*	Verbalizes then ensures fire is overhauled and extinguished while preserving evidence related to fire's origin.			
21*	Successfully completes assigned evolution using safe fire suppression skills and verbalizes when complete.			
	TOTAL			

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE Candidate must pass all lower levels to be eligible to be certified.	
Examiner name: (Printed)	Date:/
Examiner Signature:	Circle one: FFI PASS FAIL
Coordinator review: Date:/ Initials:	FFII PASS FAIL 01012025





Skill Sheet No. FFI/II C 815	Extinguish an Interior Class "A" Materials Below Grade Fire First Backup	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.3.2, 5.3.4	Date: 01-25-25

MINIMUM TO PASS: FFI 10, FFII 2 FFI 10 of 13, FFII 2 of 2 (all worth 1 point)		1st Test		R	Retest	
		FFI	FF II	FF		FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.					
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.					
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.					
4*	Carries a forcible entry tool.					
5*	Stays below neutral plane when entering structure.					
6	Keeps hoseline in the outer half of the stairway.					
7	Removes kinks in the hose line during advancement.					
8	Keeps hoseline opposite protruding corners to avoid kinking.					
9	With hose line and while staying low, descends the stairwell on hip as quickly as possible to get underneath thermal layer.					
10*	Join the nozzle firefighter once the hoseline is in operation.					
11	Upon order from the nozzle firefighter, opens structure for ventilation, if possible.					
12*	Assist with overhaul of burning materials with a tool, NOT the hands.					
13*	Orders nozzle firefighter back to origin to wet burning materials, if necessary.					
14*	Ensure fire is overhauled and extinguished while preserving evidence related to fire's origin.					
15*	Completes evolution using safe fire suppression skills.					
	TOTAL					
	TOTAL: only i	f Rete	esting	7		

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET Candidate must pass all lower levels to be eligible to be certified at a higher level.			
Examiner name: (Printed)	Date://_		
Examiner Signature:	Circle one: FFI PASS	FAIL	
Coordinator review: Date:/ Initials:	FFII PASS	FAIL 01012025	





Skill Sheet No. FFI/II C 816	Extinguish an Interior Class "A" Materials Below Grade Fire Second Backup	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.10, 4.3.11, 4.3.13, 5.3.2, 5.3.4	Date: 01-25-25

MINIMUM TO PASS: FFI 8, FFII 2 FFI 8 of 11, FFII 2 of 2 (all worth 1 point)
FI
Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.
Continuously observes and verbalizes noted fire behavior and smoke conditions.
Takes a position on the same side of the hoseline relative to nozzle firefighter.
4 Carries a forcible entry tool.
5* Stays below neutral plane when entering structure.
6 Keeps hoseline in the outer half of the stairway.
7 Removes kinks in the hose line during advancement.
8* Keeps hoseline opposite protruding corners to avoid kinking.
9 Advances hoseline based on the need of the nozzle firefighter.
Moves up to fire area if called by the nozzle firefighter, first backup firefighter, or as need for more hose ceases.
Overhauls burning materials with a tool, NOT hands.
Ensures that burning material is overhauled and the fire is extinguished while preserving evidence related to the fire's origin.
13* Completes evolution using safe fire suppression skills.
TOTAL
TOTAL: ONLY if Rete

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET Candidate must pass all lower levels to be eligible to be certified at a higher level.					
Examiner name: (Printed)	Date:/				
Examiner Signature:	Circle one: FFI PASS FAIL				
Coordinator review: Date:/ Initials:	FFII PASS FAIL 01012025				