



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate # _____

Skill Sheet No. FFI/II 003	Operation and Maintenance of Emergency Scene Lighting	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.3.17, 7.5.4	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 6 of 8, FFII 3 of 3 (all worth 1 point)		1 st Test		Retest	
		FF I	FF II	FFI	F II
1	Appropriately wears all PPE.				
2	Correctly selects all needed equipment (lights, cords, tools, generator) as needed.				
3	Checks and then verbalizes fuel and oil levels in generator. Ensures fuel and oil are full.				
4	Starts generator and allows to warm up per manufacturers recommendation.				
5*	Places light(s) so that the defined area is fully illuminated.				
6	Runs extension cords to power lights so that excess cord does not remain in defined walkway to minimize any trip hazards and removes any other trip hazards.				
7	Plugs cords into generator, resets GFCI if necessary.				
8	Upon direction of examiner unplugs lights and shuts down generator fully so that AC switch, generator switch and fuel switch (if applicable) are all in the off position.				
9	Cleans and returns lighting equipment and cords to appropriate storage area as defined by scenario.				
10*	Cleans and refuels generator.				
11*	Identifies and verbally reports any deficiencies to the examiner in order to document any issues requiring repair.				
MINIMUM TO PASS: FFI 6, FFII 3 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**

Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2025



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI/II 202	SCBA Use While Disoriented Emergency Procedures	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.2.2, 6.2.3, 7.2.2	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 8, FFII 2 FFI 8 of 11, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	The candidate remains calm.				
3	The candidate stops movement and breathes normally.				
4*	The candidate communicates "Mayday, Mayday, Mayday" over the radio.				
5*	Candidate notifies Command or Supervisor of Location, Identification, Problem (disorientated) and Solution.				
6*	Activates PASS device manually to alarm mode.				
7	Verbalize and/or use of other methods to call for emergency assistance. (ex: flashlight, tool)				
8	Candidate finds hoseline and maintains contact with the hoseline at all times.				
9*	Uses hoseline coupling configuration to determine exit path (long lug out).				
10	Ascends/descends stairs with head oriented upwards, toward upper floor.				
11*	Exits building or area using hoseline as a guide.				
12*	Notifies Command/Examiner of status via radio.				
13*	The candidate completed all tasks per instructions safely and efficiently.				
MINIMUM TO PASS: FFI 8, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ Circle one: FFII: **PASS FAIL**

CERT2025



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI/II 208	Rescuing a Downed Firefighter with Functioning SCBA – Team Leader	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.3.5, 6.3.9, 7.2.2	Date: 04-04-26

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FF I/II, FFII 3 FFI 11 of 15, FFII 3 of 4 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Gathers necessary equipment (search rope, TIC, spring clamp).				
3	Verbalizes verification that team members have appropriate equipment.				
4*	Performs size up to determine tenability of environment and determines most efficient point of entry/route to downed firefighter. Verbalizes this to examiner.				
5*	Secures search rope to an immovable anchor in a safe area.				
6	Verbalizes verification that all team members are ready to make entry (same side of line, on air).				
7	Upon direction from examiner commences, search for downed firefighter.				
8	Enters IDLH environment. Scans with TIC (6 sides). Verbalizes listening for PASS.				
9*	Follows the sound of PASS device and leads team to locate downed firefighter stopping occasionally to scan with TIC.				
10	Utilizes team members as appropriate to conduct search.				
11*	Locates a downed firefighter. Notifies command via radio.				
12	Delegates member to secure search rope to object in immediate area of downed firefighter.				
13	Delegates team members to assess for breathing and air status.				
14	Delegates additional team members to convert SCBA to rescue harness.				
15*	Notifies command at all benchmarks. (Located, on air, harness converted, removing firefighter).				
16*	Maintains situational awareness. Verbalizes to examiner.				
17*	Verbalizes verification of monitoring team air supply. Communicates to command, requests second RIT team, and makes decision to exit to ensure team has enough air to safely exit the IDLH.				
18	Updates next rescue team to advise of down firefighter status, what objectives have been completed.				
19*	Safely exits the IDLH environment as a team while monitoring conditions, maintaining crew integrity, and reports to command.				
MINIMUM TO PASS: FFI 11, FFII 3 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS FAIL** 4.4.26UD CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI/II 212	Rescuing a Downed Firefighter with Non-Functioning SCBA – Team Leader	Passing Score: 70%
NFPA1010-2024 edition	Objective: 6.3.5, 6.3.9, 7.2.2	Date: 04-04-26

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 11, FFII 3		FFI 11 of 15, FFII 3 of 4 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA						
2	Gathers necessary equipment (search rope, TIC, spring clamp)						
3	Verbalizes verification that team members have appropriate equipment						
4*	Confirms and verbalizes most efficient point of entry and tenable route to downed firefighter						
5	Secures the search rope to an immovable anchor in a safe area						
6	Verbalizes verification that all team members are ready to make entry (same side of line, on air)						
7	Upon direction from examiner commences, search for downed firefighter						
8*	Enters IDLH environment, scans with TIC (6 sides). verbalizes listening for PASS						
9	Follows the sound of PASS device and leads team to locate downed firefighter stopping occasionally to scan with TIC						
10	Utilizes team members as appropriate to conduct search for downed firefighter						
11*	Locates a downed firefighter. Notifies command via radio						
12	Delegates member to secure search rope to object in immediate area of downed firefighter						
13	Delegates team members to assess for breathing and air status						
14	Delegates additional team member to convert SCBA to rescue harness						
15*	Notifies command at all benchmarks. (Located, on air, harness converted, removing firefighter)						
16*	Maintains situational awareness. Verbalizes to examiner.						
17*	Monitors team air supply, communicates to command, requests second RIT team, and makes decision to exit to ensure team has enough air to safely exit the IDLH.						
18	Updates next rescue team to advise of down firefighter status, what objectives have been completed as applicable						
19*	Safely exits the IDLH environment while monitoring conditions, maintaining crew integrity, and reports to command						
MINIMUM TO PASS: FFI 11, FFII 3 includes all critical skills		TOTALS					
				TOTAL: ONLY if Retesting			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ____/____/____

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Initials: _____ **PASS** **FAIL** Date: ____/____/____ 4.4.26 CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI/II 217	Conduct a Primary Search – Searcher One/Team Leader	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.3.9, 7.3.2	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 8 of 11, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Carries a forcible entry tool.				
3*	Candidate verbalizes an intended search pattern.				
4*	Initiates accountability system by confirming and verbalizing their accountability tag has been placed on the board.				
5	Chooses and conducts appropriate search positioning for rapid movement based upon conditions.				
6*	Maintains “left” or “right” search pattern, updates IC on progress as significant benchmarks are achieved.				
7	Fully searches one room before moving on to the next.				
8	Marks rooms that have been searched.				
9	Pauses, holds breath, and instructs other searcher(s) to do same, to listen for cries for help, other rescuers, etc.				
10*	Moves up and down stairs, always oriented with head up.				
11*	Finds victim; notifies command.				
12*	Exits structure with victim, reports assignment completion to IC.				
13*	The candidate completed all tasks safely and efficiently per instructions.				
MINIMUM TO PASS: FFI 8, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
 Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI /II 221	Displace a Vehicle Door Using Hydraulic tools	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.3, 7.4.1, 7.4.2	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 2, FFII 10 FFI 2 of 2, FFII 10 of 13 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles and or safety/police officers.				
3	Places appropriate cribbing to stabilize vehicle.				
4	Ensures battery is disconnected.				
5*	Assesses then verbalizes passive restraint system for deployment.				
6	Ensures door is not locked and cannot be opened as designed.				
7*	Ensures patient is properly covered/protected.				
8	Ensures personnel are clear of door area.				
9*	Safely removes all door glass.				
10	Provides access for hydraulic spreader at either the hinge or latch side of door.				
11	Displaces first attachment side (hinge or latch).				
12	Displaces second attachment side (hinge or latch).				
13*	Does not jeopardize patient throughout the evolution.				
14	Uses legs, not back muscles when lifting equipment.				
15*	Displaces the vehicle door.				

MINIMUM TO PASS: FFI 2, FFII 10 includes all critical skills

TOTALS

TOTAL: ONLY if Retesting

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**

Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI /II 222	Displace a Vehicle Front Windshield - Rescuer One	Passing Score: 70%
NFPA 1001-2019 edition	Objective: 4.1.2, 4.3.3, 5.4.1, 5.4.2, 5.5.4	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 2, FFII 9 FFI 2 of 2, FFII 9 of 12 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles, safety/police officers.				
3	Places appropriate cribbing to stabilize vehicle.				
4	Ensures battery is disconnected.				
5*	Ensures that patients are properly covered/protected.				
6	Selects appropriate tools to remove windshield.				
7	Takes a position opposite the other rescuer on the other side of the vehicle.				
8	Starts at the top of the windshield and cuts across top, down the side to the bottom edge of the windshield.				
9	Passes the tool to the opposite rescuer.				
10	Supports the windshield as the other rescuer completes cutting on the other side.				
11	Working with other rescuer folds windshield down onto hood.				
12	Places windshield either under the vehicle or in other safe location out of the immediate area.				
13*	Ensures the patient does not receive any additional injury throughout the evolution.				
14*	Displaces the vehicle windshield.				
MINIMUM TO PASS: FFI 2, FFII 9 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
 Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI /II 223	Displace a Vehicle Front Windshield - Rescuer Two	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.3, 7.4.1, 7.4.2	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 2, FFII 7		FFI 2 of 2, FFII 7 of 9 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles, safety/police officers.						
3	Places appropriate cribbing to stabilize vehicle.						
4	Ensures battery is disconnected.						
5*	Ensures patient is properly covered/protected.						
6	Takes a position opposite the other rescuer on the other side of the vehicle.						
7	Receives the tool from opposite rescuer and continues cutting at the top of the windshield and down the side to the bottom edge.						
8	Working with other rescuer folds windshield down onto hood.						
9	Places windshield either under the vehicle or in other safe location out of the immediate area.						
10*	Ensures the patient does not receive any additional injury throughout the evolution.						
11*	Displaces the vehicle windshield.						
MINIMUM TO PASS: FFI 2, FFII 7 includes all critical skills		TOTALS					
				TOTAL: ONLY if Retesting			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
 Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2025



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFI /II 224	Displace a Vehicle Steering Column and Dashboard Using Hydraulic Tools	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.3, 7.4.1, 7.4.2	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 2, FFII 8 FFI 2 of 2, FFII 8 of 11 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles, safety/police officers.				
3	Places appropriate cribbing to stabilize vehicle.				
4	Ensures battery is disconnected.				
5	Verbalizes then assesses passive restraint system for deployment.				
6*	Ensures the patient is properly covered/protected.				
7	Ensures both front doors and windshield have been removed.				
8	Makes relief cuts at the bottom of the "A" post as close to the rocker panel as necessary.				
9	Cuts top of the "A" post.				
10*	Properly utilizes cutters, rams, and/or spreaders to displace the steering column and dashboard simultaneously.				
11	Uses legs, not back muscles when lifting equipment.				
12*	Does not jeopardize the patient throughout the evolution.				
13*	Displaces the vehicle steering column and dashboard.				
MINIMUM TO PASS: FFI 2, FFII 8		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate # _____

Skill Sheet No. FFI /II 225	Removal of a Passenger Vehicle Roof Using Hydraulic Tools/Powered Saws	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.3, 7.4.1, 7.4.2	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 2, FFII 12 FFI 2 of 2, FFII 12 of 16 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2*	Assesses then verbalizes scene safety, and cordons off work area with apparatus, traffic cones/triangles, safety/police officers.				
3	Ensures vehicle is stable.				
4	Ensures battery is disconnected.				
5	Assesses then verbalizes passive/supplemental restraint system for deployment.				
6	Ensures door is not locked and cannot be opened as designed				
7*	Ensure patient is properly covered/protected.				
8	Ensures unnecessary personnel are clear of the extrication area.				
9*	Ensures all glass in windshield, doors, and moon/sun windows, are safely removed. If operating as a team, each candidate must demonstrate cutting of at least one post.				
10	Provides access for hydraulic cutter/power saw on both sides at posts.				
11	Candidate inspects and exposes interior molding of posts being cut. (Peel & peek)				
12	Candidate cuts post(s), fully disconnecting, roof from post avoiding cutting airbag deployment canisters.				
13	The candidate ensures additional personnel support the roof once final cuts are made.				
14	Candidate and additional personnel remove the roof entirely, out of the way in a safe manner.				
15	Candidate ensures sharp edges from extrication cuts are covered/protected.				
16*	Ensures the patient does not receive any additional injury throughout the evolution.				
17	Use legs, not back muscles when lifting equipment.				
18*	Removes/opens roof to gain appropriate access to patient for extrication.				
MINIMUM TO PASS: FFI 2, FFII 12		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFI/II 802	Extinguish an Interior Class" A" Materials Fire- Nozzle Firefighter/Crew Leader	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.1.2, 7.3.2, 7.3.5	Date: 03-26-26

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 8, FFII 5		FFI 8 of 11, FFII 5 of 7 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.						
3	Establishes and verbalizes combative command over radio.						
4	Verbally transfers command via radio to next arriving company leader.						
5	Sets nozzle for a straight stream.						
6*	Slowly opens the nozzle fully to prevent water hammer, prior to entering the structure, to expel air and test the pattern.						
7	Checks door for heat.						
8	Directs second back-up firefighter to maintain door control to avoid flow path generation.						
9	Ensures that the other two firefighters are ready to enter the structure.						
10*	Stays below the neutral plane when entering structure.						
11	Advances hoseline to fire room.						
12	Keeps nozzle closed while advancing to fire unless necessary to operate for protection.						
13*	Upon reaching fire, manages the fire stream safely and properly based on the conditions present.						
14*	Calls for first backup firefighter to ventilate structure, calls for second backup to start overhaul.						
15	Places nozzle outside of the building opening in preparation for hydraulic ventilation.						
16	Successfully performs hydraulic ventilation and then closes nozzle.						
17*	Verbalizes then ensures fire is overhauled and extinguished while preserving evidence related to fire's origin.						
18*	Successfully completes assigned evolution using safe fire suppression skills and verbalizes when complete.						
MINIMUM TO PASS: FFI 8, FFII 5 includes all critical skills		TOTALS					
				TOTAL: ONLY <i>if Retesting</i>			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**

Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFI/II 803	Extinguish an Interior Class "A" Materials Fire – First Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.3.2, 7.3.5	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 9 of 12, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.				
4*	Carries a forcible entry tool.				
5*	Stays below neutral plane when entering a structure.				
6	Removes kinks in hoseline during advancement.				
7	Keeps hoseline opposite protruding corners to avoid kinking.				
8	Advances hoseline based on the need of the nozzle firefighter.				
9*	Joins the nozzle firefighter after the hoseline is in position.				
10	Upon order from the nozzle firefighter, opens structure for ventilation, if possible.				
11	Assists with overhaul of burning materials with a tool, NOT the hands.				
12	Orders nozzle firefighter back to origin to wet burning materials if necessary.				
13*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
14*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: FFI 9, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFI/II 804	Extinguish an Interior Class "A" Materials Fire - Second Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.3.2, 7.3.5	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 9, FFII 2 FFI 9 of 12, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.				
4*	Carries a forcible entry tool.				
5*	Stays below neutral plane when entering a structure.				
6	Remains outside of doorways while advancing hoseline.				
7	Maintains door control to control flow path.				
8	Removes kinks in hoseline during advancement.				
9	Keeps hoseline opposite protruding corners to avoid kinking.				
10	Advances hoseline based on the need of the nozzle firefighter.				
11*	Moves up to the fire area once extra hose is no longer needed.				
12*	Overhauls burning materials with a tool, NOT hands.				
13*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
14*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: FFI 9, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE

Skill Sheet No. FFI/II 811	Extinguish an Interior Class "A" Materials Above Grade Fire EXTINGUISH AN INTERIOR CLASS "A" MATERIALS ABOVE GRADE FIRE- NOZZLE FIREFIGHTER/CREW LEADER	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.1.2, 7.3.2, 7.3.5	Date: 07-01-25

		1 st Test		Retest	
		FFI	FF II	FFI	FF II
MINIMUM TO PASS: FFI 9, FFII 5 FFI 9 of 12, FFII 5 of 7 (all worth 1 point)					
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Establishes and verbalizes combative command over radio.				
4	Verbally transfers command via radio to next arriving company leader.				
5	Sets nozzle for a straight stream.				
6*	Slowly opens the nozzle fully maintaining control of the hoseline, prior to entering the structure, to expel air and test the pattern.				
7*	Checks the door for heat.				
8	Directs second back-up firefighter to maintain door control to avoid flow path generation.				
9	Ensures the other two firefighters are ready to enter the structure.				
10*	Stays below the neutral plane when entering structure.				
11	Advances hoseline to fire room.				
12	Avoids staying in stairwells.				
13	Keeps nozzle closed while advancing to fire unless necessary to operate for protection.				
14*	Upon reaching fire, manages the fire stream safely and properly based on the conditions present.				
15*	Calls for first backup firefighter to ventilate structure, calls for second backup to start overhaul.				
16	Places nozzle outside of the building opening in preparation for hydraulic ventilation.				
17	Successfully performs hydraulic ventilation and then closes nozzle.				
18*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
19*	Successfully completes assigned evolution using safe fire suppression skills and verbalizes when complete.				
MINIMUM TO PASS: FFI 9, FFII 5 includes all critical skills		TOTALS			

TOTAL: ONLY *if Retesting* TOTALS

Note: Use ✓ for PASS and an **F** for FAIL

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFI/II 812	Extinguish an Interior Class "A" Materials Above Grade Fire First Backup	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.3.2, 7.3.5	Date: 04-04-26

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 10, FFII 2 FFI 10 of 13, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.				
4*	Carries a forcible entry tool.				
5*	Stays below neutral plane when entering a structure.				
6	Keeps hoseline in the outer half of the stairway.				
7	Removes kinks in hoseline during advancement.				
8	Keeps hoseline opposite protruding corners to avoid kinking.				
9	Advances hoseline based on the need of the nozzle firefighter.				
10*	Joins nozzle firefighter after the hoseline is in operation.				
11	Upon order from the nozzle firefighter, opens structure for ventilation, if possible.				
12*	Assists with overhaul of burning materials with a tool, NOT the hands.				
13	Orders nozzle firefighter back to origin to wet burning materials if necessary.				
14*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
15*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: FFI 10, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Initials: _____ **PASS** **FAIL** Date: ___/___/___

4.4.26UD CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION



CANDIDATE #

Skill Sheet No. FFI/II 813	Extinguish an Interior Class "A" Materials Above Grade Fire – Second Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.3.2, 7.3.5	Date: 07 -01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 9, FFII 2		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.				
4*	Carries a forcible entry tool.				
5*	Stays below neutral plane when entering a structure.				
6	Remains outside of doorways while advancing hoseline.				
7	Maintains door control to control flow path.				
8	Removes kinks in hoseline during advancement.				
9	Keeps hoseline opposite protruding corners to avoid kinking.				
10	Advances hoseline based on the need of the nozzle firefighter.				
11*	Moves up to fire area if called by the nozzle firefighter, first backup firefighter, or as need for more hose ceases.				
12*	Overhauls burning materials with a tool, NOT hands.				
13*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
14*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: FFI 9, FFII 2		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE # _____

Skill Sheet No. FFI/II 814	Extinguish an Interior Class "A" Materials Below Grade Fire - Nozzle Firefighter / Crew Member	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.1.2, 7.3.2, 7.3.5	Date: 04-04-26

Note: Use **✓** for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 10, FFII 5		FFI 10 OF 14, FFII 5 of 7 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.						
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.						
4	Establishes and verbalizes combative command over radio.						
5	Verbally transfers command via radio to next arriving company leader.						
6*	Sets nozzle for a straight stream.						
7*	Slowly opens the nozzle fully maintaining control of the hoseline, prior to entering the structure, to expel air and test the pattern.						
8	Checks the door for heat.						
9	Ensures the other two firefighters are ready to enter the structure.						
10	Opens door slowly and allows trapped heat /smoke to vent from area.						
11*	Briefly applies a solid stream into the area below grade before entering.						
12*	Stays below the neutral plane when entering structure.						
13	Keeps hose line in the outer half of the stairway.						
14	With hose line and while staying low, descend stairwell on hip as quickly as possible to get underneath thermal layer.						
15	Keeps nozzle closed while advancing to fire unless necessary to operate for protection.						
16*	Upon reaching fire, manages the fire stream safely and properly based on the conditions present to extinguish the fire.						
17	Calls for first backup firefighter to ventilate structure, calls for second backup to start overhaul.						
18	Places nozzle outside of the building opening in preparation for hydraulic ventilation.						
19	Successfully performs hydraulic ventilation and then closes nozzle.						
20*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.						
21*	Successfully completes assigned evolution using safe fire suppression skills and verbalizes when complete.						
MINIMUM TO PASS: FFI 10, FFII 5 includes all critical skills		TOTALS					
				TOTAL: ONLY if Retesting			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS FAIL**
Circle one: FFII: **PASS FAIL**

Coordinator review: Initials: _____ Date: ___/___/___ **PASS FAIL CERT2025**



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFI/II 815	Extinguish an Interior Class "A" Materials Below Grade Fire – First Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.3.2, 7.3.5	Date: 04-04-26

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 10 of 13, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.				
4*	Carries a forcible entry tool.				
5*	Stays below neutral plane when entering structure.				
6	Keeps hoseline in the outer half of the stairway.				
7	Removes kinks in the hose line during advancement.				
8	Keeps hoseline opposite protruding corners to avoid kinking.				
9	With hose line and while staying low, descends the stairwell on hip as quickly as possible to get underneath thermal layer.				
10*	Join the nozzle firefighter once the hoseline is in operation.				
11	Upon order from the nozzle firefighter, opens structure for ventilation, if possible.				
12*	Assist with overhaul of burning materials with a tool, NOT the hands.				
13*	Orders nozzle firefighter back to origin to wet burning materials, if necessary.				
14*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
15*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: FFI 10, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Initials: _____ **PASS** **FAIL** Date: ___/___/___

4.4.26UD CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFI/II 816	Extinguish an Interior Class "A" Materials Below Grade Fire – Second Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 6.1.2, 6.3.10, 6.3.11, 6.3.13, 7.3.2, 7.3.5	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: FFI 8 of 11, FFII 2 of 2 (all worth 1 point)		1 st Test		Retest	
		FFI	FF II	FFI	FF II
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter.				
4	Carries a forcible entry tool.				
5*	Stays below neutral plane when entering structure.				
6	Keeps hoseline in the outer half of the stairway.				
7	Removes kinks in the hose line during advancement.				
8*	Keeps hoseline opposite protruding corners to avoid kinking.				
9	Advances hoseline based on the need of the nozzle firefighter.				
10	Moves up to fire area if called by the nozzle firefighter, first backup firefighter, or as need for more hose ceases.				
11	Overhauls burning materials with a tool, NOT hands.				
12*	Verbalizes fire is overhauled and extinguished, indicates area of origin while preserving evidence as needed.				
13*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: FFI 8, FFII 2 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*
Candidate must pass all lower levels to be eligible to be certified at a higher level.

Examiner name: (Printed) _____ Date: ___/___/___

Examiner Signature: _____ Circle one: FFI: **PASS** **FAIL**
Circle one: FFII: **PASS** **FAIL**

Coordinator review: Date: ___/___/___ Initials: _____ **PASS** **FAIL** CERT2025

