



MASSACHUSETTS FIRE TRAINING COUNCIL FIRE FIGHTER I CERTIFICATION EXAMINATION

CANDIDATE #

Skill Sheet No. FFII 226	Use of TIC for Search and Rescue	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.3	Date: 07-01-25

Note: Use ✓ for PASS and an F for FAIL

MINIMUM TO PASS: 8 of 11		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Assess the search area from the doorway with Thermal Imaging Camera. (6 sides)				
3	Calls out for potential victims and listens for response.				
4	Identifies and verbalizes findings (victims, areas unable to be seen with TIC – behind furniture, around corners, etc.).				
5	Moves into search area to continue searching.				
6	Stops at appropriate points to visualize all parts of the search area.				
7*	Physically inspects any objects that cannot be readily identified via TIC.				
8*	Locates victim(s).				
9	Ensure all parts of the search area have been cleared. Verbalizes findings to examiner.				
10	Verbalizes that the TIC would be cleaned/dried as needed, and placed back on the charger, or fresh batteries installed at the conclusion of the incident.				
11*	The candidate completed all tasks safely and efficiently per instructions.				
MINIMUM TO PASS: 8 includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET



Candidate #

Skill Sheet No. FFII 421	Service Testing Fire Hose	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.5.5, (NFPA 1962)	Date: 07-01-25

Note: Use ✓ for PASS and an F for FAIL

MINIMUM TO PASS: 12		FFII 12 of 16 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F	P	F
1*	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2	Verbalizes then checks gaskets and connects hose lengths together (no more than 300'). Hose is laid out straight.						
3*	Connects and tightens an open test gate valve to the discharge port.						
4	Attaches a shutoff nozzle to the open end of the test length.						
5	Makes chalk or pencil mark on hose jacket against each coupling.						
6	Fills hoseline with water and increases pressure to 50 PSI.						
7	Discharges all air from the line by opening the nozzle.						
8*	Verbalizes then checks that no couplings are leaking. Tightens any couplings, as necessary.						
9*	Closes test valve and increase pump pressure to 300psi (NFPA 1962).						
10	Maintains pressure for three minutes.						
11	While at test pressure the candidate shall walk along the test hose inspecting it for leaks. At no time shall the candidate be any closer than 15 feet to the hose.						
12	Reduces pump pressure after three minutes, closes discharge valve, open nozzle to bleed off pressure.						
13	Breaks connections and drains water away from the test area.						
14	Observes marks placed on hose at the coupling. Verbalizes if coupling has slipped.						
15*	Determines and verbalizes whether each length can remain in service or be tagged and placed out of service.						
16	Completes evolution safely.						

MINIMUM TO PASS: 12 includes all critical skills

TOTALS

TOTAL: ONLY if Retesting

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 721	Use of TIC to Identify Hotspots and Overhaul a Fire	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.3	Date: 07-01-25

Note: Use ✓ for PASS and an F for FAIL

MINIMUM TO PASS: 7		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete firefighting gear, including SCBA.				
2	Assesses area of fire with Thermal Imaging Camera.				
3*	Identifies and verbalizes any hotspots.				
4	Directs the opening of walls, ceilings, or overturning fuel package as needed to access burning materials.				
5	Directs nozzle firefighter to extinguish any burning material.				
6*	Uses TIC to ensure that all hotspots are extinguished. Verbalizes this to the examiner.				
7*	Using TIC, checks areas surrounding the fire area for extension. Verbalizes findings to the examiner.				
8*	Verbalizes that the TIC would be cleaned/dried as needed, and placed back on the charger, or fresh batteries installed at the conclusion of the incident.				
9*	The candidate completed all tasks safely and efficiently per instructions.				
MINIMUM TO PASS: 7, includes all critical skills		TOTAL			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFI: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFI: **PASS FAIL** CERT2026



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate # _____

Skill Sheet No. FFII 921	Extinguish an Exterior Flammable Liquid Fire with Foam – Single Firefighter	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.1	Date: 07-01-25

Note: Use ✓ for PASS and an F for FAIL

MINIMUM TO PASS: 12		FFII 12 of 16 (all worth 1 point)		1 st Test		Retest	
				P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2*	Ensures the foam nozzle, the in-line eductor, and the foam concentrate are both GPM and percentage of concentrate compatible.						
3	Connects the proper foam nozzle to a sufficient length of hoseline to reach the intended target from the education point.						
4	Connects the in-line eductor to the hoseline.						
5	Connects sufficient hose from the engine discharge to the point of the foam education operation.						
6	Places the supply of foam concentrate near the in-line eductor.						
7	Places the in-line eductor pick-up tube into the foam concentrate container.						
8	Indicates to the pump operator to charge hoseline.						
9*	Dons SCBA mask and goes on air.						
10	Removes kinks in hoseline during advancement.						
11*	Turns the foam nozzle away from the fire, slowly opens the foam nozzle and ensures proper foam stream is being generated.						
12*	Applies foam in either a finished foam spray or indirectly by directing the stream against a stationary object allowing the foam to spread over the burning fuel with as little agitation as possible.						
13	If foam stops while in the process of application, the firefighter redirects the stream away from the existing foam blanket.						
14*	Extinguishes the fire using foam.						
15*	Back away from the fuel source after the fire is extinguished.						
16*	The candidate completed all tasks per instructions, safely and efficiently.						
MINIMUM TO PASS: 12		TOTALS					
				TOTAL: ONLY if Retesting			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET



Candidate #

Skill Sheet No. FFII 922	Extinguish Exterior Flammable Gas Fire From a 20 LB Cylinder with a Hoseline Using SCBA – Nozzle Position	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.4	Date: 07-01-25

Note: Use **✓** for PASS and an **F** for FAIL

MINIMUM TO PASS: 12		FFII 12 of 16 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2*	Identifies and verbalizes fuel type.						
3	Continuously observes and verbalizes noted fire behavior and smoke conditions, vessel integrity and wind direction.						
4	Sets nozzle for a 30-degree fog pattern.						
5	Slowly opens the nozzle fully maintaining control of the hoseline, to expel air and test the fog pattern.						
6	Confirms then verbalizes hoseline selected is of sufficient length to encircle the fire area if wind direction changes.						
7	Ensures that the other two firefighters are ready to enter the fire area.						
8	Advances hoseline to fire approaching from the upwind side.						
9*	Keeps nozzle open fully while advancing on fire, widening the fog pattern as needed for protection.						
10*	Upon reaching the fire, positions the fog-stream to push vapors/fire away from cylinder and valve so the valve can be closed without reaching through the fog stream.						
11*	Calls for a second backup firefighter to stabilize cylinder with rake or hook.						
12*	Calls for first backup firefighter to close the cylinder valve.						
13*	Ensures fire is extinguished after stopping the flow of gas.						
14*	Maintains appropriate fog-stream while backing away from the fuel source while avoiding kinks.						
15*	Remains standing, not kneeling, throughout evolution.						
16*	Completes evolution using safe fire suppression skills.						
MINIMUM TO PASS: 12, includes all critical skills		TOTALS					
				TOTAL: ONLY <i>if Retesting</i>			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 923	Extinguish Exterior Flammable Gas Fire from a 20 LB Cylinder with a Hoseline Using SCBA – First Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.4	Date: 07-01-25

Note: Use ✓ for PASS and an F for FAIL

MINIMUM TO PASS: 11		FFII 11 of 16 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.						
2*	Continuously observes and verbalizes noted fire behavior and smoke conditions, vessel integrity and wind direction.						
3	Takes position on the same side of the hoseline as the nozzle firefighter.						
4	Removes kinks in the hoseline prior to advancing the line.						
5	Checks, then verbalizes obstacles in the area during fire attack to maintain the safety of the fog pattern.						
6	Ensures the line is of sufficient length to encircle the fire area if wind direction changes.						
7	Keeps the hoseline straight while approaching from the upwind side when possible.						
8	The candidate ensures the line is without kinks while advancing on the fire.						
9*	Works with the nozzle person to avoid reaching through hose stream to shut the valve.						
10*	Upon reaching the fire, the candidate closes the cylinder valve to stop gas flow.						
11	Advises nozzle firefighter status of cylinder valve and returns to hoseline to assist with retreat.						
12*	Ensure that the fire crew does not trip over the retreating hoseline while backing out.						
13	Stabilizes the hose line while backing away from the fuel source, avoiding kinks.						
14*	Remains standing, not kneeling, throughout the evolution.						
15*	Completes evolution using safe fire suppression skills.						
16	Continuously observes and verbalizes noted fire behavior and smoke conditions, vessel integrity and wind direction.						
MINIMUM TO PASS: 11, includes all critical skills		TOTALS					
				TOTAL: ONLY if Retesting			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 924	Extinguish Exterior Flammable Gas Fire From a 20 LB Cylinder with a Hoseline Using SCBA - Second Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.4	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 7 FFII 7 of 9 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Continuously observes and verbalizes noted fire behavior and smoke conditions, vessel integrity and wind direction.				
3	Takes a position on the same side of the hoseline relative to nozzle firefighter with a rake or hook.				
4	Removes kinks in the hoseline prior to advancing the line.				
5	Advances hoseline based on the need of the first back-up firefighter.				
6*	Once the nozzle is in position to protect the cylinder valve, comes off hoseline to stabilize cylinder with rake or hook.				
7	Returns to hoseline to assist with retreat.				
8*	Remains standing, not kneeling, throughout evolution.				
9*	Completes evolution using safe fire suppression skills.				
MINIMUM TO PASS: 7, includes all critical skills		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 925	Extinguish an Exterior Flammable Liquid Fire with Foam - Nozzle	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.1	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 9 FFII 9 of 12 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2*	Ensures the foam nozzle, the in-line eductor, and the foam concentrate are both GPM and percentage of concentrate compatible.				
3	Connects the proper foam nozzle to a sufficient length of hoseline to reach the intended target from the eduction point.				
4	Connects the in-line eductor to the hoseline.				
5	Indicates to pump operator to charge the hoseline once all connections have been made.				
6*	Dons SCBA mask and goes on air.				
7	Turns the nozzle away from the fire, slowly opens the foam nozzle and assures proper foam stream is being generated.				
8*	Applies foam in either a finished foam spray or indirectly by directing the stream against a stationary object allowing the foam to spread over the burning fuel with as little agitation as possible.				
9	If foam stops while in the process of application, the firefighter redirects the stream away from the existing foam blanket.				
10*	Extinguishes the fire using foam.				
11*	Back away from the fuel source after the fire is extinguished.				
12*	The candidate completed all tasks safely and efficiently per instructions.				
MINIMUM TO PASS: 9, includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 926	Extinguish an Exterior Flammable Liquid Fire with Foam – Fire Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.1	Date: 07-01-25

Note: Use **✓** for PASS and an **F** for FAIL

MINIMUM TO PASS: 6 FFII 6 of 8 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Connects sufficient hose from the engine discharge to the point of the foam education operation.				
3*	Connects the in-line eductor to the supply side hoseline.				
4	Verbalizes then coordinates with nozzle firefighter to don SCBA mask and go on air.				
5	Takes up position on same side of hoseline as nozzle firefighter.				
6	Removes kinks in hoseline during advancement.				
7*	Back away from the fuel source after the fire is extinguished.				
8*	The candidate completed all tasks safely and efficiently per instructions.				
MINIMUM TO PASS: 6, includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII RETEST: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII RETEST: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 927	Extinguish an Exterior Flammable Liquid Fire with Foam – Second Back-Up	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.1	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 5 FFII 5 of 7 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2*	Ensures foam concentrate and foam eductor are percentage of concentrate compatible.				
3	Places adequate supply of foam concentrate near the in-line eductor.				
4	Places the in-line eductor pick-up tube into the foam concentrate container.				
5*	Monitors foam concentrate usage and ensures that foam concentrate does not run out.				
6	Assists with hose management while crew backs away from the fuel source after fire is extinguished.				
7*	The candidate completed all tasks safely and efficiently per instructions.				
MINIMUM TO PASS: 5, includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS** **FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 928	Use of TIC for Determining Product Levels in Tanks, Vessels, or Silos	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.3.3	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 8		1 st Test		Retest	
		P	F	P	F
1	Candidate arrives at test station wearing full complete Firefighting gear, with SCBA.				
2	Identifies and verbalizes any hazards to responders.				
3	Verbalizes the need to adhere to hazard control zones.				
4*	Assesses as many sides of the tank, vessel, or silo as is safely possible. Verbalizes findings.				
5	Verbalizes factors that may impact the accuracy of the TIC's readings. (Weather, recent temperature changes, sun exposure, orientation of the vessel.)				
6	Verbalizes that the TIC would be cleaned/dried as needed, and placed back on the charger, or fresh batteries installed at the conclusion of the incident.				
MINIMUM TO PASS: 8, includes all critical skills		TOTALS			
TOTAL: ONLY if Retesting					

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS** **FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 021	Presentation of Public Education Message	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.5.2	Date: 07-01-25

Note: Use ✓ for PASS and an F for FAIL

MINIMUM TO PASS: 6		FFII 6 of 8 (all worth 1 point)		1 st Test		Retest	
				P	F	P	F
1*	Explains the purpose of Stop, Drop, and Roll.						
2	Instructs student to STOP and stay in place.						
3	Instructs student to DROP to the ground/floor and cover face with hands.						
4	Instructs student to ROLL to extinguish flames by tucking in elbows and keeping legs together.						
5*	Demonstrates STOP, DROP, and ROLL procedure to student.						
6	Instructs students to demonstrate.						
7	Evaluate student's performance.						
8*	Complete and submit appropriate documentation of presentation.						
MINIMUM TO PASS: 6		TOTALS					
				TOTAL: ONLY if Retesting			

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 021 B	Presentation of Public Education Message	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.5.2	Date: 07-01-25

Note: Use **✓** for PASS and an **F** for FAIL

MINIMUM TO PASS: 10 FFII 10 of 14 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1*	Gathers and prepares needed presentation materials.				
2	Ensures the environment is conducive to learning.				
3	Addresses any hazards present, such as extension cords on floor, etc.				
4	Introduces self to the audience.				
5	Orients audience to location of exits and restrooms.				
6	Correctly display and advance through PowerPoint presentation.				
7	Presents fire safety message to audience in 4 – 6 minutes.				
8	Speaks loudly enough to be heard by all members of the audience.				
9*	Ensure that all information is presented.				
10*	Ensures accuracy of presented materials.				
11	Asks a question to assess audience understanding				
12*	Answers all questions or refers to appropriate authority.				
13*	Completes and submits appropriate documentation of presentation.				
14	Indicates to examiner when they have completed their presentation.				
MINIMUM TO PASS: 10		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

*** FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET**

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 022	Perform a Life Safety Inspection	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.5.1	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 6 FFII 6 of 8 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1*	The candidate selects the proper form to conduct a life safety inspection.				
2*	Performs inspection of the occupancy to identify life safety hazards.				
3	Identify immediate hazards on form and indicate necessary corrections.				
4	Submits copy of Life Safety Inspection form to building owner/representative (examiner) to communicate all findings and any further actions to be taken.				
5	Correctly identify and document all hazards.				
6	All unresolved issues reported to proper authority.				
7*	All documentation is fully completed.				
8	Project submitted within the given timeframe.				
MINIMUM TO PASS: 6, includes all critical skills		TOTALS			
				TOTAL: ONLY <i>if Retesting</i>	

* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET

 *

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS** **FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 023	Perform a Pre-Incident Survey	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.5.3	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 7 FFII 7 of 10 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1	Candidate appears in proper uniform and is readily identifiable as a fire department representative.				
2*	The candidate selects the proper form to conduct a Pre-Incident Survey.				
3	Candidate selects proper tools to conduct a Pre-Incident Survey.				
4	Candidate introduces themself to building owner/representative.				
5	The candidate will explain the purpose for the survey and how it will be conducted.				
6*	Performs a walkthrough inspection noting pertinent information.				
7	Identifies and documents locations of fire detection and suppression systems.				
8	Identifies and documents locations of any special hazards.				
9*	Accurately sketches / diagrams the site with appropriate labeling for clarification.				
10*	All required occupancy information is recorded.				
MINIMUM TO PASS: 7, includes all critical skills TOTAL					
		TOTAL: ONLY if Retesting			

■ * FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■ *

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS** **FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 023B	Perform a Pre-Incident Survey	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.5.3	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 8 FFII 8 of 11 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1*	The candidate selects proper form to conduct a Pre-Incident Survey.				
2	Properly conducts Pre-Incident Survey based on assignment.				
3*	Candidate selects proper tools to conduct a Pre-Incident Survey.				
4	Performs an inspection noting pertinent information.				
5	Identifies and document's the locations of fire detection systems.				
6	Identifies and document's the locations of fire suppression systems.				
7	Identifies and document's locations of any special hazards.				
8	Identifies and document's locations of any special features.				
9*	Accurately sketches or diagrams the site.				
10*	All required occupancy information is recorded.				
11	Project submitted within the given time frame.				
MINIMUM TO PASS: 8, includes all critical skills		TOTALS			

TOTAL: ONLY *if Retesting*

■ * FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■ *

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS** **FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS** **FAIL**



MASSACHUSETTS FIRE TRAINING COUNCIL CERTIFICATION EXAMINATION SKILL SHEET

Candidate #

Skill Sheet No. FFII 024B	Complete a Basic Incident Report	Passing Score: 70%
NFPA 1010-2024 edition	Objective: 7.2.1	Date: 07-01-25

Note: Use ✓ for PASS and an **F** for FAIL

MINIMUM TO PASS: 5 FFII 5 of 8 (all worth 1 point)		1 st Test		Retest	
		P	F	P	F
1*	Determine the necessary data management/NFIRS codes used to complete the report.				
2	Operate computer equipment normally used by local agency for completing incident reports.				
3*	Complete all applicable alarm information sections.				
4*	Record all pertinent information within the report.				
5	Complete all applicable narrative sections.				
6	Proofread report to ensure accuracy and completeness.				
7	Route, file, and/or forward report in accordance with local agency criteria.				
8*	Project submitted within the given timeframe.				
MINIMUM TO PASS: 5, includes all critical skills		TOTALS			
				TOTAL: ONLY if Retesting	

■* FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR FAILURE OF THE ENTIRE SKILL SHEET ■*

EXAMINER NAME: (PRINTED) _____ DATE: ___/___/___

EXAMINER SIGNATURE: _____ CIRCLE ONE: FFII: **PASS** **FAIL**

COORDINATOR REVIEW: INITIALS: _____ DATE: ___/___/___ CIRCLE ONE: FFII: **PASS** **FAIL**

