Yearly Operational Plan (YOP)

Town of Franklin 2024

Prepared By:

Town of Franklin Department of Public Works 257 Fisher Street Franklin, MA 02038

Comprehensive Environmental Inc. 41 Main Street Bolton, MA 01740 800.725.2550

Table of Contents

Title Page		Page No.	
Cove	er		
Tabl	e of C	Contents	
1.0	Prog	ram Purpose	1
2.0	Indiv	vidual Supervising YOP	3
3.0	Mun	icipal Department Performing Herbicide Treatment	4
4.0	Herb	picide(s) Proposed	5
5.0	Herb	oicide Application Techniques and Alternative Control Proposed	6
6.0	Targ	et Vegetation	8
7.0	Description of Methods Used to Flag or Otherwise Designate Sensitive Areas9		
8.0		edures & Locations for Handling, Mixing & Loading of Herbicide centrates	10
9.0	Rem	edial Plan to Address Spills and Related Accidents	11
10.0	Eme	rgency Contacts	12
Tab	le/Fiç	gure	
Figu	re:	2024 Herbicide Treatment - Sensitive Areas Not Readily Identifiable in the Field	
Tabl	e:	Table 1. Emergency Resources Table 2. Control Strategies for Sensitive Areas	
App	endi	ix	
Envi Daily Vege Safe	ronmony Veg etation ty Dat	perational Plan Approval ental Monitor Notice petation Management Report Template n Management Plan ta Sheets Labels	

Herbicide Fact Sheets

1.0 Program Purpose

The purpose of 333 CMR 11.00, Rights of Way Management, is to promote the implementation of integrated pest management techniques and to establish standards, requirements, and procedures necessary to minimize the risk of unreasonable adverse effects on human health and the environment associated with the use of herbicides to maintain streets, road, sidewalks and paths. These regulations establish procedures that guarantee ample opportunity for public and municipal agency review and input on the right-of-way maintenance plans.

A yearly operational plan (YOP) must be submitted to the Department of Agricultural Resources every year herbicides are intended for use to maintain rights-of-way. The YOP provides a detailed program for vegetation management for the year. A five-year Vegetation Management Plan (VMP) was approved by the Department and is available for review at the Franklin Department of Public Works, Board of Health, Conservation Commission, and Town Administrator. The VMP was approved for 2022 through 2026.

Upon receipt of this YOP, the Department publishes a notice in the *Environmental Monitor*. The Town must provide a copy of the proposed YOP and *Environmental Monitor* notice to the Board of Health, Conservation Commission, and the Town Administrator for the Town of Franklin, in which the proposed herbicide treatment is proposed. The Department allows a 45-day comment period on the proposed YOP beginning with the publication of the notice and receipt of the YOP and *Environmental Monitor* notice by the Town.

Public notification of herbicide application to the streets is made at least 21 days in advance of the treatment by a separate notice. Notice is made to the Department of Agricultural Resources, Town Administrator, Public Water Supplier, Board of Health, and the Conservation Commission in the Town of Franklin.

Any comments on this YOP should be made to the person designated herein as the person supervising the YOP or the person performing the treatment.

This Yearly Operational Plan, approved by the Massachusetts Department of Agricultural Resources pursuant to Rights-of-Way Management Regulations (333 CMR 11.00), has been adopted by the following roadway vegetation management program in the Town of Franklin. The undersigned hereby acknowledges that the conditions of the Yearly Operational Plan will be adopted and complied with.

Municipality:	Town of Franklin	
Name:	Mr. Robert Cantoreggi	
Office:	DPW Director	
Address:	257 Fisher Street, Franklin, MA 02038	
Telephone / Fax:	Ph: (508) 520-4910 Fax: (508) 520-4903	
Email:	rcantoreggi@franklin.ma.us	
Signature:		
Date:		
Wetland Determination:	Negative Determination issued by the Franklin Conservation Commission June 24, 2022. Valid through the end of 2026.	

2.0 Individual Supervising YOP

3.0 Municipal Department Performing Herbicide Treatment

A licensed herbicide applicator under contract to the Town of Franklin Department of Public Works will perform the herbicide treatment. Applicators are certified by the Massachusetts Department of Agricultural Resources in the applicator category:

Certified Applicator(s):							
Company or Department:							
Address:	TO BE DETERMINED						
Telephone Number:							

The following information is provided as details of the YOP of the Town of Franklin in accordance with the requirements of 333 CMR 11.06 (2):

Email:

4.0 Herbicides Proposed

The herbicides proposed for use in calendar year 2024 are:

Herbicide & EPA Reg: Rodeo (62719-324)

Round-Up Pro (524-475)

Active Ingredient: Glyphosate

Registrant: Dow AgroSciences
Application Rate: Rodeo – 2-5% solution

Round-Up Pro – 2-5% solution

Herbicide & EPA Reg: Milestone (62719-519)

Active Ingredient: Aminopyralid Triisopropanolamine Salt

Registrant: Dow AgroSciences Application Rate: 0.069 pounds/1,000 ft²

Herbicide: Esplanade 220 SC (432-1516)

Active Ingredients: Indaziflam Registrant: Bayer EPA Reg. # 432-1557

Application Rate: 3.5-7.0 fl. ounces per acre.

Complete information on these products is attached, including the Safety Data Sheets (SDS). The herbicide fact sheets for the above listed herbicides are attached to and made part of this YOP.

5.0 Herbicide Application Techniques and Alternative Control Procedures

The herbicide(s) will be applied in accordance with the instructions in the attached manufacturer's information. Alternative control procedures, applicable at the designated "No Spray Zones" will consist of hand cutting, mowing, or selective trimming (mechanical). Other alternative controls will include routine street sweeping along with crack and road repairs.

Low volume foliar treatments will be made using ready to use squirt bottles or hand pump backpacks. High volume foliar application may include a truck-mounted hydraulic sprayer. In both cases, the herbicide solution is applied to lightly wet the target plant/ target area. These techniques have few limitations with the exception being reduced effectiveness on tall, high-density target vegetation and will not be used on vegetation over 12 feet in height.

Cut stump treatments will generally be performed to trees greater than 12' tall and resprout. Cut stump treatments consist of mechanical cutting of target species using chain saws immediately followed by herbicide treatment applied with a squirt bottle, a hand pump sprayer, or painted on the freshly cut surface of the stump. The herbicide is limited to freshly cut surface of the remaining stump.

All equipment used for vegetation management programs must be maintained in good working condition and should be of adequate design and ability to produce the professional quality of work that the Town requires. Because the Town recognizes the vast variety and performance of herbicide application equipment, dictating how that equipment should be calibrated to deliver precise amounts of herbicide to effectively control a host of vegetation conditions is literally impossible. Therefore, the Town insists that the contractor provide the most appropriate application equipment, calibrated to effectively and legally control target vegetation.

Both the Contractor and the Town are responsible to ensure that vegetation management activities are conducted in a professional, safe, efficient manner, with special attention directed towards minimal environmental impact. The contractor is qualified, licensed and certified to apply herbicides. "Qualified" means those personnel who have been trained to recognize and identify target and non-target vegetation and are knowledgeable in the safe and proper use of both mechanical and chemical vegetation management techniques. All personnel applying herbicides in Massachusetts must be licensed in the Commonwealth and must work under the on-site supervision of a certified applicator. All contract personnel will also follow all Label instructions regarding Personal Protective Equipment (PPE).

Staff applicators and contractor applicators will comply with all applicable federal and state laws and regulations. These include, but are not limited to, applicable OSHA, FIFRA and DOT regulations, 333 CMR 1-15.00, Rights-of-Way Management, Chapter 132B, Chapter 85 of the Acts of 2000 and 321 CMR 10.00 as managed by NHESP.

Herbicides will only be applied in a safe and judicious manner, in compliance with all-applicable State and Federal pesticide regulations.

Herbicides will only be applied in a safe and judicious manner, in compliance with all-applicable State and Federal pesticide regulations. Applicators will at all times exercise good judgment and common-sense during herbicide treatment activities and will immediately cease operations if adverse conditions or other circumstances warrant.

Herbicides will NOT be applied during the following adverse weather conditions:

- A. During high wind velocity, per 333 CMR 11.03
- B. Foliar applications during periods of dense fog, or moderate to heavy rainfall
- C. Foliar applications of volatile herbicides during periods of high temperatures (90 plus degrees Fahrenheit) and low humidity
- D. Cut Stump applications when deep snow (i.e., 6" plus or ice frozen on stem or stump) prevents adequate coverage of target plants to facilitate acceptable control

The contractors or a representative of the Town must complete daily vegetation management reports that include:

- A. Date, name and address of vegetation management contractor(s)
- B. Identification of site or work area
- C. List of crew members
- D. Type of equipment and hours used, both mechanical and chemical
- E. Method of application and description of target vegetation
- F. Amount, concentration, product name of herbicide(s), adjuvants, and dilutants (EPA registration numbers must be on file)
- G. Weather conditions
- H. Notation of any unusual conditions or incidents, including public inquiries
- I. Recording and/or verification of sensitive areas on ROW maps

A Daily Vegetation Management Form is included in the Appendix.

6.0 Target Vegetation

The target vegetation for this YOP will include hazard, noxious, detrimental and invasive vegetation.

Vegetation management crews will exercise care to ensure that low-growing desirable vegetation and other non-target organisms are not unreasonably affected by the application of herbicides.

Hazard Vegetation

Vegetation considered to be a hazard includes plants or plant species that pose a risk to public safety or that impede movement along public ways. Hazard vegetation may: obscure sightlines, signs and vehicular movement, create windfall hazards, and cause winter shading (causing ice/reduced melting).

Noxious Vegetation

This category includes vegetation that could cause problems to the general public, employees or contractors. Generally, it includes poisonous plant species and those with thorns. Nuisance vegetation poses a risk to safety and health often due to dermal contact with plants that are poisonous, heavily thorned or densely colonized. Target vegetation in this category is primarily poison ivy and other noxious vegetation within 10 feet of the edge of pavement.

Detrimental Vegetation

Detrimental vegetation applies to all vegetation that can destroy or compromise the function of infrastructure by growing in cracks along the roadway, pavement/bridge joints, medians/traffic islands, drainage structures/drainageways, trails and bike paths.

Invasive Vegetation

Invasive plants can aggressively colonize areas along ROWs, blocking site distances and compromising infrastructure. Many invasive plants, such as Japanese knotweed and Phragmites, are difficult to control using mechanical means alone. Mechanical methods can also result in spreading these plants to new locations. In addition, invasive plants pose a threat to biodiversity of naturalized areas. Herbicides are the most effective method of treatment for many invasive plants. Invasive plants can include those listed on the Massachusetts Prohibited Plant List located at https://www.mass.gov/service-details/massachusetts-prohibited-plant-list and those voted as 'invasive' by the MA Invasive Plants Advisory Group.

7.0 Description of Methods Used to Flag or Otherwise Designate Sensitive Areas

Sensitive areas as defined by 333 CMR 11.04 are 'any areas within Rights-of-Way, including No-Spray and Limited Spray Areas, in which public health, environmental or agricultural concerns warrant special protection to further minimize risks of unreasonable adverse effects.' The Sensitive Areas Restriction Table at the end of this document defines specific sensitive areas and associated buffer zones and treatment restrictions such as limited-spray and no-spray zones.

The attached map identifies 'Sensitive Areas Not Readily Identifiable in the Field'. With this map and the assistance of the Conservation Commission Agent, sensitive areas will be identified and marked along the ROW prior to any herbicide application. Field methods may include flagging and/or roadway marking (via paint) of start and stop areas.

8.0 Procedures and Locations for Handling, Mixing and Loading of Herbicide Concentrates

The herbicide will be mixed in the controlled environment at the Department of Public Works Garage located at 257 Fisher Street, Franklin, MA.

Although it is expected that all the mixed herbicide will be used, any remaining will be stored at the DPW Garage in accordance with manufacturer's instructions. The absorbent product "Speedi-Dri" will be available for use at the locations of application. If there is a leak in the hose, the pump will be immediately shutoff. Equipment used will be washed at the DPW Garage.

If a licensed subcontractor will apply the herbicide(s) then all mixing and storing will take place at the subcontractor's offsite facility in a controlled environment.

Herbicides will be handled and applied only in accordance with the label instructions. Contractors will strictly adhere to all mandated safety precautions directed towards the public, the applicator and the environment.

9.0 Remedial Plan to Address Spills and Related Accidents

All mixing and loading of herbicides will be conducted at the DPW Garage where the herbicides are stored. Only the amount of herbicide necessary to carry out the vegetation control, based on monitoring results, will be mixed to ensure that there will be no waste and minimize potential problems. The vehicles carrying out the spray operations will be equipped with a bag of absorbent, activated charcoal, leak-proof containers, a broom and a shovel in case of minor spills. A clipboard log of the herbicides on the vehicle will be kept on the vehicle. Herbicide labels and fact sheets will be carried on-site by the applicator.

As soon as any spill is observed, immediate action will be taken to contain the spill and protect the spill area. The cause of the spill must be identified and secured. Spill containment will be accomplished by covering the spill with absorptive clay or other absorptive material or, for large spills, building clay or soil dikes to impede spill progress. Until completely remediated, the spill area will be protected by the placement of barriers and by the delineation of the spill area by crew members. If a fire is involved, care will be taken to avoid breathing fumes from any burning chemicals.

Minor spills will be remedied by soaking up the spill with adsorption clay or other adsorptive material and placing it in leak proof containers, removed from the site and disposed of properly. Dry herbicides, such as granulars, will be swept up or shoveled up directly in leak proof containers for proper disposal. All contaminated soil will be placed in leak proof containers, removed from the site and disposed of properly. Activated charcoal will be incorporated into the soil at the spill location per label instructions. Any minor spill will be reported to the Pesticide Bureau.

Major spills will be handled in a similar manner as minor spills, except in cases where the spill cannot be contained and/or removed by the crew. In this case the MassDEP Incident Response Unit and the Pesticide Bureau must be contacted.

Emergency first responders (including but not limited to fire and police) will be immediately notified of a major spill and/or any size incident deemed a possible risk to public health, safety and the environment.

MassDEP will be contacted when there is a spill of a regulated quantity, regardless of major or minor spill status and in accordance with 310 CMR 40.0000 Massachusetts Contingency Plan.

10.0 Emergency Contacts

In the event of a spill, information on safety precautions and clean up procedures may be gathered from the following sources:

Table 1. Emergency Resources						
Resource	Location/Phone #					
Herbicide Label	Approved YOP					
Herbicide Safety Data Sheet (SDS)	Approved YOP					
Herbicide Manufacturer	(800) 992-5994 (877) 325-1840 (866)-99-BAYER					
MDAR, Division of Crop & Pest Services Clayton Edwards	(617) 626-1700					
Massachusetts Department of Environmental Protection Emergency Response	(888) 304-1133					
Department of Public Health Environmental Toxicology Program	(617) 339-8351					
Massachusetts Poison Control Center 24-Hour Hotline	(800) 222-1222					
Town of Franklin Department of Public Works	(508) 520-4916					
Town of Franklin Fire Department	(508) 528-2323 – non-emergency or 911					
Town of Franklin Police Department	(508) 528-1212 – non-emergency or 911					
Town of Franklin Health Department	(508) 520-4905					
Chem-Trec	(800) 262-8200					
National Pesticide Information Center	(800) 858-7378					
National Animal Poison Control Center	(800) 426-4435					

TABLE 2. CONTROL STRATEGIES FOR SENSITIVE AREAS Sensitive Area Restrictions (333 CMR 11.04)

Sensitive Area	Minimum Buffer Zone (feet)	Control Method	Time Restriction Code	
Public Ground Water Supplies	400'	Mechanical Only	None	
Primary Recharge Area	Designated buffer zone or 1/2-mile radius	Mechanical, Recommended Herbicides*	1	
Public Surface Water	100'	Mechanical Only	None	
Supplies (Class A & Class B)	100'-400'	Recommended Herbicides	1	
Tributary to Class A Water	100'	Mechanical Only	None	
Source, within 400' upstream of water source	100'-400'	Recommended Herbicides	1	
Tributary to Class A Water Source, greater than 400'	10'	Mechanical Only	None	
upstream of water source	10'-200'	Recommended Herbicides	1	
Class B Drinking Water	100'	Mechanical Only	None	
Intake, within 400' upstream of intake	100'-200'	Recommended Herbicides	1	
Private Drinking Water	50'	Mechanical Only	None	
Supplies	50'-100'	Recommended Herbicides	2	
Surface Waters	10'	Mechanical Only	None	
	10'-100'	Recommended Herbicides	2	
Rivers	10' from mean annual high-water line	Mechanical Only	None	
	10'-200'	Recommended Herbicides	2	
Wetlands	100' (treatment in wetlands permitted up to 10' of standing water)**	Low-pressure Foliar, CST, Basal Recommended Herbicides	1	
Habitated Areas	100' (for high- pressure foliar only)	Recommended Herbicides	2	
Agricultural Area (Crops, Fruits, Pastures)	100' (for high- pressure foliar only)	Recommended Herbicides	2	
Certified Vernal Pools	10'	Mechanical Only	None	
Certified Vernal Pool Habitat	habitat process, no treatment without written permission.		it written	
Priority Habitat As recommended by NHESP in their permit process, no treatment without written permission.				

Restriction Code #1: A minimum of twenty-four months shall elapse between applications.

Restriction Code #2: A minimum of twelve months shall elapse between applications.

^{*}Massachusetts recommended herbicides for sensitive sites.

