General Recommendations

- 1. With a small number of exceptions, the important river herring spawning/nursery habitats on coastal streams have been made accessible through the construction of fishways. Many of these structures have become deteriorated and are often of obsolete design. The emphasis of future work should be on the replacement of these fish ladders in order to preserve or augment the populations they serve rather than to create new populations by accessing minor habitats.
- 2. Most river herring fisheries are under local control through the authority granted by Section 94 of Chapter 130. Many towns having this control, however, are unaware that approval of the Director of the Division of Marine Fisheries is required by the statute and often change their regulations without consulting DMF. In order to insure biologically sound and legally valid local management, the Director should inform cities and towns of this condition and request them to submit current regulations and subsequent changes for approval.
- 3. River herring passage issues have dealt primarily with upstream migration of adults. Downstream passage of adults and more importantly juveniles has been largely ignored and, in some systems, may be an important limiting factor in population productivity. Future work should take this into consideration and place appropriate emphasis on this phase of the life cycle and the problems which are associated with it.
- 4. Large numbers of juvenile herring are killed each year due to cranberry bog operations. A simple, inexpensive screening system has been developed which will prevent most of these losses. Despite publicizing the availability of this system through industry media, growers have been reluctant to utilize it. Appropriate screening of water withdrawal intakes to prevent stranding, mutilation, entrainment or impingement of young herring should be made a condition of any state permits required for the agricultural operation.
- 5. Shoaling of pond outlets and encroachment of vegetation has seriously impacted river herring populations in some systems. Deposition of sandy material at the outlets in combination with low late summer/fall water levels has prevented the escapement of large segments of year classes and caused them to be lost to the population either through winter kill or greatly reduced growth rates. Outlet structures which would retain depth, reduce deposition and provide for easier maintenance should be developed and installed at stream outlets where appropriate.
- 6. The emphasis of anadromous fish management in coastal streams has been on river herring, American shad and rainbow smelt. Consequently little is known about white perch and tomcod populations in the Commonwealth. In the future more attention should be directed toward these species and management strategies which would protect them should be developed.
- 7. Several large coastal streams, notably the Taunton, Charles and Neponset Rivers, appear to have excellent potential for development of American shad populations. Many years of stocking with adult fish and eggs have yielded negligible results, however. Other states have had success through hatchery egg taking and rearing to fry size before release. This technique should be developed in Massachusetts and applied to the above streams.
- 8. Removal of dams should be considered as an alternative to fishway construction where appropriate.

Alphabetical Index of Streams

Stream Name	Town(s)	Page
Accord Brook	Hingham	10
Alewife Brook	Gloucester	76
Artichoke River	Newburyport	103
	West Newbury	
Back River	Amesbury	102
	South Hampton, NH	
Bass River	Beverly	55
Beaver Brook	Dracut	111
	Lowell	
	Pelham, NH	
Broad Cove	Hingham	15
Buswell Pond	Gloucester	59
Charles River	Bellingham	37
	Boston	
	Cambridge	
	Dedham	
	Dover	
	Franklin	
	Hopkinton	
	Medfield	
	Medway	
	Milford	
	Millis	
	Natick	
	Needham	
	Newton	<u> </u>
	Norfolk	<u> </u>
	Sherborn	
	Waltham	
	Watertown	
	Wellsley	
	Weston	
	Westwood	
Chubb Creek	Beverly	57
Chubb Creek	Manchester	37
Clark Pond	Manchester	57
Concord River	Bedford	108
Collecta River	Billerica	108
	Carlisle	
	Concord	
	Lowell	
Cron a Dissan	Tewksbury	52
Crane River	Danvers	53
Crooked Meadow River	Hingham	13
Egypt River	Ipswich	86
F Di/ A1 'C D 1	Rowley	00
Essex River/ Alewife Brook	Essex	80
n n.	Hamilton	
Farm River	Braintree	31
Fernwood Lake	Gloucester	63

Stream Name	Town(s)	Page
Fore River/ Monatiquot River	Braintree	25
-	Weymouth	
Fulling Mill Brook	Hingham	12
Furnace Brook	Quincy	33
Goose Cove	Gloucester	74
Howlett Brook	Ipswich	84
	Topsfield	
Indian River	West Newbury	105
Ipswich River	Ipswich	81
•	Lynnfield	
	Middleton	
Langsford Pond	Gloucester	72
Little River	Gloucester	65
Martins Brook	North Reading	85
	Wilmington	
Merrimack River	Amesbury	97
Trieffiniaek Triver	Andover	
	Chelmsford	
	Dracut	
	Groveland	
	Haverhill	
	Lawrence	
	Lawrence	
	Merrimack	
	Methuen	
	Newburyport	
	North Andover	
	Tewksbury	
Mill D 1.	Tyngsboro	70
Mill Brook	Rockport	70
Mill River	Rowley	93
Mystic River	Arlington	46
	Boston	
	Chelsea	
	Everett	
	Medford	
	Somerville	
	Winchester	2.1
Neponset River	Boston	34
	Canton	
	Dedham	
	Foxborough	
	Milton	
	Norwood	
	Quincy	
	Walpole	
	Westwood	
Parker River	Byfield	87
	Newbury	
Penn Brook	Boxford	94
Porter River	Danvers	54
Powwow River	Amesbury	100

Stream Name	Town(s)	Page
Powwow River, cont.	South Hampton, NH	100
Proctor Brook	Peabody	52
	Salem	
River Meadow Brook	Chelmsford	110
	Lowell	
Saugus River	Lynn	50
	Lynnfield	
	Saugus	
	Wakefield	
Sawmill Brook	Rockport	69
Shawsheen River	Andover	106
	Bedford	
	Billerica	
	Lawrence	
	North Andover	
	Wilmington	
Shute Brook	Saugus	52
Sleepy Hollow Pond	Gloucester	68
Smelt Brook	Braintree	28
	Weymouth	
Spickett River	Lawrence	107
	Methuen	
	Salem, NH	
Straits Pond	Cohasset	9
	Hull	
Sunset Lake	Braintree	30
Town River	Quincy	32
Walker Creek	Gloucester	78
Weir River	Hingham	7
West Pond	Gloucester	58
Weymouth Back River	Weymouth	16

Alphabetical Index of Towns

Back River Merrimack River Powwow River Merrimack River Shawsheen River Mystic River	102 97 100 97
Powwow River Merrimack River Shawsheen River Mystic River	100 97
Merrimack River Shawsheen River Mystic River	97
Shawsheen River Mystic River	
Mystic River	
3	106
j	46
Concord River	108
	106
	37
Bass River	55
Chubb Creek	57
Concord River	108
Shawsheen River	106
Charles River	37
Mystic River	46
	34
Penn Brook	94
Farm River	31
Fore River/Monatiquot River	25
Smelt Brook	28
Sunset Lake	30
	87
	37
	34
1	108
	97
	110
	46
	9
	108
	53
Porter River	54
	37
	34
Charles River	37
Beaver Brook	111
Merrimack River	97
	80
	46
ž	34
1	37
	76
	59
	63
	74
	72
	65
	68
	78
	58
	Shawsheen River Charles River Bass River Chubb Creek Concord River Shawsheen River Charles River Mystic River Neponset River Penn Brook Farm River Fore River/Monatiquot River Smelt Brook Sunset Lake Parker River Charles River Neponset River River Smelt Brook Sunset Lake Parker River Charles River Straits Pond Concord River Straits Pond Concord River Crane River Porter River Charles River

Town(s)	Stream Name	Page
Groveland	Merrimack River	97
Hamilton	Essex River/Alewife Brook	80
Haverhill	Merrimack River	97
Hingham	Accord Brook	10
	Broad Cove	15
	Crooked Meadow River	13
	Fulling Mill Brook	12
	Weir River	7
Hopkinton	Charles River	37
Hull	Straits Pond	9
Ipswich	Egypt River	86
•	Howlett Brook	84
	Ipswich River	81
Lawrence	Merrimack River	97
	Shawsheen River	106
	Spickett River	107
Lowell	Beaver Brook	111
	Concord River	108
	Merrimack River	97
	River Meadow Brook	110
Lynn	Saugus River	50
Lynnfield	Ipswich River	81
J	Saugus River	50
Manchester	Chubb Creek	57
	Clark Pond	57
Medfield	Charles River	37
Medford	Mystic River	46
Medway	Charles River	37
Methuen	Merrimack River	97
	Spickett River	107
Merrimac	Merrimack River	97
Middleton	Ipswich River	81
Milford	Charles River	37
Millis	Charles River	37
Milton	Neponset River	34
Natick	Charles River	37
Needham	Charles River	37
Newbury	Parker River	87
Newburyport	Artichoke River	103
1.0. Carlyport	Merrimack River	97
Newton	Charles River	37
North Andover	Merrimack River	97
1 (01011 1 11100) 01	Shawsheen River	106
North Reading	Martins Brook	85
Norfolk	Charles River	37
Norwood	Neponset River	34
Peabody	Proctor Brook	52
Quincy	Furnace Brook	33
- Lame	Neponset River	34
	Town River	32
Rockport	Mill Brook	70
roomport	Sawmill Brook	69
	Sawiiiii Diook	1 09

Town(s)	Stream Name	Page
Rowley	Mill River	93
	Rowley River (Egypt River)	86
Salem	Proctor Brook	52
Saugus	Saugus River	50
	Shute Brook	52
Sherborn	Charles River	37
Somerville	Mystic River	46
Tewksbury	Concord River	108
	Merrimack River	97
Topsfield	Howlett Brook	84
Tyngsboro	Merrimack River	97
Wakefield	Saugus River	50
Waltham	Charles River	37
Walpole	Neponset River	34
Watertown	Charles River	37
Wellesley	Charles River	37
West Newbury	Artichoke River	103
	Indian River	105
Weston	Charles River	37
Westwood	Charles River	37
	Neponset River	34
Weymouth	Fore River/Monatiquot River	25
•	Smelt Brook	28
	Weymouth Back River	16
Wilmington	Martins Brook	85
<u> </u>	Shawsheen River	106
Winchester	Mystic River	46

New Hampshire Towns	Stream Names	Page
Pelham	Beaver Brook	111
Salem	Spickett River	107
South Hampton	Back River	102
	Powwow River	100

Appendix 1: Anadromous species of the Commonwealth of Massachusetts

Alewife (*Alosa psuedoharengus*)

Blueback (*Alosa aestivalis*)

American shad (*Alosa sapidissima*)

Rainbow smelt (*Osmerus mordax*)

White perch (*Morone americana*)

Atlantic salmon (Salmo salar)

Brook trout (aka Salter trout) (Salvelinus fontinalis)

Rainbow trout (aka Steelhead trout) (Oncorhynchus mykiss)

Brown trout (sea run) (Salmo trutta)

Coho salmon (Oncorhynchus kisutch)

Lamprey (Petromyzon marinus)

Atlantic sturgeon (Acipenser oxyrinchus oxyrinchus)

Shortnose sturgeon (*Acipenser brevirostrum*)

Gizzard shad (Dorosoma cepedianum)

Hickory shad (Alosa mediocris)

Tomcod (*Microgadus tomcod*)

Striped bass (Morone saxatilis)

Appendix 2: State River Herring Regulations


The following regulations affect the catch of river herring (alewives and bluebacks) in cities and towns without local control. These regulations establish catching days, daily catch limits, and gear restrictions and are being promulgated to establish consistent state management of river herring not under the local control of a city or town by operation of M. G. L. c. 130, s.94. These regulations are easily understood, readily enforceable, and will help assure adequate escapement of river herring for spawning.

Below is section 6.17 of 322 CMR:

6.17 River Herring


- 1) Purpose. This regulation is promulgated to establish consistent state management of river herring fisheries not under local control of a city or town by operation of M. G. L. c. 130 s. 94.
- 2) Definition. For purpose of this regulation, the term River Herring means those species of fish known as alewives (*Alosa pseudoharengus*) and bluebacks (*Alosa aestivalis*).
- 3) Catching Days. It is prohibited and unlawful for any person to catch river herring on Tuesdays, Thursdays, and Sundays.
- 4) Daily Catch Limit. It is prohibited and unlawful for any person to catch more than 25 river herring per day.
- 5) Gear Restrictions. It is prohibited and unlawful to catch river herring with any net other than hand-held dip nets.
- 6) Exception. These regulations shall not apply to the catching of river herring in cities and towns which have acquired local control by operation of M. G. L. c. 130, section 94, or to the catching of herring authorized by the Director under 322 CMR 4.02 (1)(b) and (1)(c).

Appendix 3: Fishway Designs and Examples




Denil Fishway

- Slope: 10-25%
- Resting pools are required between long segments
- Limited by large water depths
- Greater discharge of water than the other fishways, and therefore a greater attraction capability.



Weir Fishway

- Slope usually 10%
- Sensitive to water level fluctuations



Steeppass Fishway

Fishway designs taken from:

Fish Passageways and Diversion Structures Section 3 United States Fish & Wildlife Service Presented by: Branch of Aquatic Resources Training National Education and Training Center June 17-21, 1996 Richland, Washington

Examples of fishways in use:

Denil Fishways




Denil – Newton Lower Falls dam, Newton



Denil – Ipswich Mills Dam, Ipswich

Weir pool fishways



Notched weir pool fishway – Pleasant St. Dam, Weymouth



Notched weir-pool - Broad St. Dam, Weymouth




Weir pool – Triphammer Pond Dam, Hingham



Weir pool – Benoit's Pond Dam, Bourne

Steeppass Fishways



Alaskan Steeppass – Newfield St. Dam, Plymouth



Alaskan Steeppass – Elm St. Dam, Kingston

Stream Baffles



Stream baffles – Brook St. Culvert, Kingston

Vertical Slot Fishways



Modified Ice Harbor vertical slot fishway – Pawtucket Dam, Lowell

Fish Lifts



Fish lift – hopper rising with fish –Essex Dam, Lawrence

Appendix 4: Abbreviations used in this publication:

DCR** Department of Conservation and Recreation

Division of Marine Fisheries **DMF** DPW Department of Public Works

EOEA Executive Office of Environmental Affairs

Global Positioning System GPS

National Oceanic and Atmospheric Administration United States Fish and Wildlife Service **NOAA**

USFWS

^{**}DCR is a new agency that was once two separate agencies: Department of Environmental Management (DEM) and the Metropolitan District Commission (MDC).