

Massachusetts Fire Training Council

Firefighter Practical Certification Examination

CANDIDATE
NUMBER

Skill Sheet No. OLR C - 100		01-29-25
Skill Title: RECOGNITION AND IDENTIFICATION		
NFPA 470-2022 EDITION	Objective: 5.2.1, 5.3.1, 5.4.1, 7.2.1, 7.3.1, 7.4.1	Minimum to Pass: A = 7 of 10; O=5 of 7
PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)		A O
Candidate must successfully pass Awareness Skills to be certified to Operational 1 point each		
1.	Candidate recognizes the presence of hazardous materials/WMD.	
2.	Identify and verbalize the suitability of approved PPE available.	
3.	Verbalize safe and correct approach.	
4.	Appropriate PPE is worn properly.	
5.	Identify and verbalize the identification of potential hazards using any of the following (container shape, placards / labels, UNNA#, SDS sheet, ERG, markings).	
6.	Utilizing available resources correctly, identify and verbalize the material by name and / or UNNA#.	
7.	Utilizing available resources, identify and verbalize the material's ERG Guide#.	
8.	Verbalize initial isolation distance, demonstrate isolating the hazard area with materials supplied.	
9.	Verbalize initiation of required notifications including the notification of appropriately trained personnel per SOP / SOG's.	
10.	Makes necessary notifications to responsible authorities.	
11.	Identify and verbalize potential fire, explosion, and / or health hazards of material.	
12.	Identify and verbalize potential safety procedures, hazard avoidance and minimization of exposure to the material.	
13.	Identify and verbalize incompatibilities and reactivities of material.	
14.	Identify and verbalize tactical action options for the material given.	
15.	Verbalizes PPE requirements for control options.	
16.	Verbalizes decontamination requirements.	
17.	Completes the skill as directed.	
TOTAL POINTS: Per Level of Awareness and Operational		

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.

Examiner Print and Sign: _____ Date: ____/____/____

Coordinator Review: _____ Date: ____/____/____

A - Pass ____ Fail ____
O- Pass ____ Fail ____

Circle if Retest RETEST
A - Pass ____ Fail ____
O- Pass ____ Fail ____

[illegible]

Massachusetts Fire Training Council Firefighter Practical Certification Examination

CANDIDATE
NUMBER

Skill Sheet No. OLR C – 100A		01-29-25
Skill Title: DETECTION, MONITORING and SAMPLING		
NFPA 470-2022 EDITION	Objective: 5.2.1, 5.3.1, 5.4.1, 7.2.1, 7.4.1, 7.6.1	Minimum to Pass A=4 of 5; O=10 of 13
PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)		A O

Candidate must successfully pass Awareness Skills to be certified to Operational 1 point each

1.	Selects and dons appropriate PPE correctly		
2.	Identifies the scope of the incident and verbalizes safe position / approach.		
3.	Verbalizes implementing scene control procedures per SOP / SOG's.		
4.	Appropriate PPE is worn properly.		
5.	Selects appropriate equipment.		
6.	Verbalizes proper condition and operation of equipment provided.		
7.	Utilizing available resources, identify and verbalize the material's ERG Guide#.		
8.	Indicates the proper preservation of any / all possible evidence.		
9.	Correctly interprets and communicates results to supervisor.		
10.	Makes necessary notifications to responsible authorities.		
11.	Identify and verbalize potential fire, explosion, and / or health hazards of material.		
12.	Identify and verbalize potential safety procedures, hazard avoidance and minimization of exposure to the material.		
13.	Identify and verbalize incompatibilities and reactivities of material.		
14.	Identify and verbalize tactical action options for the material given.		
15.	Verbalizes PPE requirements for control options.		
16.	Verbalizes the decontamination of equipment and return to operational state.		
17.	Properly removes PPE.		
18.	Completes the skill as directed.		
TOTAL POINTS			

FAILURE OF THIS CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.

Examiner Print and Sign: _____ Date: __/__/__

A - Pass __ Fail __

O- Pass __ Fail __

Coordinator Review: _____ Date: __/__/__

Circle if Retest RETEST

A - Pass __ Fail __


O- Pass __ Fail __

Skill No.	Description of Failure

[illegible]

Massachusetts Fire Training Council

Firefighter Practical Certification Examination



Skill Sheet No. OLR C - 101		01-29-25
Skill Title: DON PERSONAL PROTECTIVE CLOTHING		
NFPA 470-2022 EDITION	Objective: 9.2.1	Minimum to Pass: A= NA; O= 10 of 13
PERFORMANCE: P / F per Level of Awareness (A), Operational (O) and Mission Specific (MS)		MS

Candidate must successfully pass Awareness Skills to be certified to Operational 1 point each


1.	Dons pants/boot combination	
2.	Assures the suspenders are attached to pants	
3.	Pants are pulled on and fastened to the waist	
4.	Suspenders are adjusted over the shoulder	
5.	Dons protective hood, pulling down around the neck and shoulders	
6.	Dons turnout coat	
7.	Assures all closures are fastened	
8.	Assures collar is turned up and secured around neck	
9.	Dons helmet with ear flaps down	
10.	Adjust chin strap under chin	
11.	Dons PASS device, if not integrated	
12.	Dons gloves and assures no skin is exposed between cuff of coat and gloves	
13.	Completes within one minute	
TOTAL POINTS: Per Level of Awareness and Operational		

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.	
Examiner Print and Sign: _____ Date: __/__/__ Coordinator Review: _____ Date: __/__/__	MS - Pass __ Fail __ Circle if Retest RETEST MS - Pass __ Fail __

[illegible]

Massachusetts Fire Training Council

Firefighter Practical Certification Examination



Skill Sheet No. OLR C - 102	01-29-25
Skill Title: DAILY IN-SERVICE INSPECTION OF SCBA	
NFPA 470-2022	Objective: 7.4.1 (NFPA 1852-2019, 3.3.6)
Minimum to Pass: A=NA; O=14 of 19	
PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)	A O

***Candidate must successfully pass Awareness Skills to be certified to Operational* 1 point each**

1.	Candidate verbalizes all components of SCBA are present and checked for integrity: harness assembly, cylinder, facepiece, hoses, end of service indicators, regulators, PASS device.	
2.	Candidate verbalizes removing cylinder from harness and verbalizes process while inspecting all components of SCBA for cleanliness and damage.	
3.	Identifies and verbalizes the need to clean dirty components. If damage is found, candidate should verbalize which component is damaged and that they would remove a damaged unit from service.	
4.	Verbalizes while checking integrity of facepiece (damage, wear) and that straps are fully extended.	
5.	Checks backpack and cylinder assembly for unusual wear or damage.	
6.	Demonstrates and verbalizes the operation of the purge valve and the don/doffing switch.	
7.	Checks and verbalizes cylinder hydrostatic test date and reinstalls cylinder.	
8.	Checks position of mainline, bypass, don/doffing switch and positive pressure valves. (Manufacturer dependent)	
9.	Checks cylinder pressure and determine if it is full. (90% or above-2216 psi = 1994psi/4500 psi = 4050/5500 psi = 4950 psi)	
10.	Opens cylinder valve fully, checking for low air audible alarm. (Note: on some SCBA, the audible alarm does not sound when the cylinder valve is opened.)	
11.	Verifies that the Integrated PASS device turns on and sounds, if equipped.	
12.	Verbalizes comparison of cylinder gauge to remote pressure gauge.	
13.	Verbalizes that unit would be taken out of service if cylinder gauge and remote pressure gauge discrepancy exceeds 100psi. (5500psi systems not to exceed 250psi).	
14.	Checks operation of PASS device by allowing passive activation/alarm, and then manual activation, then reset.	
15.	Connects facepiece to regulator and inhales to inspect operation of the regulator.	
16.	Closes cylinder valve and continues inhaling to check the activation of the low air alarm.	
17.	Closes cylinder valve and continues inhaling to check the activation of the low air alarm.	
18.	Deactivates PASS device, if integrated.	
19.	Detaches the facepiece and returns SCBA to original area ready for donning.	
TOTAL POINTS: Per Level of Awareness and Operational		

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.

Examiner Print and Sign: _____ Date: __/__/__

A - Pass __ Fail __

O- Pass __ Fail __

Coordinator Review: _____ Date: __/__/__

Circle if Retest RETEST

A - Pass __ Fail __

O- Pass __ Fail __

Massachusetts Fire Training Council

Firefighter Practical Certification Examination

CANDIDATE NUMBER

Skill Sheet No. OLR C - 103	01-29-25
Skill Title: DON SCBA – OVER THE HEAD METHOD	
NFPA 470-2022	Objective: 7.4.1 (NFPA 1852-2019, 3.3.6)
Minimum to Pass: A=NA; O=15 of 21	
PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)	
A O	

***Candidate must successfully pass Awareness Skills to be certified to Operational* 1 point each**

1.	Candidate appropriately wears full protective clothing.		
2.	Crouches or kneels at end of SCBA opposite cylinder valve.		
3.	Verbalizes while checking cylinder gauge and determines if full. (90% or above-2216 psi = 1994/4500 psi = 4050/5500 psi = 4950)		
4.	Opens cylinder valve to its maximum. Low air alarm must sound, and PASS device must turn on.		
5.	Compares cylinder gauge to remote pressure gauge. (Difference between cylinder and remote gauge shall not exceed 100 psi. 5500 psi systems not to exceed 250 psi.)		
6.	Grasps backplate/harness assembly with both hands.		
7.	Raises backplate/harness assembly overhead.		
8.	Places and balances backplate/cylinder assembly on upper back.		
9.	Connects necessary buckles and adjusts underarm straps until snug.		
10.	Connects waist strap and adjusts until snug.		
11.	Dons facepiece.		
12.	Performs facepiece fit test. Adjusts straps if needed.		
13.	Properly dons protective hood, ensuring no gaps/exposed skin.		
14.	Dons helmet with ear covers down.		
15.	Connects and adjusts chinstrap under chin and not facepiece.		
16.	Turns on PASS device, if not integrated.		
17.	Dons gloves and ensures no gaps/exposed skin between gloves and coat sleeves.		
18.	Connects facepiece to regulator. (activate positive pressure)		
19.	Declares colors present on heads up display, if equipped. (ex. 2 green, no red)		
20.	All Personal Protective Equipment is properly worn.		
21.	Completes within one minute and fifteen seconds.		
TOTAL POINTS: Per Level of Awareness and Operational			

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.

Examiner Print and Sign: _____ Date: __/__/__

Coordinator Review: _____ Date: __/__/__


A - Pass ___ Fail ___
O- Pass ___ Fail ___

Circle if Retest RETEST
A - Pass ___ Fail ___
O- Pass ___ Fail ___

[illegible]

Massachusetts Fire Training Council

Firefighter Practical Certification Examination



Skill Sheet No. OLR - 104		07-01-24
Skill Title: DON SCBA-OVER COAT METHOD		
NFPA 470-2022	Objective: 7.4.1 (NFPA 1852-2019, 3.3.6)	Minimum to Pass: A=NA; O=15 of 21
PERFORMANCE: P / F per Level of Awareness (A) and Operational (O)		A O

***Candidate must successfully pass Awareness Skills to be certified to Operational* 1 point each**


1.	Candidate appropriately wears full protective clothing.		
2.	Crouches or kneels at end of SCBA with cylinder valve.		
3.	Verbalizes while checking cylinder gauge and determines if full. (90% or above-2216 psi = 1994/4500 psi = 4050/5500 psi = 4950)		
4.	Opens cylinder valve to its maximum. Low air alarm must sound, and PASS device must turn on.		
5.	Compares cylinder gauge to remote pressure gauge. (Difference between cylinder and remote gauge shall not exceed 100 psi. 5500 psi systems not to exceed 250 psi.)		
6.	Grasps backplate/harness assembly with both hands.		
7.	Raises backplate/harness assembly overhead.		
8.	Places and balances backplate/cylinder assembly on upper back.		
9.	Connects necessary buckles and adjusts underarm straps until snug.		
10.	Connects waist strap and adjusts until snug.		
11.	Dons facepiece.		
12.	Performs facepiece fit test. Adjusts straps if needed.		
13.	Properly dons protective hood, ensuring no gaps/exposed skin.		
14.	Dons helmet with ear covers down.		
15.	Connects and adjusts chinstrap under chin and not facepiece.		
16.	Turns on PASS device, if not integrated.		
17.	Dons gloves and ensures no gaps/exposed skin between gloves and coat sleeves.		
18.	Connects facepiece to regulator. (activate positive pressure)		
19.	Declares colors present on heads up display, if equipped. (ex. 2 green, no red)		
20.	All Personal Protective Equipment is properly worn.		
21.	Completes within one minute and fifteen seconds.		
TOTAL POINTS: Per Level of Awareness and Operational			

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.	
Examiner Print and Sign: _____ Date: __/__/__	A - Pass __ Fail __ O- Pass __ Fail __
Coordinator Review: _____ Date: __/__/__	Circle if Retest RETEST A - Pass __ Fail __ O- Pass __ Fail __

[illegible]

Massachusetts Fire Training Council

Firefighter Practical Certification Examination



Skill Sheet No. OLR C – 201 A		01-29-25
Skill Title: DEFENSIVE CONTROL - DAMMING		
NFPA 470-2022 EDITION	Objective: 7.3.1, 7.4.1, 9.6.1	Minimum to Pass: O=7 of 10; MS=5 of 6
PERFORMANCE: P / F per Level of Operational (O) and Mission Specific (MS)		O MS

***Candidate must successfully pass Operational skills prior to passing Mission Specific skills* 1 point each**

	1.	Verbalizes and describes the suitability of PPE provided.		
	2.	Wears full protective clothing and utilizes positive pressure SCBA		
	3.	Selects the appropriate product control tactics to control / confine the release with limited risk of personal exposure.		
	4.	Selects appropriate location to perform product control operation efficiently / safely.		
	5.	Selects the most appropriate equipment to complete control assignment.		
	6.	Verbalizes isolating and evacuating the area according to the resource's guidelines.		
	7.	Verbalizes eliminating all ignition sources		
	8.	Verbalizes and demonstrates the safe approach of the container involved.		
	9.	Stays out of contact with the product		
	10.	Determines the appropriate location to construct a Damming barrier		
	11.	Performs product control correctly effectively; properly performs Damming operation).		
	12.	Verbalizes and demonstrate the maintenance of scene control measures with materials provided.		
	13.	Communicates mission outcome to supervisor		
	14.	Verbalizes the need for emergency decontamination		
	15.	Verbalizes the need for gross decontamination		
	16.	Completes required documentation and reporting per scenario; and indicates the potential need for and methodology of decontamination / isolation of personnel and equipment as needed.		
TOTAL POINTS: Per Level of Operational and Mission Specific				

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.	
Examiner Print and Sign: _____ Date: __/__/__	O - Pass __ Fail __ MS- Pass __ Fail __
Coordinator Review: _____ Date: __/__/__	Circle if Retest RETEST O - Pass __ Fail __ MS- Pass __ Fail __

A rectangular box with a thick black border. Inside, there is a large grey rectangle covering most of the space, and the words "CANDIDATE" and "NUMBER" are printed in black capital letters at the bottom.

C54 - OLR - 201A DEFENSIVE CONTROL - DAMMING |

Skill Sheet No. OLR C - 201 B		01-29-25	
Skill Title: DEFENSIVE CONTROL - DIKING			
NFPA 470-2022 EDITION	Objective: 7.3.1, 7.4.1, 9.6.1	Minimum to Pass: O=7 of 10; MS=5 of 6	
PERFORMANCE: P / F per Level of Operational (O) and Mission Specific (MS)			MS
Candidate must successfully pass Operational skills prior to passing Mission Specific skills 1 point each			


	1.	Verbalizes and describes the suitability of PPE provided.		
	2.	Wears full protective clothing and utilizes positive pressure SCBA		
	3.	Selects the appropriate product control tactics to control / confine the release with limited risk of personal exposure.		
	4.	Selects appropriate location to perform product control operation efficiently / safely.		
	5.	Selects the most appropriate equipment to complete control assignment.		
	6.	Verbalizes isolating and evacuating the area according to the resource's guidelines.		
	7.	Verbalizes eliminating all ignition sources		
	8.	Verbalizes and demonstrates the safe approach of the container involved.		
	9.	Stays out of contact with the product		
	10.	Determines the appropriate location to perform Diking.		
	11.	Performs product control correctly effectively; properly performs DIKING operation).		
	12.	Verbalizes and demonstrate the maintenance of scene control measures with materials provided.		
	13.	Communicates mission outcome to supervisor		
	14.	Verbalizes the need for emergency decontamination		
	15.	Verbalizes the need for gross decontamination		
	16.	Completes required documentation and reporting per scenario; and indicates the potential need for and methodology of decontamination / isolation of personnel and equipment as needed.		
TOTAL POINTS: Per Level of Operational and Mission Specific				

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.	
Examiner Print and Sign: _____ Date: __/__/__	O - Pass __ Fail __ MS- Pass __ Fail __
Coordinator Review: _____ Date: __/__/__	Circle if Retest RETEST O - Pass __ Fail __ MS - Pass __ Fail __

[illegible]

Massachusetts Fire Training Council

Firefighter Practical Certification Examination



Skill Sheet No. OLR C - 201 C		01-29-25
Skill Title: DEFENSIVE CONTROL - DIVERSION		
NFPA 470-2022 EDITION	Objective: 7.3.1, 7.4.1, 9.6.1	Minimum to Pass: O=7 of 10; MS=5 of 6
PERFORMANCE: P / F per Level of Operational (O) and Mission Specific (MS)		O MS
Candidate must successfully pass Operational skills prior to passing Mission Specific skills 1 point each		

1.	Verbalizes and describes the suitability of PPE provided.		
2.	Wears full protective clothing and utilizes positive pressure SCBA		
3.	Selects the appropriate product control tactics to control / confine the release with limited risk of personal exposure.		
4.	Selects appropriate location to perform product control operation efficiently / safely.		
5.	Selects the most appropriate equipment to complete control assignment.		
6.	Verbalizes isolating and evacuating the area according to the resource's guidelines.		
7.	Verbalizes eliminating all ignition sources		
8.	Verbalizes and demonstrates the safe approach of the container involved.		
9.	Stays out of contact with the product		
10.	Determines the appropriate location to construct a Diversion barrier		
11.	Performs product control correctly effectively; properly performs DIVERSION operation).		
12.	Verbalizes and demonstrate the maintenance of scene control measures with materials provided.		
13.	Communicates mission outcome to supervisor		
14.	Verbalizes the need for emergency decontamination		
15.	Verbalizes the need for gross decontamination		
16.	Completes required documentation and reporting per scenario; and indicates the potential need for and methodology of decontamination / isolation of personnel and equipment as needed.		
TOTAL POINTS: Per Level of Operational and Mission Specific			


FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.	
Examiner Print and Sign: _____ Date: __/__/__ Coordinator Review: _____ Date: __/__/__	O - Pass __ Fail __ MS- Pass __ Fail __ Circle if Retest RETEST O - Pass __ Fail __ MS - Pass __ Fail __

CANDIDATE
NUMBER

C54 - OLR – 201 DIVERSION

Massachusetts Fire Training Council

Firefighter Practical Certification Examination



Skill Sheet No. OLR C - 201 D		01-29-25		
Skill Title: DEFENSIVE CONTROL – Absorption/Adsorption				
NFPA 470-2022 EDITION	Objective: 7.3.1, 7.4.1, 9.6.1	Minimum to Pass: O=7 of 10; MS=5 of 6		
PERFORMANCE: P / F per Level of Operational (O) and Mission Specific (MS)		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">O</td> <td style="width: 50%; text-align: center;">MS</td> </tr> </table>	O	MS
O	MS			
Candidate must successfully pass Operational skills prior to passing Mission Specific skills 1 point each				

1.	Verbalizes and describes the suitability of PPE provided.		
2.	Wears full protective clothing and utilizes positive pressure SCBA		
3.	Selects the appropriate product control tactics to control / confine the release with limited risk of personal exposure.		
4.	Selects appropriate location to perform product control operation efficiently / safely.		
5.	Selects the most appropriate equipment to complete control assignment.		
6.	Verbalizes isolating and evacuating the area according to the resource's guidelines.		
7.	Verbalizes eliminating all ignition sources		
8.	Verbalizes and demonstrates the safe approach of the container involved.		
9.	Stays out of contact with the product		
10.	Determines the appropriate location for Absorption/Adsorption		
11.	Performs product control correctly effectively; properly performs Absorption/Adsorption operation).		
12.	Verbalizes and demonstrate the maintenance of scene control measures with materials provided.		
13.	Communicates mission outcome to supervisor		
14.	Verbalizes the need for emergency decontamination		
15.	Verbalizes the need for gross decontamination		
16.	Completes required documentation and reporting per scenario; and indicates the potential need for and methodology of decontamination / isolation of personnel and equipment as needed.		
TOTAL POINTS: Per Level of Operational and Mission Specific			

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.	
Examiner Print and Sign: _____ Date: __/__/__ Coordinator Review: _____ Date: __/__/__	O - Pass __ Fail __ MS- Pass __ Fail __ Circle if Retest RETEST O - Pass __ Fail __ MS- Pass __ Fail __

[illegible]

Massachusetts Fire Training Council

Firefighter Practical Certification Examination

CANDIDATE NUMBER

Skill Sheet No. OLR C - 301	01-29-25
Skill Title: EMERGENCY DECONTAMINATION OF AN EMERGENCY RESPONDER	
NFPA 470-2022 EDITION	Objective: 7.4.1, 7.5.1, 9.2.1
O= 10 of 13; MS = 5 of 6	
PERFORMANCE: P / F per Level of Operational (O) and Mission Specific (MS)	
O	MS

***Candidate must successfully pass Operational skills prior to passing Mission Specific skills* 1 point each**

1	Verbally provides at least two reasons why the current area is safe for emergency decontamination.		
2	Proceeds to decontamination area in correctly selected, donned PPE and respiratory protection.		
3	Verbalizes the placement of tools and equipment in designated area for later decontamination.		
4	Wears full protective clothing and utilizes positive pressure SCBA		
5	Removes the person from the contaminated area without coming into direct contact with the product, if possible.		
6	Ensures person is supplied with uncontaminated air and controls life threatening bleeding		
7	Simulates using low pressure water spray for gross self-decontamination using equipment provided.		
8	If the person is wearing a respirator, releases the harness, and removes leaving the operating facepiece in position		
9	Removes persons clothing and or PPE rapidly minimizing the spread of contaminants beginning at the head and working down.		
10	Maintains washing while clothing removal is taking place		
11	Transfers the person to EMS personnel for assessment /treatment		
12	Properly doffs PPE as to minimize cross-contamination and states securing properly.		
13	Respiratory protection remains in place until all PPE is removed.		
14	Properly removes and states securing respiratory protection properly, moving away from decon station		
15	Simulates washing using disposable towels (provided) to clean head, face, neck, hands, and wrists before moving to the rehabilitation area.		
16	Verbalizes a method of assessing the effectiveness of the decontamination process.		
17	Verbalizes the proper disposal or decontamination of PPE.		
18	Ensures EMS and hospital personnel are informed about the product involved and the persons exposure.		
20	Completes required documentation and reporting per scenario as well as the need for exposure forms and supporting documents.		
TOTAL POINTS: Per Level of Operational and Mission Specific			

FAILURE OF A CRITICAL PORTION IS CAUSE FOR ENTIRE SKILL FAILURE.

Examiner Print and Sign: _____ Date: __/__/__

Coordinator Review: _____ Date: __/__/__

O - Pass ___ Fail ___
MS - Pass ___ Fail ___

Circle if Retest RETEST
O - Pass ___ Fail ___
MS - Pass ___ Fail ___

Skill No.	Description of Failure
-----------	------------------------

[illegible]